

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
26 July 2001 (26.07.2001)

PCT

(10) International Publication Number
WO 01/53455 A2

- (51) International Patent Classification⁷: C12N [US/US]; 4230 Ranwick Court, San Jose, CA 95118 (US).
LIU, Chenghua [CN/US]; 1125 Ranchero Way #14, San Jose, CA 95117 (US). DRMANAC, Radoje, T. [YU/US]; 850 East Greenwich Place, Palo Alto, CA 94303 (US).
- (21) International Application Number: PCT/US00/35017
- (22) International Filing Date: 22 December 2000 (22.12.2000) (74) Agent: ELRIFI, Ivor, R.; Mintz, Levin, Cohn, Ferris, Glovsky, and Popeo, P.C., One Financial Center, Boston, MA 02111 (US).
- (25) Filing Language: English
- (26) Publication Language: English (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (30) Priority Data:

09/471,275	23 December 1999 (23.12.1999)	US
09/488,725	21 January 2000 (21.01.2000)	US
09/552,317	25 April 2000 (25.04.2000)	US
- (63) Related by continuation (CON) or continuation-in-part (CIP) to earlier applications:

US	09/488,725 (CIP)
Filed on	21 January 2000 (21.01.2000)
US	09/596,196 (CIP)
Filed on	17 June 2000 (17.06.2000)
US	09/653,274 (CIP)
Filed on	31 August 2000 (31.08.2000)
- (71) Applicant (for all designated States except US): HYSEQ, INC. [US/US]; 670 Almanor Avenue, Sunnyvale, CA 94086 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): TANG, Y.; Tom
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 01/53455 A2

(54) Title: NOVEL NUCLEIC ACIDS AND POLYPEPTIDES

(57) Abstract: The present invention provides novel nucleic acids, novel polypeptide sequences encoded by these nucleic acids and uses thereof.

NOVEL NUCLEIC ACIDS AND POLYPEPTIDES

1. TECHNICAL FIELD

The present invention provides novel polynucleotides and proteins encoded by
5 such polynucleotides, along with uses for these polynucleotides and proteins, for example
in therapeutic, diagnostic and research methods.

2. BACKGROUND

Technology aimed at the discovery of protein factors (including e.g., cytokines,
10 such as lymphokines, interferons, CSFs, chemokines, and interleukins) has matured
rapidly over the past decade. The now routine hybridization cloning and expression
cloning techniques clone novel polynucleotides "directly" in the sense that they rely on
information directly related to the discovered protein (i.e., partial DNA/amino acid
sequence of the protein in the case of hybridization cloning; activity of the protein in the
15 case of expression cloning). More recent "indirect" cloning techniques such as signal
sequence cloning, which isolates DNA sequences based on the presence of a now
well-recognized secretory leader sequence motif, as well as various PCR-based or low
stringency hybridization-based cloning techniques, have advanced the state of the art by
making available large numbers of DNA/amino acid sequences for proteins that are
20 known to have biological activity, for example, by virtue of their secreted nature in the
case of leader sequence cloning, by virtue of their cell or tissue source in the case of
PCR-based techniques, or by virtue of structural similarity to other genes of known
biological activity.

Identified polynucleotide and polypeptide sequences have numerous applications
25 in, for example, diagnostics, forensics, gene mapping; identification of mutations
responsible for genetic disorders or other traits, to assess biodiversity, and to produce
many other types of data and products dependent on DNA and amino acid sequences.

3. SUMMARY OF THE INVENTION

30 The compositions of the present invention include novel isolated polypeptides, novel
isolated polynucleotides encoding such polypeptides, including recombinant DNA

molecules, cloned genes or degenerate variants thereof, especially naturally occurring variants such as allelic variants, antisense polynucleotide molecules, and antibodies that specifically recognize one or more epitopes present on such polypeptides, as well as hybridomas producing such antibodies.

5 The compositions of the present invention additionally include vectors, including expression vectors, containing the polynucleotides of the invention, cells genetically engineered to contain such polynucleotides and cells genetically engineered to express such polynucleotides.

10 The present invention relates to a collection or library of at least one novel nucleic acid sequence assembled from expressed sequence tags (ESTs) isolated mainly by sequencing by hybridization (SBH), and in some cases, sequences obtained from one or more public databases. The invention relates also to the proteins encoded by such polynucleotides, along with therapeutic, diagnostic and research utilities for these polynucleotides and proteins. These nucleic acid sequences are designated as SEQ ID NO:
15 1-739. The polypeptides sequences are designated SEQ ID NO: 740-1478. The nucleic acids and polypeptides are provided in the Sequence Listing. In the nucleic acids provided in the Sequence Listing, A is adenosine; C is cytosine; G is guanine; T is thymine; and N is any of the four bases. In the amino acids provided in the Sequence Listing, * corresponds to the stop codon.

20 The nucleic acid sequences of the present invention also include, nucleic acid sequences that hybridize to the complement of SEQ ID NO:1-739 under stringent hybridization conditions; nucleic acid sequences which are allelic variants or species homologues of any of the nucleic acid sequences recited above, or nucleic acid sequences that encode a peptide comprising a specific domain or truncation of the peptides encoded by
25 SEQ ID NO:1-739. A polynucleotide comprising a nucleotide sequence having at least 90% identity to an identifying sequence of SEQ ID NO:1-739 or a degenerate variant or fragment thereof. The identifying sequence can be 100 base pairs in length.

 The nucleic acid sequences of the present invention also include the sequence information from the nucleic acid sequences of SEQ ID NO:1-739. The sequence
30 information can be a segment of any one of SEQ ID NO:1-739 that uniquely identifies or represents the sequence information of SEQ ID NO:1-739.

A collection as used in this application can be a collection of only one polynucleotide. The collection of sequence information or identifying information of each sequence can be provided on a nucleic acid array. In one embodiment, segments of sequence information is provided on a nucleic acid array to detect the polynucleotide that contains the segment. The array can be designed to detect full-match or mismatch to the polynucleotide that contains the segment. The collection can also be provided in a computer-readable format.

This invention also includes the reverse or direct complement of any of the nucleic acid sequences recited above; cloning or expression vectors containing the nucleic acid sequences; and host cells or organisms transformed with these expression vectors. Nucleic acid sequences (or their reverse or direct complements) according to the invention have numerous applications in a variety of techniques known to those skilled in the art of molecular biology, such as use as hybridization probes, use as primers for PCR, use in an array, use in computer-readable media, use in sequencing full-length genes, use for chromosome and gene mapping, use in the recombinant production of protein, and use in the generation of anti-sense DNA or RNA, their chemical analogs and the like.

In a preferred embodiment, the nucleic acid sequences of SEQ ID NO:1-739 or novel segments or parts of the nucleic acids of the invention are used as primers in expression assays that are well known in the art. In a particularly preferred embodiment, the nucleic acid sequences of SEQ ID NO:1-739 or novel segments or parts of the nucleic acids provided herein are used in diagnostics for identifying expressed genes or, as well known in the art and exemplified by Vollrath et al., *Science* 258:52-59 (1992), as expressed sequence tags for physical mapping of the human genome.

The isolated polynucleotides of the invention include, but are not limited to, a polynucleotide comprising any one of the nucleotide sequences set forth in SEQ ID NO:1-739; a polynucleotide comprising any of the full length protein coding sequences of SEQ ID NO:1 - 739; and a polynucleotide comprising any of the nucleotide sequences of the mature protein coding sequences of SEQ ID NO: 1- 739. The polynucleotides of the present invention also include, but are not limited to, a polynucleotide that hybridizes under stringent hybridization conditions to (a) the complement of any one of the nucleotide sequences set forth in SEQ ID NO:1-739; (b) a nucleotide sequence encoding any one of the

amino acid sequences set forth in the Sequence Listing; (c) a polynucleotide which is an allelic variant of any polynucleotides recited above; (d) a polynucleotide which encodes a species homolog (e.g. orthologs) of any of the proteins recited above; or (e) a polynucleotide that encodes a polypeptide comprising a specific domain or truncation of any of the polypeptides comprising an amino acid sequence set forth in the Sequence Listing.

The isolated polypeptides of the invention include, but are not limited to, a polypeptide comprising any of the amino acid sequences set forth in the Sequence Listing; or the corresponding full length or mature protein. Polypeptides of the invention also include polypeptides with biological activity that are encoded by (a) any of the polynucleotides having a nucleotide sequence set forth in SEQ ID NO:1-739; or (b) polynucleotides that hybridize to the complement of the polynucleotides of (a) under stringent hybridization conditions. Biologically or immunologically active variants of any of the polypeptide sequences in the Sequence Listing, and "substantial equivalents" thereof (e.g., with at least about 65%, 70%, 75%, 80%, 85%, 90%, 95%, 98% or 99% amino acid sequence identity) that preferably retain biological activity are also contemplated. The polypeptides of the invention may be wholly or partially chemically synthesized but are preferably produced by recombinant means using the genetically engineered cells (e.g. host cells) of the invention.

The invention also provides compositions comprising a polypeptide of the invention. Polypeptide compositions of the invention may further comprise an acceptable carrier, such as a hydrophilic, e.g., pharmaceutically acceptable, carrier.

The invention also provides host cells transformed or transfected with a polynucleotide of the invention.

The invention also relates to methods for producing a polypeptide of the invention comprising growing a culture of the host cells of the invention in a suitable culture medium under conditions permitting expression of the desired polypeptide, and purifying the polypeptide from the culture or from the host cells. Preferred embodiments include those in which the protein produced by such process is a mature form of the protein.

Polynucleotides according to the invention have numerous applications in a variety of techniques known to those skilled in the art of molecular biology. These techniques include use as hybridization probes, use as oligomers, or primers, for PCR, use for chromosome and gene mapping, use in the recombinant production of protein,

and use in generation of anti-sense DNA or RNA, their chemical analogs and the like. For example, when the expression of an mRNA is largely restricted to a particular cell or tissue type, polynucleotides of the invention can be used as hybridization probes to detect the presence of the particular cell or tissue mRNA in a sample using, *e.g.*, *in situ* hybridization.

In other exemplary embodiments, the polynucleotides are used in diagnostics as expressed sequence tags for identifying expressed genes or, as well known in the art and exemplified by Vollrath et al., *Science* 258:52-59 (1992), as expressed sequence tags for physical mapping of the human genome.

The polypeptides according to the invention can be used in a variety of conventional procedures and methods that are currently applied to other proteins. For example, a polypeptide of the invention can be used to generate an antibody that specifically binds the polypeptide. Such antibodies, particularly monoclonal antibodies, are useful for detecting or quantitating the polypeptide in tissue. The polypeptides of the invention can also be used as molecular weight markers, and as a food supplement.

Methods are also provided for preventing, treating, or ameliorating a medical condition which comprises the step of administering to a mammalian subject a therapeutically effective amount of a composition comprising a polypeptide of the present invention and a pharmaceutically acceptable carrier.

In particular, the polypeptides and polynucleotides of the invention can be utilized, for example, in methods for the prevention and/or treatment of disorders involving aberrant protein expression or biological activity.

The present invention further relates to methods for detecting the presence of the polynucleotides or polypeptides of the invention in a sample. Such methods can, for example, be utilized as part of prognostic and diagnostic evaluation of disorders as recited herein and for the identification of subjects exhibiting a predisposition to such conditions. The invention provides a method for detecting the polynucleotides of the invention in a sample, comprising contacting the sample with a compound that binds to and forms a complex with the polynucleotide of interest for a period sufficient to form the complex and under conditions sufficient to form a complex and detecting the complex such that if a complex is detected, the polynucleotide of interest is detected. The

invention also provides a method for detecting the polypeptides of the invention in a sample comprising contacting the sample with a compound that binds to and forms a complex with the polypeptide under conditions and for a period sufficient to form the complex and detecting the formation of the complex such that if a complex is formed, the polypeptide is detected.

The invention also provides kits comprising polynucleotide probes and/or monoclonal antibodies, and optionally quantitative standards, for carrying out methods of the invention. Furthermore, the invention provides methods for evaluating the efficacy of drugs, and monitoring the progress of patients, involved in clinical trials for the treatment of disorders as recited above.

The invention also provides methods for the identification of compounds that modulate (i.e., increase or decrease) the expression or activity of the polynucleotides and/or polypeptides of the invention. Such methods can be utilized, for example, for the identification of compounds that can ameliorate symptoms of disorders as recited herein. Such methods can include, but are not limited to, assays for identifying compounds and other substances that interact with (*e.g.*, bind to) the polypeptides of the invention. The invention provides a method for identifying a compound that binds to the polypeptides of the invention comprising contacting the compound with a polypeptide of the invention in a cell for a time sufficient to form a polypeptide/compound complex, wherein the complex drives expression of a reporter gene sequence in the cell; and detecting the complex by detecting the reporter gene sequence expression such that if expression of the reporter gene is detected the compound the binds to a polypeptide of the invention is identified.

The methods of the invention also provides methods for treatment which involve the administration of the polynucleotides or polypeptides of the invention to individuals exhibiting symptoms or tendencies. In addition, the invention encompasses methods for treating diseases or disorders as recited herein comprising administering compounds and other substances that modulate the overall activity of the target gene products.

Compounds and other substances can effect such modulation either on the level of target gene/protein expression or target protein activity.

The polypeptides of the present invention and the polynucleotides encoding them are also useful for the same functions known to one of skill in the art as the polypeptides and polynucleotides to which they have homology (set forth in Table 2). If no homology is set forth for a sequence, then the polypeptides and polynucleotides of the present invention are useful for a variety of applications, as described herein, including use in arrays for detection.

4. DETAILED DESCRIPTION OF THE INVENTION

4.1 DEFINITIONS

It must be noted that as used herein and in the appended claims, the singular forms "a", "an" and "the" include plural references unless the context clearly dictates otherwise.

The term "active" refers to those forms of the polypeptide which retain the biologic and/or immunologic activities of any naturally occurring polypeptide. According to the invention, the terms "biologically active" or "biological activity" refer to a protein or peptide having structural, regulatory or biochemical functions of a naturally occurring molecule. Likewise "immunologically active" or "immunological activity" refers to the capability of the natural, recombinant or synthetic polypeptide to induce a specific immune response in appropriate animals or cells and to bind with specific antibodies.

The term "activated cells" as used in this application are those cells which are engaged in extracellular or intracellular membrane trafficking, including the export of secretory or enzymatic molecules as part of a normal or disease process.

The terms "complementary" or "complementarity" refer to the natural binding of polynucleotides by base pairing. For example, the sequence 5'-AGT-3' binds to the complementary sequence 3'-TCA-5'. Complementarity between two single-stranded molecules may be "partial" such that only some of the nucleic acids bind or it may be "complete" such that total complementarity exists between the single stranded molecules.

The degree of complementarity between the nucleic acid strands has significant effects on the efficiency and strength of the hybridization between the nucleic acid strands.

The term "embryonic stem cells (ES)" refers to a cell that can give rise to many differentiated cell types in an embryo or an adult, including the germ cells. The term "germ line stem cells (GSCs)" refers to stem cells derived from primordial stem cells that provide a steady and continuous source of germ cells for the production of gametes. The
5 term "primordial germ cells (PGCs)" refers to a small population of cells set aside from other cell lineages particularly from the yolk sac, mesenteries, or gonadal ridges during embryogenesis that have the potential to differentiate into germ cells and other cells. PGCs are the source from which GSCs and ES cells are derived. The PGCs, the GSCs and the ES cells are capable of self-renewal. Thus these cells not only populate the germ
10 line and give rise to a plurality of terminally differentiated cells that comprise the adult specialized organs, but are able to regenerate themselves.

The term "expression modulating fragment," EMF, means a series of nucleotides which modulates the expression of an operably linked ORF or another EMF.

As used herein, a sequence is said to "modulate the expression of an operably
15 linked sequence" when the expression of the sequence is altered by the presence of the EMF. EMFs include, but are not limited to, promoters, and promoter modulating sequences (inducible elements). One class of EMFs are nucleic acid fragments which induce the expression of an operably linked ORF in response to a specific regulatory factor or physiological event.

20 The terms "nucleotide sequence" or "nucleic acid" or "polynucleotide" or "oligonucleotide" are used interchangeably and refer to a heteropolymer of nucleotides or the sequence of these nucleotides. These phrases also refer to DNA or RNA of genomic or synthetic origin which may be single-stranded or double-stranded and may represent the sense or the antisense strand, to peptide nucleic acid (PNA) or to any DNA-like or
25 RNA-like material. In the sequences herein A is adenine, C is cytosine, T is thymine, G is guanine and N is A, C, G or T (U). It is contemplated that where the polynucleotide is RNA, the T (thymine) in the sequences provided herein is substituted with U (uracil). Generally, nucleic acid segments provided by this invention may be assembled from fragments of the genome and short oligonucleotide linkers, or from a series of
30 oligonucleotides, or from individual nucleotides, to provide a synthetic nucleic acid

which is capable of being expressed in a recombinant transcriptional unit comprising regulatory elements derived from a microbial or viral operon, or a eukaryotic gene.

The terms "oligonucleotide fragment" or a "polynucleotide fragment", "portion," or "segment" or "probe" or "primer" are used interchangeably and refer to a sequence of
5 nucleotide residues which are at least about 5 nucleotides, more preferably at least about 7 nucleotides, more preferably at least about 9 nucleotides, more preferably at least about 11 nucleotides and most preferably at least about 17 nucleotides. The fragment is preferably less than about 500 nucleotides, preferably less than about 200 nucleotides, more preferably less than about 100 nucleotides, more preferably less than about 50
10 nucleotides and most preferably less than 30 nucleotides. Preferably the probe is from about 6 nucleotides to about 200 nucleotides, preferably from about 15 to about 50 nucleotides, more preferably from about 17 to 30 nucleotides and most preferably from about 20 to 25 nucleotides. Preferably the fragments can be used in polymerase chain reaction (PCR), various hybridization procedures or microarray procedures to identify or
15 amplify identical or related parts of mRNA or DNA molecules. A fragment or segment may uniquely identify each polynucleotide sequence of the present invention. Preferably the fragment comprises a sequence substantially similar to any one of SEQ ID NOs:1-20.

Probes may, for example, be used to determine whether specific mRNA molecules are present in a cell or tissue or to isolate similar nucleic acid sequences from
20 chromosomal DNA as described by Walsh et al. (Walsh, P.S. et al., 1992, PCR Methods Appl 1:241-250). They may be labeled by nick translation, Klenow fill-in reaction, PCR, or other methods well known in the art. Probes of the present invention, their preparation and/or labeling are elaborated in Sambrook, J. et al., 1989, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, NY; or Ausubel, F.M. et al., 1989,
25 Current Protocols in Molecular Biology, John Wiley & Sons, New York NY, both of which are incorporated herein by reference in their entirety.

The nucleic acid sequences of the present invention also include the sequence information from the nucleic acid sequences of SEQ ID NO:1-739. The sequence information can be a segment of any one of SEQ ID NO:1-739 that uniquely identifies or
30 represents the sequence information of that sequence of SEQ ID NO:1-739. One such segment can be a twenty-mer nucleic acid sequence because the probability that a twenty-

mer is fully matched in the human genome is 1 in 300. In the human genome, there are three billion base pairs in one set of chromosomes. Because 4^{20} possible twenty-mers exist, there are 300 times more twenty-mers than there are base pairs in a set of human chromosomes. Using the same analysis, the probability for a seventeen-mer to be fully
5 matched in the human genome is approximately 1 in 5. When these segments are used in arrays for expression studies, fifteen-mer segments can be used. The probability that the fifteen-mer is fully matched in the expressed sequences is also approximately one in five because expressed sequences comprise less than approximately 5% of the entire genome sequence.

10 Similarly, when using sequence information for detecting a single mismatch, a segment can be a twenty-five mer. The probability that the twenty-five mer would appear in a human genome with a single mismatch is calculated by multiplying the probability for a full match ($1/4^{25}$) times the increased probability for mismatch at each nucleotide position (3×25). The probability that an eighteen mer with a single mismatch can be detected in an
15 array for expression studies is approximately one in five. The probability that a twenty-mer with a single mismatch can be detected in a human genome is approximately one in five.

The term "open reading frame," ORF, means a series of nucleotide triplets coding for amino acids without any termination codons and is a sequence translatable into protein.

20 The terms "operably linked" or "operably associated" refer to functionally related nucleic acid sequences. For example, a promoter is operably associated or operably linked with a coding sequence if the promoter controls the transcription of the coding sequence. While operably linked nucleic acid sequences can be contiguous and in the same reading frame, certain genetic elements e.g. repressor genes are not contiguously
25 linked to the coding sequence but still control transcription/translation of the coding sequence.

The term "pluripotent" refers to the capability of a cell to differentiate into a number of differentiated cell types that are present in an adult organism. A pluripotent cell is restricted in its differentiation capability in comparison to a totipotent cell.

30 The terms "polypeptide" or "peptide" or "amino acid sequence" refer to an oligopeptide, peptide, polypeptide or protein sequence or fragment thereof and to

naturally occurring or synthetic molecules. A polypeptide "fragment," "portion," or "segment" is a stretch of amino acid residues of at least about 5 amino acids, preferably at least about 7 amino acids, more preferably at least about 9 amino acids and most preferably at least about 17 or more amino acids. The peptide preferably is not greater than about 200 amino acids, more preferably less than 150 amino acids and most preferably less than 100 amino acids. Preferably the peptide is from about 5 to about 200 amino acids. To be active, any polypeptide must have sufficient length to display biological and/or immunological activity.

The term "naturally occurring polypeptide" refers to polypeptides produced by cells that have not been genetically engineered and specifically contemplates various polypeptides arising from post-translational modifications of the polypeptide including, but not limited to, acetylation, carboxylation, glycosylation, phosphorylation, lipidation and acylation.

The term "translated protein coding portion" means a sequence which encodes for the full length protein which may include any leader sequence or any processing sequence.

The term "mature protein coding sequence" means a sequence which encodes a peptide or protein without a signal or leader sequence. The "mature protein portion" means that portion of the protein which does not include a signal or leader sequence. The peptide may have been produced by processing in the cell which removes any leader/signal sequence. The mature protein portion may or may not include the initial methionine residue. The methionine residue may be removed from the protein during processing in the cell. The peptide may be produced synthetically or the protein may have been produced using a polynucleotide only encoding for the mature protein coding sequence.

The term "derivative" refers to polypeptides chemically modified by such techniques as ubiquitination, labeling (e.g., with radionuclides or various enzymes), covalent polymer attachment such as pegylation (derivatization with polyethylene glycol) and insertion or substitution by chemical synthesis of amino acids such as ornithine, which do not normally occur in human proteins.

The term "variant" (or "analog") refers to any polypeptide differing from naturally occurring polypeptides by amino acid insertions, deletions, and substitutions, created using, *e.g.*, recombinant DNA techniques. Guidance in determining which amino acid residues may be replaced, added or deleted without abolishing activities of interest, may
5 be found by comparing the sequence of the particular polypeptide with that of homologous peptides and minimizing the number of amino acid sequence changes made in regions of high homology (conserved regions) or by replacing amino acids with consensus sequence.

Alternatively, recombinant variants encoding these same or similar polypeptides
10 may be synthesized or selected by making use of the "redundancy" in the genetic code. Various codon substitutions, such as the silent changes which produce various restriction sites, may be introduced to optimize cloning into a plasmid or viral vector or expression in a particular prokaryotic or eukaryotic system. Mutations in the polynucleotide sequence may be reflected in the polypeptide or domains of other peptides added to the
15 polypeptide to modify the properties of any part of the polypeptide, to change characteristics such as ligand-binding affinities, interchain affinities, or degradation/turnover rate.

Preferably, amino acid "substitutions" are the result of replacing one amino acid with another amino acid having similar structural and/or chemical properties, *i.e.*,
20 conservative amino acid replacements. "Conservative" amino acid substitutions may be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity, and/or the amphipathic nature of the residues involved. For example, nonpolar (hydrophobic) amino acids include alanine, leucine, isoleucine, valine, proline, phenylalanine, tryptophan, and methionine; polar neutral amino acids include glycine,
25 serine, threonine, cysteine, tyrosine, asparagine, and glutamine; positively charged (basic) amino acids include arginine, lysine, and histidine; and negatively charged (acidic) amino acids include aspartic acid and glutamic acid. "Insertions" or "deletions" are preferably in the range of about 1 to 20 amino acids, more preferably 1 to 10 amino acids. The variation allowed may be experimentally determined by systematically making insertions,
30 deletions, or substitutions of amino acids in a polypeptide molecule using recombinant DNA techniques and assaying the resulting recombinant variants for activity.

Alternatively, where alteration of function is desired, insertions, deletions or non-conservative alterations can be engineered to produce altered polypeptides. Such alterations can, for example, alter one or more of the biological functions or biochemical characteristics of the polypeptides of the invention. For example, such alterations may
5 change polypeptide characteristics such as ligand-binding affinities, interchain affinities, or degradation/turnover rate. Further, such alterations can be selected so as to generate polypeptides that are better suited for expression, scale up and the like in the host cells chosen for expression. For example, cysteine residues can be deleted or substituted with another amino acid residue in order to eliminate disulfide bridges.

10 The terms "purified" or "substantially purified" as used herein denotes that the indicated nucleic acid or polypeptide is present in the substantial absence of other biological macromolecules, *e.g.*, polynucleotides, proteins, and the like. In one embodiment, the polynucleotide or polypeptide is purified such that it constitutes at least 95% by weight, more preferably at least 99% by weight, of the indicated biological
15 macromolecules present (but water, buffers, and other small molecules, especially molecules having a molecular weight of less than 1000 daltons, can be present).

The term "isolated" as used herein refers to a nucleic acid or polypeptide separated from at least one other component (*e.g.*, nucleic acid or polypeptide) present with the nucleic acid or polypeptide in its natural source. In one embodiment, the nucleic
20 acid or polypeptide is found in the presence of (if anything) only a solvent, buffer, ion, or other component normally present in a solution of the same. The terms "isolated" and "purified" do not encompass nucleic acids or polypeptides present in their natural source.

The term "recombinant," when used herein to refer to a polypeptide or protein, means that a polypeptide or protein is derived from recombinant (*e.g.*, microbial, insect, or mammalian) expression systems. "Microbial" refers to recombinant polypeptides or
25 proteins made in bacterial or fungal (*e.g.*, yeast) expression systems. As a product, "recombinant microbial" defines a polypeptide or protein essentially free of native endogenous substances and unaccompanied by associated native glycosylation. Polypeptides or proteins expressed in most bacterial cultures, *e.g.*, *E. coli*, will be free of
30 glycosylation modifications; polypeptides or proteins expressed in yeast will have a glycosylation pattern in general different from those expressed in mammalian cells.

The term "recombinant expression vehicle or vector" refers to a plasmid or phage or virus or vector, for expressing a polypeptide from a DNA (RNA) sequence. An expression vehicle can comprise a transcriptional unit comprising an assembly of (1) a genetic element or elements having a regulatory role in gene expression, for example, promoters or enhancers, (2) a structural or coding sequence which is transcribed into mRNA and translated into protein, and (3) appropriate transcription initiation and termination sequences. Structural units intended for use in yeast or eukaryotic expression systems preferably include a leader sequence enabling extracellular secretion of translated protein by a host cell. Alternatively, where recombinant protein is expressed without a leader or transport sequence, it may include an amino terminal methionine residue. This residue may or may not be subsequently cleaved from the expressed recombinant protein to provide a final product.

The term "recombinant expression system" means host cells which have stably integrated a recombinant transcriptional unit into chromosomal DNA or carry the recombinant transcriptional unit extrachromosomally. Recombinant expression systems as defined herein will express heterologous polypeptides or proteins upon induction of the regulatory elements linked to the DNA segment or synthetic gene to be expressed. This term also means host cells which have stably integrated a recombinant genetic element or elements having a regulatory role in gene expression, for example, promoters or enhancers. Recombinant expression systems as defined herein will express polypeptides or proteins endogenous to the cell upon induction of the regulatory elements linked to the endogenous DNA segment or gene to be expressed. The cells can be prokaryotic or eukaryotic.

The term "secreted" includes a protein that is transported across or through a membrane, including transport as a result of signal sequences in its amino acid sequence when it is expressed in a suitable host cell. "Secreted" proteins include without limitation proteins secreted wholly (*e.g.*, soluble proteins) or partially (*e.g.*, receptors) from the cell in which they are expressed. "Secreted" proteins also include without limitation proteins that are transported across the membrane of the endoplasmic reticulum. "Secreted" proteins are also intended to include proteins containing non-typical signal sequences (*e.g.* Interleukin-1 Beta, see Krasney, P.A. and Young, P.R. (1992) Cytokine 4(2):134

-143) and factors released from damaged cells (e.g. Interleukin-1 Receptor Antagonist, see Arend, W.P. et. al. (1998) Annu. Rev. Immunol. 16:27-55)

Where desired, an expression vector may be designed to contain a "signal or leader sequence" which will direct the polypeptide through the membrane of a cell. Such a sequence may be naturally present on the polypeptides of the present invention or
5 provided from heterologous protein sources by recombinant DNA techniques.

The term "stringent" is used to refer to conditions that are commonly understood in the art as stringent. Stringent conditions can include highly stringent conditions (i.e., hybridization to filter-bound DNA in 0.5 M NaHPO₄, 7% sodium dodecyl sulfate (SDS),
10 1 mM EDTA at 65°C, and washing in 0.1X SSC/0.1% SDS at 68°C), and moderately stringent conditions (i.e., washing in 0.2X SSC/0.1% SDS at 42°C). Other exemplary hybridization conditions are described herein in the examples.

In instances of hybridization of deoxyoligonucleotides, additional exemplary stringent hybridization conditions include washing in 6X SSC/0.05% sodium
15 pyrophosphate at 37°C (for 14-base oligonucleotides), 48°C (for 17-base oligos), 55°C (for 20-base oligonucleotides), and 60°C (for 23-base oligonucleotides).

As used herein, "substantially equivalent" can refer both to nucleotide and amino acid sequences, for example a mutant sequence, that varies from a reference sequence by one or more substitutions, deletions, or additions, the net effect of which does not result
20 in an adverse functional dissimilarity between the reference and subject sequences. Typically, such a substantially equivalent sequence varies from one of those listed herein by no more than about 35% (i.e., the number of individual residue substitutions, additions, and/or deletions in a substantially equivalent sequence, as compared to the corresponding reference sequence, divided by the total number of residues in the
25 substantially equivalent sequence is about 0.35 or less). Such a sequence is said to have 65% sequence identity to the listed sequence. In one embodiment, a substantially equivalent, e.g., mutant, sequence of the invention varies from a listed sequence by no more than 30% (70% sequence identity); in a variation of this embodiment, by no more than 25% (75% sequence identity); and in a further variation of this embodiment, by no
30 more than 20% (80% sequence identity) and in a further variation of this embodiment, by no more than 10% (90% sequence identity) and in a further variation of this embodiment,

by no more than 5% (95% sequence identity). Substantially equivalent, *e.g.*, mutant, amino acid sequences according to the invention preferably have at least 80% sequence identity with a listed amino acid sequence, more preferably at least 90% sequence identity. Substantially equivalent nucleotide sequences of the invention can have lower percent sequence identities, taking into account, for example, the redundancy or degeneracy of the genetic code. Preferably, nucleotide sequence has at least about 65% identity, more preferably at least about 75% identity, and most preferably at least about 95% identity. For the purposes of the present invention, sequences having substantially equivalent biological activity and substantially equivalent expression characteristics are considered substantially equivalent. For the purposes of determining equivalence, truncation of the mature sequence (*e.g.*, via a mutation which creates a spurious stop codon) should be disregarded. Sequence identity may be determined, *e.g.*, using the Jotun Hein method (Hein, J. (1990) *Methods Enzymol.* 183:626-645). Identity between sequences can also be determined by other methods known in the art, *e.g.* by varying hybridization conditions.

The term "totipotent" refers to the capability of a cell to differentiate into all of the cell types of an adult organism.

The term "transformation" means introducing DNA into a suitable host cell so that the DNA is replicable, either as an extrachromosomal element, or by chromosomal integration. The term "transfection" refers to the taking up of an expression vector by a suitable host cell, whether or not any coding sequences are in fact expressed. The term "infection" refers to the introduction of nucleic acids into a suitable host cell by use of a virus or viral vector.

As used herein, an "uptake modulating fragment," UMF, means a series of nucleotides which mediate the uptake of a linked DNA fragment into a cell. UMFs can be readily identified using known UMFs as a target sequence or target motif with the computer-based systems described below. The presence and activity of a UMF can be confirmed by attaching the suspected UMF to a marker sequence. The resulting nucleic acid molecule is then incubated with an appropriate host under appropriate conditions and the uptake of the marker sequence is determined. As described above, a UMF will increase the frequency of uptake of a linked marker sequence.

Each of the above terms is meant to encompass all that is described for each, unless the context dictates otherwise.

4.2 NUCLEIC ACIDS OF THE INVENTION

5 Nucleotide sequences of the invention are set forth in the Sequence Listing.

The isolated polynucleotides of the invention include a polynucleotide comprising the nucleotide sequences of SEQ ID NO:1-739 ; a polynucleotide encoding any one of the peptide sequences of SEQ ID NO:740-1478; and a polynucleotide comprising the nucleotide sequence encoding the mature protein coding sequence of the polypeptides of any one of SEQ ID NO:740-1478. The polynucleotides of the present invention also include, but are not limited to, a polynucleotide that hybridizes under stringent conditions to (a) the complement of any of the nucleotides sequences of SEQ ID NO:1-739 ; (b) nucleotide sequences encoding any one of the amino acid sequences set forth in the Sequence Listing; (c) a polynucleotide which is an allelic variant of any polynucleotide recited above; (d) a polynucleotide which encodes a species homolog of any of the proteins recited above; or (e) a polynucleotide that encodes a polypeptide comprising a specific domain or truncation of the polypeptides of SEQ ID NO: 740-1478. Domains of interest may depend on the nature of the encoded polypeptide; e.g., domains in receptor-like polypeptides include ligand-binding, extracellular, transmembrane, or cytoplasmic domains, or combinations thereof; domains in immunoglobulin-like proteins include the variable immunoglobulin-like domains; domains in enzyme-like polypeptides include catalytic and substrate binding domains; and domains in ligand polypeptides include receptor-binding domains.

25 The polynucleotides of the invention include naturally occurring or wholly or partially synthetic DNA, e.g., cDNA and genomic DNA, and RNA, e.g., mRNA. The polynucleotides may include all of the coding region of the cDNA or may represent a portion of the coding region of the cDNA.

30 The present invention also provides genes corresponding to the cDNA sequences disclosed herein. The corresponding genes can be isolated in accordance with known methods using the sequence information disclosed herein. Such methods include the preparation of probes or primers from the disclosed sequence information for identification

and/or amplification of genes in appropriate genomic libraries or other sources of genomic materials. Further 5' and 3' sequence can be obtained using methods known in the art. For example, full length cDNA or genomic DNA that corresponds to any of the polynucleotides of SEQ ID NO:1-739 can be obtained by screening appropriate cDNA or genomic DNA libraries under suitable hybridization conditions using any of the polynucleotides of SEQ ID NO:1-739 or a portion thereof as a probe. Alternatively, the polynucleotides of SEQ ID NO:1-739 may be used as the basis for suitable primer(s) that allow identification and/or amplification of genes in appropriate genomic DNA or cDNA libraries.

The nucleic acid sequences of the invention can be assembled from ESTs and sequences (including cDNA and genomic sequences) obtained from one or more public databases, such as dbEST, gbpri, and UniGene. The EST sequences can provide identifying sequence information, representative fragment or segment information, or novel segment information for the full-length gene.

The polynucleotides of the invention also provide polynucleotides including nucleotide sequences that are substantially equivalent to the polynucleotides recited above. Polynucleotides according to the invention can have, *e.g.*, at least about 65%, at least about 70%, at least about 75%, at least about 80%, more typically at least about 90%, and even more typically at least about 95%, sequence identity to a polynucleotide recited above.

Included within the scope of the nucleic acid sequences of the invention are nucleic acid sequence fragments that hybridize under stringent conditions to any of the nucleotide sequences of SEQ ID NO:1-739, or complements thereof, which fragment is greater than about 5 nucleotides, preferably 7 nucleotides, more preferably greater than 9 nucleotides and most preferably greater than 17 nucleotides. Fragments of, *e.g.* 15, 17, or 20 nucleotides or more that are selective for (*i.e.* specifically hybridize to any one of the polynucleotides of the invention) are contemplated. Probes capable of specifically hybridizing to a polynucleotide can differentiate polynucleotide sequences of the invention from other polynucleotide sequences in the same family of genes or can differentiate human genes from genes of other species, and are preferably based on unique nucleotide sequences.

The sequences falling within the scope of the present invention are not limited to these specific sequences, but also include allelic and species variations thereof. Allelic and species variations can be routinely determined by comparing the sequence provided SEQ ID NO:1-739, a representative fragment thereof, or a nucleotide sequence at least 90% identical, preferably 95% identical, to SEQ ID NO:1-739 with a sequence from another isolate of the same species. Furthermore, to accommodate codon variability, the invention includes nucleic acid molecules coding for the same amino acid sequences as do the specific ORFs disclosed herein. In other words, in the coding region of an ORF, substitution of one codon for another codon that encodes the same amino acid is expressly contemplated.

10 The nearest neighbor or homology result for the nucleic acids of the present invention, including SEQ ID NO:1-739, can be obtained by searching a database using an algorithm or a program. Preferably, a BLAST which stands for Basic Local Alignment Search Tool is used to search for local sequence alignments (Altschul, S.F. J Mol. Evol. 36 290-300 (1993) and Altschul S.F. et al. J. Mol. Biol. 21:403-410 (1990)). Alternatively a
15 FASTA version 3 search against Genpept, using Fastxy algorithm.

Species homologs (or orthologs) of the disclosed polynucleotides and proteins are also provided by the present invention. Species homologs may be isolated and identified by making suitable probes or primers from the sequences provided herein and screening a suitable nucleic acid source from the desired species.

20 The invention also encompasses allelic variants of the disclosed polynucleotides or proteins; that is, naturally-occurring alternative forms of the isolated polynucleotide which also encode proteins which are identical, homologous or related to that encoded by the polynucleotides.

The nucleic acid sequences of the invention are further directed to sequences
25 which encode variants of the described nucleic acids. These amino acid sequence variants may be prepared by methods known in the art by introducing appropriate nucleotide changes into a native or variant polynucleotide. There are two variables in the construction of amino acid sequence variants: the location of the mutation and the nature of the mutation. Nucleic acids encoding the amino acid sequence variants are preferably
30 constructed by mutating the polynucleotide to encode an amino acid sequence that does not occur in nature. These nucleic acid alterations can be made at sites that differ in the

nucleic acids from different species (variable positions) or in highly conserved regions (constant regions). Sites at such locations will typically be modified in series, *e.g.*, by substituting first with conservative choices (*e.g.*, hydrophobic amino acid to a different hydrophobic amino acid) and then with more distant choices (*e.g.*, hydrophobic amino acid to a charged amino acid), and then deletions or insertions may be made at the target site. Amino acid sequence deletions generally range from about 1 to 30 residues, preferably about 1 to 10 residues, and are typically contiguous. Amino acid insertions include amino- and/or carboxyl-terminal fusions ranging in length from one to one hundred or more residues, as well as intrasequence insertions of single or multiple amino acid residues. Intrasequence insertions may range generally from about 1 to 10 amino residues, preferably from 1 to 5 residues. Examples of terminal insertions include the heterologous signal sequences necessary for secretion or for intracellular targeting in different host cells and sequences such as FLAG or poly-histidine sequences useful for purifying the expressed protein.

In a preferred method, polynucleotides encoding the novel amino acid sequences are changed via site-directed mutagenesis. This method uses oligonucleotide sequences to alter a polynucleotide to encode the desired amino acid variant, as well as sufficient adjacent nucleotides on both sides of the changed amino acid to form a stable duplex on either side of the site of being changed. In general, the techniques of site-directed mutagenesis are well known to those of skill in the art and this technique is exemplified by publications such as, Edelman et al., *DNA* 2:183 (1983). A versatile and efficient method for producing site-specific changes in a polynucleotide sequence was published by Zoller and Smith, *Nucleic Acids Res.* 10:6487-6500 (1982). PCR may also be used to create amino acid sequence variants of the novel nucleic acids. When small amounts of template DNA are used as starting material, primer(s) that differs slightly in sequence from the corresponding region in the template DNA can generate the desired amino acid variant. PCR amplification results in a population of product DNA fragments that differ from the polynucleotide template encoding the polypeptide at the position specified by the primer. The product DNA fragments replace the corresponding region in the plasmid and this gives a polynucleotide encoding the desired amino acid variant.

A further technique for generating amino acid variants is the cassette mutagenesis technique described in Wells et al., *Gene* 34:315 (1985); and other mutagenesis techniques well known in the art, such as, for example, the techniques in Sambrook et al., supra, and *Current Protocols in Molecular Biology*, Ausubel et al. Due to the inherent
5 degeneracy of the genetic code, other DNA sequences which encode substantially the same or a functionally equivalent amino acid sequence may be used in the practice of the invention for the cloning and expression of these novel nucleic acids. Such DNA sequences include those which are capable of hybridizing to the appropriate novel nucleic acid sequence under stringent conditions.

10 Polynucleotides encoding preferred polypeptide truncations of the invention can be used to generate polynucleotides encoding chimeric or fusion proteins comprising one or more domains of the invention and heterologous protein sequences.

The polynucleotides of the invention additionally include the complement of any of the polynucleotides recited above. The polynucleotide can be DNA (genomic, cDNA,
15 amplified, or synthetic) or RNA. Methods and algorithms for obtaining such polynucleotides are well known to those of skill in the art and can include, for example, methods for determining hybridization conditions that can routinely isolate polynucleotides of the desired sequence identities.

In accordance with the invention, polynucleotide sequences comprising the
20 mature protein coding sequences corresponding to any one of SEQ ID NO:1-739, or functional equivalents thereof, may be used to generate recombinant DNA molecules that direct the expression of that nucleic acid, or a functional equivalent thereof, in appropriate host cells. Also included are the cDNA inserts of any of the clones identified herein.

25 A polynucleotide according to the invention can be joined to any of a variety of other nucleotide sequences by well-established recombinant DNA techniques (see Sambrook J et al. (1989) *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, NY). Useful nucleotide sequences for joining to polynucleotides include an assortment of vectors, e.g., plasmids, cosmids, lambda phage derivatives, phagemids, and
30 the like, that are well known in the art. Accordingly, the invention also provides a vector including a polynucleotide of the invention and a host cell containing the polynucleotide.

In general, the vector contains an origin of replication functional in at least one organism, convenient restriction endonuclease sites, and a selectable marker for the host cell.

Vectors according to the invention include expression vectors, replication vectors, probe generation vectors, and sequencing vectors. A host cell according to the invention can be
5 a prokaryotic or eukaryotic cell and can be a unicellular organism or part of a multicellular organism.

The present invention further provides recombinant constructs comprising a nucleic acid having any of the nucleotide sequences of SEQ ID NO:1-739 or a fragment thereof or any other polynucleotides of the invention. In one embodiment, the
10 recombinant constructs of the present invention comprise a vector, such as a plasmid or viral vector, into which a nucleic acid having any of the nucleotide sequences of SEQ ID NO:1-739 or a fragment thereof is inserted, in a forward or reverse orientation. In the case of a vector comprising one of the ORFs of the present invention, the vector may further comprise regulatory sequences, including for example, a promoter, operably
15 linked to the ORF. Large numbers of suitable vectors and promoters are known to those of skill in the art and are commercially available for generating the recombinant constructs of the present invention. The following vectors are provided by way of example. Bacterial: pBs, phagescript, PsiX174, pBluescript SK, pBs KS, pNH8a, pNH16a, pNH18a, pNH46a (Stratagene); pTrc99A, pKK223-3, pKK233-3, pDR540,
20 pRIT5 (Pharmacia). Eukaryotic: pWLneo, pSV2cat, pOG44, PXTI, pSG (Stratagene) pSVK3, pBPV, pMSG, pSVL (Pharmacia).

The isolated polynucleotide of the invention may be operably linked to an expression control sequence such as the pMT2 or pED expression vectors disclosed in
25 Kaufman et al., *Nucleic Acids Res.* 19, 4485-4490 (1991), in order to produce the protein recombinantly. Many suitable expression control sequences are known in the art. General methods of expressing recombinant proteins are also known and are exemplified in R. Kaufman, *Methods in Enzymology* 185, 537-566 (1990). As defined herein
"operably linked" means that the isolated polynucleotide of the invention and an
expression control sequence are situated within a vector or cell in such a way that the
30 protein is expressed by a host cell which has been transformed (transfected) with the ligated polynucleotide/expression control sequence.

Promoter regions can be selected from any desired gene using CAT (chloramphenicol transferase) vectors or other vectors with selectable markers. Two appropriate vectors are pKK232-8 and pCM7. Particular named bacterial promoters include lacI, lacZ, T3, T7, gpt, lambda PR, and trc. Eukaryotic promoters include CMV immediate early, HSV thymidine kinase, early and late SV40, LTRs from retrovirus, and mouse metallothionein-I. Selection of the appropriate vector and promoter is well within the level of ordinary skill in the art. Generally, recombinant expression vectors will include origins of replication and selectable markers permitting transformation of the host cell, *e.g.*, the ampicillin resistance gene of *E. coli* and *S. cerevisiae* TRP1 gene, and a promoter derived from a highly-expressed gene to direct transcription of a downstream structural sequence. Such promoters can be derived from operons encoding glycolytic enzymes such as 3-phosphoglycerate kinase (PGK), α -factor, acid phosphatase, or heat shock proteins, among others. The heterologous structural sequence is assembled in appropriate phase with translation initiation and termination sequences, and preferably, a leader sequence capable of directing secretion of translated protein into the periplasmic space or extracellular medium. Optionally, the heterologous sequence can encode a fusion protein including an amino terminal identification peptide imparting desired characteristics, *e.g.*, stabilization or simplified purification of expressed recombinant product. Useful expression vectors for bacterial use are constructed by inserting a structural DNA sequence encoding a desired protein together with suitable translation initiation and termination signals in operable reading phase with a functional promoter. The vector will comprise one or more phenotypic selectable markers and an origin of replication to ensure maintenance of the vector and to, if desirable, provide amplification within the host. Suitable prokaryotic hosts for transformation include *E. coli*, *Bacillus subtilis*, *Salmonella typhimurium* and various species within the genera *Pseudomonas*, *Streptomyces*, and *Staphylococcus*, although others may also be employed as a matter of choice.

As a representative but non-limiting example, useful expression vectors for bacterial use can comprise a selectable marker and bacterial origin of replication derived from commercially available plasmids comprising genetic elements of the well known cloning vector pBR322 (ATCC 37017). Such commercial vectors include, for example,

pKK223-3 (Pharmacia Fine Chemicals, Uppsala, Sweden) and GEM 1 (Promega Biotech, Madison, WI, USA). These pBR322 "backbone" sections are combined with an appropriate promoter and the structural sequence to be expressed. Following transformation of a suitable host strain and growth of the host strain to an appropriate cell density, the selected promoter is induced or derepressed by appropriate means (*e.g.*,
5 temperature shift or chemical induction) and cells are cultured for an additional period. Cells are typically harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract retained for further purification.

Polynucleotides of the invention can also be used to induce immune responses. For example, as described in Fan et al., *Nat. Biotech.* 17:870-872 (1999), incorporated
10 herein by reference, nucleic acid sequences encoding a polypeptide may be used to generate antibodies against the encoded polypeptide following topical administration of naked plasmid DNA or following injection, and preferably intramuscular injection of the DNA. The nucleic acid sequences are preferably inserted in a recombinant expression
15 vector and may be in the form of naked DNA.

4.3 ANTISENSE

Another aspect of the invention pertains to isolated antisense nucleic acid molecules that are hybridizable to or complementary to the nucleic acid molecule comprising the nucleotide sequence of SEQ ID NO:1-739, or fragments, analogs or
20 derivatives thereof. An "antisense" nucleic acid comprises a nucleotide sequence that is complementary to a "sense" nucleic acid encoding a protein, *e.g.*, complementary to the coding strand of a double-stranded cDNA molecule or complementary to an mRNA sequence. In specific aspects, antisense nucleic acid molecules are provided that
25 comprise a sequence complementary to at least about 10, 25, 50, 100, 250 or 500 nucleotides or an entire coding strand, or to only a portion thereof. Nucleic acid molecules encoding fragments, homologs, derivatives and analogs of a protein of any of SEQ ID NO:740-1478 or antisense nucleic acids complementary to a nucleic acid sequence of SEQ ID NO:1-739 are additionally provided.

30 In one embodiment, an antisense nucleic acid molecule is antisense to a "coding region" of the coding strand of a nucleotide sequence of the invention. The term "coding

region" refers to the region of the nucleotide sequence comprising codons which are translated into amino acid residues. In another embodiment, the antisense nucleic acid molecule is antisense to a "noncoding region" of the coding strand of a nucleotide sequence of the invention. The term "noncoding region" refers to 5' and 3' sequences which flank the coding region that are not translated into amino acids (*i.e.*, also referred to as 5' and 3' untranslated regions).

Given the coding strand sequences encoding a nucleic acid disclosed herein (*e.g.*, SEQ ID NO:1-739), antisense nucleic acids of the invention can be designed according to the rules of Watson and Crick or Hoogsteen base pairing. The antisense nucleic acid molecule can be complementary to the entire coding region of a mRNA, but more preferably is an oligonucleotide that is antisense to only a portion of the coding or noncoding region of a mRNA. For example, the antisense oligonucleotide can be complementary to the region surrounding the translation start site of a mRNA. An antisense oligonucleotide can be, for example, about 5, 10, 15, 20, 25, 30, 35, 40, 45 or 50 nucleotides in length. An antisense nucleic acid of the invention can be constructed using chemical synthesis or enzymatic ligation reactions using procedures known in the art. For example, an antisense nucleic acid (*e.g.*, an antisense oligonucleotide) can be chemically synthesized using naturally occurring nucleotides or variously modified nucleotides designed to increase the biological stability of the molecules or to increase the physical stability of the duplex formed between the antisense and sense nucleic acids, *e.g.*, phosphorothioate derivatives and acridine substituted nucleotides can be used.

Examples of modified nucleotides that can be used to generate the antisense nucleic acid include: 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4-acetylcytosine, 5-(carboxyhydroxymethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine,

pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine. Alternatively, the antisense nucleic acid can be produced biologically using an expression vector into which a nucleic acid has been subcloned in an antisense orientation (*i.e.*, RNA transcribed from the inserted nucleic acid will be of an antisense orientation to a target nucleic acid of interest, described further in the following subsection).

The antisense nucleic acid molecules of the invention are typically administered to a subject or generated *in situ* such that they hybridize with or bind to cellular mRNA and/or genomic DNA encoding a protein according to the invention to thereby inhibit expression of the protein, *e.g.*, by inhibiting transcription and/or translation. The hybridization can be by conventional nucleotide complementarity to form a stable duplex, or, for example, in the case of an antisense nucleic acid molecule that binds to DNA duplexes, through specific interactions in the major groove of the double helix. An example of a route of administration of antisense nucleic acid molecules of the invention includes direct injection at a tissue site. Alternatively, antisense nucleic acid molecules can be modified to target selected cells and then administered systemically. For example, for systemic administration, antisense molecules can be modified such that they specifically bind to receptors or antigens expressed on a selected cell surface, *e.g.*, by linking the antisense nucleic acid molecules to peptides or antibodies that bind to cell surface receptors or antigens. The antisense nucleic acid molecules can also be delivered to cells using the vectors described herein. To achieve sufficient intracellular concentrations of antisense molecules, vector constructs in which the antisense nucleic acid molecule is placed under the control of a strong pol II or pol III promoter are preferred.

In yet another embodiment, the antisense nucleic acid molecule of the invention is an α -anomeric nucleic acid molecule. An α -anomeric nucleic acid molecule forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual β -units, the strands run parallel to each other (Gaultier *et al.* (1987) *Nucleic Acids Res* 15: 6625-6641). The antisense nucleic acid molecule can also comprise a

2'-o-methylribonucleotide (Inoue *et al.* (1987) *Nucleic Acids Res* 15: 6131-6148) or a chimeric RNA-DNA analogue (Inoue *et al.* (1987) *FEBS Lett* 215: 327-330).

4.4 RIBOZYMES AND PNA MOIETIES

5 In still another embodiment, an antisense nucleic acid of the invention is a ribozyme. Ribozymes are catalytic RNA molecules with ribonuclease activity that are capable of cleaving a single-stranded nucleic acid, such as a mRNA, to which they have a complementary region. Thus, ribozymes (*e.g.*, hammerhead ribozymes (described in Haselhoff and Gerlach (1988) *Nature* 334:585-591)) can be used to catalytically cleave a
10 mRNA transcripts to thereby inhibit translation of a mRNA. A ribozyme having specificity for a nucleic acid of the invention can be designed based upon the nucleotide sequence of a DNA disclosed herein (*i.e.*, SEQ ID NO:1-739). For example, a derivative of a Tetrahymena L-19 IVS RNA can be constructed in which the nucleotide sequence of the active site is complementary to the nucleotide sequence to be cleaved in a
15 SECX-encoding mRNA. See, *e.g.*, Cech *et al.* U.S. Pat. No. 4,987,071; and Cech *et al.* U.S. Pat. No. 5,116,742. Alternatively, SECX mRNA can be used to select a catalytic RNA having a specific ribonuclease activity from a pool of RNA molecules. See, *e.g.*, Bartel *et al.*, (1993) *Science* 261:1411-1418.

Alternatively, gene expression can be inhibited by targeting nucleotide sequences
20 complementary to the regulatory region (*e.g.*, promoter and/or enhancers) to form triple helical structures that prevent transcription of the gene in target cells. See generally, Helene. (1991) *Anticancer Drug Des.* 6: 569-84; Helene. *et al.* (1992) *Ann. N.Y. Acad. Sci.* 660:27-36; and Maher (1992) *Bioassays* 14: 807-15.

In various embodiments, the nucleic acids of the invention can be modified at the
25 base moiety, sugar moiety or phosphate backbone to improve, *e.g.*, the stability, hybridization, or solubility of the molecule. For example, the deoxyribose phosphate backbone of the nucleic acids can be modified to generate peptide nucleic acids (see Hyrup *et al.* (1996) *Bioorg Med Chem* 4: 5-23). As used herein, the terms "peptide nucleic acids" or "PNAs" refer to nucleic acid mimics, *e.g.*, DNA mimics, in which the
30 deoxyribose phosphate backbone is replaced by a pseudopeptide backbone and only the four natural nucleobases are retained. The neutral backbone of PNAs has been shown to

allow for specific hybridization to DNA and RNA under conditions of low ionic strength. The synthesis of PNA oligomers can be performed using standard solid phase peptide synthesis protocols as described in Hyrup *et al.* (1996) above; Perry-O'Keefe *et al.* (1996) *PNAS* 93: 14670-675.

5 PNA of the invention can be used in therapeutic and diagnostic applications. For example, PNAs can be used as antisense or antigene agents for sequence-specific modulation of gene expression by, *e.g.*, inducing transcription or translation arrest or inhibiting replication. PNAs of the invention can also be used, *e.g.*, in the analysis of single base pair mutations in a gene by, *e.g.*, PNA directed PCR clamping; as artificial
10 restriction enzymes when used in combination with other enzymes, *e.g.*, S1 nucleases (Hyrup B. (1996) above); or as probes or primers for DNA sequence and hybridization (Hyrup *et al.* (1996), above; Perry-O'Keefe (1996), above).

In another embodiment, PNAs of the invention can be modified, *e.g.*, to enhance their stability or cellular uptake, by attaching lipophilic or other helper groups to PNA, by
15 the formation of PNA-DNA chimeras, or by the use of liposomes or other techniques of drug delivery known in the art. For example, PNA-DNA chimeras can be generated that may combine the advantageous properties of PNA and DNA. Such chimeras allow DNA recognition enzymes, *e.g.*, RNase H and DNA polymerases, to interact with the DNA portion while the PNA portion would provide high binding affinity and specificity.
20 PNA-DNA chimeras can be linked using linkers of appropriate lengths selected in terms of base stacking, number of bonds between the nucleobases, and orientation (Hyrup (1996) above). The synthesis of PNA-DNA chimeras can be performed as described in Hyrup (1996) above and Finn *et al.* (1996) *Nucl Acids Res* 24: 3357-63. For example, a DNA chain can be synthesized on a solid support using standard phosphoramidite
25 coupling chemistry, and modified nucleoside analogs, *e.g.*, 5'-(4-methoxytrityl)amino-5'-deoxy-thymidine phosphoramidite, can be used between the PNA and the 5' end of DNA (Mag *et al.* (1989) *Nucl Acid Res* 17: 5973-88). PNA monomers are then coupled in a stepwise manner to produce a chimeric molecule with a 5' PNA segment and a 3' DNA segment (Finn *et al.* (1996) above). Alternatively,
30 chimeric molecules can be synthesized with a 5' DNA segment and a 3' PNA segment. See, Petersen *et al.* (1975) *Bioorg Med Chem Lett* 5: 1119-11124.

In other embodiments, the oligonucleotide may include other appended groups such as peptides (*e.g.*, for targeting host cell receptors *in vivo*), or agents facilitating transport across the cell membrane (see, *e.g.*, Letsinger *et al.*, 1989, *Proc. Natl. Acad. Sci. U.S.A.* 86:6553-6556; Lemaitre *et al.*, 1987, *Proc. Natl. Acad. Sci.* 84:648-652; PCT
5 Publication No. W088/09810) or the blood-brain barrier (see, *e.g.*, PCT Publication No. W089/10134). In addition, oligonucleotides can be modified with hybridization triggered cleavage agents (See, *e.g.*, Krol *et al.*, 1988, *BioTechniques* 6:958-976) or intercalating agents. (See, *e.g.*, Zon, 1988, *Pharm. Res.* 5: 539-549). To this end, the oligonucleotide may be conjugated to another molecule, *e.g.*, a peptide, a hybridization triggered
10 cross-linking agent, a transport agent, a hybridization-triggered cleavage agent, etc.

4.5 HOSTS

The present invention further provides host cells genetically engineered to contain the polynucleotides of the invention. For example, such host cells may contain nucleic
15 acids of the invention introduced into the host cell using known transformation, transfection or infection methods. The present invention still further provides host cells genetically engineered to express the polynucleotides of the invention, wherein such polynucleotides are in operative association with a regulatory sequence heterologous to the host cell which drives expression of the polynucleotides in the cell.

20 Knowledge of nucleic acid sequences allows for modification of cells to permit, or increase, expression of endogenous polypeptide. Cells can be modified (*e.g.*, by homologous recombination) to provide increased polypeptide expression by replacing, in whole or in part, the naturally occurring promoter with all or part of a heterologous promoter so that the cells express the polypeptide at higher levels. The heterologous
25 promoter is inserted in such a manner that it is operatively linked to the encoding sequences. See, for example, PCT International Publication No. WO94/12650, PCT International Publication No. WO92/20808, and PCT International Publication No. WO91/09955. It is also contemplated that, in addition to heterologous promoter DNA, amplifiable marker DNA (*e.g.*, *ada*, *dhfr*, and the multifunctional CAD gene which
30 encodes carbamyl phosphate synthase, aspartate transcarbamylase, and dihydroorotase) and/or intron DNA may be inserted along with the heterologous promoter DNA. If

linked to the coding sequence, amplification of the marker DNA by standard selection methods results in co-amplification of the desired protein coding sequences in the cells.

The host cell can be a higher eukaryotic host cell, such as a mammalian cell, a lower eukaryotic host cell, such as a yeast cell, or the host cell can be a prokaryotic cell, such as a bacterial cell. Introduction of the recombinant construct into the host cell can be effected by calcium phosphate transfection, DEAE, dextran mediated transfection, or electroporation (Davis, L. et al., *Basic Methods in Molecular Biology* (1986)). The host cells containing one of the polynucleotides of the invention, can be used in conventional manners to produce the gene product encoded by the isolated fragment (in the case of an ORF) or can be used to produce a heterologous protein under the control of the EMF.

Any host/vector system can be used to express one or more of the ORFs of the present invention. These include, but are not limited to, eukaryotic hosts such as HeLa cells, Cv-1 cell, COS cells, 293 cells, and Sf9 cells, as well as prokaryotic host such as *E. coli* and *B. subtilis*. The most preferred cells are those which do not normally express the particular polypeptide or protein or which expresses the polypeptide or protein at low natural level. Mature proteins can be expressed in mammalian cells, yeast, bacteria, or other cells under the control of appropriate promoters. Cell-free translation systems can also be employed to produce such proteins using RNAs derived from the DNA constructs of the present invention. Appropriate cloning and expression vectors for use with prokaryotic and eukaryotic hosts are described by Sambrook, et al., in *Molecular Cloning: A Laboratory Manual, Second Edition*, Cold Spring Harbor, New York (1989), the disclosure of which is hereby incorporated by reference.

Various mammalian cell culture systems can also be employed to express recombinant protein. Examples of mammalian expression systems include the COS-7 lines of monkey kidney fibroblasts, described by Gluzman, *Cell* 23:175 (1981). Other cell lines capable of expressing a compatible vector are, for example, the C127, monkey COS cells, Chinese Hamster Ovary (CHO) cells, human kidney 293 cells, human epidermal A431 cells, human Colo205 cells, 3T3 cells, CV-1 cells, other transformed primate cell lines, normal diploid cells, cell strains derived from *in vitro* culture of primary tissue, primary explants, HeLa cells, mouse L cells, BHK, HL-60, U937, HaK or Jurkat cells. Mammalian expression vectors will comprise an origin of replication, a

suitable promoter and also any necessary ribosome binding sites, polyadenylation site, splice donor and acceptor sites, transcriptional termination sequences, and 5' flanking nontranscribed sequences. DNA sequences derived from the SV40 viral genome, for example, SV40 origin, early promoter, enhancer, splice, and polyadenylation sites may be used to provide the required nontranscribed genetic elements. Recombinant polypeptides and proteins produced in bacterial culture are usually isolated by initial extraction from cell pellets, followed by one or more salting-out, aqueous ion exchange or size exclusion chromatography steps. Protein refolding steps can be used, as necessary, in completing configuration of the mature protein. Finally, high performance liquid chromatography (HPLC) can be employed for final purification steps. Microbial cells employed in expression of proteins can be disrupted by any convenient method, including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents.

Alternatively, it may be possible to produce the protein in lower eukaryotes such as yeast or insects or in prokaryotes such as bacteria. Potentially suitable yeast strains include *Saccharomyces cerevisiae*, *Schizosaccharomyces pombe*, *Kluyveromyces* strains, *Candida*, or any yeast strain capable of expressing heterologous proteins. Potentially suitable bacterial strains include *Escherichia coli*, *Bacillus subtilis*, *Salmonella typhimurium*, or any bacterial strain capable of expressing heterologous proteins. If the protein is made in yeast or bacteria, it may be necessary to modify the protein produced therein, for example by phosphorylation or glycosylation of the appropriate sites, in order to obtain the functional protein. Such covalent attachments may be accomplished using known chemical or enzymatic methods.

In another embodiment of the present invention, cells and tissues may be engineered to express an endogenous gene comprising the polynucleotides of the invention under the control of inducible regulatory elements, in which case the regulatory sequences of the endogenous gene may be replaced by homologous recombination. As described herein, gene targeting can be used to replace a gene's existing regulatory region with a regulatory sequence isolated from a different gene or a novel regulatory sequence synthesized by genetic engineering methods. Such regulatory sequences may be comprised of promoters, enhancers, scaffold-attachment regions, negative regulatory elements, transcriptional initiation sites, regulatory protein binding sites or combinations

of said sequences. Alternatively, sequences which affect the structure or stability of the RNA or protein produced may be replaced, removed, added, or otherwise modified by targeting. These sequence include polyadenylation signals, mRNA stability elements, splice sites, leader sequences for enhancing or modifying transport or secretion properties
5 of the protein, or other sequences which alter or improve the function or stability of protein or RNA molecules.

The targeting event may be a simple insertion of the regulatory sequence, placing the gene under the control of the new regulatory sequence, *e.g.*, inserting a new promoter or enhancer or both upstream of a gene. Alternatively, the targeting event may be a
10 simple deletion of a regulatory element, such as the deletion of a tissue-specific negative regulatory element. Alternatively, the targeting event may replace an existing element; for example, a tissue-specific enhancer can be replaced by an enhancer that has broader or different cell-type specificity than the naturally occurring elements. Here, the naturally occurring sequences are deleted and new sequences are added. In all cases, the
15 identification of the targeting event may be facilitated by the use of one or more selectable marker genes that are contiguous with the targeting DNA, allowing for the selection of cells in which the exogenous DNA has integrated into the host cell genome. The identification of the targeting event may also be facilitated by the use of one or more marker genes exhibiting the property of negative selection, such that the negatively
20 selectable marker is linked to the exogenous DNA, but configured such that the negatively selectable marker flanks the targeting sequence, and such that a correct homologous recombination event with sequences in the host cell genome does not result in the stable integration of the negatively selectable marker. Markers useful for this purpose include the Herpes Simplex Virus thymidine kinase (TK) gene or the bacterial
25 xanthine-guanine phosphoribosyl-transferase (gpt) gene.

The gene targeting or gene activation techniques which can be used in accordance with this aspect of the invention are more particularly described in U.S. Patent No. 5,272,071 to Chappel; U.S. Patent No. 5,578,461 to Sherwin et al.; International Application No. PCT/US92/09627 (WO93/09222) by Selden et al.; and International
30 Application No. PCT/US90/06436 (WO91/06667) by Skoultchi et al., each of which is incorporated by reference herein in its entirety.

4.6 POLYPEPTIDES OF THE INVENTION

The isolated polypeptides of the invention include, but are not limited to, a polypeptide comprising: the amino acid sequences set forth as any one of SEQ ID
5 NO:740-1478 or an amino acid sequence encoded by any one of the nucleotide sequences
SEQ ID NO:1-739 or the corresponding full length or mature protein. Polypeptides of the
invention also include polypeptides preferably with biological or immunological activity
that are encoded by: (a) a polynucleotide having any one of the nucleotide sequences set
forth in SEQ ID NO:1-739 or (b) polynucleotides encoding any one of the amino acid
10 sequences set forth as SEQ ID NO:740-1478 or (c) polynucleotides that hybridize to the
complement of the polynucleotides of either (a) or (b) under stringent hybridization
conditions. The invention also provides biologically active or immunologically active
variants of any of the amino acid sequences set forth as SEQ ID NO:740-1478 or the
corresponding full length or mature protein; and "substantial equivalents" thereof (e.g.,
15 with at least about 65%, at least about 70%, at least about 75%, at least about 80%, at
least about 85%, at least about 90%, typically at least about 95%, more typically at least
about 98%, or most typically at least about 99% amino acid identity) that retain
biological activity. Polypeptides encoded by allelic variants may have a similar,
increased, or decreased activity compared to polypeptides comprising SEQ ID NO:740-
20 1478.

Fragments of the proteins of the present invention which are capable of exhibiting
biological activity are also encompassed by the present invention. Fragments of the
protein may be in linear form or they may be cyclized using known methods, for
example, as described in H. U. Saragovi, et al., *Bio/Technology* 10, 773-778 (1992) and
25 in R. S. McDowell, et al., *J. Amer. Chem. Soc.* 114, 9245-9253 (1992), both of which are
incorporated herein by reference. Such fragments may be fused to carrier molecules such
as immunoglobulins for many purposes, including increasing the valency of protein
binding sites.

The present invention also provides both full-length and mature forms (for
30 example, without a signal sequence or precursor sequence) of the disclosed proteins. The
protein coding sequence is identified in the sequence listing by translation of the

disclosed nucleotide sequences. The mature form of such protein may be obtained by expression of a full-length polynucleotide in a suitable mammalian cell or other host cell. The sequence of the mature form of the protein is also determinable from the amino acid sequence of the full-length form. Where proteins of the present invention are membrane bound, soluble forms of the proteins are also provided. In such forms, part or all of the regions causing the proteins to be membrane bound are deleted so that the proteins are fully secreted from the cell in which they are expressed.

Protein compositions of the present invention may further comprise an acceptable carrier, such as a hydrophilic, *e.g.*, pharmaceutically acceptable, carrier.

The present invention further provides isolated polypeptides encoded by the nucleic acid fragments of the present invention or by degenerate variants of the nucleic acid fragments of the present invention. By "degenerate variant" is intended nucleotide fragments which differ from a nucleic acid fragment of the present invention (*e.g.*, an ORF) by nucleotide sequence but, due to the degeneracy of the genetic code, encode an identical polypeptide sequence. Preferred nucleic acid fragments of the present invention are the ORFs that encode proteins.

A variety of methodologies known in the art can be utilized to obtain any one of the isolated polypeptides or proteins of the present invention. At the simplest level, the amino acid sequence can be synthesized using commercially available peptide synthesizers. The synthetically-constructed protein sequences, by virtue of sharing primary, secondary or tertiary structural and/or conformational characteristics with proteins may possess biological properties in common therewith, including protein activity. This technique is particularly useful in producing small peptides and fragments of larger polypeptides. Fragments are useful, for example, in generating antibodies against the native polypeptide. Thus, they may be employed as biologically active or immunological substitutes for natural, purified proteins in screening of therapeutic compounds and in immunological processes for the development of antibodies.

The polypeptides and proteins of the present invention can alternatively be purified from cells which have been altered to express the desired polypeptide or protein. As used herein, a cell is said to be altered to express a desired polypeptide or protein when the cell, through genetic manipulation, is made to produce a polypeptide or protein

which it normally does not produce or which the cell normally produces at a lower level. One skilled in the art can readily adapt procedures for introducing and expressing either recombinant or synthetic sequences into eukaryotic or prokaryotic cells in order to generate a cell which produces one of the polypeptides or proteins of the present
5 invention.

The invention also relates to methods for producing a polypeptide comprising growing a culture of host cells of the invention in a suitable culture medium, and purifying the protein from the cells or the culture in which the cells are grown. For example, the methods of the invention include a process for producing a polypeptide in
10 which a host cell containing a suitable expression vector that includes a polynucleotide of the invention is cultured under conditions that allow expression of the encoded polypeptide. The polypeptide can be recovered from the culture, conveniently from the culture medium, or from a lysate prepared from the host cells and further purified. Preferred embodiments include those in which the protein produced by such process is a
15 full length or mature form of the protein.

In an alternative method, the polypeptide or protein is purified from bacterial cells which naturally produce the polypeptide or protein. One skilled in the art can readily follow known methods for isolating polypeptides and proteins in order to obtain one of the isolated polypeptides or proteins of the present invention. These include, but
20 are not limited to, immunochromatography, HPLC, size-exclusion chromatography, ion-exchange chromatography, and immuno-affinity chromatography. See, e.g., Scopes, *Protein Purification: Principles and Practice*, Springer-Verlag (1994); Sambrook, et al., in *Molecular Cloning: A Laboratory Manual*; Ausubel et al., *Current Protocols in Molecular Biology*. Polypeptide fragments that retain biological/immunological activity
25 include fragments comprising greater than about 100 amino acids, or greater than about 200 amino acids, and fragments that encode specific protein domains.

The purified polypeptides can be used in *in vitro* binding assays which are well known in the art to identify molecules which bind to the polypeptides. These molecules include but are not limited to, for e.g., small molecules, molecules from combinatorial
30 libraries, antibodies or other proteins. The molecules identified in the binding assay are then tested for antagonist or agonist activity in *in vivo* tissue culture or animal models

that are well known in the art. In brief, the molecules are titrated into a plurality of cell cultures or animals and then tested for either cell/animal death or prolonged survival of the animal/cells.

In addition, the peptides of the invention or molecules capable of binding to the peptides may be complexed with toxins, e.g., ricin or cholera, or with other compounds that are toxic to cells. The toxin-binding molecule complex is then targeted to a tumor or other cell by the specificity of the binding molecule for SEQ ID NO:740-1478.

The protein of the invention may also be expressed as a product of transgenic animals, e.g., as a component of the milk of transgenic cows, goats, pigs, or sheep which are characterized by somatic or germ cells containing a nucleotide sequence encoding the protein.

The proteins provided herein also include proteins characterized by amino acid sequences similar to those of purified proteins but into which modification are naturally provided or deliberately engineered. For example, modifications, in the peptide or DNA sequence, can be made by those skilled in the art using known techniques. Modifications of interest in the protein sequences may include the alteration, substitution, replacement, insertion or deletion of a selected amino acid residue in the coding sequence. For example, one or more of the cysteine residues may be deleted or replaced with another amino acid to alter the conformation of the molecule. Techniques for such alteration, substitution, replacement, insertion or deletion are well known to those skilled in the art (see, e.g., U.S. Pat. No. 4,518,584). Preferably, such alteration, substitution, replacement, insertion or deletion retains the desired activity of the protein. Regions of the protein that are important for the protein function can be determined by various methods known in the art including the alanine-scanning method which involved systematic substitution of single or strings of amino acids with alanine, followed by testing the resulting alanine-containing variant for biological activity. This type of analysis determines the importance of the substituted amino acid(s) in biological activity. Regions of the protein that are important for protein function may be determined by the eMATRIX program.

Other fragments and derivatives of the sequences of proteins which would be expected to retain protein activity in whole or in part and are useful for screening or other

immunological methodologies may also be easily made by those skilled in the art given the disclosures herein. Such modifications are encompassed by the present invention.

The protein may also be produced by operably linking the isolated polynucleotide of the invention to suitable control sequences in one or more insect expression vectors, and employing an insect expression system. Materials and methods for baculovirus/insect cell expression systems are commercially available in kit form from, e.g., Invitrogen, San Diego, Calif., U.S.A. (the MaxBat™ kit), and such methods are well known in the art, as described in Summers and Smith, Texas Agricultural Experiment Station Bulletin No. 1555 (1987), incorporated herein by reference. As used herein, an insect cell capable of expressing a polynucleotide of the present invention is "transformed."

The protein of the invention may be prepared by culturing transformed host cells under culture conditions suitable to express the recombinant protein. The resulting expressed protein may then be purified from such culture (*i.e.*, from culture medium or cell extracts) using known purification processes, such as gel filtration and ion exchange chromatography. The purification of the protein may also include an affinity column containing agents which will bind to the protein; one or more column steps over such affinity resins as concanavalin A-agarose, heparin-toyopearl™ or Cibacrom blue 3GA Sepharose™; one or more steps involving hydrophobic interaction chromatography using such resins as phenyl ether, butyl ether, or propyl ether; or immunoaffinity chromatography.

Alternatively, the protein of the invention may also be expressed in a form which will facilitate purification. For example, it may be expressed as a fusion protein, such as those of maltose binding protein (MBP), glutathione-S-transferase (GST) or thioredoxin (TRX), or as a His tag. Kits for expression and purification of such fusion proteins are commercially available from New England BioLab (Beverly, Mass.), Pharmacia (Piscataway, N.J.) and Invitrogen, respectively. The protein can also be tagged with an epitope and subsequently purified by using a specific antibody directed to such epitope. One such epitope ("FLAG®") is commercially available from Kodak (New Haven, Conn.).

Finally, one or more reverse-phase high performance liquid chromatography (RP-HPLC) steps employing hydrophobic RP-HPLC media, *e.g.*, silica gel having pendant methyl or other aliphatic groups, can be employed to further purify the protein. Some or all of the foregoing purification steps, in various combinations, can also be employed to provide a substantially homogeneous isolated recombinant protein. The protein thus purified is substantially free of other mammalian proteins and is defined in accordance with the present invention as an "isolated protein."

The polypeptides of the invention include analogs (variants). This embraces fragments, as well as peptides in which one or more amino acids has been deleted, inserted, or substituted. Also, analogs of the polypeptides of the invention embrace fusions of the polypeptides or modifications of the polypeptides of the invention, wherein the polypeptide or analog is fused to another moiety or moieties, *e.g.*, targeting moiety or another therapeutic agent. Such analogs may exhibit improved properties such as activity and/or stability. Examples of moieties which may be fused to the polypeptide or an analog include, for example, targeting moieties which provide for the delivery of polypeptide to pancreatic cells, *e.g.*, antibodies to pancreatic cells, antibodies to immune cells such as T-cells, monocytes, dendritic cells, granulocytes, *etc.*, as well as receptor and ligands expressed on pancreatic or immune cells. Other moieties which may be fused to the polypeptide include therapeutic agents which are used for treatment, for example, immunosuppressive drugs such as cyclosporin, SK506, azathioprine, CD3 antibodies and steroids. Also, polypeptides may be fused to immune modulators, and other cytokines such as alpha or beta interferon.

4.6.1 DETERMINING POLYPEPTIDE AND POLYNUCLEOTIDE IDENTITY AND SIMILARITY

Preferred identity and/or similarity are designed to give the largest match between the sequences tested. Methods to determine identity and similarity are codified in computer programs including, but are not limited to, the GCG program package, including GAP (Devereux, J., et al., *Nucleic Acids Research* 12(1):387 (1984); Genetics Computer Group, University of Wisconsin, Madison, WI), BLASTP, BLASTN, BLASTX, FASTA (Altschul, S.F. et al., *J. Molec. Biol.* 215:403-410 (1990), PSI-BLAST

(Altschul S.F. et al., *Nucleic Acids Res.* vol. 25, pp. 3389-3402, herein incorporated by reference), eMatrix software (Wu et al., *J. Comp. Biol.*, Vol. 6, pp. 219-235 (1999), herein incorporated by reference), eMotif software (Nevill-Manning et al, ISMB-97, Vol. 4, pp. 202-209, herein incorporated by reference), pFam software (Sonnhammer et al., *Nucleic Acids Res.*, Vol. 26(1), pp. 320-322 (1998), herein incorporated by reference) and the Kyte-Doolittle hydrophobicity prediction algorithm (*J. Mol Biol*, 157, pp. 105-31 (1982), incorporated herein by reference). The BLAST programs are publicly available from the National Center for Biotechnology Information (NCBI) and other sources (BLAST Manual, Altschul, S., et al. NCB NLM NIH Bethesda, MD 20894; Altschul, S., et al., *J. Mol. Biol.* 215:403-410 (1990).

4.7 CHIMERIC AND FUSION PROTEINS

The invention also provides chimeric or fusion proteins. As used herein, a "chimeric protein" or "fusion protein" comprises a polypeptide of the invention operatively linked to another polypeptide. Within a fusion protein the polypeptide according to the invention can correspond to all or a portion of a protein according to the invention. In one embodiment, a fusion protein comprises at least one biologically active portion of a protein according to the invention. In another embodiment, a fusion protein comprises at least two biologically active portions of a protein according to the invention. Within the fusion protein, the term "operatively linked" is intended to indicate that the polypeptide according to the invention and the other polypeptide are fused in-frame to each other. The polypeptide can be fused to the N-terminus or C-terminus.

For example, in one embodiment a fusion protein comprises a polypeptide according to the invention operably linked to the extracellular domain of a second protein.

In another embodiment, the fusion protein is a GST-fusion protein in which the polypeptide sequences of the invention are fused to the C-terminus of the GST (i.e., glutathione S-transferase) sequences.

In another embodiment, the fusion protein is an immunoglobulin fusion protein in which the polypeptide sequences according to the invention comprises one or more domains are fused to sequences derived from a member of the immunoglobulin protein family. The immunoglobulin fusion proteins of the invention can be incorporated into

pharmaceutical compositions and administered to a subject to inhibit an interaction between a ligand and a protein of the invention on the surface of a cell, to thereby suppress signal transduction *in vivo*. The immunoglobulin fusion proteins can be used to affect the bioavailability of a cognate ligand. Inhibition of the ligand/protein interaction
5 may be useful therapeutically for both the treatment of proliferative and differentiative disorders, *e.g.*, cancer as well as modulating (*e.g.*, promoting or inhibiting) cell survival. Moreover, the immunoglobulin fusion proteins of the invention can be used as immunogens to produce antibodies in a subject, to purify ligands, and in screening assays to identify molecules that inhibit the interaction of a polypeptide of the invention with a
10 ligand.

A chimeric or fusion protein of the invention can be produced by standard recombinant DNA techniques. For example, DNA fragments coding for the different polypeptide sequences are ligated together in-frame in accordance with conventional techniques, *e.g.*, by employing blunt-ended or stagger-ended termini for ligation,
15 restriction enzyme digestion to provide for appropriate termini, filling-in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid undesirable joining, and enzymatic ligation. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments can be carried out using anchor primers that give rise to
20 complementary overhangs between two consecutive gene fragments that can subsequently be annealed and reamplified to generate a chimeric gene sequence (see, for example, Ausubel et al. (eds.) CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, John Wiley & Sons, 1992). Moreover, many expression vectors are commercially available that already encode a fusion moiety (*e.g.*, a GST polypeptide). A nucleic acid encoding
25 a polypeptide of the invention can be cloned into such an expression vector such that the fusion moiety is linked in-frame to the protein of the invention.

4.8 GENE THERAPY

Mutations in the polynucleotides of the invention gene may result in loss of
30 normal function of the encoded protein. The invention thus provides gene therapy to restore normal activity of the polypeptides of the invention; or to treat disease states

involving polypeptides of the invention. Delivery of a functional gene encoding polypeptides of the invention to appropriate cells is effected *ex vivo*, *in situ*, or *in vivo* by use of vectors, and more particularly viral vectors (e.g., adenovirus, adeno-associated virus, or a retrovirus), or *ex vivo* by use of physical DNA transfer methods (e.g., liposomes or chemical treatments). See, for example, Anderson, Nature, supplement to 5 vol. 392, no. 6679, pp.25-20 (1998). For additional reviews of gene therapy technology see Friedmann, Science, 244: 1275-1281 (1989); Verma, Scientific American: 68-84 (1990); and Miller, Nature, 357: 455-460 (1992). Introduction of any one of the nucleotides of the present invention or a gene encoding the polypeptides of the present invention can also be accomplished with extrachromosomal substrates (transient 10 expression) or artificial chromosomes (stable expression). Cells may also be cultured *ex vivo* in the presence of proteins of the present invention in order to proliferate or to produce a desired effect on or activity in such cells. Treated cells can then be introduced *in vivo* for therapeutic purposes. Alternatively, it is contemplated that in other human 15 disease states, preventing the expression of or inhibiting the activity of polypeptides of the invention will be useful in treating the disease states. It is contemplated that antisense therapy or gene therapy could be applied to negatively regulate the expression of polypeptides of the invention.

Other methods inhibiting expression of a protein include the introduction of 20 antisense molecules to the nucleic acids of the present invention, their complements, or their translated RNA sequences, by methods known in the art. Further, the polypeptides of the present invention can be inhibited by using targeted deletion methods, or the insertion of a negative regulatory element such as a silencer, which is tissue specific.

The present invention still further provides cells genetically engineered *in vivo* to 25 express the polynucleotides of the invention, wherein such polynucleotides are in operative association with a regulatory sequence heterologous to the host cell which drives expression of the polynucleotides in the cell. These methods can be used to increase or decrease the expression of the polynucleotides of the present invention.

Knowledge of DNA sequences provided by the invention allows for modification of 30 cells to permit, increase, or decrease, expression of endogenous polypeptide. Cells can be modified (e.g., by homologous recombination) to provide increased polypeptide expression

by replacing, in whole or in part, the naturally occurring promoter with all or part of a heterologous promoter so that the cells express the protein at higher levels. The heterologous promoter is inserted in such a manner that it is operatively linked to the desired protein encoding sequences. See, for example, PCT International Publication No. WO 94/12650, PCT International Publication No. WO 92/20808, and PCT International Publication No. WO 91/09955. It is also contemplated that, in addition to heterologous promoter DNA, amplifiable marker DNA (e.g., *ada*, *dhfr*, and the multifunctional CAD gene which encodes carbamyl phosphate synthase, aspartate transcarbamylase, and dihydroorotase) and/or intron DNA may be inserted along with the heterologous promoter DNA. If linked to the desired protein coding sequence, amplification of the marker DNA by standard selection methods results in co-amplification of the desired protein coding sequences in the cells.

In another embodiment of the present invention, cells and tissues may be engineered to express an endogenous gene comprising the polynucleotides of the invention under the control of inducible regulatory elements, in which case the regulatory sequences of the endogenous gene may be replaced by homologous recombination. As described herein, gene targeting can be used to replace a gene's existing regulatory region with a regulatory sequence isolated from a different gene or a novel regulatory sequence synthesized by genetic engineering methods. Such regulatory sequences may be comprised of promoters, enhancers, scaffold-attachment regions, negative regulatory elements, transcriptional initiation sites, regulatory protein binding sites or combinations of said sequences. Alternatively, sequences which affect the structure or stability of the RNA or protein produced may be replaced, removed, added, or otherwise modified by targeting. These sequences include polyadenylation signals, mRNA stability elements, splice sites, leader sequences for enhancing or modifying transport or secretion properties of the protein, or other sequences which alter or improve the function or stability of protein or RNA molecules.

The targeting event may be a simple insertion of the regulatory sequence, placing the gene under the control of the new regulatory sequence, e.g., inserting a new promoter or enhancer or both upstream of a gene. Alternatively, the targeting event may be a simple deletion of a regulatory element, such as the deletion of a tissue-specific negative regulatory element. Alternatively, the targeting event may replace an existing element; for example, a

tissue-specific enhancer can be replaced by an enhancer that has broader or different cell-type specificity than the naturally occurring elements. Here, the naturally occurring sequences are deleted and new sequences are added. In all cases, the identification of the targeting event may be facilitated by the use of one or more selectable marker genes that are
5 contiguous with the targeting DNA, allowing for the selection of cells in which the exogenous DNA has integrated into the cell genome. The identification of the targeting event may also be facilitated by the use of one or more marker genes exhibiting the property of negative selection, such that the negatively selectable marker is linked to the exogenous
10 DNA, but configured such that the negatively selectable marker flanks the targeting sequence, and such that a correct homologous recombination event with sequences in the host cell genome does not result in the stable integration of the negatively selectable marker. Markers useful for this purpose include the Herpes Simplex Virus thymidine kinase (TK) gene or the bacterial xanthine-guanine phosphoribosyl-transferase (gpt) gene.

The gene targeting or gene activation techniques which can be used in accordance
15 with this aspect of the invention are more particularly described in U.S. Patent No. 5,272,071 to Chappel; U.S. Patent No. 5,578,461 to Sherwin et al.; International Application No. PCT/US92/09627 (WO93/09222) by Selden et al.; and International Application No. PCT/US90/06436 (WO91/06667) by Skoultchi et al., each of which is incorporated by
20 reference herein in its entirety.

4.9 TRANSGENIC ANIMALS

In preferred methods to determine biological functions of the polypeptides of the invention in vivo, one or more genes provided by the invention are either over expressed or inactivated in the germ line of animals using homologous recombination [Capecchi,
25 Science 244:1288-1292 (1989)]. Animals in which the gene is over expressed, under the regulatory control of exogenous or endogenous promoter elements, are known as transgenic animals. Animals in which an endogenous gene has been inactivated by homologous recombination are referred to as "knockout" animals. Knockout animals, preferably non-human mammals, can be prepared as described in U.S. Patent No.
30 5,557,032, incorporated herein by reference. Transgenic animals are useful to determine the roles polypeptides of the invention play in biological processes, and preferably in

disease states. Transgenic animals are useful as model systems to identify compounds that modulate lipid metabolism. Transgenic animals, preferably non-human mammals, are produced using methods as described in U.S. Patent No 5,489,743 and PCT Publication No. WO94/28122, incorporated herein by reference.

5 Transgenic animals can be prepared wherein all or part of a promoter of the polynucleotides of the invention is either activated or inactivated to alter the level of expression of the polypeptides of the invention. Inactivation can be carried out using homologous recombination methods described above. Activation can be achieved by supplementing or even replacing the homologous promoter to provide for increased
10 protein expression. The homologous promoter can be supplemented by insertion of one or more heterologous enhancer elements known to confer promoter activation in a particular tissue.

The polynucleotides of the present invention also make possible the development, through, e.g., homologous recombination or knock out strategies, of animals that fail to
15 express polypeptides of the invention or that express a variant polypeptide. Such animals are useful as models for studying the *in vivo* activities of polypeptide as well as for studying modulators of the polypeptides of the invention.

In preferred methods to determine biological functions of the polypeptides of the invention *in vivo*, one or more genes provided by the invention are either over expressed
20 or inactivated in the germ line of animals using homologous recombination [Capecchi, Science 244:1288-1292 (1989)]. Animals in which the gene is over expressed, under the regulatory control of exogenous or endogenous promoter elements, are known as transgenic animals. Animals in which an endogenous gene has been inactivated by homologous recombination are referred to as "knockout" animals. Knockout animals,
25 preferably non-human mammals, can be prepared as described in U.S. Patent No. 5,557,032, incorporated herein by reference. Transgenic animals are useful to determine the roles polypeptides of the invention play in biological processes, and preferably in disease states. Transgenic animals are useful as model systems to identify compounds that modulate lipid metabolism. Transgenic animals, preferably non-human mammals,
30 are produced using methods as described in U.S. Patent No 5,489,743 and PCT Publication No. WO94/28122, incorporated herein by reference.

Transgenic animals can be prepared wherein all or part of the polynucleotides of the invention promoter is either activated or inactivated to alter the level of expression of the polypeptides of the invention. Inactivation can be carried out using homologous recombination methods described above. Activation can be achieved by supplementing or even replacing the homologous promoter to provide for increased protein expression. The homologous promoter can be supplemented by insertion of one or more heterologous enhancer elements known to confer promoter activation in a particular tissue.

4.10 USES AND BIOLOGICAL ACTIVITY

The polynucleotides and proteins of the present invention are expected to exhibit one or more of the uses or biological activities (including those associated with assays cited herein) identified herein. Uses or activities described for proteins of the present invention may be provided by administration or use of such proteins or of polynucleotides encoding such proteins (such as, for example, in gene therapies or vectors suitable for introduction of DNA). The mechanism underlying the particular condition or pathology will dictate whether the polypeptides of the invention, the polynucleotides of the invention or modulators (activators or inhibitors) thereof would be beneficial to the subject in need of treatment. Thus, "therapeutic compositions of the invention" include compositions comprising isolated polynucleotides (including recombinant DNA molecules, cloned genes and degenerate variants thereof) or polypeptides of the invention (including full length protein, mature protein and truncations or domains thereof), or compounds and other substances that modulate the overall activity of the target gene products, either at the level of target gene/protein expression or target protein activity. Such modulators include polypeptides, analogs, (variants), including fragments and fusion proteins, antibodies and other binding proteins; chemical compounds that directly or indirectly activate or inhibit the polypeptides of the invention (identified, e.g., via drug screening assays as described herein); antisense polynucleotides and polynucleotides suitable for triple helix formation; and in particular antibodies or other binding partners that specifically recognize one or more epitopes of the polypeptides of the invention.

The polypeptides of the present invention may likewise be involved in cellular activation or in one of the other physiological pathways described herein.

4.10.1 RESEARCH USES AND UTILITIES

5 The polynucleotides provided by the present invention can be used by the research community for various purposes. The polynucleotides can be used to express recombinant protein for analysis, characterization or therapeutic use; as markers for tissues in which the corresponding protein is preferentially expressed (either constitutively or at a particular stage of tissue differentiation or development or in disease
10 states); as molecular weight markers on gels; as chromosome markers or tags (when labeled) to identify chromosomes or to map related gene positions; to compare with endogenous DNA sequences in patients to identify potential genetic disorders; as probes to hybridize and thus discover novel, related DNA sequences; as a source of information to derive PCR primers for genetic fingerprinting; as a probe to "subtract-out" known
15 sequences in the process of discovering other novel polynucleotides; for selecting and making oligomers for attachment to a "gene chip" or other support, including for examination of expression patterns; to raise anti-protein antibodies using DNA immunization techniques; and as an antigen to raise anti-DNA antibodies or elicit another immune response. Where the polynucleotide encodes a protein which binds or
20 potentially binds to another protein (such as, for example, in a receptor-ligand interaction), the polynucleotide can also be used in interaction trap assays (such as, for example, that described in Gyuris et al., Cell 75:791-803 (1993)) to identify polynucleotides encoding the other protein with which binding occurs or to identify inhibitors of the binding interaction.

25 The polypeptides provided by the present invention can similarly be used in assays to determine biological activity, including in a panel of multiple proteins for high-throughput screening; to raise antibodies or to elicit another immune response; as a reagent (including the labeled reagent) in assays designed to quantitatively determine levels of the protein (or its receptor) in biological fluids; as markers for tissues in which
30 the corresponding polypeptide is preferentially expressed (either constitutively or at a particular stage of tissue differentiation or development or in a disease state); and, of

course, to isolate correlative receptors or ligands. Proteins involved in these binding interactions can also be used to screen for peptide or small molecule inhibitors or agonists of the binding interaction.

Any or all of these research utilities are capable of being developed into reagent grade or kit format for commercialization as research products.

Methods for performing the uses listed above are well known to those skilled in the art. References disclosing such methods include without limitation "Molecular Cloning: A Laboratory Manual", 2d ed., Cold Spring Harbor Laboratory Press, Sambrook, J., E. F. Fritsch and T. Maniatis eds., 1989, and "Methods in Enzymology: Guide to Molecular Cloning Techniques", Academic Press, Berger, S. L. and A. R. Kimmel eds., 1987.

4.10.2 NUTRITIONAL USES

Polynucleotides and polypeptides of the present invention can also be used as nutritional sources or supplements. Such uses include without limitation use as a protein or amino acid supplement, use as a carbon source, use as a nitrogen source and use as a source of carbohydrate. In such cases the polypeptide or polynucleotide of the invention can be added to the feed of a particular organism or can be administered as a separate solid or liquid preparation, such as in the form of powder, pills, solutions, suspensions or capsules. In the case of microorganisms, the polypeptide or polynucleotide of the invention can be added to the medium in or on which the microorganism is cultured.

4.10.3 CYTOKINE AND CELL PROLIFERATION/DIFFERENTIATION ACTIVITY

A polypeptide of the present invention may exhibit activity relating to cytokine, cell proliferation (either inducing or inhibiting) or cell differentiation (either inducing or inhibiting) activity or may induce production of other cytokines in certain cell populations. A polynucleotide of the invention can encode a polypeptide exhibiting such attributes. Many protein factors discovered to date, including all known cytokines, have exhibited activity in one or more factor-dependent cell proliferation assays, and hence the assays serve as a convenient confirmation of cytokine activity. The activity of therapeutic

compositions of the present invention is evidenced by any one of a number of routine factor dependent cell proliferation assays for cell lines including, without limitation, 32D, DA2, DA1G, T10, B9, B9/11, BaF3, MC9/G, M+(preB M+), 2E8, RB5, DA1, 123, T1165, HT2, CTLL2, TF-1, Mo7e, CMK, HUVEC, and Caco. Therapeutic compositions
5 of the invention can be used in the following:

Assays for T-cell or thymocyte proliferation include without limitation those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, *In Vitro* assays for Mouse Lymphocyte Function 3.1-3.19;
10 Chapter 7, Immunologic studies in Humans); Takai et al., J. Immunol. 137:3494-3500, 1986; Bertagnolli et al., J. Immunol. 145:1706-1712, 1990; Bertagnolli et al., Cellular Immunology 133:327-341, 1991; Bertagnolli, et al., I. Immunol. 149:3778-3783, 1992; Bowman et al., I. Immunol. 152:1756-1761, 1994.

Assays for cytokine production and/or proliferation of spleen cells, lymph node
15 cells or thymocytes include, without limitation, those described in: Polyclonal T cell stimulation, Kruisbeek, A. M. and Shevach, E. M. In Current Protocols in Immunology. J. E. e.a. Coligan eds. Vol 1 pp. 3.12.1-3.12.14, John Wiley and Sons, Toronto. 1994; and Measurement of mouse and human interleukin- γ , Schreiber, R. D. In Current Protocols in Immunology. J. E. e.a. Coligan eds. Vol 1 pp. 6.8.1-6.8.8, John Wiley and Sons, Toronto.
20 1994.

Assays for proliferation and differentiation of hematopoietic and lymphopoietic cells include, without limitation, those described in: Measurement of Human and Murine Interleukin 2 and Interleukin 4, Bottomly, K., Davis, L. S. and Lipsky, P. E. In Current Protocols in Immunology. J. E. e.a. Coligan eds. Vol 1 pp. 6.3.1-6.3.12, John Wiley and
25 Sons, Toronto. 1991; deVries et al., J. Exp. Med. 173:1205-1211, 1991; Moreau et al., Nature 336:690-692, 1988; Greenberger et al., Proc. Natl. Acad. Sci. U.S.A. 80:2931-2938, 1983; Measurement of mouse and human interleukin 6--Nordan, R. In Current Protocols in Immunology. J. E. Coligan eds. Vol 1 pp. 6.6.1-6.6.5, John Wiley and Sons, Toronto. 1991; Smith et al., Proc. Natl. Aced. Sci. U.S.A. 83:1857-1861, 1986;
30 Measurement of human Interleukin 11--Bennett, F., Giannotti, J., Clark, S. C. and Turner, K. J. In Current Protocols in Immunology. J. E. Coligan eds. Vol 1 pp. 6.15.1 John

Wiley and Sons, Toronto. 1991; Measurement of mouse and human Interleukin 9--Ciarletta, A., Giannotti, J., Clark, S. C. and Turner, K. J. In Current Protocols in Immunology. J. E. Coligan eds. Vol 1 pp. 6.13.1, John Wiley and Sons, Toronto. 1991.

Assays for T-cell clone responses to antigens (which will identify, among others, proteins that affect APC-T cell interactions as well as direct T-cell effects by measuring proliferation and cytokine production) include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, *In Vitro* assays for Mouse Lymphocyte Function; Chapter 6, Cytokines and their cellular receptors; Chapter 7, Immunologic studies in Humans); Weinberger et al., Proc. Natl. Acad. Sci. USA 77:6091-6095, 1980; Weinberger et al., Eur. J. Immun. 11:405-411, 1981; Takai et al., J. Immunol. 137:3494-3500, 1986; Takai et al., J. Immunol. 140:508-512, 1988.

15 **4.10.4 STEM CELL GROWTH FACTOR ACTIVITY**

A polypeptide of the present invention may exhibit stem cell growth factor activity and be involved in the proliferation, differentiation and survival of pluripotent and totipotent stem cells including primordial germ cells, embryonic stem cells, hematopoietic stem cells and/or germ line stem cells. Administration of the polypeptide of the invention to stem cells *in vivo* or *ex vivo* is expected to maintain and expand cell populations in a totipotential or pluripotential state which would be useful for re-engineering damaged or diseased tissues, transplantation, manufacture of bio-pharmaceuticals and the development of bio-sensors. The ability to produce large quantities of human cells has important working applications for the production of human proteins which currently must be obtained from non-human sources or donors, implantation of cells to treat diseases such as Parkinson's, Alzheimer's and other neurodegenerative diseases; tissues for grafting such as bone marrow, skin, cartilage, tendons, bone, muscle (including cardiac muscle), blood vessels, cornea, neural cells, gastrointestinal cells and others; and organs for transplantation such as kidney, liver, pancreas (including islet cells), heart and lung.

It is contemplated that multiple different exogenous growth factors and/or cytokines may be administered in combination with the polypeptide of the invention to achieve the desired effect, including any of the growth factors listed herein, other stem cell maintenance factors, and specifically including stem cell factor (SCF), leukemia
5 inhibitory factor (LIF), Flt-3 ligand (Flt-3L), any of the interleukins, recombinant soluble IL-6 receptor fused to IL-6, macrophage inflammatory protein 1-alpha (MIP-1-alpha), G-CSF, GM-CSF, thrombopoietin (TPO), platelet factor 4 (PF-4), platelet-derived growth factor (PDGF), neural growth factors and basic fibroblast growth factor (bFGF).

Since totipotent stem cells can give rise to virtually any mature cell type,
10 expansion of these cells in culture will facilitate the production of large quantities of mature cells. Techniques for culturing stem cells are known in the art and administration of polypeptides of the invention, optionally with other growth factors and/or cytokines, is expected to enhance the survival and proliferation of the stem cell populations. This can be accomplished by direct administration of the polypeptide of the invention to the
15 culture medium. Alternatively, stroma cells transfected with a polynucleotide that encodes for the polypeptide of the invention can be used as a feeder layer for the stem cell populations in culture or in vivo. Stromal support cells for feeder layers may include embryonic bone marrow fibroblasts, bone marrow stromal cells, fetal liver cells, or cultured embryonic fibroblasts (see U.S. Patent No. 5,690,926).

20 Stem cells themselves can be transfected with a polynucleotide of the invention to induce autocrine expression of the polypeptide of the invention. This will allow for generation of undifferentiated totipotent/pluripotent stem cell lines that are useful as is or that can then be differentiated into the desired mature cell types. These stable cell lines can also serve as a source of undifferentiated totipotent/pluripotent mRNA to
25 create cDNA libraries and templates for polymerase chain reaction experiments. These studies would allow for the isolation and identification of differentially expressed genes in stem cell populations that regulate stem cell proliferation and/or maintenance.

Expansion and maintenance of totipotent stem cell populations will be useful in the treatment of many pathological conditions. For example, polypeptides of the present
30 invention may be used to manipulate stem cells in culture to give rise to neuroepithelial cells that can be used to augment or replace cells damaged by illness, autoimmune

disease, accidental damage or genetic disorders. The polypeptide of the invention may be useful for inducing the proliferation of neural cells and for the regeneration of nerve and brain tissue, i.e. for the treatment of central and peripheral nervous system diseases and neuropathies, as well as mechanical and traumatic disorders which involve degeneration, death or trauma to neural cells or nerve tissue. In addition, the expanded stem cell populations can also be genetically altered for gene therapy purposes and to decrease host rejection of replacement tissues after grafting or implantation.

Expression of the polypeptide of the invention and its effect on stem cells can also be manipulated to achieve controlled differentiation of the stem cells into more differentiated cell types. A broadly applicable method of obtaining pure populations of a specific differentiated cell type from undifferentiated stem cell populations involves the use of a cell-type specific promoter driving a selectable marker. The selectable marker allows only cells of the desired type to survive. For example, stem cells can be induced to differentiate into cardiomyocytes (Wobus et al., *Differentiation*, 48: 173-182, (1991); Klug et al., *J. Clin. Invest.*, 98(1): 216-224, (1998)) or skeletal muscle cells (Browder, L. W. In: *Principles of Tissue Engineering eds.* Lanza et al., Academic Press (1997)). Alternatively, directed differentiation of stem cells can be accomplished by culturing the stem cells in the presence of a differentiation factor such as retinoic acid and an antagonist of the polypeptide of the invention which would inhibit the effects of endogenous stem cell factor activity and allow differentiation to proceed.

In vitro cultures of stem cells can be used to determine if the polypeptide of the invention exhibits stem cell growth factor activity. Stem cells are isolated from any one of various cell sources (including hematopoietic stem cells and embryonic stem cells) and cultured on a feeder layer, as described by Thompson et al. *Proc. Natl. Acad. Sci, U.S.A.*, 92: 7844-7848 (1995), in the presence of the polypeptide of the invention alone or in combination with other growth factors or cytokines. The ability of the polypeptide of the invention to induce stem cells proliferation is determined by colony formation on semi-solid support e.g. as described by Bernstein et al., *Blood*, 77: 2316-2321 (1991).

4.10.5 HEMATOPOIESIS REGULATING ACTIVITY

A polypeptide of the present invention may be involved in regulation of hematopoiesis and, consequently, in the treatment of myeloid or lymphoid cell disorders. Even marginal biological activity in support of colony forming cells or of factor-dependent cell lines indicates involvement in regulating hematopoiesis, e.g. in supporting the growth and proliferation of erythroid progenitor cells alone or in combination with other cytokines, thereby indicating utility, for example, in treating various anemias or for use in conjunction with irradiation/chemotherapy to stimulate the production of erythroid precursors and/or erythroid cells; in supporting the growth and proliferation of myeloid cells such as granulocytes and monocytes/macrophages (i.e., traditional CSF activity) useful, for example, in conjunction with chemotherapy to prevent or treat consequent myelo-suppression; in supporting the growth and proliferation of megakaryocytes and consequently of platelets thereby allowing prevention or treatment of various platelet disorders such as thrombocytopenia, and generally for use in place of or complimentary to platelet transfusions; and/or in supporting the growth and proliferation of hematopoietic stem cells which are capable of maturing to any and all of the above-mentioned hematopoietic cells and therefore find therapeutic utility in various stem cell disorders (such as those usually treated with transplantation, including, without limitation, aplastic anemia and paroxysmal nocturnal hemoglobinuria), as well as in repopulating the stem cell compartment post irradiation/chemotherapy, either *in-vivo* or *ex-vivo* (i.e., in conjunction with bone marrow transplantation or with peripheral progenitor cell transplantation (homologous or heterologous)) as normal cells or genetically manipulated for gene therapy.

Therapeutic compositions of the invention can be used in the following:

Suitable assays for proliferation and differentiation of various hematopoietic lines are cited above.

Assays for embryonic stem cell differentiation (which will identify, among others, proteins that influence embryonic differentiation hematopoiesis) include, without limitation, those described in: Johansson et al. Cellular Biology 15:141-151, 1995; Keller et al., Molecular and Cellular Biology 13:473-486, 1993; McClanahan et al., Blood 81:2903-2915, 1993.

Assays for stem cell survival and differentiation (which will identify, among others, proteins that regulate lympho-hematopoiesis) include, without limitation, those described in: Methylcellulose colony forming assays, Freshney, M. G. In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 265-268, Wiley-Liss, Inc., New York, N.Y. 1994; Hirayama et al., Proc. Natl. Acad. Sci. USA 89:5907-5911, 1992; Primitive hematopoietic colony forming cells with high proliferative potential, McNiece, I. K. and Briddell, R. A. In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 23-39, Wiley-Liss, Inc., New York, N.Y. 1994; Neben et al., Experimental Hematology 22:353-359, 1994; Cobblestone area forming cell assay, Ploemacher, R. E. In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 1-21, Wiley-Liss, Inc., New York, N.Y. 1994; Long term bone marrow cultures in the presence of stromal cells, Spooncer, E., Dexter, M. and Allen, T. In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 163-179, Wiley-Liss, Inc., New York, N.Y. 1994; Long term culture initiating cell assay, Sutherland, H. J. In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 139-162, Wiley-Liss, Inc., New York, N.Y. 1994.

4.10.6 TISSUE GROWTH ACTIVITY

A polypeptide of the present invention also may be involved in bone, cartilage, tendon, ligament and/or nerve tissue growth or regeneration, as well as in wound healing and tissue repair and replacement, and in healing of burns, incisions and ulcers.

A polypeptide of the present invention which induces cartilage and/or bone growth in circumstances where bone is not normally formed, has application in the healing of bone fractures and cartilage damage or defects in humans and other animals. Compositions of a polypeptide, antibody, binding partner, or other modulator of the invention may have prophylactic use in closed as well as open fracture reduction and also in the improved fixation of artificial joints. De novo bone formation induced by an osteogenic agent contributes to the repair of congenital, trauma induced, or oncologic resection induced craniofacial defects, and also is useful in cosmetic plastic surgery.

A polypeptide of this invention may also be involved in attracting bone-forming cells, stimulating growth of bone-forming cells, or inducing differentiation of progenitors of bone-forming cells. Treatment of osteoporosis, osteoarthritis, bone degenerative

disorders, or periodontal disease, such as through stimulation of bone and/or cartilage repair or by blocking inflammation or processes of tissue destruction (collagenase activity, osteoclast activity, etc.) mediated by inflammatory processes may also be possible using the composition of the invention.

5 Another category of tissue regeneration activity that may involve the polypeptide of the present invention is tendon/ligament formation. Induction of tendon/ligament-like tissue or other tissue formation in circumstances where such tissue is not normally formed, has application in the healing of tendon or ligament tears, deformities and other tendon or ligament defects in humans and other animals. Such a preparation employing a tendon/ligament-like tissue inducing protein may have prophylactic use in preventing
10 damage to tendon or ligament tissue, as well as use in the improved fixation of tendon or ligament to bone or other tissues, and in repairing defects to tendon or ligament tissue. De novo tendon/ligament-like tissue formation induced by a composition of the present invention contributes to the repair of congenital, trauma induced, or other tendon or
15 ligament defects of other origin, and is also useful in cosmetic plastic surgery for attachment or repair of tendons or ligaments. The compositions of the present invention may provide environment to attract tendon- or ligament-forming cells, stimulate growth of tendon- or ligament-forming cells, induce differentiation of progenitors of tendon- or ligament-forming cells, or induce growth of tendon/ligament cells or progenitors *ex vivo*
20 for return *in vivo* to effect tissue repair. The compositions of the invention may also be useful in the treatment of tendinitis, carpal tunnel syndrome and other tendon or ligament defects. The compositions may also include an appropriate matrix and/or sequestering agent as a carrier as is well known in the art.

The compositions of the present invention may also be useful for proliferation of
25 neural cells and for regeneration of nerve and brain tissue, i.e. for the treatment of central and peripheral nervous system diseases and neuropathies, as well as mechanical and traumatic disorders, which involve degeneration, death or trauma to neural cells or nerve tissue. More specifically, a composition may be used in the treatment of diseases of the peripheral nervous system, such as peripheral nerve injuries, peripheral neuropathy and
30 localized neuropathies, and central nervous system diseases, such as Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic lateral sclerosis, and Shy-Drager

syndrome. Further conditions which may be treated in accordance with the present invention include mechanical and traumatic disorders, such as spinal cord disorders, head trauma and cerebrovascular diseases such as stroke. Peripheral neuropathies resulting from chemotherapy or other medical therapies may also be treatable using a composition
5 of the invention.

Compositions of the invention may also be useful to promote better or faster closure of non-healing wounds, including without limitation pressure ulcers, ulcers associated with vascular insufficiency, surgical and traumatic wounds, and the like.

Compositions of the present invention may also be involved in the generation or
10 regeneration of other tissues, such as organs (including, for example, pancreas, liver, intestine, kidney, skin, endothelium), muscle (smooth, skeletal or cardiac) and vascular (including vascular endothelium) tissue, or for promoting the growth of cells comprising such tissues. Part of the desired effects may be by inhibition or modulation of fibrotic scarring may allow normal tissue to regenerate. A polypeptide of the present invention
15 may also exhibit angiogenic activity.

A composition of the present invention may also be useful for gut protection or regeneration and treatment of lung or liver fibrosis, reperfusion injury in various tissues, and conditions resulting from systemic cytokine damage.

A composition of the present invention may also be useful for promoting or
20 inhibiting differentiation of tissues described above from precursor tissues or cells; or for inhibiting the growth of tissues described above.

Therapeutic compositions of the invention can be used in the following:

Assays for tissue generation activity include, without limitation, those described in: International Patent Publication No. WO95/16035 (bone, cartilage, tendon);
25 International Patent Publication No. WO95/05846 (nerve, neuronal); International Patent Publication No. WO91/07491 (skin, endothelium).

Assays for wound healing activity include, without limitation, those described in: Winter, Epidermal Wound Healing, pps. 71-112 (Maibach, H. I. and Rovee, D. T., eds.), Year Book Medical Publishers, Inc., Chicago, as modified by Eaglstein and Mertz, J.
30 Invest. Dermatol 71:382-84 (1978).

4.10.7 IMMUNE STIMULATING OR SUPPRESSING ACTIVITY

A polypeptide of the present invention may also exhibit immune stimulating or immune suppressing activity, including without limitation the activities for which assays are described herein. A polynucleotide of the invention can encode a polypeptide exhibiting such activities. A protein may be useful in the treatment of various immune deficiencies and disorders (including severe combined immunodeficiency (SCID)), e.g., in regulating (up or down) growth and proliferation of T and/or B lymphocytes, as well as effecting the cytolytic activity of NK cells and other cell populations. These immune deficiencies may be genetic or be caused by viral (e.g., HIV) as well as bacterial or fungal infections, or may result from autoimmune disorders. More specifically, infectious diseases caused by viral, bacterial, fungal or other infection may be treatable using a protein of the present invention, including infections by HIV, hepatitis viruses, herpes viruses, mycobacteria, *Leishmania* spp., *malaria* spp. and various fungal infections such as candidiasis. Of course, in this regard, proteins of the present invention may also be useful where a boost to the immune system generally may be desirable, i.e., in the treatment of cancer.

Autoimmune disorders which may be treated using a protein of the present invention include, for example, connective tissue disease, multiple sclerosis, systemic lupus erythematosus, rheumatoid arthritis, autoimmune pulmonary inflammation, Guillain-Barre syndrome, autoimmune thyroiditis, insulin dependent diabetes mellitus, myasthenia gravis, graft-versus-host disease and autoimmune inflammatory eye disease. Such a protein (or antagonists thereof, including antibodies) of the present invention may also be useful in the treatment of allergic reactions and conditions (e.g., anaphylaxis, serum sickness, drug reactions, food allergies, insect venom allergies, mastocytosis, allergic rhinitis, hypersensitivity pneumonitis, urticaria, angioedema, eczema, atopic dermatitis, allergic contact dermatitis, erythema multiforme, Stevens-Johnson syndrome, allergic conjunctivitis, atopic keratoconjunctivitis, venereal keratoconjunctivitis, giant papillary conjunctivitis and contact allergies), such as asthma (particularly allergic asthma) or other respiratory problems. Other conditions, in which immune suppression is desired (including, for example, organ transplantation), may also be treatable using a protein (or antagonists thereof) of the present invention. The therapeutic effects of the

polypeptides or antagonists thereof on allergic reactions can be evaluated by in vivo animals models such as the cumulative contact enhancement test (Lastbom et al., Toxicology 125: 59-66, 1998), skin prick test (Hoffmann et al., Allergy 54: 446-54, 1999), guinea pig skin sensitization test (Vohr et al., Arch. Toxicol. 73: 501-9), and
5 murine local lymph node assay (Kimber et al., J. Toxicol. Environ. Health 53: 563-79).

Using the proteins of the invention it may also be possible to modulate immune responses, in a number of ways. Down regulation may be in the form of inhibiting or blocking an immune response already in progress or may involve preventing the induction of an immune response. The functions of activated T cells may be inhibited by
10 suppressing T cell responses or by inducing specific tolerance in T cells, or both. Immunosuppression of T cell responses is generally an active, non-antigen-specific, process which requires continuous exposure of the T cells to the suppressive agent. Tolerance, which involves inducing non-responsiveness or anergy in T cells, is distinguishable from immunosuppression in that it is generally antigen-specific and
15 persists after exposure to the tolerizing agent has ceased. Operationally, tolerance can be demonstrated by the lack of a T cell response upon reexposure to specific antigen in the absence of the tolerizing agent.

Down regulating or preventing one or more antigen functions (including without limitation B lymphocyte antigen functions (such as, for example, B7)), e.g., preventing
20 high level lymphokine synthesis by activated T cells, will be useful in situations of tissue, skin and organ transplantation and in graft-versus-host disease (GVHD). For example, blockage of T cell function should result in reduced tissue destruction in tissue transplantation. Typically, in tissue transplants, rejection of the transplant is initiated through its recognition as foreign by T cells, followed by an immune reaction that
25 destroys the transplant. The administration of a therapeutic composition of the invention may prevent cytokine synthesis by immune cells, such as T cells, and thus acts as an immunosuppressant. Moreover, a lack of costimulation may also be sufficient to anergize the T cells, thereby inducing tolerance in a subject. Induction of long-term tolerance by B lymphocyte antigen-blocking reagents may avoid the necessity of repeated administration
30 of these blocking reagents. To achieve sufficient immunosuppression or tolerance in a

subject, it may also be necessary to block the function of a combination of B lymphocyte antigens.

The efficacy of particular therapeutic compositions in preventing organ transplant rejection or GVHD can be assessed using animal models that are predictive of efficacy in humans. Examples of appropriate systems which can be used include allogeneic cardiac grafts in rats and xenogeneic pancreatic islet cell grafts in mice, both of which have been used to examine the immunosuppressive effects of CTLA4Ig fusion proteins in vivo as described in Lenschow et al., *Science* 257:789-792 (1992) and Turka et al., *Proc. Natl. Acad. Sci USA*, 89:11102-11105 (1992). In addition, murine models of GVHD (see Paul ed., *Fundamental Immunology*, Raven Press, New York, 1989, pp. 846-847) can be used to determine the effect of therapeutic compositions of the invention on the development of that disease.

Blocking antigen function may also be therapeutically useful for treating autoimmune diseases. Many autoimmune disorders are the result of inappropriate activation of T cells that are reactive against self tissue and which promote the production of cytokines and autoantibodies involved in the pathology of the diseases. Preventing the activation of autoreactive T cells may reduce or eliminate disease symptoms. Administration of reagents which block stimulation of T cells can be used to inhibit T cell activation and prevent production of autoantibodies or T cell-derived cytokines which may be involved in the disease process. Additionally, blocking reagents may induce antigen-specific tolerance of autoreactive T cells which could lead to long-term relief from the disease. The efficacy of blocking reagents in preventing or alleviating autoimmune disorders can be determined using a number of well-characterized animal models of human autoimmune diseases. Examples include murine experimental autoimmune encephalitis, systemic lupus erythmatosis in MRL/lpr/lpr mice or NZB hybrid mice, murine autoimmune collagen arthritis, diabetes mellitus in NOD mice and BB rats, and murine experimental myasthenia gravis (see Paul ed., *Fundamental Immunology*, Raven Press, New York, 1989, pp. 840-856).

Upregulation of an antigen function (e.g., a B lymphocyte antigen function), as a means of up regulating immune responses, may also be useful in therapy. Upregulation of immune responses may be in the form of enhancing an existing immune response or

eliciting an initial immune response. For example, enhancing an immune response may be useful in cases of viral infection, including systemic viral diseases such as influenza, the common cold, and encephalitis.

Alternatively, anti-viral immune responses may be enhanced in an infected patient
5 by removing T cells from the patient, costimulating the T cells in vitro with viral antigen-pulsed APCs either expressing a peptide of the present invention or together with a stimulatory form of a soluble peptide of the present invention and reintroducing the in vitro activated T cells into the patient. Another method of enhancing anti-viral immune responses would be to isolate infected cells from a patient, transfect them with a nucleic
10 acid encoding a protein of the present invention as described herein such that the cells express all or a portion of the protein on their surface, and reintroduce the transfected cells into the patient. The infected cells would now be capable of delivering a costimulatory signal to, and thereby activate, T cells in vivo.

A polypeptide of the present invention may provide the necessary stimulation
15 signal to T cells to induce a T cell mediated immune response against the transfected tumor cells. In addition, tumor cells which lack MHC class I or MHC class II molecules, or which fail to reexpress sufficient mounts of MHC class I or MHC class II molecules, can be transfected with nucleic acid encoding all or a portion of (e.g., a cytoplasmic-domain truncated portion) of an MHC class I alpha chain protein and β_2
20 microglobulin protein or an MHC class II alpha chain protein and an MHC class II beta chain protein to thereby express MHC class I or MHC class II proteins on the cell surface. Expression of the appropriate class I or class II MHC in conjunction with a peptide having the activity of a B lymphocyte antigen (e.g., B7-1, B7-2, B7-3) induces a T cell mediated immune response against the transfected tumor cell. Optionally, a gene
25 encoding an antisense construct which blocks expression of an MHC class II associated protein, such as the invariant chain, can also be cotransfected with a DNA encoding a peptide having the activity of a B lymphocyte antigen to promote presentation of tumor associated antigens and induce tumor specific immunity. Thus, the induction of a T cell mediated immune response in a human subject may be sufficient to overcome
30 tumor-specific tolerance in the subject.

The activity of a protein of the invention may, among other means, be measured by the following methods:

Suitable assays for thymocyte or splenocyte cytotoxicity include, without limitation, those described in: *Current Protocols in Immunology*, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, *In Vitro* assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, *Immunologic studies in Humans*); Herrmann et al., *Proc. Natl. Acad. Sci. USA* 78:2488-2492, 1981; Herrmann et al., *J. Immunol.* 128:1968-1974, 1982; Handa et al., *J. Immunol.* 135:1564-1572, 1985; Takai et al., *J. Immunol.* 137:3494-3500, 1986; Takai et al., *J. Immunol.* 140:508-512, 1988; Bowman et al., *J. Virology* 61:1992-1998; Bertagnolli et al., *Cellular Immunology* 133:327-341, 1991; Brown et al., *J. Immunol.* 153:3079-3092, 1994.

Assays for T-cell-dependent immunoglobulin responses and isotype switching (which will identify, among others, proteins that modulate T-cell dependent antibody responses and that affect Th1/Th2 profiles) include, without limitation, those described in: Maliszewski, *J. Immunol.* 144:3028-3033, 1990; and Assays for B cell function: *In vitro* antibody production, Mond, J. J. and Brunswick, M. In *Current Protocols in Immunology*. J. E. e.a. Coligan eds. Vol 1 pp. 3.8.1-3.8.16, John Wiley and Sons, Toronto. 1994.

Mixed lymphocyte reaction (MLR) assays (which will identify, among others, proteins that generate predominantly Th1 and CTL responses) include, without limitation, those described in: *Current Protocols in Immunology*, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, *In Vitro* assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, *Immunologic studies in Humans*); Takai et al., *J. Immunol.* 137:3494-3500, 1986; Takai et al., *J. Immunol.* 140:508-512, 1988; Bertagnolli et al., *J. Immunol.* 149:3778-3783, 1992.

Dendritic cell-dependent assays (which will identify, among others, proteins expressed by dendritic cells that activate naive T-cells) include, without limitation, those described in: Guery et al., *J. Immunol.* 134:536-544, 1995; Inaba et al., *Journal of Experimental Medicine* 173:549-559, 1991; Macatonia et al., *Journal of Immunology*

154:5071-5079, 1995; Porgador et al., *Journal of Experimental Medicine* 182:255-260, 1995; Nair et al., *Journal of Virology* 67:4062-4069, 1993; Huang et al., *Science* 264:961-965, 1994; Macatonia et al., *Journal of Experimental Medicine* 169:1255-1264, 1989; Bhardwaj et al., *Journal of Clinical Investigation* 94:797-807, 1994; and Inaba et al., *Journal of Experimental Medicine* 172:631-640, 1990.

Assays for lymphocyte survival/apoptosis (which will identify, among others, proteins that prevent apoptosis after superantigen induction and proteins that regulate lymphocyte homeostasis) include, without limitation, those described in: Darzynkiewicz et al., *Cytometry* 13:795-808, 1992; Gorczyca et al., *Leukemia* 7:659-670, 1993; Gorczyca et al., *Cancer Research* 53:1945-1951, 1993; Itoh et al., *Cell* 66:233-243, 1991; Zacharchuk, *Journal of Immunology* 145:4037-4045, 1990; Zamai et al., *Cytometry* 14:891-897, 1993; Gorczyca et al., *International Journal of Oncology* 1:639-648, 1992.

Assays for proteins that influence early steps of T-cell commitment and development include, without limitation, those described in: Antica et al., *Blood* 84:111-117, 1994; Fine et al., *Cellular Immunology* 155:111-122, 1994; Galy et al., *Blood* 85:2770-2778, 1995; Toki et al., *Proc. Nat. Acad Sci. USA* 88:7548-7551, 1991.

4.10.8 ACTIVIN/INHIBIN ACTIVITY

A polypeptide of the present invention may also exhibit activin- or inhibin-related activities. A polynucleotide of the invention may encode a polypeptide exhibiting such characteristics. Inhibins are characterized by their ability to inhibit the release of follicle stimulating hormone (FSH), while activins are characterized by their ability to stimulate the release of follicle stimulating hormone (FSH). Thus, a polypeptide of the present invention, alone or in heterodimers with a member of the inhibin family, may be useful as a contraceptive based on the ability of inhibins to decrease fertility in female mammals and decrease spermatogenesis in male mammals. Administration of sufficient amounts of other inhibins can induce infertility in these mammals. Alternatively, the polypeptide of the invention, as a homodimer or as a heterodimer with other protein subunits of the inhibin group, may be useful as a fertility inducing therapeutic, based upon the ability of activin molecules in stimulating FSH release from cells of the anterior pituitary. See, for example, U.S. Pat. No. 4,798,885. A polypeptide of the invention may

also be useful for advancement of the onset of fertility in sexually immature mammals, so as to increase the lifetime reproductive performance of domestic animals such as, but not limited to, cows, sheep and pigs.

5 The activity of a polypeptide of the invention may, among other means, be measured by the following methods.

Assays for activin/inhibin activity include, without limitation, those described in: Vale et al., *Endocrinology* 91:562-572, 1972; Ling et al., *Nature* 321:779-782, 1986; Vale et al., *Nature* 321:776-779, 1986; Mason et al., *Nature* 318:659-663, 1985; Forage et al., *Proc. Natl. Acad. Sci. USA* 83:3091-3095, 1986.

10

4.10.9 CHEMOTACTIC/CHEMOKINETIC ACTIVITY

A polypeptide of the present invention may be involved in chemotactic or chemokinetic activity for mammalian cells, including, for example, monocytes, fibroblasts, neutrophils, T-cells, mast cells, eosinophils, epithelial and/or endothelial
15 cells. A polynucleotide of the invention can encode a polypeptide exhibiting such attributes. Chemotactic and chemokinetic receptor activation can be used to mobilize or attract a desired cell population to a desired site of action. Chemotactic or chemokinetic compositions (e.g. proteins, antibodies, binding partners, or modulators of the invention) provide particular advantages in treatment of wounds and other trauma to tissues, as well
20 as in treatment of localized infections. For example, attraction of lymphocytes, monocytes or neutrophils to tumors or sites of infection may result in improved immune responses against the tumor or infecting agent.

A protein or peptide has chemotactic activity for a particular cell population if it can stimulate, directly or indirectly, the directed orientation or movement of such cell
25 population. Preferably, the protein or peptide has the ability to directly stimulate directed movement of cells. Whether a particular protein has chemotactic activity for a population of cells can be readily determined by employing such protein or peptide in any known assay for cell chemotaxis.

Therapeutic compositions of the invention can be used in the following:

30 Assays for chemotactic activity (which will identify proteins that induce or prevent chemotaxis) consist of assays that measure the ability of a protein to induce the

migration of cells across a membrane as well as the ability of a protein to induce the adhesion of one cell population to another cell population. Suitable assays for movement and adhesion include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Marguiles, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 6.12, Measurement of alpha and beta Chemokines 6.12.1-6.12.28; Taub et al. J. Clin. Invest. 95:1370-1376, 1995; Lind et al. APMIS 103:140-146, 1995; Muller et al Eur. J. Immunol. 25:1744-1748; Gruber et al. J. of Immunol. 152:5860-5867, 1994; Johnston et al. J. of Immunol. 153:1762-1768, 1994.

10

4.10.10 HEMOSTATIC AND THROMBOLYTIC ACTIVITY

A polypeptide of the invention may also be involved in hemostatis or thrombolysis or thrombosis. A polynucleotide of the invention can encode a polypeptide exhibiting such attributes. Compositions may be useful in treatment of various coagulation disorders (including hereditary disorders, such as hemophilias) or to enhance coagulation and other hemostatic events in treating wounds resulting from trauma, surgery or other causes. A composition of the invention may also be useful for dissolving or inhibiting formation of thromboses and for treatment and prevention of conditions resulting therefrom (such as, for example, infarction of cardiac and central nervous system vessels (e.g., stroke).

15
20

Therapeutic compositions of the invention can be used in the following:

Assay for hemostatic and thrombolytic activity include, without limitation, those described in: Linet et al., J. Clin. Pharmacol. 26:131-140, 1986; Burdick et al., Thrombosis Res. 45:413-419, 1987; Humphrey et al., Fibrinolysis 5:71-79 (1991); Schaub, Prostaglandins 35:467-474, 1988.

25

4.10.11 CANCER DIAGNOSIS AND THERAPY

Polypeptides of the invention may be involved in cancer cell generation, proliferation or metastasis. Detection of the presence or amount of polynucleotides or polypeptides of the invention may be useful for the diagnosis and/or prognosis of one or more types of cancer. For example, the presence or increased expression of a

30

polynucleotide/polypeptide of the invention may indicate a hereditary risk of cancer, a precancerous condition, or an ongoing malignancy. Conversely, a defect in the gene or absence of the polypeptide may be associated with a cancer condition. Identification of single nucleotide polymorphisms associated with cancer or a predisposition to cancer
5 may also be useful for diagnosis or prognosis.

Cancer treatments promote tumor regression by inhibiting tumor cell proliferation, inhibiting angiogenesis (growth of new blood vessels that is necessary to support tumor growth) and/or prohibiting metastasis by reducing tumor cell motility or invasiveness. Therapeutic compositions of the invention may be effective in adult and
10 pediatric oncology including in solid phase tumors/malignancies, locally advanced tumors, human soft tissue sarcomas, metastatic cancer, including lymphatic metastases, blood cell malignancies including multiple myeloma, acute and chronic leukemias, and lymphomas, head and neck cancers including mouth cancer, larynx cancer and thyroid cancer, lung cancers including small cell carcinoma and non-small cell cancers, breast
15 cancers including small cell carcinoma and ductal carcinoma, gastrointestinal cancers including esophageal cancer, stomach cancer, colon cancer, colorectal cancer and polyps associated with colorectal neoplasia, pancreatic cancers, liver cancer, urologic cancers including bladder cancer and prostate cancer, malignancies of the female genital tract including ovarian carcinoma, uterine (including endometrial) cancers, and solid tumor in
20 the ovarian follicle, kidney cancers including renal cell carcinoma, brain cancers including intrinsic brain tumors, neuroblastoma, astrocytic brain tumors, gliomas, metastatic tumor cell invasion in the central nervous system, bone cancers including osteomas, skin cancers including malignant melanoma, tumor progression of human skin keratinocytes, squamous cell carcinoma, basal cell carcinoma, hemangiopericytoma and
25 Karposi's sarcoma.

Polypeptides, polynucleotides, or modulators of polypeptides of the invention (including inhibitors and stimulators of the biological activity of the polypeptide of the invention) may be administered to treat cancer. Therapeutic compositions can be administered in therapeutically effective dosages alone or in combination with adjuvant
30 cancer therapy such as surgery, chemotherapy, radiotherapy, thermotherapy, and laser therapy, and may provide a beneficial effect, e.g. reducing tumor size, slowing rate of

tumor growth, inhibiting metastasis, or otherwise improving overall clinical condition, without necessarily eradicating the cancer.

The composition can also be administered in therapeutically effective amounts as a portion of an anti-cancer cocktail. An anti-cancer cocktail is a mixture of the

5 polypeptide or modulator of the invention with one or more anti-cancer drugs in addition to a pharmaceutically acceptable carrier for delivery. The use of anti-cancer cocktails as a cancer treatment is routine. Anti-cancer drugs that are well known in the art and can be used as a treatment in combination with the polypeptide or modulator of the invention include: Actinomycin D, Aminoglutethimide, Asparaginase, Bleomycin, Busulfan,

10 Carboplatin, Carmustine, Chlorambucil, Cisplatin (cis-DDP), Cyclophosphamide, Cytarabine HCl (Cytosine arabinoside), Dacarbazine, Dactinomycin, Daunorubicin HCl, Doxorubicin HCl, Estramustine phosphate sodium, Etoposide (V16-213), Floxuridine, 5-Fluorouracil (5-Fu), Flutamide, Hydroxyurea (hydroxycarbamide), Ifosfamide, Interferon Alpha-2a, Interferon Alpha-2b, Leuprolide acetate (LHRH-releasing factor analog),

15 Lomustine, Mechlorethamine HCl (nitrogen mustard), Melphalan, Mercaptopurine, Mesna, Methotrexate (MTX), Mitomycin, Mitoxantrone HCl, Octreotide, Plicamycin, Procarbazine HCl, Streptozocin, Tamoxifen citrate, Thioguanine, Thiotepa, Vinblastine sulfate, Vincristine sulfate, Amsacrine, Azacitidine, Hexamethylmelamine, Interleukin-2, Mitoguanzone, Pentostatin, Semustine, Teniposide, and Vindesine sulfate.

20 In addition, therapeutic compositions of the invention may be used for prophylactic treatment of cancer. There are hereditary conditions and/or environmental situations (e.g. exposure to carcinogens) known in the art that predispose an individual to developing cancers. Under these circumstances, it may be beneficial to treat these individuals with therapeutically effective doses of the polypeptide of the invention to

25 reduce the risk of developing cancers.

In vitro models can be used to determine the effective doses of the polypeptide of the invention as a potential cancer treatment. These *in vitro* models include proliferation assays of cultured tumor cells, growth of cultured tumor cells in soft agar (see Freshney, (1987) Culture of Animal Cells: A Manual of Basic Technique, Wiley-Liss, New York,

30 NY Ch 18 and Ch 21), tumor systems in nude mice as described in Giovanella et al., J. Natl. Can. Inst., 52: 921-30 (1974), mobility and invasive potential of tumor cells in

Boyden Chamber assays as described in Pilkington et al., *Anticancer Res.*, 17: 4107-9 (1997), and angiogenesis assays such as induction of vascularization of the chick chorioallantoic membrane or induction of vascular endothelial cell migration as described in Ribatta et al., *Intl. J. Dev. Biol.*, 40: 1189-97 (1999) and Li et al., *Clin. Exp. Metastasis*, 17:423-9 (1999), respectively. Suitable tumor cells lines are available, e.g. from American Type Tissue Culture Collection catalogs.

4.10.12 RECEPTOR/LIGAND ACTIVITY

A polypeptide of the present invention may also demonstrate activity as receptor, receptor ligand or inhibitor or agonist of receptor/ligand interactions. A polynucleotide of the invention can encode a polypeptide exhibiting such characteristics. Examples of such receptors and ligands include, without limitation, cytokine receptors and their ligands, receptor kinases and their ligands, receptor phosphatases and their ligands, receptors involved in cell-cell interactions and their ligands (including without limitation, cellular adhesion molecules (such as selectins, integrins and their ligands) and receptor/ligand pairs involved in antigen presentation, antigen recognition and development of cellular and humoral immune responses. Receptors and ligands are also useful for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction. A protein of the present invention (including, without limitation, fragments of receptors and ligands) may themselves be useful as inhibitors of receptor/ligand interactions.

The activity of a polypeptide of the invention may, among other means, be measured by the following methods:

Suitable assays for receptor-ligand activity include without limitation those described in: *Current Protocols in Immunology*, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley- Interscience (Chapter 7.28, Measurement of Cellular Adhesion under static conditions 7.28.1- 7.28.22), Takai et al., *Proc. Natl. Acad. Sci. USA* 84:6864-6868, 1987; Bierer et al., *J. Exp. Med.* 168:1145-1156, 1988; Rosenstein et al., *J. Exp. Med.* 169:149-160 1989; Stoltenborg et al., *J. Immunol. Methods* 175:59-68, 1994; Stitt et al., *Cell* 80:661-670, 1995.

By way of example, the polypeptides of the invention may be used as a receptor for a ligand(s) thereby transmitting the biological activity of that ligand(s). Ligands may be identified through binding assays, affinity chromatography, dihybrid screening assays, BIAcore assays, gel overlay assays, or other methods known in the art.

5 Studies characterizing drugs or proteins as agonist or antagonist or partial agonists or a partial antagonist require the use of other proteins as competing ligands. The polypeptides of the present invention or ligand(s) thereof may be labeled by being coupled to radioisotopes, colorimetric molecules or a toxin molecules by conventional methods. ("Guide to Protein Purification" Murray P. Deutscher (ed) Methods in
10 Enzymology Vol. 182 (1990) Academic Press, Inc. San Diego). Examples of radioisotopes include, but are not limited to, tritium and carbon-14 . Examples of colorimetric molecules include, but are not limited to, fluorescent molecules such as fluorescamine, or rhodamine or other colorimetric molecules. Examples of toxins include, but are not limited, to ricin.

15

4.10.13 DRUG SCREENING

This invention is particularly useful for screening chemical compounds by using the novel polypeptides or binding fragments thereof in any of a variety of drug screening techniques. The polypeptides or fragments employed in such a test may either be free in
20 solution, affixed to a solid support, borne on a cell surface or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the polypeptide or a fragment thereof. Drugs are screened against such transformed cells in competitive binding assays. Such cells, either in viable or fixed form, can be used for standard binding assays. One
25 may measure, for example, the formation of complexes between polypeptides of the invention or fragments and the agent being tested or examine the diminution in complex formation between the novel polypeptides and an appropriate cell line, which are well known in the art.

Sources for test compounds that may be screened for ability to bind to or
30 modulate (i.e., increase or decrease) the activity of polypeptides of the invention include (1) inorganic and organic chemical libraries, (2) natural product libraries, and (3)

combinatorial libraries comprised of either random or mimetic peptides, oligonucleotides or organic molecules.

Chemical libraries may be readily synthesized or purchased from a number of commercial sources, and may include structural analogs of known compounds or
5 compounds that are identified as "hits" or "leads" via natural product screening.

The sources of natural product libraries are microorganisms (including bacteria and fungi), animals, plants or other vegetation, or marine organisms, and libraries of mixtures for screening may be created by: (1) fermentation and extraction of broths from soil, plant or marine microorganisms or (2) extraction of the organisms themselves.
10 Natural product libraries include polyketides, non-ribosomal peptides, and (non-naturally occurring) variants thereof. For a review, see *Science* 282:63-68 (1998).

Combinatorial libraries are composed of large numbers of peptides, oligonucleotides or organic compounds and can be readily prepared by traditional automated synthesis methods, PCR, cloning or proprietary synthetic methods. Of
15 particular interest are peptide and oligonucleotide combinatorial libraries. Still other libraries of interest include peptide, protein, peptidomimetic, multiparallel synthetic collection, recombinatorial, and polypeptide libraries. For a review of combinatorial chemistry and libraries created therefrom, see Myers, *Curr. Opin. Biotechnol.* 8:701-707 (1997). For reviews and examples of peptidomimetic libraries, see Al-Obeidi et al., *Mol.*
20 *Biotechnol.*, 9(3):205-23 (1998); Hruby et al., *Curr Opin Chem Biol*, 1(1):114-19 (1997); Dorner et al., *Bioorg Med Chem*, 4(5):709-15 (1996) (alkylated dipeptides).

Identification of modulators through use of the various libraries described herein permits modification of the candidate "hit" (or "lead") to optimize the capacity of the "hit" to bind a polypeptide of the invention. The molecules identified in the binding assay
25 are then tested for antagonist or agonist activity in *in vivo* tissue culture or animal models that are well known in the art. In brief, the molecules are titrated into a plurality of cell cultures or animals and then tested for either cell/animal death or prolonged survival of the animal/cells.

The binding molecules thus identified may be complexed with toxins, e.g., ricin
30 or cholera, or with other compounds that are toxic to cells such as radioisotopes. The toxin-binding molecule complex is then targeted to a tumor or other cell by the specificity

of the binding molecule for a polypeptide of the invention. Alternatively, the binding molecules may be complexed with imaging agents for targeting and imaging purposes.

4.10.14 ASSAY FOR RECEPTOR ACTIVITY

5 The invention also provides methods to detect specific binding of a polypeptide e.g. a ligand or a receptor. The art provides numerous assays particularly useful for identifying previously unknown binding partners for receptor polypeptides of the invention. For example, expression cloning using mammalian or bacterial cells, or dihybrid screening assays can be used to identify polynucleotides encoding binding
10 partners. As another example, affinity chromatography with the appropriate immobilized polypeptide of the invention can be used to isolate polypeptides that recognize and bind polypeptides of the invention. There are a number of different libraries used for the identification of compounds, and in particular small molecules, that modulate (*i.e.*, increase or decrease) biological activity of a polypeptide of the invention. Ligands for
15 receptor polypeptides of the invention can also be identified by adding exogenous ligands, or cocktails of ligands to two cells populations that are genetically identical except for the expression of the receptor of the invention: one cell population expresses the receptor of the invention whereas the other does not. The response of the two cell populations to the addition of ligands(s) are then compared. Alternatively, an expression
20 library can be co-expressed with the polypeptide of the invention in cells and assayed for an autocrine response to identify potential ligand(s). As still another example, BIAcore assays, gel overlay assays, or other methods known in the art can be used to identify binding partner polypeptides, including, (1) organic and inorganic chemical libraries, (2) natural product libraries, and (3) combinatorial libraries comprised of random peptides,
25 oligonucleotides or organic molecules.

The role of downstream intracellular signaling molecules in the signaling cascade of the polypeptide of the invention can be determined. For example, a chimeric protein in which the cytoplasmic domain of the polypeptide of the invention is fused to the extracellular portion of a protein, whose ligand has been identified, is produced in a host
30 cell. The cell is then incubated with the ligand specific for the extracellular portion of the chimeric protein, thereby activating the chimeric receptor. Known downstream proteins

involved in intracellular signaling can then be assayed for expected modifications i.e. phosphorylation. Other methods known to those in the art can also be used to identify signaling molecules involved in receptor activity.

5 **4.10.15 ANTI-INFLAMMATORY ACTIVITY**

Compositions of the present invention may also exhibit anti-inflammatory activity. The anti-inflammatory activity may be achieved by providing a stimulus to cells involved in the inflammatory response, by inhibiting or promoting cell-cell interactions (such as, for example, cell adhesion), by inhibiting or promoting chemotaxis of cells
10 involved in the inflammatory process, inhibiting or promoting cell extravasation, or by stimulating or suppressing production of other factors which more directly inhibit or promote an inflammatory response. Compositions with such activities can be used to treat inflammatory conditions including chronic or acute conditions), including without limitation intimation associated with infection (such as septic shock, sepsis or systemic
15 inflammatory response syndrome (SIRS)), ischemia-reperfusion injury, endotoxin lethality, arthritis, complement-mediated hyperacute rejection, nephritis, cytokine or chemokine-induced lung injury, inflammatory bowel disease, Crohn's disease or resulting from over production of cytokines such as TNF or IL-1. Compositions of the invention may also be useful to treat anaphylaxis and hypersensitivity to an antigenic substance or
20 material. Compositions of this invention may be utilized to prevent or treat conditions such as, but not limited to, sepsis, acute pancreatitis, endotoxin shock, cytokine induced shock, rheumatoid arthritis, chronic inflammatory arthritis, pancreatic cell damage from diabetes mellitus type 1, graft versus host disease, inflammatory bowel disease, inflammation associated with pulmonary disease, other autoimmune disease or
25 inflammatory disease, an antiproliferative agent such as for acute or chronic myleogenous leukemia or in the prevention of premature labor secondary to intrauterine infections.

4.10.16 LEUKEMIAS

Leukemias and related disorders may be treated or prevented by administration of
30 a therapeutic that promotes or inhibits function of the polynucleotides and/or polypeptides of the invention. Such leukemias and related disorders include but are not

limited to acute leukemia, acute lymphocytic leukemia, acute myelocytic leukemia, myeloblastic, promyelocytic, myelomonocytic, monocytic, erythroleukemia, chronic leukemia, chronic myelocytic (granulocytic) leukemia and chronic lymphocytic leukemia (for a review of such disorders, see Fishman et al., 1985, Medicine, 2d Ed., J.B. Lippincott Co., Philadelphia).

4.10.17 NERVOUS SYSTEM DISORDERS

Nervous system disorders, involving cell types which can be tested for efficacy of intervention with compounds that modulate the activity of the polynucleotides and/or polypeptides of the invention, and which can be treated upon thus observing an indication of therapeutic utility, include but are not limited to nervous system injuries, and diseases or disorders which result in either a disconnection of axons, a diminution or degeneration of neurons, or demyelination. Nervous system lesions which may be treated in a patient (including human and non-human mammalian patients) according to the invention include but are not limited to the following lesions of either the central (including spinal cord, brain) or peripheral nervous systems:

- (i) traumatic lesions, including lesions caused by physical injury or associated with surgery, for example, lesions which sever a portion of the nervous system, or compression injuries;
- (ii) ischemic lesions, in which a lack of oxygen in a portion of the nervous system results in neuronal injury or death, including cerebral infarction or ischemia, or spinal cord infarction or ischemia;
- (iii) infectious lesions, in which a portion of the nervous system is destroyed or injured as a result of infection, for example, by an abscess or associated with infection by human immunodeficiency virus, herpes zoster, or herpes simplex virus or with Lyme disease, tuberculosis, syphilis;
- (iv) degenerative lesions, in which a portion of the nervous system is destroyed or injured as a result of a degenerative process including but not limited to degeneration associated with Parkinson's disease, Alzheimer's disease, Huntington's chorea, or amyotrophic lateral sclerosis;

(v) lesions associated with nutritional diseases or disorders, in which a portion of the nervous system is destroyed or injured by a nutritional disorder or disorder of metabolism including but not limited to, vitamin B12 deficiency, folic acid deficiency, Wernicke disease, tobacco-alcohol amblyopia, Marchiafava-Bignami disease (primary degeneration of the corpus callosum), and alcoholic cerebellar degeneration;

(vi) neurological lesions associated with systemic diseases including but not limited to diabetes (diabetic neuropathy, Bell's palsy), systemic lupus erythematosus, carcinoma, or sarcoidosis;

(vii) lesions caused by toxic substances including alcohol, lead, or particular neurotoxins; and

(viii) demyelinated lesions in which a portion of the nervous system is destroyed or injured by a demyelinating disease including but not limited to multiple sclerosis, human immunodeficiency virus-associated myelopathy, transverse myelopathy or various etiologies, progressive multifocal leukoencephalopathy, and central pontine myelinolysis.

Therapeutics which are useful according to the invention for treatment of a nervous system disorder may be selected by testing for biological activity in promoting the survival or differentiation of neurons. For example, and not by way of limitation, therapeutics which elicit any of the following effects may be useful according to the invention:

- (i) increased survival time of neurons in culture;
- (ii) increased sprouting of neurons in culture or *in vivo*;
- (iii) increased production of a neuron-associated molecule in culture or *in vivo*, *e.g.*, choline acetyltransferase or acetylcholinesterase with respect to motor neurons; or
- (iv) decreased symptoms of neuron dysfunction *in vivo*.

Such effects may be measured by any method known in the art. In preferred, non-limiting embodiments, increased survival of neurons may be measured by the method set forth in Arakawa et al. (1990, *J. Neurosci.* 10:3507-3515); increased sprouting of neurons may be detected by methods set forth in Pestronk et al. (1980, *Exp. Neurol.* 70:65-82) or Brown et al. (1981, *Ann. Rev. Neurosci.* 4:17-42); increased production of neuron-associated molecules may be measured by bioassay, enzymatic assay, antibody

binding, Northern blot assay, *etc.*, depending on the molecule to be measured; and motor neuron dysfunction may be measured by assessing the physical manifestation of motor neuron disorder, *e.g.*, weakness, motor neuron conduction velocity, or functional disability.

5 In specific embodiments, motor neuron disorders that may be treated according to the invention include but are not limited to disorders such as infarction, infection, exposure to toxin, trauma, surgical damage, degenerative disease or malignancy that may affect motor neurons as well as other components of the nervous system, as well as disorders that selectively affect neurons such as amyotrophic lateral sclerosis, and
10 including but not limited to progressive spinal muscular atrophy, progressive bulbar palsy, primary lateral sclerosis, infantile and juvenile muscular atrophy, progressive bulbar paralysis of childhood (Fazio-Londe syndrome), poliomyelitis and the post polio syndrome, and Hereditary Motorsensory Neuropathy (Charcot-Marie-Tooth Disease).

15 **4.10.18 OTHER ACTIVITIES**

A polypeptide of the invention may also exhibit one or more of the following additional activities or effects: inhibiting the growth, infection or function of, or killing, infectious agents, including, without limitation, bacteria, viruses, fungi and other
20 parasites; effecting (suppressing or enhancing) bodily characteristics, including, without limitation, height, weight, hair color, eye color, skin, fat to lean ratio or other tissue pigmentation, or organ or body part size or shape (such as, for example, breast augmentation or diminution, change in bone form or shape); effecting biorhythms or circadian cycles or rhythms; effecting the fertility of male or female subjects; effecting
25 the metabolism, catabolism, anabolism, processing, utilization, storage or elimination of dietary fat, lipid, protein, carbohydrate, vitamins, minerals, co-factors or other nutritional factors or component(s); effecting behavioral characteristics, including, without limitation, appetite, libido, stress, cognition (including cognitive disorders), depression (including depressive disorders) and violent behaviors; providing analgesic effects or other pain reducing effects; promoting differentiation and growth of embryonic stem cells
30 in lineages other than hematopoietic lineages; hormonal or endocrine activity; in the case of enzymes, correcting deficiencies of the enzyme and treating deficiency-related

diseases; treatment of hyperproliferative disorders (such as, for example, psoriasis); immunoglobulin-like activity (such as, for example, the ability to bind antigens or complement); and the ability to act as an antigen in a vaccine composition to raise an immune response against such protein or another material or entity which is cross-reactive with such protein.

4.10.19 IDENTIFICATION OF POLYMORPHISMS

The demonstration of polymorphisms makes possible the identification of such polymorphisms in human subjects and the pharmacogenetic use of this information for diagnosis and treatment. Such polymorphisms may be associated with, e.g., differential predisposition or susceptibility to various disease states (such as disorders involving inflammation or immune response) or a differential response to drug administration, and this genetic information can be used to tailor preventive or therapeutic treatment appropriately. For example, the existence of a polymorphism associated with a predisposition to inflammation or autoimmune disease makes possible the diagnosis of this condition in humans by identifying the presence of the polymorphism.

Polymorphisms can be identified in a variety of ways known in the art which all generally involve obtaining a sample from a patient, analyzing DNA from the sample, optionally involving isolation or amplification of the DNA, and identifying the presence of the polymorphism in the DNA. For example, PCR may be used to amplify an appropriate fragment of genomic DNA which may then be sequenced. Alternatively, the DNA may be subjected to allele-specific oligonucleotide hybridization (in which appropriate oligonucleotides are hybridized to the DNA under conditions permitting detection of a single base mismatch) or to a single nucleotide extension assay (in which an oligonucleotide that hybridizes immediately adjacent to the position of the polymorphism is extended with one or more labeled nucleotides). In addition, traditional restriction fragment length polymorphism analysis (using restriction enzymes that provide differential digestion of the genomic DNA depending on the presence or absence of the polymorphism) may be performed. Arrays with nucleotide sequences of the present invention can be used to detect polymorphisms. The array can comprise modified nucleotide sequences of the present invention in order to detect the nucleotide sequences

of the present invention. In the alternative, any one of the nucleotide sequences of the present invention can be placed on the array to detect changes from those sequences.

Alternatively a polymorphism resulting in a change in the amino acid sequence could also be detected by detecting a corresponding change in amino acid sequence of the protein, e.g., by an antibody specific to the variant sequence.

4.10.20 ARTHRITIS AND INFLAMMATION

The immunosuppressive effects of the compositions of the invention against rheumatoid arthritis is determined in an experimental animal model system. The experimental model system is adjuvant induced arthritis in rats, and the protocol is described by J. Holoshitz, et al., 1983, Science, 219:56, or by B. Waksman et al., 1963, Int. Arch. Allergy Appl. Immunol., 23:129. Induction of the disease can be caused by a single injection, generally intradermally, of a suspension of killed Mycobacterium tuberculosis in complete Freund's adjuvant (CFA). The route of injection can vary, but rats may be injected at the base of the tail with an adjuvant mixture. The polypeptide is administered in phosphate buffered solution (PBS) at a dose of about 1-5 mg/kg. The control consists of administering PBS only.

The procedure for testing the effects of the test compound would consist of intradermally injecting killed Mycobacterium tuberculosis in CFA followed by immediately administering the test compound and subsequent treatment every other day until day 24. At 14, 15, 18, 20, 22, and 24 days after injection of Mycobacterium CFA, an overall arthritis score may be obtained as described by J. Holoskitz above. An analysis of the data would reveal that the test compound would have a dramatic affect on the swelling of the joints as measured by a decrease of the arthritis score.

4.11 THERAPEUTIC METHODS

The compositions (including polypeptide fragments, analogs, variants and antibodies or other binding partners or modulators including antisense polynucleotides) of the invention have numerous applications in a variety of therapeutic methods. Examples of therapeutic applications include, but are not limited to, those exemplified herein.

4.11.1 EXAMPLE

One embodiment of the invention is the administration of an effective amount of the polypeptides or other composition of the invention to individuals affected by a disease or disorder that can be modulated by regulating the peptides of the invention. While the mode of administration is not particularly important, parenteral administration is preferred. An exemplary mode of administration is to deliver an intravenous bolus. The dosage of the polypeptides or other composition of the invention will normally be determined by the prescribing physician. It is to be expected that the dosage will vary according to the age, weight, condition and response of the individual patient. Typically, the amount of polypeptide administered per dose will be in the range of about 0.01 $\mu\text{g}/\text{kg}$ to 100 mg/kg of body weight, with the preferred dose being about 0.1 $\mu\text{g}/\text{kg}$ to 10 mg/kg of patient body weight. For parenteral administration, polypeptides of the invention will be formulated in an injectable form combined with a pharmaceutically acceptable parenteral vehicle. Such vehicles are well known in the art and examples include water, saline, Ringer's solution, dextrose solution, and solutions consisting of small amounts of the human serum albumin. The vehicle may contain minor amounts of additives that maintain the isotonicity and stability of the polypeptide or other active ingredient. The preparation of such solutions is within the skill of the art.

20

4.12 PHARMACEUTICAL FORMULATIONS AND ROUTES OF ADMINISTRATION

A protein or other composition of the present invention (from whatever source derived, including without limitation from recombinant and non-recombinant sources and including antibodies and other binding partners of the polypeptides of the invention) may be administered to a patient in need, by itself, or in pharmaceutical compositions where it is mixed with suitable carriers or excipient(s) at doses to treat or ameliorate a variety of disorders. Such a composition may optionally contain (in addition to protein or other active ingredient and a carrier) diluents, fillers, salts, buffers, stabilizers, solubilizers, and other materials well known in the art. The term "pharmaceutically acceptable" means a non-toxic material that does not interfere with the effectiveness of the biological activity

30

of the active ingredient(s). The characteristics of the carrier will depend on the route of administration. The pharmaceutical composition of the invention may also contain cytokines, lymphokines, or other hematopoietic factors such as M-CSF, GM-CSF, TNF, IL-1, IL-2, IL-3, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-11, IL-12, IL-13, IL-14, 5 IL-15, IFN, TNF0, TNF1, TNF2, G-CSF, Meg-CSF, thrombopoietin, stem cell factor, and erythropoietin. In further compositions, proteins of the invention may be combined with other agents beneficial to the treatment of the disease or disorder in question. These agents include various growth factors such as epidermal growth factor (EGF), platelet-derived growth factor (PDGF), transforming growth factors (TGF- α and TGF- β), 10 insulin-like growth factor (IGF), as well as cytokines described herein.

The pharmaceutical composition may further contain other agents which either enhance the activity of the protein or other active ingredient or complement its activity or use in treatment. Such additional factors and/or agents may be included in the pharmaceutical composition to produce a synergistic effect with protein or other active 15 ingredient of the invention, or to minimize side effects. Conversely, protein or other active ingredient of the present invention may be included in formulations of the particular clotting factor, cytokine, lymphokine, other hematopoietic factor, thrombolytic or anti-thrombotic factor, or anti-inflammatory agent to minimize side effects of the clotting factor, cytokine, lymphokine, other hematopoietic factor, thrombolytic or 20 anti-thrombotic factor, or anti-inflammatory agent (such as IL-1Ra, IL-1 Hy1, IL-1 Hy2, anti-TNF, corticosteroids, immunosuppressive agents). A protein of the present invention may be active in multimers (e.g., heterodimers or homodimers) or complexes with itself or other proteins. As a result, pharmaceutical compositions of the invention may comprise a protein of the invention in such multimeric or complexed form.

25 As an alternative to being included in a pharmaceutical composition of the invention including a first protein, a second protein or a therapeutic agent may be concurrently administered with the first protein (e.g., at the same time, or at differing times provided that therapeutic concentrations of the combination of agents is achieved at the treatment site). Techniques for formulation and administration of the compounds of 30 the instant application may be found in "Remington's Pharmaceutical Sciences," Mack Publishing Co., Easton, PA, latest edition. A therapeutically effective dose further refers

to that amount of the compound sufficient to result in amelioration of symptoms, *e.g.*, treatment, healing, prevention or amelioration of the relevant medical condition, or an increase in rate of treatment, healing, prevention or amelioration of such conditions.

When applied to an individual active ingredient, administered alone, a therapeutically effective dose refers to that ingredient alone. When applied to a combination, a therapeutically effective dose refers to combined amounts of the active ingredients that result in the therapeutic effect, whether administered in combination, serially or simultaneously.

In practicing the method of treatment or use of the present invention, a therapeutically effective amount of protein or other active ingredient of the present invention is administered to a mammal having a condition to be treated. Protein or other active ingredient of the present invention may be administered in accordance with the method of the invention either alone or in combination with other therapies such as treatments employing cytokines, lymphokines or other hematopoietic factors. When co-administered with one or more cytokines, lymphokines or other hematopoietic factors, protein or other active ingredient of the present invention may be administered either simultaneously with the cytokine(s), lymphokine(s), other hematopoietic factor(s), thrombolytic or anti-thrombotic factors, or sequentially. If administered sequentially, the attending physician will decide on the appropriate sequence of administering protein or other active ingredient of the present invention in combination with cytokine(s), lymphokine(s), other hematopoietic factor(s), thrombolytic or anti-thrombotic factors.

4.12.1 ROUTES OF ADMINISTRATION

Suitable routes of administration may, for example, include oral, rectal, transmucosal, or intestinal administration; parenteral delivery, including intramuscular, subcutaneous, intramedullary injections, as well as intrathecal, direct intraventricular, intravenous, intraperitoneal, intranasal, or intraocular injections. Administration of protein or other active ingredient of the present invention used in the pharmaceutical composition or to practice the method of the present invention can be carried out in a variety of conventional ways, such as oral ingestion, inhalation, topical application or

cutaneous, subcutaneous, intraperitoneal, parenteral or intravenous injection. Intravenous administration to the patient is preferred.

Alternately, one may administer the compound in a local rather than systemic manner, for example, via injection of the compound directly into a arthritic joints or in
5 fibrotic tissue, often in a depot or sustained release formulation. In order to prevent the scarring process frequently occurring as complication of glaucoma surgery, the compounds may be administered topically, for example, as eye drops. Furthermore, one may administer the drug in a targeted drug delivery system, for example, in a liposome coated with a specific antibody, targeting, for example, arthritic or fibrotic tissue. The
10 liposomes will be targeted to and taken up selectively by the afflicted tissue.

The polypeptides of the invention are administered by any route that delivers an effective dosage to the desired site of action. The determination of a suitable route of administration and an effective dosage for a particular indication is within the level of skill in the art. Preferably for wound treatment, one administers the therapeutic
15 compound directly to the site. Suitable dosage ranges for the polypeptides of the invention can be extrapolated from these dosages or from similar studies in appropriate animal models. Dosages can then be adjusted as necessary by the clinician to provide maximal therapeutic benefit.

20 4.12.2 COMPOSITIONS/FORMULATIONS

Pharmaceutical compositions for use in accordance with the present invention thus may be formulated in a conventional manner using one or more physiologically acceptable carriers comprising excipients and auxiliaries which facilitate processing of the active compounds into preparations which can be used pharmaceutically. These
25 pharmaceutical compositions may be manufactured in a manner that is itself known, *e.g.*, by means of conventional mixing, dissolving, granulating, dragee-making, levigating, emulsifying, encapsulating, entrapping or lyophilizing processes. Proper formulation is dependent upon the route of administration chosen. When a therapeutically effective amount of protein or other active ingredient of the present invention is administered
30 orally, protein or other active ingredient of the present invention will be in the form of a tablet, capsule, powder, solution or elixir. When administered in tablet form, the

pharmaceutical composition of the invention may additionally contain a solid carrier such as a gelatin or an adjuvant. The tablet, capsule, and powder contain from about 5 to 95% protein or other active ingredient of the present invention, and preferably from about 25 to 90% protein or other active ingredient of the present invention. When administered in liquid form, a liquid carrier such as water, petroleum, oils of animal or plant origin such as peanut oil, mineral oil, soybean oil, or sesame oil, or synthetic oils may be added. The liquid form of the pharmaceutical composition may further contain physiological saline solution, dextrose or other saccharide solution, or glycols such as ethylene glycol, propylene glycol or polyethylene glycol. When administered in liquid form, the pharmaceutical composition contains from about 0.5 to 90% by weight of protein or other active ingredient of the present invention, and preferably from about 1 to 50% protein or other active ingredient of the present invention.

When a therapeutically effective amount of protein or other active ingredient of the present invention is administered by intravenous, cutaneous or subcutaneous injection, protein or other active ingredient of the present invention will be in the form of a pyrogen-free, parenterally acceptable aqueous solution. The preparation of such parenterally acceptable protein or other active ingredient solutions, having due regard to pH, isotonicity, stability, and the like, is within the skill in the art. A preferred pharmaceutical composition for intravenous, cutaneous, or subcutaneous injection should contain, in addition to protein or other active ingredient of the present invention, an isotonic vehicle such as Sodium Chloride Injection, Ringer's Injection, Dextrose Injection, Dextrose and Sodium Chloride Injection, Lactated Ringer's Injection, or other vehicle as known in the art. The pharmaceutical composition of the present invention may also contain stabilizers, preservatives, buffers, antioxidants, or other additives known to those of skill in the art. For injection, the agents of the invention may be formulated in aqueous solutions, preferably in physiologically compatible buffers such as Hanks's solution, Ringer's solution, or physiological saline buffer. For transmucosal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art.

For oral administration, the compounds can be formulated readily by combining the active compounds with pharmaceutically acceptable carriers well known in the art.

Such carriers enable the compounds of the invention to be formulated as tablets, pills, dragees, capsules, liquids, gels, syrups, slurries, suspensions and the like, for oral ingestion by a patient to be treated. Pharmaceutical preparations for oral use can be obtained from a solid excipient, optionally grinding a resulting mixture, and processing the mixture of granules, after adding suitable auxiliaries, if desired, to obtain tablets or dragee cores. Suitable excipients are, in particular, fillers such as sugars, including lactose, sucrose, mannitol, or sorbitol; cellulose preparations such as, for example, maize starch, wheat starch, rice starch, potato starch, gelatin, gum tragacanth, methyl cellulose, hydroxypropylmethyl-cellulose, sodium carboxymethylcellulose, and/or polyvinylpyrrolidone (PVP). If desired, disintegrating agents may be added, such as the cross-linked polyvinyl pyrrolidone, agar, or alginic acid or a salt thereof such as sodium alginate. Dragee cores are provided with suitable coatings. For this purpose, concentrated sugar solutions may be used, which may optionally contain gum arabic, talc, polyvinyl pyrrolidone, carbopol gel, polyethylene glycol, and/or titanium dioxide, lacquer solutions, and suitable organic solvents or solvent mixtures. Dyestuffs or pigments may be added to the tablets or dragee coatings for identification or to characterize different combinations of active compound doses.

Pharmaceutical preparations which can be used orally include push-fit capsules made of gelatin, as well as soft, sealed capsules made of gelatin and a plasticizer, such as glycerol or sorbitol. The push-fit capsules can contain the active ingredients in admixture with filler such as lactose, binders such as starches, and/or lubricants such as talc or magnesium stearate and, optionally, stabilizers. In soft capsules, the active compounds may be dissolved or suspended in suitable liquids, such as fatty oils, liquid paraffin, or liquid polyethylene glycols. In addition, stabilizers may be added. All formulations for oral administration should be in dosages suitable for such administration. For buccal administration, the compositions may take the form of tablets or lozenges formulated in conventional manner.

For administration by inhalation, the compounds for use according to the present invention are conveniently delivered in the form of an aerosol spray presentation from pressurized packs or a nebuliser, with the use of a suitable propellant, *e.g.*, dichlorodifluoromethane, trichlorofluoromethane, dichlorotetrafluoroethane, carbon

dioxide or other suitable gas. In the case of a pressurized aerosol the dosage unit may be determined by providing a valve to deliver a metered amount. Capsules and cartridges of, *e.g.*, gelatin for use in an inhaler or insufflator may be formulated containing a powder mix of the compound and a suitable powder base such as lactose or starch. The
5 compounds may be formulated for parenteral administration by injection, *e.g.*, by bolus injection or continuous infusion. Formulations for injection may be presented in unit dosage form, *e.g.*, in ampules or in multi-dose containers, with an added preservative. The compositions may take such forms as suspensions, solutions or emulsions in oily or aqueous vehicles, and may contain formulatory agents such as suspending, stabilizing
10 and/or dispersing agents.

Pharmaceutical formulations for parenteral administration include aqueous solutions of the active compounds in water-soluble form. Additionally, suspensions of the active compounds may be prepared as appropriate oily injection suspensions. Suitable lipophilic solvents or vehicles include fatty oils such as sesame oil, or synthetic
15 fatty acid esters, such as ethyl oleate or triglycerides, or liposomes. Aqueous injection suspensions may contain substances which increase the viscosity of the suspension, such as sodium carboxymethyl cellulose, sorbitol, or dextran. Optionally, the suspension may also contain suitable stabilizers or agents which increase the solubility of the compounds to allow for the preparation of highly concentrated solutions. Alternatively, the active
20 ingredient may be in powder form for constitution with a suitable vehicle, *e.g.*, sterile pyrogen-free water, before use.

The compounds may also be formulated in rectal compositions such as suppositories or retention enemas, *e.g.*, containing conventional suppository bases such as cocoa butter or other glycerides. In addition to the formulations described previously, the
25 compounds may also be formulated as a depot preparation. Such long acting formulations may be administered by implantation (for example subcutaneously or intramuscularly) or by intramuscular injection. Thus, for example, the compounds may be formulated with suitable polymeric or hydrophobic materials (for example as an emulsion in an acceptable oil) or ion exchange resins, or as sparingly soluble derivatives,
30 for example, as a sparingly soluble salt.

A pharmaceutical carrier for the hydrophobic compounds of the invention is a co-solvent system comprising benzyl alcohol, a nonpolar surfactant, a water-miscible organic polymer, and an aqueous phase. The co-solvent system may be the VPD co-solvent system. VPD is a solution of 3% w/v benzyl alcohol, 8% w/v of the nonpolar surfactant polysorbate 80, and 65% w/v polyethylene glycol 300, made up to volume in absolute ethanol. The VPD co-solvent system (VPD:5W) consists of VPD diluted 1:1 with a 5% dextrose in water solution. This co-solvent system dissolves hydrophobic compounds well, and itself produces low toxicity upon systemic administration. Naturally, the proportions of a co-solvent system may be varied considerably without destroying its solubility and toxicity characteristics. Furthermore, the identity of the co-solvent components may be varied: for example, other low-toxicity nonpolar surfactants may be used instead of polysorbate 80; the fraction size of polyethylene glycol may be varied; other biocompatible polymers may replace polyethylene glycol, e.g. polyvinyl pyrrolidone; and other sugars or polysaccharides may substitute for dextrose. Alternatively, other delivery systems for hydrophobic pharmaceutical compounds may be employed. Liposomes and emulsions are well known examples of delivery vehicles or carriers for hydrophobic drugs. Certain organic solvents such as dimethylsulfoxide also may be employed, although usually at the cost of greater toxicity. Additionally, the compounds may be delivered using a sustained-release system, such as semipermeable matrices of solid hydrophobic polymers containing the therapeutic agent. Various types of sustained-release materials have been established and are well known by those skilled in the art. Sustained-release capsules may, depending on their chemical nature, release the compounds for a few weeks up to over 100 days. Depending on the chemical nature and the biological stability of the therapeutic reagent, additional strategies for protein or other active ingredient stabilization may be employed.

The pharmaceutical compositions also may comprise suitable solid or gel phase carriers or excipients. Examples of such carriers or excipients include but are not limited to calcium carbonate, calcium phosphate, various sugars, starches, cellulose derivatives, gelatin, and polymers such as polyethylene glycols. Many of the active ingredients of the invention may be provided as salts with pharmaceutically compatible counter ions. Such pharmaceutically acceptable base addition salts are those salts which retain the biological

effectiveness and properties of the free acids and which are obtained by reaction with inorganic or organic bases such as sodium hydroxide, magnesium hydroxide, ammonia, trialkylamine, dialkylamine, monoalkylamine, dibasic amino acids, sodium acetate, potassium benzoate, triethanol amine and the like.

5 The pharmaceutical composition of the invention may be in the form of a complex of the protein(s) or other active ingredient(s) of present invention along with protein or peptide antigens. The protein and/or peptide antigen will deliver a stimulatory signal to both B and T lymphocytes. B lymphocytes will respond to antigen through their surface immunoglobulin receptor. T lymphocytes will respond to antigen through the T
10 cell receptor (TCR) following presentation of the antigen by MHC proteins. MHC and structurally related proteins including those encoded by class I and class II MHC genes on host cells will serve to present the peptide antigen(s) to T lymphocytes. The antigen components could also be supplied as purified MHC-peptide complexes alone or with co-stimulatory molecules that can directly signal T cells. Alternatively antibodies able to
15 bind surface immunoglobulin and other molecules on B cells as well as antibodies able to bind the TCR and other molecules on T cells can be combined with the pharmaceutical composition of the invention.

 The pharmaceutical composition of the invention may be in the form of a liposome in which protein of the present invention is combined, in addition to other
20 pharmaceutically acceptable carriers, with amphipathic agents such as lipids which exist in aggregated form as micelles, insoluble monolayers, liquid crystals, or lamellar layers in aqueous solution. Suitable lipids for liposomal formulation include, without limitation, monoglycerides, diglycerides, sulfatides, lysolecithins, phospholipids, saponin, bile acids, and the like. Preparation of such liposomal formulations is within the level of skill in the
25 art, as disclosed, for example, in U.S. Patent Nos. 4,235,871; 4,501,728; 4,837,028; and 4,737,323, all of which are incorporated herein by reference.

 The amount of protein or other active ingredient of the present invention in the pharmaceutical composition of the present invention will depend upon the nature and severity of the condition being treated, and on the nature of prior treatments which the
30 patient has undergone. Ultimately, the attending physician will decide the amount of protein or other active ingredient of the present invention with which to treat each

individual patient. Initially, the attending physician will administer low doses of protein or other active ingredient of the present invention and observe the patient's response. Larger doses of protein or other active ingredient of the present invention may be administered until the optimal therapeutic effect is obtained for the patient, and at that point the dosage is not increased further. It is contemplated that the various pharmaceutical compositions used to practice the method of the present invention should contain about 0.01 μg to about 100 mg (preferably about 0.1 μg to about 10 mg, more preferably about 0.1 μg to about 1 mg) of protein or other active ingredient of the present invention per kg body weight. For compositions of the present invention which are useful for bone, cartilage, tendon or ligament regeneration, the therapeutic method includes administering the composition topically, systematically, or locally as an implant or device. When administered, the therapeutic composition for use in this invention is, of course, in a pyrogen-free, physiologically acceptable form. Further, the composition may desirably be encapsulated or injected in a viscous form for delivery to the site of bone, cartilage or tissue damage. Topical administration may be suitable for wound healing and tissue repair. Therapeutically useful agents other than a protein or other active ingredient of the invention which may also optionally be included in the composition as described above, may alternatively or additionally, be administered simultaneously or sequentially with the composition in the methods of the invention. Preferably for bone and/or cartilage formation, the composition would include a matrix capable of delivering the protein-containing or other active ingredient-containing composition to the site of bone and/or cartilage damage, providing a structure for the developing bone and cartilage and optimally capable of being resorbed into the body. Such matrices may be formed of materials presently in use for other implanted medical applications.

The choice of matrix material is based on biocompatibility, biodegradability, mechanical properties, cosmetic appearance and interface properties. The particular application of the compositions will define the appropriate formulation. Potential matrices for the compositions may be biodegradable and chemically defined calcium sulfate, tricalcium phosphate, hydroxyapatite, polylactic acid, polyglycolic acid and polyanhydrides. Other potential materials are biodegradable and biologically well-defined, such as bone or dermal collagen. Further matrices are comprised of pure

proteins or extracellular matrix components. Other potential matrices are nonbiodegradable and chemically defined, such as sintered hydroxyapatite, bioglass, aluminates, or other ceramics. Matrices may be comprised of combinations of any of the above mentioned types of material, such as polylactic acid and hydroxyapatite or collagen and tricalcium phosphate. The bioceramics may be altered in composition, such as in calcium-aluminate-phosphate and processing to alter pore size, particle size, particle shape, and biodegradability. Presently preferred is a 50:50 (mole weight) copolymer of lactic acid and glycolic acid in the form of porous particles having diameters ranging from 150 to 800 microns. In some applications, it will be useful to utilize a sequestering agent, such as carboxymethyl cellulose or autologous blood clot, to prevent the protein compositions from disassociating from the matrix.

A preferred family of sequestering agents is cellulosic materials such as alkylcelluloses (including hydroxyalkylcelluloses), including methylcellulose, ethylcellulose, hydroxyethylcellulose, hydroxypropylcellulose, hydroxypropyl-methylcellulose, and carboxymethylcellulose, the most preferred being cationic salts of carboxymethylcellulose (CMC). Other preferred sequestering agents include hyaluronic acid, sodium alginate, poly(ethylene glycol), polyoxyethylene oxide, carboxyvinyl polymer and poly(vinyl alcohol). The amount of sequestering agent useful herein is 0.5-20 wt %, preferably 1-10 wt % based on total formulation weight, which represents the amount necessary to prevent desorption of the protein from the polymer matrix and to provide appropriate handling of the composition, yet not so much that the progenitor cells are prevented from infiltrating the matrix, thereby providing the protein the opportunity to assist the osteogenic activity of the progenitor cells. In further compositions, proteins or other active ingredients of the invention may be combined with other agents beneficial to the treatment of the bone and/or cartilage defect, wound, or tissue in question. These agents include various growth factors such as epidermal growth factor (EGF), platelet derived growth factor (PDGF), transforming growth factors (TGF- α and TGF- β), and insulin-like growth factor (IGF).

The therapeutic compositions are also presently valuable for veterinary applications. Particularly domestic animals and thoroughbred horses, in addition to humans, are desired patients for such treatment with proteins or other active ingredients

of the present invention. The dosage regimen of a protein-containing pharmaceutical composition to be used in tissue regeneration will be determined by the attending physician considering various factors which modify the action of the proteins, *e.g.*, amount of tissue weight desired to be formed, the site of damage, the condition of the damaged tissue, the size of a wound, type of damaged tissue (*e.g.*, bone), the patient's age, sex, and diet, the severity of any infection, time of administration and other clinical factors. The dosage may vary with the type of matrix used in the reconstitution and with inclusion of other proteins in the pharmaceutical composition. For example, the addition of other known growth factors, such as IGF I (insulin like growth factor I), to the final composition, may also effect the dosage. Progress can be monitored by periodic assessment of tissue/bone growth and/or repair, for example, X-rays, histomorphometric determinations and tetracycline labeling.

Polynucleotides of the present invention can also be used for gene therapy. Such polynucleotides can be introduced either *in vivo* or *ex vivo* into cells for expression in a mammalian subject. Polynucleotides of the invention may also be administered by other known methods for introduction of nucleic acid into a cell or organism (including, without limitation, in the form of viral vectors or naked DNA). Cells may also be cultured *ex vivo* in the presence of proteins of the present invention in order to proliferate or to produce a desired effect on or activity in such cells. Treated cells can then be introduced *in vivo* for therapeutic purposes.

4.12.3 EFFECTIVE DOSAGE

Pharmaceutical compositions suitable for use in the present invention include compositions wherein the active ingredients are contained in an effective amount to achieve its intended purpose. More specifically, a therapeutically effective amount means an amount effective to prevent development of or to alleviate the existing symptoms of the subject being treated. Determination of the effective amount is well within the capability of those skilled in the art, especially in light of the detailed disclosure provided herein. For any compound used in the method of the invention, the therapeutically effective dose can be estimated initially from appropriate *in vitro* assays. For example, a dose can be formulated in animal models to achieve a circulating

concentration range that can be used to more accurately determine useful doses in humans. For example, a dose can be formulated in animal models to achieve a circulating concentration range that includes the IC_{50} as determined in cell culture (*i.e.*, the concentration of the test compound which achieves a half-maximal inhibition of the protein's biological activity). Such information can be used to more accurately determine useful doses in humans.

A therapeutically effective dose refers to that amount of the compound that results in amelioration of symptoms or a prolongation of survival in a patient. Toxicity and therapeutic efficacy of such compounds can be determined by standard pharmaceutical procedures in cell cultures or experimental animals, *e.g.*, for determining the LD_{50} (the dose lethal to 50% of the population) and the ED_{50} (the dose therapeutically effective in 50% of the population). The dose ratio between toxic and therapeutic effects is the therapeutic index and it can be expressed as the ratio between LD_{50} and ED_{50} .

Compounds which exhibit high therapeutic indices are preferred. The data obtained from these cell culture assays and animal studies can be used in formulating a range of dosage for use in human. The dosage of such compounds lies preferably within a range of circulating concentrations that include the ED_{50} with little or no toxicity. The dosage may vary within this range depending upon the dosage form employed and the route of administration utilized. The exact formulation, route of administration and dosage can be chosen by the individual physician in view of the patient's condition. See, *e.g.*, Fingl et al., 1975, in "The Pharmacological Basis of Therapeutics", Ch. 1 p.1. Dosage amount and interval may be adjusted individually to provide plasma levels of the active moiety which are sufficient to maintain the desired effects, or minimal effective concentration (MEC). The MEC will vary for each compound but can be estimated from *in vitro* data. Dosages necessary to achieve the MEC will depend on individual characteristics and route of administration. However, HPLC assays or bioassays can be used to determine plasma concentrations.

Dosage intervals can also be determined using MEC value. Compounds should be administered using a regimen which maintains plasma levels above the MEC for 10-90% of the time, preferably between 30-90% and most preferably between 50-90%.

In cases of local administration or selective uptake, the effective local concentration of the drug may not be related to plasma concentration.

An exemplary dosage regimen for polypeptides or other compositions of the invention will be in the range of about 0.01 $\mu\text{g}/\text{kg}$ to 100 mg/kg of body weight daily, with the preferred dose being about 0.1 $\mu\text{g}/\text{kg}$ to 25 mg/kg of patient body weight daily, varying in adults and children. Dosing may be once daily, or equivalent doses may be delivered at longer or shorter intervals.

The amount of composition administered will, of course, be dependent on the subject being treated, on the subject's age and weight, the severity of the affliction, the manner of administration and the judgment of the prescribing physician.

4.12.4 PACKAGING

The compositions may, if desired, be presented in a pack or dispenser device which may contain one or more unit dosage forms containing the active ingredient. The pack may, for example, comprise metal or plastic foil, such as a blister pack. The pack or dispenser device may be accompanied by instructions for administration. Compositions comprising a compound of the invention formulated in a compatible pharmaceutical carrier may also be prepared, placed in an appropriate container, and labeled for treatment of an indicated condition.

4.13 ANTIBODIES

Also included in the invention are antibodies to proteins, or fragments of proteins of the invention. The term "antibody" as used herein refers to immunoglobulin molecules and immunologically active portions of immunoglobulin (Ig) molecules, i.e., molecules that contain an antigen binding site that specifically binds (immunoreacts with) an antigen. Such antibodies include, but are not limited to, polyclonal, monoclonal, chimeric, single chain, F_{ab} , F_{ab}' and $F_{(ab)2}$ fragments, and an F_{ab} expression library. In general, an antibody molecule obtained from humans relates to any of the classes IgG, IgM, IgA, IgE and IgD, which differ from one another by the nature of the heavy chain present in the molecule. Certain classes have subclasses as well, such as IgG₁, IgG₂, and others. Furthermore, in humans, the light chain may be a kappa chain or a lambda chain.

Reference herein to antibodies includes a reference to all such classes, subclasses and types of human antibody species.

An isolated related protein of the invention may be intended to serve as an antigen, or a portion or fragment thereof, and additionally can be used as an immunogen to generate antibodies that immunospecifically bind the antigen, using standard techniques for polyclonal and monoclonal antibody preparation. The full-length protein can be used or, alternatively, the invention provides antigenic peptide fragments of the antigen for use as immunogens. An antigenic peptide fragment comprises at least 6 amino acid residues of the amino acid sequence of the full length protein, such as an amino acid sequence shown in SEQ ID NO: 4, and encompasses an epitope thereof such that an antibody raised against the peptide forms a specific immune complex with the full length protein or with any fragment that contains the epitope. Preferably, the antigenic peptide comprises at least 10 amino acid residues, or at least 15 amino acid residues, or at least 20 amino acid residues, or at least 30 amino acid residues. Preferred epitopes encompassed by the antigenic peptide are regions of the protein that are located on its surface; commonly these are hydrophilic regions.

In certain embodiments of the invention, at least one epitope encompassed by the antigenic peptide is a region of -related protein that is located on the surface of the protein, *e.g.*, a hydrophilic region. A hydrophobicity analysis of the human related protein sequence will indicate which regions of a related protein are particularly hydrophilic and, therefore, are likely to encode surface residues useful for targeting antibody production. As a means for targeting antibody production, hydropathy plots showing regions of hydrophilicity and hydrophobicity may be generated by any method well known in the art, including, for example, the Kyte Doolittle or the Hopp Woods methods, either with or without Fourier transformation. See, *e.g.*, Hopp and Woods, 1981, *Proc. Nat. Acad. Sci. USA* 78: 3824-3828; Kyte and Doolittle 1982, *J. Mol. Biol.* 157: 105-142, each of which is incorporated herein by reference in its entirety. Antibodies that are specific for one or more domains within an antigenic protein, or derivatives, fragments, analogs or homologs thereof, are also provided herein.

A protein of the invention, or a derivative, fragment, analog, homolog or ortholog thereof, may be utilized as an immunogen in the generation of antibodies that immunospecifically bind these protein components.

Various procedures known within the art may be used for the production of polyclonal or monoclonal antibodies directed against a protein of the invention, or against derivatives, fragments, analogs homologs or orthologs thereof (see, for example, *Antibodies: A Laboratory Manual*, Harlow E, and Lane D, 1988, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, incorporated herein by reference). Some of these antibodies are discussed below.

10

5.13.1 Polyclonal Antibodies

For the production of polyclonal antibodies, various suitable host animals (e.g., rabbit, goat, mouse or other mammal) may be immunized by one or more injections with the native protein, a synthetic variant thereof, or a derivative of the foregoing. An appropriate immunogenic preparation can contain, for example, the naturally occurring immunogenic protein, a chemically synthesized polypeptide representing the immunogenic protein, or a recombinantly expressed immunogenic protein. Furthermore, the protein may be conjugated to a second protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. The preparation can further include an adjuvant. Various adjuvants used to increase the immunological response include, but are not limited to, Freund's (complete and incomplete), mineral gels (e.g., aluminum hydroxide), surface active substances (e.g., lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, dinitrophenol, etc.), adjuvants usable in humans such as Bacille Calmette-Guerin and *Corynebacterium parvum*, or similar immunostimulatory agents. Additional examples of adjuvants which can be employed include MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate).

The polyclonal antibody molecules directed against the immunogenic protein can be isolated from the mammal (e.g., from the blood) and further purified by well known techniques, such as affinity chromatography using protein A or protein G, which provide

30

primarily the IgG fraction of immune serum. Subsequently, or alternatively, the specific antigen which is the target of the immunoglobulin sought, or an epitope thereof, may be immobilized on a column to purify the immune specific antibody by immunoaffinity chromatography. Purification of immunoglobulins is discussed, for example, by D. Wilkinson (The Scientist, published by The Scientist, Inc., Philadelphia PA, Vol. 14, No. 8 (April 17, 2000), pp. 25-28).

5.13.2 Monoclonal Antibodies

The term "monoclonal antibody" (MAb) or "monoclonal antibody composition", as used herein, refers to a population of antibody molecules that contain only one molecular species of antibody molecule consisting of a unique light chain gene product and a unique heavy chain gene product. In particular, the complementarity determining regions (CDRs) of the monoclonal antibody are identical in all the molecules of the population. MAbs thus contain an antigen binding site capable of immunoreacting with a particular epitope of the antigen characterized by a unique binding affinity for it.

Monoclonal antibodies can be prepared using hybridoma methods, such as those described by Kohler and Milstein, *Nature*, 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes can be immunized in vitro.

The immunizing agent will typically include the protein antigen, a fragment thereof or a fusion protein thereof. Generally, either peripheral blood lymphocytes are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell (Goding, *Monoclonal Antibodies: Principles and Practice*, Academic Press, (1986) pp. 59-103). Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells can be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or

survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient
5 cells.

Preferred immortalized cell lines are those that fuse efficiently, support stable high level expression of antibody by the selected antibody-producing cells, and are sensitive to a medium such as HAT medium. More preferred immortalized cell lines are murine myeloma lines, which can be obtained, for instance, from the Salk Institute Cell
10 Distribution Center, San Diego, California and the American Type Culture Collection, Manassas, Virginia. Human myeloma and mouse-human heteromyeloma cell lines also have been described for the production of human monoclonal antibodies (Kozbor, *J. Immunol.*, 133:3001 (1984); Brodeur et al., Monoclonal Antibody Production Techniques and Applications, Marcel Dekker, Inc., New York, (1987) pp. 51-63).

15 The culture medium in which the hybridoma cells are cultured can then be assayed for the presence of monoclonal antibodies directed against the antigen. Preferably, the binding specificity of monoclonal antibodies produced by the hybridoma cells is determined by immunoprecipitation or by an in vitro binding assay, such as radioimmunoassay (RIA) or enzyme-linked immunoabsorbent assay (ELISA). Such
20 techniques and assays are known in the art. The binding affinity of the monoclonal antibody can, for example, be determined by the Scatchard analysis of Munson and Pollard, Anal. Biochem., 107:220 (1980). Preferably, antibodies having a high degree of specificity and a high binding affinity for the target antigen are isolated.

After the desired hybridoma cells are identified, the clones can be subcloned by
25 limiting dilution procedures and grown by standard methods. Suitable culture media for this purpose include, for example, Dulbecco's Modified Eagle's Medium and RPMI-1640 medium. Alternatively, the hybridoma cells can be grown in vivo as ascites in a mammal.

The monoclonal antibodies secreted by the subclones can be isolated or purified from the
30 culture medium or ascites fluid by conventional immunoglobulin purification procedures

such as, for example, protein A-Sepharose, hydroxylapatite chromatography, gel electrophoresis, dialysis, or affinity chromatography.

The monoclonal antibodies can also be made by recombinant DNA methods, such as those described in U.S. Patent No. 4,816,567. DNA encoding the monoclonal antibodies of the invention can be readily isolated and sequenced using conventional procedures (e.g., by using oligonucleotide probes that are capable of binding specifically to genes encoding the heavy and light chains of murine antibodies). The hybridoma cells of the invention serve as a preferred source of such DNA. Once isolated, the DNA can be placed into expression vectors, which are then transfected into host cells such as simian COS cells, Chinese hamster ovary (CHO) cells, or myeloma cells that do not otherwise produce immunoglobulin protein, to obtain the synthesis of monoclonal antibodies in the recombinant host cells. The DNA also can be modified, for example, by substituting the coding sequence for human heavy and light chain constant domains in place of the homologous murine sequences (U.S. Patent No. 4,816,567; Morrison, Nature 368, 812-13 (1994)) or by covalently joining to the immunoglobulin coding sequence all or part of the coding sequence for a non-immunoglobulin polypeptide. Such a non-immunoglobulin polypeptide can be substituted for the constant domains of an antibody of the invention, or can be substituted for the variable domains of one antigen-combining site of an antibody of the invention to create a chimeric bivalent antibody.

20

5.13.2 Humanized Antibodies

The antibodies directed against the protein antigens of the invention can further comprise humanized antibodies or human antibodies. These antibodies are suitable for administration to humans without engendering an immune response by the human against the administered immunoglobulin. Humanized forms of antibodies are chimeric immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')₂ or other antigen-binding subsequences of antibodies) that are principally comprised of the sequence of a human immunoglobulin, and contain minimal sequence derived from a non-human immunoglobulin. Humanization can be performed following the method of Winter and co-workers (Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 322:323-327 (1988); Verhoeyen et al., Science, 239:1534-1536

30

(1988)), by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. (See also U.S. Patent No. 5,225,539.) In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies can also comprise residues which are found
5 neither in the recipient antibody nor in the imported CDR or framework sequences. In general, the humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the framework regions are those of a human immunoglobulin consensus sequence. The
10 humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin (Jones et al., 1986; Riechmann et al., 1988; and Presta, Curr. Op. Struct. Biol., 2:593-596 (1992)).

5.13.3 Human Antibodies

15 Fully human antibodies relate to antibody molecules in which essentially the entire sequences of both the light chain and the heavy chain, including the CDRs, arise from human genes. Such antibodies are termed "human antibodies", or "fully human antibodies" herein. Human monoclonal antibodies can be prepared by the trioma technique; the human B-cell hybridoma technique (see Kozbor, et al., 1983 *Immunol Today* 4: 72) and the EBV hybridoma technique to produce human monoclonal
20 antibodies (see Cole, et al., 1985 In: MONOCLONAL ANTIBODIES AND CANCER THERAPY, Alan R. Liss, Inc., pp. 77-96). Human monoclonal antibodies may be utilized in the practice of the present invention and may be produced by using human hybridomas (see Cote, et al., 1983. *Proc Natl Acad Sci USA* 80: 2026-2030) or by transforming human
25 B-cells with Epstein Barr Virus in vitro (see Cole, et al., 1985 In: MONOCLONAL ANTIBODIES AND CANCER THERAPY, Alan R. Liss, Inc., pp. 77-96).

In addition, human antibodies can also be produced using additional techniques, including phage display libraries (Hoogenboom and Winter, J. Mol. Biol., 227:381 (1991); Marks et al., J. Mol. Biol., 222:581 (1991)). Similarly, human antibodies can be
30 made by introducing human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely

inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, for example, in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in Marks et al. 5 (Bio/Technology 10, 779-783 (1992)); Lonberg et al. (Nature 368 856-859 (1994)); Morrison (Nature 368, 812-13 (1994)); Fishwild et al. (Nature Biotechnology 14, 845-51 (1996)); Neuberger (Nature Biotechnology 14, 826 (1996)); and Lonberg and Huszar (Intern. Rev. Immunol. 13 65-93 (1995)).

Human antibodies may additionally be produced using transgenic nonhuman 10 animals which are modified so as to produce fully human antibodies rather than the animal's endogenous antibodies in response to challenge by an antigen. (See PCT publication WO94/02602). The endogenous genes encoding the heavy and light immunoglobulin chains in the nonhuman host have been incapacitated, and active loci encoding human heavy and light chain immunoglobulins are inserted into the host's 15 genome. The human genes are incorporated, for example, using yeast artificial chromosomes containing the requisite human DNA segments. An animal which provides all the desired modifications is then obtained as progeny by crossbreeding intermediate transgenic animals containing fewer than the full complement of the modifications. The preferred embodiment of such a nonhuman animal is a mouse, and is termed the 20 XenomouseTM as disclosed in PCT publications WO 96/33735 and WO 96/34096. This animal produces B cells which secrete fully human immunoglobulins. The antibodies can be obtained directly from the animal after immunization with an immunogen of interest, as, for example, a preparation of a polyclonal antibody, or alternatively from immortalized B cells derived from the animal, such as hybridomas producing monoclonal 25 antibodies. Additionally, the genes encoding the immunoglobulins with human variable regions can be recovered and expressed to obtain the antibodies directly, or can be further modified to obtain analogs of antibodies such as, for example, single chain Fv molecules.

An example of a method of producing a nonhuman host, exemplified as a mouse, lacking expression of an endogenous immunoglobulin heavy chain is disclosed in U.S. 30 Patent No. 5,939,598. It can be obtained by a method including deleting the J segment genes from at least one endogenous heavy chain locus in an embryonic stem cell to

prevent rearrangement of the locus and to prevent formation of a transcript of a rearranged immunoglobulin heavy chain locus, the deletion being effected by a targeting vector containing a gene encoding a selectable marker; and producing from the embryonic stem cell a transgenic mouse whose somatic and germ cells contain the gene
5 encoding the selectable marker.

A method for producing an antibody of interest, such as a human antibody, is disclosed in U.S. Patent No. 5,916,771. It includes introducing an expression vector that contains a nucleotide sequence encoding a heavy chain into one mammalian host cell in culture, introducing an expression vector containing a nucleotide sequence encoding a
10 light chain into another mammalian host cell, and fusing the two cells to form a hybrid cell. The hybrid cell expresses an antibody containing the heavy chain and the light chain.

In a further improvement on this procedure, a method for identifying a clinically relevant epitope on an immunogen, and a correlative method for selecting an antibody
15 that binds immunospecifically to the relevant epitope with high affinity, are disclosed in PCT publication WO 99/53049.

5.13.4 F_{ab} Fragments and Single Chain Antibodies

According to the invention, techniques can be adapted for the production of
20 single-chain antibodies specific to an antigenic protein of the invention (see e.g., U.S. Patent No. 4,946,778). In addition, methods can be adapted for the construction of F_{ab} expression libraries (see e.g., Huse, et al., 1989 Science 246: 1275-1281) to allow rapid and effective identification of monoclonal F_{ab} fragments with the desired specificity for a protein or derivatives, fragments, analogs or homologs thereof. Antibody fragments that
25 contain the idiotypes to a protein antigen may be produced by techniques known in the art including, but not limited to: (i) an F_{(ab)²} fragment produced by pepsin digestion of an antibody molecule; (ii) an F_{ab} fragment generated by reducing the disulfide bridges of an F_{(ab)²} fragment; (iii) an F_{ab} fragment generated by the treatment of the antibody molecule with papain and a reducing agent and (iv) F_v fragments.

30

5.13.5 Bispecific Antibodies

Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens. In the present case, one of the binding specificities is for an antigenic protein of the invention. The second binding target is any other antigen, and advantageously is a cell-surface protein or
5 receptor or receptor subunit.

Methods for making bispecific antibodies are known in the art. Traditionally, the recombinant production of bispecific antibodies is based on the co-expression of two immunoglobulin heavy-chain/light-chain pairs, where the two heavy chains have different specificities (Milstein and Cuello, Nature, 305:537-539 (1983)). Because of the
10 random assortment of immunoglobulin heavy and light chains, these hybridomas (quadromas) produce a potential mixture of ten different antibody molecules, of which only one has the correct bispecific structure. The purification of the correct molecule is usually accomplished by affinity chromatography steps. Similar procedures are disclosed in WO 93/08829, published 13 May 1993, and in Traunecker *et al.*, 1991 *EMBO J.*,
15 10:3655-3659.

Antibody variable domains with the desired binding specificities (antibody-antigen combining sites) can be fused to immunoglobulin constant domain sequences. The fusion preferably is with an immunoglobulin heavy-chain constant domain, comprising at least part of the hinge, CH2, and CH3 regions. It is preferred to have the
20 first heavy-chain constant region (CH1) containing the site necessary for light-chain binding present in at least one of the fusions. DNAs encoding the immunoglobulin heavy-chain fusions and, if desired, the immunoglobulin light chain, are inserted into separate expression vectors, and are co-transfected into a suitable host organism. For further details of generating bispecific antibodies see, for example, Suresh *et al.*, Methods in Enzymology, 121:210 (1986).
25

According to another approach described in WO 96/27011, the interface between a pair of antibody molecules can be engineered to maximize the percentage of heterodimers which are recovered from recombinant cell culture. The preferred interface comprises at least a part of the CH3 region of an antibody constant domain. In this
30 method, one or more small amino acid side chains from the interface of the first antibody molecule are replaced with larger side chains (e.g. tyrosine or tryptophan).

Compensatory "cavities" of identical or similar size to the large side chain(s) are created on the interface of the second antibody molecule by replacing large amino acid side chains with smaller ones (e.g. alanine or threonine). This provides a mechanism for increasing the yield of the heterodimer over other unwanted end-products such as
5 homodimers.

Bispecific antibodies can be prepared as full length antibodies or antibody fragments (e.g. F(ab')₂ bispecific antibodies). Techniques for generating bispecific antibodies from antibody fragments have been described in the literature. For example, bispecific antibodies can be prepared using chemical linkage. Brennan et al., Science
10 229:81 (1985) describe a procedure wherein intact antibodies are proteolytically cleaved to generate F(ab')₂ fragments. These fragments are reduced in the presence of the dithiol complexing agent sodium arsenite to stabilize vicinal dithiols and prevent intermolecular disulfide formation. The Fab' fragments generated are then converted to
15 thionitrobenzoate (TNB) derivatives. One of the Fab'-TNB derivatives is then reconverted to the Fab'-thiol by reduction with mercaptoethylamine and is mixed with an equimolar amount of the other Fab'-TNB derivative to form the bispecific antibody. The bispecific antibodies produced can be used as agents for the selective immobilization of enzymes.

Additionally, Fab' fragments can be directly recovered from E. coli and
20 chemically coupled to form bispecific antibodies. Shalaby et al., J. Exp. Med. 175:217-225 (1992) describe the production of a fully humanized bispecific antibody F(ab')₂ molecule. Each Fab' fragment was separately secreted from E. coli and subjected to directed chemical coupling in vitro to form the bispecific antibody. The bispecific antibody thus formed was able to bind to cells overexpressing the ErbB2 receptor and
25 normal human T cells, as well as trigger the lytic activity of human cytotoxic lymphocytes against human breast tumor targets.

Various techniques for making and isolating bispecific antibody fragments directly from recombinant cell culture have also been described. For example, bispecific antibodies have been produced using leucine zippers. Kostelny et al., J. Immunol.
30 148(5):1547-1553 (1992). The leucine zipper peptides from the Fos and Jun proteins were linked to the Fab' portions of two different antibodies by gene fusion. The antibody

homodimers were reduced at the hinge region to form monomers and then re-oxidized to form the antibody heterodimers. This method can also be utilized for the production of antibody homodimers. The "diabody" technology described by Hollinger et al., Proc. Natl. Acad. Sci. USA 90:6444-6448 (1993) has provided an alternative mechanism for making bispecific antibody fragments. The fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) by a linker which is too short to allow pairing between the two domains on the same chain. Accordingly, the V_H and V_L domains of one fragment are forced to pair with the complementary V_L and V_H domains of another fragment, thereby forming two antigen-binding sites. Another strategy for making bispecific antibody fragments by the use of single-chain Fv (sFv) dimers has also been reported. See, Gruber et al., J. Immunol. 152:5368 (1994).

Antibodies with more than two valencies are contemplated. For example, trispecific antibodies can be prepared. Tutt et al., J. Immunol. 147:60 (1991). Exemplary bispecific antibodies can bind to two different epitopes, at least one of which originates in the protein antigen of the invention. Alternatively, an anti-antigenic arm of an immunoglobulin molecule can be combined with an arm which binds to a triggering molecule on a leukocyte such as a T-cell receptor molecule (e.g. CD2, CD3, CD28, or B7), or Fc receptors for IgG (Fc γ R), such as Fc γ RI (CD64), Fc γ RII (CD32) and Fc γ RIII (CD16) so as to focus cellular defense mechanisms to the cell expressing the particular antigen. Bispecific antibodies can also be used to direct cytotoxic agents to cells which express a particular antigen. These antibodies possess an antigen-binding arm and an arm which binds a cytotoxic agent or a radionuclide chelator, such as EOTUBE, DPTA, DOTA, or TETA. Another bispecific antibody of interest binds the protein antigen described herein and further binds tissue factor (TF).

5.13.6 Heteroconjugate Antibodies

Heteroconjugate antibodies are also within the scope of the present invention. Heteroconjugate antibodies are composed of two covalently joined antibodies. Such antibodies have, for example, been proposed to target immune system cells to unwanted cells (U.S. Patent No. 4,676,980), and for treatment of HIV infection (WO 91/00360; WO 92/200373; EP 03089). It is contemplated that the antibodies can be prepared in

vitro using known methods in synthetic protein chemistry, including those involving crosslinking agents. For example, immunotoxins can be constructed using a disulfide exchange reaction or by forming a thioether bond. Examples of suitable reagents for this purpose include iminothiolate and methyl-4-mercaptobutyrimidate and those disclosed, 5 for example, in U.S. Patent No. 4,676,980.

5.13.7 Effector Function Engineering

It can be desirable to modify the antibody of the invention with respect to effector function, so as to enhance, e.g., the effectiveness of the antibody in treating cancer. For 10 example, cysteine residue(s) can be introduced into the Fc region, thereby allowing interchain disulfide bond formation in this region. The homodimeric antibody thus generated can have improved internalization capability and/or increased complement-mediated cell killing and antibody-dependent cellular cytotoxicity (ADCC). See Caron et al., J. Exp Med., 176: 1191-1195 (1992) and Shopes, J. Immunol., 148: 2918-2922 15 (1992). Homodimeric antibodies with enhanced anti-tumor activity can also be prepared using heterobifunctional cross-linkers as described in Wolff et al. Cancer Research, 53: 2560-2565 (1993). Alternatively, an antibody can be engineered that has dual Fc regions and can thereby have enhanced complement lysis and ADCC capabilities. See Stevenson et al., Anti-Cancer Drug Design, 3: 219-230 (1989).

20

5.13.8 Immunoconjugates

The invention also pertains to immunoconjugates comprising an antibody conjugated to a cytotoxic agent such as a chemotherapeutic agent, toxin (e.g., an enzymatically active toxin of bacterial, fungal, plant, or animal origin, or fragments 25 thereof), or a radioactive isotope (i.e., a radioconjugate).

Chemotherapeutic agents useful in the generation of such immunoconjugates have been described above. Enzymatically active toxins and fragments thereof that can be used include diphtheria A chain, nonbinding active fragments of diphtheria toxin, exotoxin A chain (from *Pseudomonas aeruginosa*), ricin A chain, abrin A chain, 30 modeccin A chain, alpha-sarcin, *Aleurites fordii* proteins, dianthin proteins, *Phytolaca americana* proteins (PAPI, PAPII, and PAP-S), *momordica charantia* inhibitor, curcun,

croton, saponaria officinalis inhibitor, gelonin, mitogellin, restrictocin, phenomycin, enomycin, and the tricothecenes. A variety of radionuclides are available for the production of radioconjugated antibodies. Examples include ^{212}Bi , ^{131}I , ^{131}In , ^{90}Y , and ^{186}Re .

5 Conjugates of the antibody and cytotoxic agent are made using a variety of bifunctional protein-coupling agents such as N-succinimidyl-3-(2-pyridyldithiol) propionate (SPDP), iminothiolane (IT), bifunctional derivatives of imidoesters (such as dimethyl adipimidate HCL), active esters (such as disuccinimidyl suberate), aldehydes (such as glutaraldehyde), bis-azido compounds (such as bis (p-azidobenzoyl)
10 hexanediamine), bis-diazonium derivatives (such as bis-(p-diazoniumbenzoyl)-ethylenediamine), diisocyanates (such as tolyene 2,6-diisocyanate), and bis-active fluorine compounds (such as 1,5-difluoro-2,4-dinitrobenzene). For example, a ricin immunotoxin can be prepared as described in Vitetta et al., Science, 238: 1098 (1987). Carbon-14-labeled 1-isothiocyanatobenzyl-3-methyldiethylene triaminepentaacetic acid
15 (MX-DTPA) is an exemplary chelating agent for conjugation of radionucleotide to the antibody. See WO94/11026.

In another embodiment, the antibody can be conjugated to a "receptor" (such streptavidin) for utilization in tumor pretargeting wherein the antibody-receptor conjugate is administered to the patient, followed by removal of unbound conjugate from the
20 circulation using a clearing agent and then administration of a "ligand" (e.g., avidin) that is in turn conjugated to a cytotoxic agent.

4.14 COMPUTER READABLE SEQUENCES

In one application of this embodiment, a nucleotide sequence of the present
25 invention can be recorded on computer readable media. As used herein, "computer readable media" refers to any medium which can be read and accessed directly by a computer. Such media include, but are not limited to: magnetic storage media, such as floppy discs, hard disc storage medium, and magnetic tape; optical storage media such as CD-ROM; electrical storage media such as RAM and ROM; and hybrids of these
30 categories such as magnetic/optical storage media. A skilled artisan can readily appreciate how any of the presently known computer readable mediums can be used to

create a manufacture comprising computer readable medium having recorded thereon a nucleotide sequence of the present invention. As used herein, "recorded" refers to a process for storing information on computer readable medium. A skilled artisan can readily adopt any of the presently known methods for recording information on computer readable medium to generate manufactures comprising the nucleotide sequence information of the present invention.

A variety of data storage structures are available to a skilled artisan for creating a computer readable medium having recorded thereon a nucleotide sequence of the present invention. The choice of the data storage structure will generally be based on the means chosen to access the stored information. In addition, a variety of data processor programs and formats can be used to store the nucleotide sequence information of the present invention on computer readable medium. The sequence information can be represented in a word processing text file, formatted in commercially-available software such as WordPerfect and Microsoft Word, or represented in the form of an ASCII file, stored in a database application, such as DB2, Sybase, Oracle, or the like. A skilled artisan can readily adapt any number of data processor structuring formats (e.g. text file or database) in order to obtain computer readable medium having recorded thereon the nucleotide sequence information of the present invention.

By providing any of the nucleotide sequences SEQ ID NO:1-739 or a representative fragment thereof; or a nucleotide sequence at least 95% identical to any of the nucleotide sequences of SEQ ID NO:1-739 in computer readable form, a skilled artisan can routinely access the sequence information for a variety of purposes. Computer software is publicly available which allows a skilled artisan to access sequence information provided in a computer readable medium. The examples which follow demonstrate how software which implements the BLAST (Altschul et al., J. Mol. Biol. 215:403-410 (1990)) and BLAZE (Brutlag et al., Comp. Chem. 17:203-207 (1993)) search algorithms on a Sybase system is used to identify open reading frames (ORFs) within a nucleic acid sequence. Such ORFs may be protein encoding fragments and may be useful in producing commercially important proteins such as enzymes used in fermentation reactions and in the production of commercially useful metabolites.

As used herein, "a computer-based system" refers to the hardware means, software means, and data storage means used to analyze the nucleotide sequence information of the present invention. The minimum hardware means of the computer-based systems of the present invention comprises a central processing unit
5 (CPU), input means, output means, and data storage means. A skilled artisan can readily appreciate that any one of the currently available computer-based systems are suitable for use in the present invention. As stated above, the computer-based systems of the present invention comprise a data storage means having stored therein a nucleotide sequence of the present invention and the necessary hardware means and software means for
10 supporting and implementing a search means. As used herein, "data storage means" refers to memory which can store nucleotide sequence information of the present invention, or a memory access means which can access manufactures having recorded thereon the nucleotide sequence information of the present invention.

As used herein, "search means" refers to one or more programs which are
15 implemented on the computer-based system to compare a target sequence or target structural motif with the sequence information stored within the data storage means. Search means are used to identify fragments or regions of a known sequence which match a particular target sequence or target motif. A variety of known algorithms are disclosed publicly and a variety of commercially available software for conducting search
20 means are and can be used in the computer-based systems of the present invention. Examples of such software includes, but is not limited to, Smith-Waterman, MacPattern (EMBL), BLASTN and BLASTA (NPOLYPEPTIDEIA). A skilled artisan can readily recognize that any one of the available algorithms or implementing software packages for conducting homology searches can be adapted for use in the present computer-based
25 systems. As used herein, a "target sequence" can be any nucleic acid or amino acid sequence of six or more nucleotides or two or more amino acids. A skilled artisan can readily recognize that the longer a target sequence is, the less likely a target sequence will be present as a random occurrence in the database. The most preferred sequence length of a target sequence is from about 10 to 300 amino acids, more preferably from about 30
30 to 100 nucleotide residues. However, it is well recognized that searches for

commercially important fragments, such as sequence fragments involved in gene expression and protein processing, may be of shorter length.

As used herein, "a target structural motif," or "target motif," refers to any rationally selected sequence or combination of sequences in which the sequence(s) are chosen based on a three-dimensional configuration which is formed upon the folding of the target motif. There are a variety of target motifs known in the art. Protein target motifs include, but are not limited to, enzyme active sites and signal sequences. Nucleic acid target motifs include, but are not limited to, promoter sequences, hairpin structures and inducible expression elements (protein binding sequences).

10

4.15 TRIPLE HELIX FORMATION

In addition, the fragments of the present invention, as broadly described, can be used to control gene expression through triple helix formation or antisense DNA or RNA, both of which methods are based on the binding of a polynucleotide sequence to DNA or RNA. Polynucleotides suitable for use in these methods are preferably 20 to 40 bases in length and are designed to be complementary to a region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res. 6:3073 (1979); Cooney et al., Science 15241:456 (1988); and Dervan et al., Science 251:1360 (1991)) or to the mRNA itself (antisense - Olmno, J. Neurochem. 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988)). Triple helix-formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. Both techniques have been demonstrated to be effective in model systems. Information contained in the sequences of the present invention is necessary for the design of an antisense or triple helix oligonucleotide.

15

20

25

4.16 DIAGNOSTIC ASSAYS AND KITS

The present invention further provides methods to identify the presence or expression of one of the ORFs of the present invention, or homolog thereof, in a test sample, using a nucleic acid probe or antibodies of the present invention, optionally conjugated or otherwise associated with a suitable label.

30

In general, methods for detecting a polynucleotide of the invention can comprise contacting a sample with a compound that binds to and forms a complex with the polynucleotide for a period sufficient to form the complex, and detecting the complex, so that if a complex is detected, a polynucleotide of the invention is detected in the sample.

5 Such methods can also comprise contacting a sample under stringent hybridization conditions with nucleic acid primers that anneal to a polynucleotide of the invention under such conditions, and amplifying annealed polynucleotides, so that if a polynucleotide is amplified, a polynucleotide of the invention is detected in the sample.

In general, methods for detecting a polypeptide of the invention can comprise
10 contacting a sample with a compound that binds to and forms a complex with the polypeptide for a period sufficient to form the complex, and detecting the complex, so that if a complex is detected, a polypeptide of the invention is detected in the sample.

In detail, such methods comprise incubating a test sample with one or more of the antibodies or one or more of the nucleic acid probes of the present invention and assaying
15 for binding of the nucleic acid probes or antibodies to components within the test sample.

Conditions for incubating a nucleic acid probe or antibody with a test sample vary. Incubation conditions depend on the format employed in the assay, the detection methods employed, and the type and nature of the nucleic acid probe or antibody used in the assay. One skilled in the art will recognize that any one of the commonly available
20 hybridization, amplification or immunological assay formats can readily be adapted to employ the nucleic acid probes or antibodies of the present invention. Examples of such assays can be found in Chard, T., *An Introduction to Radioimmunoassay and Related Techniques*, Elsevier Science Publishers, Amsterdam, The Netherlands (1986); Bullock, G.R. et al., *Techniques in Immunocytochemistry*, Academic Press, Orlando, FL Vol. 1 (1982), Vol. 2 (1983), Vol. 3 (1985); Tijssen, P., *Practice and Theory of immunoassays: Laboratory Techniques in Biochemistry and Molecular Biology*, Elsevier Science Publishers, Amsterdam, The Netherlands (1985). The test samples of the present invention include cells, protein or membrane extracts of cells, or biological fluids such as sputum, blood, serum, plasma, or urine. The test sample used in the above-described
25 method will vary based on the assay format, nature of the detection method and the
30 tissues, cells or extracts used as the sample to be assayed. Methods for preparing protein

extracts or membrane extracts of cells are well known in the art and can be readily be adapted in order to obtain a sample which is compatible with the system utilized.

In another embodiment of the present invention, kits are provided which contain the necessary reagents to carry out the assays of the present invention. Specifically, the invention provides a compartment kit to receive, in close confinement, one or more
5 containers which comprises: (a) a first container comprising one of the probes or antibodies of the present invention; and (b) one or more other containers comprising one or more of the following: wash reagents, reagents capable of detecting presence of a bound probe or antibody.

In detail, a compartment kit includes any kit in which reagents are contained in
10 separate containers. Such containers include small glass containers, plastic containers or strips of plastic or paper. Such containers allows one to efficiently transfer reagents from one compartment to another compartment such that the samples and reagents are not cross-contaminated, and the agents or solutions of each container can be added in a
15 quantitative fashion from one compartment to another. Such containers will include a container which will accept the test sample, a container which contains the antibodies used in the assay, containers which contain wash reagents (such as phosphate buffered saline, Tris-buffers, etc.), and containers which contain the reagents used to detect the
20 bound antibody or probe. Types of detection reagents include labeled nucleic acid probes, labeled secondary antibodies, or in the alternative, if the primary antibody is labeled, the enzymatic, or antibody binding reagents which are capable of reacting with the labeled antibody. One skilled in the art will readily recognize that the disclosed probes and antibodies of the present invention can be readily incorporated into one of the established
25 kit formats which are well known in the art.

4.17 MEDICAL IMAGING

The novel polypeptides and binding partners of the invention are useful in
medical imaging of sites expressing the molecules of the invention (e.g., where the
polypeptide of the invention is involved in the immune response, for imaging sites of
30 inflammation or infection). See, e.g., Kunkel et al., U.S. Pat. NO. 5,413,778. Such methods involve chemical attachment of a labeling or imaging agent, administration of

the labeled polypeptide to a subject in a pharmaceutically acceptable carrier, and imaging the labeled polypeptide *in vivo* at the target site.

4.18 SCREENING ASSAYS

5 Using the isolated proteins and polynucleotides of the invention, the present invention further provides methods of obtaining and identifying agents which bind to a polypeptide encoded by an ORF corresponding to any of the nucleotide sequences set forth in SEQ ID NO:1-739, or bind to a specific domain of the polypeptide encoded by the nucleic acid. In detail, said method comprises the steps of:

- 10 (a) contacting an agent with an isolated protein encoded by an ORF of the present invention, or nucleic acid of the invention; and
- (b) determining whether the agent binds to said protein or said nucleic acid.

 In general, therefore, such methods for identifying compounds that bind to a polynucleotide of the invention can comprise contacting a compound with a
15 polynucleotide of the invention for a time sufficient to form a polynucleotide/compound complex, and detecting the complex, so that if a polynucleotide/compound complex is detected, a compound that binds to a polynucleotide of the invention is identified.

 Likewise, in general, therefore, such methods for identifying compounds that bind to a polypeptide of the invention can comprise contacting a compound with a polypeptide
20 of the invention for a time sufficient to form a polypeptide/compound complex, and detecting the complex, so that if a polypeptide/compound complex is detected, a compound that binds to a polynucleotide of the invention is identified.

 Methods for identifying compounds that bind to a polypeptide of the invention can also comprise contacting a compound with a polypeptide of the invention in a cell for
25 a time sufficient to form a polypeptide/compound complex, wherein the complex drives expression of a receptor gene sequence in the cell, and detecting the complex by detecting reporter gene sequence expression, so that if a polypeptide/compound complex is detected, a compound that binds a polypeptide of the invention is identified.

 Compounds identified via such methods can include compounds which modulate
30 the activity of a polypeptide of the invention (that is, increase or decrease its activity, relative to activity observed in the absence of the compound). Alternatively, compounds

identified via such methods can include compounds which modulate the expression of a polynucleotide of the invention (that is, increase or decrease expression relative to expression levels observed in the absence of the compound). Compounds, such as compounds identified via the methods of the invention, can be tested using standard assays well known to those of skill in the art for their ability to modulate activity/expression.

The agents screened in the above assay can be, but are not limited to, peptides, carbohydrates, vitamin derivatives, or other pharmaceutical agents. The agents can be selected and screened at random or rationally selected or designed using protein modeling techniques.

For random screening, agents such as peptides, carbohydrates, pharmaceutical agents and the like are selected at random and are assayed for their ability to bind to the protein encoded by the ORF of the present invention. Alternatively, agents may be rationally selected or designed. As used herein, an agent is said to be "rationally selected or designed" when the agent is chosen based on the configuration of the particular protein. For example, one skilled in the art can readily adapt currently available procedures to generate peptides, pharmaceutical agents and the like, capable of binding to a specific peptide sequence, in order to generate rationally designed antipeptide peptides, for example see Hurby et al., Application of Synthetic Peptides: Antisense Peptides," In Synthetic Peptides, A User's Guide, W.H. Freeman, NY (1992), pp. 289-307, and Kaspczak et al., Biochemistry 28:9230-8 (1989), or pharmaceutical agents, or the like.

In addition to the foregoing, one class of agents of the present invention, as broadly described, can be used to control gene expression through binding to one of the ORFs or EMFs of the present invention. As described above, such agents can be randomly screened or rationally designed/selected. Targeting the ORF or EMF allows a skilled artisan to design sequence specific or element specific agents, modulating the expression of either a single ORF or multiple ORFs which rely on the same EMF for expression control. One class of DNA binding agents are agents which contain base residues which hybridize or form a triple helix formation by binding to DNA or RNA. Such agents can be based on the classic phosphodiester, ribonucleic acid backbone, or

can be a variety of sulfhydryl or polymeric derivatives which have base attachment capacity.

Agents suitable for use in these methods preferably contain 20 to 40 bases and are designed to be complementary to a region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res. 6:3073 (1979); Cooney et al., Science 241:456 (1988); and Dervan et al., Science 251:1360 (1991)) or to the mRNA itself (antisense - Okano, J. Neurochem. 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988)). Triple helix-formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. Both techniques have been demonstrated to be effective in model systems. Information contained in the sequences of the present invention is necessary for the design of an antisense or triple helix oligonucleotide and other DNA binding agents.

Agents which bind to a protein encoded by one of the ORFs of the present invention can be used as a diagnostic agent. Agents which bind to a protein encoded by one of the ORFs of the present invention can be formulated using known techniques to generate a pharmaceutical composition.

4.19 USE OF NUCLEIC ACIDS AS PROBES

Another aspect of the subject invention is to provide for polypeptide-specific nucleic acid hybridization probes capable of hybridizing with naturally occurring nucleotide sequences. The hybridization probes of the subject invention may be derived from any of the nucleotide sequences SEQ ID NO:1-739. Because the corresponding gene is only expressed in a limited number of tissues, a hybridization probe derived from any of the nucleotide sequences SEQ ID NO:1-739 can be used as an indicator of the presence of RNA of cell type of such a tissue in a sample.

Any suitable hybridization technique can be employed, such as, for example, in situ hybridization. PCR as described in US Patents Nos. 4,683,195 and 4,965,188 provides additional uses for oligonucleotides based upon the nucleotide sequences. Such probes used in PCR may be of recombinant origin, may be chemically synthesized, or a mixture of both. The probe will comprise a discrete nucleotide sequence for the detection

of identical sequences or a degenerate pool of possible sequences for identification of closely related genomic sequences.

Other means for producing specific hybridization probes for nucleic acids include the cloning of nucleic acid sequences into vectors for the production of mRNA probes. Such vectors are known in the art and are commercially available and may be used to synthesize RNA probes *in vitro* by means of the addition of the appropriate RNA polymerase as T7 or SP6 RNA polymerase and the appropriate radioactively labeled nucleotides. The nucleotide sequences may be used to construct hybridization probes for mapping their respective genomic sequences. The nucleotide sequence provided herein may be mapped to a chromosome or specific regions of a chromosome using well known genetic and/or chromosomal mapping techniques. These techniques include *in situ* hybridization, linkage analysis against known chromosomal markers, hybridization screening with libraries or flow-sorted chromosomal preparations specific to known chromosomes, and the like. The technique of fluorescent *in situ* hybridization of chromosome spreads has been described, among other places, in Verma et al (1988) *Human Chromosomes: A Manual of Basic Techniques*, Pergamon Press, New York NY.

Fluorescent *in situ* hybridization of chromosomal preparations and other physical chromosome mapping techniques may be correlated with additional genetic map data. Examples of genetic map data can be found in the 1994 Genome Issue of *Science* (265:1981f). Correlation between the location of a nucleic acid on a physical chromosomal map and a specific disease (or predisposition to a specific disease) may help delimit the region of DNA associated with that genetic disease. The nucleotide sequences of the subject invention may be used to detect differences in gene sequences between normal, carrier or affected individuals.

25 4.20 **PREPARATION OF SUPPORT BOUND OLIGONUCLEOTIDES**

Oligonucleotides, i.e., small nucleic acid segments, may be readily prepared by, for example, directly synthesizing the oligonucleotide by chemical means, as is commonly practiced using an automated oligonucleotide synthesizer.

Support bound oligonucleotides may be prepared by any of the methods known to those of skill in the art using any suitable support such as glass, polystyrene or Teflon. One strategy is to precisely spot oligonucleotides synthesized by standard synthesizers.

Immobilization can be achieved using passive adsorption (Inouye & Hondo, (1990) *J. Clin. Microbiol.* 28(6) 1469-72); using UV light (Nagata *et al.*, 1985; Dahlen *et al.*, 1987; Morrissey & Collins, (1989) *Mol. Cell Probes* 3(2) 189-207) or by covalent binding of base modified DNA (Keller *et al.*, 1988; 1989); all references being specifically incorporated
5 herein.

Another strategy that may be employed is the use of the strong biotin-streptavidin interaction as a linker. For example, Broude *et al.* (1994) *Proc. Natl. Acad. Sci. USA* 91(8) 3072-6, describe the use of biotinylated probes, although these are duplex probes, that are immobilized on streptavidin-coated magnetic beads. Streptavidin-coated beads may be
10 purchased from Dynal, Oslo. Of course, this same linking chemistry is applicable to coating any surface with streptavidin. Biotinylated probes may be purchased from various sources, such as, e.g., Operon Technologies (Alameda, CA).

Nunc Laboratories (Naperville, IL) is also selling suitable material that could be used. Nunc Laboratories have developed a method by which DNA can be covalently bound
15 to the microwell surface termed CovaLink NH. CovaLink NH is a polystyrene surface grafted with secondary amino groups (>NH) that serve as bridge-heads for further covalent coupling. CovaLink Modules may be purchased from Nunc Laboratories. DNA molecules may be bound to CovaLink exclusively at the 5'-end by a phosphoramidate bond, allowing immobilization of more than 1 pmol of DNA (Rasmussen *et al.*, (1991) *Anal. Biochem.*
20 198(1) 138-42).

The use of CovaLink NH strips for covalent binding of DNA molecules at the 5'-end has been described (Rasmussen *et al.*, (1991). In this technology, a phosphoramidate bond is employed (Chu *et al.*, (1983) *Nucleic Acids Res.* 11(8) 6513-29). This is beneficial as immobilization using only a single covalent bond is preferred. The phosphoramidate bond
25 joins the DNA to the CovaLink NH secondary amino groups that are positioned at the end of spacer arms covalently grafted onto the polystyrene surface through a 2 nm long spacer arm. To link an oligonucleotide to CovaLink NH via an phosphoramidate bond, the oligonucleotide terminus must have a 5'-end phosphate group. It is, perhaps, even possible for biotin to be covalently bound to CovaLink and then streptavidin used to bind the probes.

30 More specifically, the linkage method includes dissolving DNA in water (7.5 ng/ul) and denaturing for 10 min. at 95°C and cooling on ice for 10 min. Ice-cold 0.1 M

1-methylimidazole, pH 7.0 (1-MeIm₇), is then added to a final concentration of 10 mM 1-MeIm₇. A ss DNA solution is then dispensed into CovaLink NH strips (75 ul/well) standing on ice.

Carbodiimide 0.2 M 1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide (EDC), dissolved in 10 mM 1-MeIm₇, is made fresh and 25 ul added per well. The strips are incubated for 5 hours at 50°C. After incubation the strips are washed using, e.g., Nunc-Immuno Wash; first the wells are washed 3 times, then they are soaked with washing solution for 5 min., and finally they are washed 3 times (where in the washing solution is 0.4 N NaOH, 0.25% SDS heated to 50°C).

It is contemplated that a further suitable method for use with the present invention is that described in PCT Patent Application WO 90/03382 (Southern & Maskos), incorporated herein by reference. This method of preparing an oligonucleotide bound to a support involves attaching a nucleoside 3'-reagent through the phosphate group by a covalent phosphodiester link to aliphatic hydroxyl groups carried by the support. The oligonucleotide is then synthesized on the supported nucleoside and protecting groups removed from the synthetic oligonucleotide chain under standard conditions that do not cleave the oligonucleotide from the support. Suitable reagents include nucleoside phosphoramidite and nucleoside hydrogen phosphate.

An on-chip strategy for the preparation of DNA probe for the preparation of DNA probe arrays may be employed. For example, addressable laser-activated photodeprotection may be employed in the chemical synthesis of oligonucleotides directly on a glass surface, as described by Fodor *et al.* (1991) *Science* 251(4995) 767-73, incorporated herein by reference. Probes may also be immobilized on nylon supports as described by Van Ness *et al.* (1991) *Nucleic Acids Res.* 19(12) 3345-50; or linked to Teflon using the method of Duncan & Cavalier (1988) *Anal. Biochem.* 169(1) 104-8; all references being specifically incorporated herein.

To link an oligonucleotide to a nylon support, as described by Van Ness *et al.* (1991), requires activation of the nylon surface via alkylation and selective activation of the 5'-amine of oligonucleotides with cyanuric chloride.

One particular way to prepare support bound oligonucleotides is to utilize the light-generated synthesis described by Pease *et al.*, (1994) *PNAS USA* 91(11) 5022-6,

incorporated herein by reference). These authors used current photolithographic techniques to generate arrays of immobilized oligonucleotide probes (DNA chips). These methods, in which light is used to direct the synthesis of oligonucleotide probes in high-density, miniaturized arrays, utilize photolabile 5'-protected *N*-acyl-deoxynucleoside phosphoramidites, surface linker chemistry and versatile combinatorial synthesis strategies. A matrix of 256 spatially defined oligonucleotide probes may be generated in this manner.

4.21 PREPARATION OF NUCLEIC ACID FRAGMENTS

The nucleic acids may be obtained from any appropriate source, such as cDNAs, genomic DNA, chromosomal DNA, microdissected chromosome bands, cosmid or YAC inserts, and RNA, including mRNA without any amplification steps. For example, Sambrook *et al.* (1989) describes three protocols for the isolation of high molecular weight DNA from mammalian cells (p. 9.14-9.23).

DNA fragments may be prepared as clones in M13, plasmid or lambda vectors and/or prepared directly from genomic DNA or cDNA by PCR or other amplification methods. Samples may be prepared or dispensed in multiwell plates. About 100-1000 ng of DNA samples may be prepared in 2-500 ml of final volume.

The nucleic acids would then be fragmented by any of the methods known to those of skill in the art including, for example, using restriction enzymes as described at 9.24-9.28 of Sambrook *et al.* (1989), shearing by ultrasound and NaOH treatment.

Low pressure shearing is also appropriate, as described by Schriefer *et al.* (1990) Nucleic Acids Res. 18(24) 7455-6, incorporated herein by reference). In this method, DNA samples are passed through a small French pressure cell at a variety of low to intermediate pressures. A lever device allows controlled application of low to intermediate pressures to the cell. The results of these studies indicate that low-pressure shearing is a useful alternative to sonic and enzymatic DNA fragmentation methods.

One particularly suitable way for fragmenting DNA is contemplated to be that using the two base recognition endonuclease, *Cvi*JI, described by Fitzgerald *et al.* (1992) Nucleic Acids Res. 20(14) 3753-62. These authors described an approach for the rapid fragmentation and fractionation of DNA into particular sizes that they contemplated to be suitable for shotgun cloning and sequencing.

The restriction endonuclease *Cvi*JI normally cleaves the recognition sequence PuGCPy between the G and C to leave blunt ends. Atypical reaction conditions, which alter the specificity of this enzyme (*Cvi*JI**), yield a quasi-random distribution of DNA fragments from the small molecule pUC19 (2688 base pairs). Fitzgerald *et al.* (1992) quantitatively evaluated the randomness of this fragmentation strategy, using a *Cvi*JI** digest of pUC19 that was size fractionated by a rapid gel filtration method and directly ligated, without end repair, to a lac Z minus M13 cloning vector. Sequence analysis of 76 clones showed that *Cvi*JI** restricts pyGCPy and PuGCPu, in addition to PuGCPy sites, and that new sequence data is accumulated at a rate consistent with random fragmentation.

10 As reported in the literature, advantages of this approach compared to sonication and agarose gel fractionation include: smaller amounts of DNA are required (0.2-0.5 ug instead of 2-5 ug); and fewer steps are involved (no preligation, end repair, chemical extraction, or agarose gel electrophoresis and elution are needed

Irrespective of the manner in which the nucleic acid fragments are obtained or prepared, it is important to denature the DNA to give single stranded pieces available for hybridization. This is achieved by incubating the DNA solution for 2-5 minutes at 80-90°C. The solution is then cooled quickly to 2°C to prevent renaturation of the DNA fragments before they are contacted with the chip. Phosphate groups must also be removed from genomic DNA by methods known in the art.

20 4.22 PREPARATION OF DNA ARRAYS

Arrays may be prepared by spotting DNA samples on a support such as a nylon membrane. Spotting may be performed by using arrays of metal pins (the positions of which correspond to an array of wells in a microtiter plate) to repeated by transfer of about 20 nl of a DNA solution to a nylon membrane. By offset printing, a density of dots higher than the density of the wells is achieved. One to 25 dots may be accommodated in 1 mm², depending on the type of label used. By avoiding spotting in some preselected number of rows and columns, separate subsets (subarrays) may be formed. Samples in one subarray may be the same genomic segment of DNA (or the same gene) from different individuals, or may be different, overlapped genomic clones. Each of the subarrays may represent replica spotting of the same samples. In one example, a selected gene segment may be amplified from 64 patients. For each patient, the amplified gene segment may be in one 96-well plate

(all 96 wells containing the same sample). A plate for each of the 64 patients is prepared. By using a 96-pin device, all samples may be spotted on one 8 x 12 cm membrane. Subarrays may contain 64 samples, one from each patient. Where the 96 subarrays are identical, the dot span may be 1 mm² and there may be a 1 mm space between subarrays.

5 Another approach is to use membranes or plates (available from NUNC, Naperville, Illinois) which may be partitioned by physical spacers e.g. a plastic grid molded over the membrane, the grid being similar to the sort of membrane applied to the bottom of multiwell plates, or hydrophobic strips. A fixed physical spacer is not preferred for imaging by exposure to flat phosphor-storage screens or x-ray films.

10 The present invention is illustrated in the following examples. Upon consideration of the present disclosure, one of skill in the art will appreciate that many other embodiments and variations may be made in the scope of the present invention. Accordingly, it is intended that the broader aspects of the present invention not be limited to the disclosure of the following examples. The present invention is not to be limited in scope by the
15 exemplified embodiments which are intended as illustrations of single aspects of the invention, and compositions and methods which are functionally equivalent are within the scope of the invention. Indeed, numerous modifications and variations in the practice of the invention are expected to occur to those skilled in the art upon consideration of the present preferred embodiments. Consequently, the only limitations which should be placed upon
20 the scope of the invention are those which appear in the appended claims.

 All references cited within the body of the instant specification are hereby incorporated by reference in their entirety.

5.0 **EXAMPLES**

5.1 **EXAMPLE 1**

25 **Novel Nucleic Acid Sequences Obtained From Various Libraries**

 A plurality of novel nucleic acids were obtained from cDNA libraries prepared from various human tissues and in some cases isolated from a genomic library derived from human chromosome using standard PCR, SBH sequence signature analysis and Sanger sequencing techniques. The inserts of the library were amplified with PCR using primers
30 specific for the vector sequences which flank the inserts. Clones from cDNA libraries were

spotted on nylon membrane filters and screened with oligonucleotide probes (e.g., 7-mers) to obtain signature sequences. The clones were clustered into groups of similar or identical sequences. Representative clones were selected for sequencing.

In some cases, the 5' sequence of the amplified inserts was then deduced using a
5 typical Sanger sequencing protocol. PCR products were purified and subjected to
fluorescent dye terminator cycle sequencing. Single pass gel sequencing was done using a
377 Applied Biosystems (ABI) sequencer to obtain the novel nucleic acid sequences. In
some cases RACE (Random Amplification of cDNA Ends) was performed to further extend
the sequence in the 5' direction.

10

5.2 EXAMPLE 2

Novel Contigs

The novel contigs of the invention were assembled from sequences that were
obtained from a cDNA library by methods described in Example 1 above, and in some cases
15 sequences obtained from one or more public databases. Chromatograms were base called
and assembled using a software suite from University of Washington, Seattle containing
three applications designated PHRED, PHRAP, and CONSED. The sequences for the
resulting nucleic acid contigs are designated as SEQ ID NO: 1-739 and are provided in the
attached Sequence Listing. The contigs were assembled using an EST sequence as a seed.
20 Then a recursive algorithm was used to extend the seed EST into an extended assemblage,
by pulling additional sequences from different databases (i.e., Hyseq's database containing
EST sequences, dbEST version 120, gb pri 120, UniGene version 120, and Genpept 120)
that belong to this assemblage. The algorithm terminated when there was no additional
sequences from the above databases that would extend the assemblage. Inclusion of
25 component sequences into the assemblage was based on a BLASTN hit to the extending
assemblage with BLAST score greater than 300 and percent identity greater than 95%.

The nearest neighbor result for the assembled contig was obtained by a FASTA
version 3 search against Genpept release 120, using FASTXY algorithm. FASTXY is an
improved version of FASTA alignment which allows in-codon frame shifts. The nearest
30 neighbor result showed the closest homologue for each assemblage from Genpept (and

contains the translated amino acid sequences for which the assemblage encodes). The nearest neighbor results for SEQ ID NO: 1-739 are shown in Table 2.

Tables 1, 2, and 3 follow. Table 1 shows the various tissue sources of SEQ ID NO: 1-739. Table 2 shows the nearest neighbor result for the assembled contig. The nearest neighbor result shows the closest homologue for each assemblage and contains the translated amino acid sequences for which the assemblage encodes. Table 2 also shows homologues with identifiable functions for SEQ ID NO: 1-739. The polypeptides were predicted using a software program called FASTY (available from <http://fasta.bioch.virginia.edu>) which selects a polypeptide based on a comparison of translated novel polynucleotides to known polynucleotides (W.R. Pearson, Methods in Enzymology, Vol. 183: pp. 63-98, (1990), herein incorporated by reference). Table 3 shows the predicted amino acid sequence corresponding to the novel nucleic acid contig sequences.

Table 1 - Tissue Sources

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
adult brain	GIBCO	AB3001	28 46 54 62 95 117 134 175 188-189 324 330 337 356 369 371 378 386 389 396 432 435-436 468 472-473 476-477 483 486 518 538-539 543 545 557 565 571 573 578 582 598 613-614 619 627 632 634 639 687 709
adult brain	GIBCO	ABD003	5 12 46 52 57 66 79 91 97 134 144 148 150 162 164 172 175-176 181 186 193 250 323 325-327 330 334 338 362 367 369 371 378-379 386 388-389 392 396-397 399-401 403 416 422 435 444 449 451 454 461 463-464 468 472-473 483 486 494 506 511 513 516 520 523-524 526 529 533 536-537 539 545 548 552 556 558-559 562-563 565 567 569 573-574 576 579-580 582-584 590 593-594 598 602 606 613-614 619- 621 623-624 627 634 637 641 646 648 659 675 688-689 694 696-698 703 714 729
adult brain	Clontech	ABR001	57 162 164 227 266 316 334 356 367 385 438 468 512 524 528 557 582 590 621 627 631 634 689 714
adult brain	Clontech	ABR006	189 228 385 438 571 584 632 650 677
adult brain	Clontech	ABR008	1 3 5 11-25 31-32 46-47 55-57 59

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			61 65-67 69 75 79 91 103 108 111 113-114 126 132 150 160 162 164 171-172 186 188-189 193 202-203 206 210-212 220 222-224 227-229 233 235-236 243-247 251-252 257 264-266 268 275 313 324 328-331 334-335 338-339 343 346-347 351 355 357 359-361 365 367 370-371 378 380 382 386-389 391 396 399- 400 402 406 413 419-420 423 426 432 434 437-438 442 446 448-449 459-460 465 468 470 472-473 475 481-483 487 489-490 495-497 499 501 503-504 507-509 511 520 524 526 528 532-533 536 539-540 543- 546 551-552 556-557 563 565-567 569 572-573 576-577 579-580 582 584 586 590-591 593 595-597 599- 602 604 610-616 620-621 624-625 627-628 632 634 637-638 641 643- 644 646-647 650 653-657 660-662 668 672 675 677-678 680-681 688- 689 691 693 695-696 698 706-707 709 711 713-727 729 731 733-734 736 738-739
adult brain	Clontech	ABR011	334 476 634 677
adult brain	BioChain	ABR012	379 587
adult brain	Invitrogen	ABR013	334 634
adult brain	Invitrogen	ABT004	3 19 57 62 66 75 110 122 150 160 162 167 171 176 186 197 203 211 230 232 259 328-331 334 369 382 389 394 400 406 417 426 429 442 457 472 483-484 492 511 514 529 531 534 537 540 553 558 562 572 580 582-584 590 604 611 613 615 622 637 639 643-644 648 688-689 692 695
cultured preadipo-cytes	Stratagene	ADP001	16 37-39 66 109 120 141 144 193 273 316 331 333 338 389 415 429 442 444 464-465 475 489 501 511 513 531 534 539-540 545-546 557 583-584 590 596 602 607 613 615 619 622 629 632 634 643
adrenal gland	Clontech	ADR002	4-5 12 48 53 57 162 164 172 186 188 192 196 203 207 213 258 316 330-331 333 339 354 356-357 369 383 385 388 392 395 402 406 411 415 434 454-455 465 468 473 475 477 491 498 501 509 511 517 528- 529 532 537-539 542 545 558 560 565 567 576-577 586 600 606 615 621 624 627 632 634 647 653 660 667 683 689 696 714

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
adult heart	GIBCO	AHR001	28 39 57 64-65 75 79 89 97-98 108 117 134 144 157 159-160 164-166 169 171 174 184 192-193 203 207 220 243 256 258 266-267 281 314 316 318 328-329 331 338-339 341 346 348 354 356-357 366-367 369 371 377-379 382 385-386 388 393 395-396 399-401 403 415 420 422 425 431-432 435-436 445 451 459 465 472-473 477 483 486 488 490 496 501 503 508 515 519-520 526 528 531 533-534 537-538 540-541 544 546 552 556-557 562-563 566- 571 573 576-581 583-584 586-587 594 602 606 608 611 613-615 618 620-621 626-628 632 634 641 643 646 648 653 659 667 676 678 687 689 696 703-704 708 711 714 729- 730
adult kidney	GIBCO	AKD001	3 28-29 48 56-57 67 79 84 93 106 117 134 138 140 144 156 160-164 168-170 172 177 183 188-189 192- 193 199 203 207 235 251 257 275 319 321-323 328-330 337 346-347 349 354-356 360 367-369 371 375 378-381 383-386 388-389 392 396- 397 399 401 404 407 409 411-412 415-416 420-422 427 432 436-437 439-440 444 451-456 458-459 464- 465 468 470 472-473 477 481 483 486-487 492 496 501 503 505-506 508 511 513-516 518 524 526 529 533 535 537-541 543 545-546 548 552 557 559-560 562-563 565-569 572-574 576-577 579-587 589-591 593-594 602 604-607 613-614 617- 618 620-624 627-628 630 632-635 637-638 640-642 644-645 652 662 664 667-668 677 682 685 687 689 694-696 698 703 716 723 728-729 732 734
adult kidney	Invitrogen	AKT002	92 136 154 160 164 178 271 314 347 353 360 367 376 378-379 386 391 402 409 423 432 449 451 477 490 494 503 526 528 531 534 538-539 541 545-546 559 566 579 584 588 594 602 613 621 624 632 647 652 689
adult lung	GIBCO	ALG001	56-57 67 69 98 113 134 144 164 172 191-192 270 321 328 338 369 371 374 378 380 388-389 396 405 411 416 424 443-444 456 473-474 482- 483 497 508 518 529 531 534 536

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			540 552 556 559 563 568 573 579-580 585-586 588-589 593 601-602 606 612-613 618 634 662 667 685 696 702 726 729-730
lymph node	Clontech	ALN001	28 57 79 113 164 172 179 193 240 325 332 367 378-379 386 388 402 485 526 580 586 603 613-614 621-622 628 634 662 667 686 734
young liver	GIBCO	ALV001	3 24 28 54 60 117 134 137 154 160 193 196 242 273 316 328-329 334 351 354 370-371 388 392 395-396 401 406 411 415 432 435 439 448 454-455 477 483 486-487 495 506 509 514 518 523-524 526 529 531 534 537-538 540 544 548 566 568 571 573 579 587-588 591 594 602 621 641 645 686 713 723
adult liver	Invitrogen	ALV002	3 24 27 56-57 65-66 71 79 92 97 106 134 140 164 192 200 214 220 232 240 242 271-272 291 313 316 328 347 349-350 353 355 357 368-369 371-372 378-379 381-382 385 397 430 435 448 457 459 471-472 475 485 487 502 505-506 511 520 530-531 533-534 537 540-541 543 548 566 574-575 579 582 588 590 612 623 640 648-649 681 687 689 710 714
adult ovary	Invitrogen	AOV001	3 10 14 28 54 56-58 62 65-66 68 73 75 79 98 127 144 154 162 164-165 172-174 182 186 188-189 192-196 206 213 224 234-235 241 243 248 253 261 273 275 289 314 316 321-322 325-327 329-331 333-334 336-338 340 343 345-348 354-357 367 369 371-372 378 382 386 388 395-397 399-402 404 407 411 415-416 419-420 425 427 429 431 435-437 441 444 451 453-459 465 468-470 472-475 481 485 490 494 496 501 503 509-510 513 517-518 522-524 526 528-529 531-534 537-542 545-546 548 552 554 556-557 559-560 562-563 565 567-569 572-579 581-582 584-588 590-591 593-598 602-604 606 611-615 618 620-623 627 629 631-632 635-638 643 647 652-654 657 659 661-662 667 674-675 677-678 682 684 689 693 695-698 703 705-707 714 717-718 723 729 731 738
adult placenta	Clontech	APL001	172 224 239 363 371 392 437 531 534 622 690 696

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
placenta	Invitrogen	APL002	57 66 122 161 172 241 326 329 334 369 388 407 427 429 436 459 464 506 508 511 539 541 545 566 573 575 590 597 637 648 690
adult spleen	GIBCO	ASP001	28 57 65 78 93 95 117 134 156-157 172 186 188 194 214 273 314 319 331 334 338 344 354 371 374 392 436 457 471-473 478-479 481 483 515 526 528-529 541 548 557 559 563 565 569 573 585-587 603 606 613 615 618 621-622 627 632 634 637 643 654 671 689 696-698 701 712 739
testis	GIBCO	ATS001	3 67 134 160 192 235 327 329 337 342 371 375 378 380-381 396 399 415 431 436 441 451 472 477-478 483 486 494 496 503 522 524 526 531 533-534 538 541-542 546 548 557 568 573 577 579 581 584 594 596 618 641 658 662 689 700 714 729-730
adult bladder	Invitrogen	BLD001	28 57 112 161 164 172 192 194 250 334 354 370 397 404 487 513 526 531 534 545 572 599 602 620 634 651 659 672 689 713 725
bone marrow	Clontech	BMD001	10-11 28 31 54 57 62 75 78-83 88 131-133 135-137 141-143 157 159 164 171-173 176-177 187-189 192 195 200 202 205 207 218 225 282 314-318 325 330 334-335 337 346- 348 367 369 372 378 383 386 388 395 401 405 412-413 416 422 436 442-443 447 449 455 465 472 475 477 503 516 523 528-529 533-534 539 545 551 556 559 563 565-567 571 573-574 576 579-586 594 601- 602 606 613 620-623 628-629 634 638 642-643 646 656 659 666 686 689 691 696 698-699 703 705 714 720 726 729
bone marrow	Clontech	BMD002	2 15 23 35 49 54 57 59 78 81 114 156-157 164 171-172 189-190 202 223 240 325 334 346 357 367 379 381-382 388 397 412 454 465 482 490 509 516 526 535 537 563 566 579 595 600 638 640-641 654-655 676 689 714
adult colon	Invitrogen	CLN001	48 79 94 138 162 167 189 333 368- 369 375 386 404 409 414 435-436 455 470 525 541 548 553 567 603 634 656 659 689 694 721
adult cervix	BioChain	CVX001	3 28 35 54 57 79 83 95 97 113 117 154 162 164 172 176 220 235 248-

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			249 321 327 329 333 338 346 348 354 356 362 367-368 371 374-375 378-379 386 388-389 395 401-402 404 407 420 429 431 437 443 451 459 468 475 477 479 483 485 490 493-494 496 506 508 511 517 526 528 531 534 544 550 552 559 566 569 571-573 575-576 581-583 588 590 593-594 604 606 614 622 628 631-635 639 661-662 675 689 692 695 715 718 738
endothelial cells	Strategene	EDT001	3 28 31 39 54 58 65-66 79 89 144 160 173 187 189 191 193 197-199 207 220 230 267 273 314 324 326 329-331 336 347 354 369 372 378- 379 384 386 388 391-394 396-397 399 401 407 420 422 429 431-432 435-437 444 449 451 455 459 465 472 474-475 481-482 486 490 499- 501 503 506 511 513 515-517 520 522-524 528 531-534 538-539 541 545-546 548 550 552 557 559-560 563 565 567 569 571 573 577 579- 580 583-584 587-590 593-594 596- 597 599 602 611 614-615 618 620- 621 624 630 632-634 637-638 642- 643 647-648 651 675 677 680 682 694 696-698 703 708 714 719 724- 725 728-730 734
Genomic clones from the short arm of chromosome 8	Genomic DNA from Genetic Research	EPM001	38 41-45 118-121 164 198 292-312
Genomic clones from the short arm of chromosome 8	Genomic DNA from Genetic Research	EPM003	43 164 295
Genomic clones from the short arm of chromosome 8	Genomic DNA from Genetic Research	EPM004	121 164 306 482
Genomic clones from the short arm of chromosome 8	Genomic DNA from Genetic Research	EPM006	293

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
esophagus	BioChain	ESO002	513 526
fetal brain	Clontech	FBR001	57 468 563 634
fetal brain	Clontech	FBR004	162 186 254 265 491 582
fetal brain	Clontech	FBR006	1-2 5-6 11-12 22-23 49 57 62 73 94 103 114 162 164 172 189 193 203 218 240 244 251-252 259 279 330- 331 334-335 346-347 351 367 378 386 388-389 399 413 420 422 424 434 442 444 448 465 468 470 472- 473 490 496 501 503-504 511 520 524 528 532-533 539 544-546 548 551 553 563 571 573 576 587 591 601 613 615-616 620-621 628 634 641 644 648 653 657 662 672-673 689 691 698 706 714 718 725-728 733 735-739
fetal brain	Clontech	FBRs03	444 587
fetal brain	Invitrogen	FBT002	17 66 157 162 164 186 190 193 250 270 324 331 334-335 338 346 354- 355 374 382 389-390 426 429-430 437 442 453 467 471 475 481 485 491 507-508 513-514 526 528 532 540 544 548 550 552-553 557-558 563 565-566 590 593 602 612 615 637 641 648 654 662 672 676 692 703
fetal heart	Invitrogen	FHR001	57 75 164 547
fetal kidney	Clontech	FKD001	57 164 172 179 188 194 208 218 230 240 250 330 334 369 388 401 413 439 454 465 529 546 550 573 576 581 583 594-596 602 634 648 667 676 689 698 706
fetal kidney	Clontech	FKD002	2 560
fetal kidney	Invitrogen	FKD007	565 596-597
fetal lung	Clontech	FLG001	75 164 355 386 428 455 513 524 528 631 689
fetal lung	Invitrogen	FLG003	30 157 162 169 188 243 253 256 283 330 392 400-401 404 407 424 428 435-436 479 506 508 520 530-531 534 572 578 584 602 611 613 631 654 658 662 676 689 701 716
fetal lung	Clontech	FLG004	371
fetal liver-spleen	Columbia University	FLS001	2-3 5 26 29 31 35 48 54-58 60 62 65 67 70 74-77 79-80 84-87 89 92 96 98-100 104 117 122-130 138 140 144-158 160 162 164 172-173 185- 186 188-189 192-194 196 199-200 207 214 218-219 237-238 241 269 273 280 282 314-316 318-322 324 327 329-331 334-335 337 340 345 348-350 354-358 363-364 367-371

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			373 375 377-380 382-383 385-386 388 394-396 399 402 409 411-412 418 420-422 424 427 431 435-437 440 442 448-451 453 455 459 461 464-465 470 472-473 475 477-478 480-485 488-490 501 503 505-506 509 511-513 515-518 520 522-524 526-534 538-539 541 543-547 549- 550 552-553 556-557 559-564 566- 567 569 571 573 576 578-580 582- 587 589 591-594 596-597 599-600 602 611-615 618 620-625 627-628 631-636 638 641-642 646 648 651 659-660 662-664 667-668 675-678 680-681 684 689-690 696-698 709 714 723 738
fetal liver-spleen	Columbia University	FLS002	15 31-32 39-40 47-49 52 56 60 65 69 72 75 78 84 97-98 100 104 115 123 138 140 144 146 152-153 157 161 164 172-173 182 188 194 196 199 220 241-242 246 249 253 255 266 273-275 280-281 288-291 314- 316 318-319 321-322 324 329-331 336-339 343 347-350 353-354 357- 358 363 367 369-370 372 374 378- 380 382-383 386 388-389 393-397 399 405 407 409-410 412 421 424 432 435 439 448 450-451 453-457 459 461 464-465 470 472-475 477 479-481 483 485 488 490 497 501 503 506 509 511-513 516-518 520 524 527-528 531-532 534 539 541- 546 556 559-560 565-566 569 571 574 576 579 582-586 588 590 597- 599 602-604 606 615 618 620-621 623 625 627 632-634 639 641 644 648 666-668 675-676 681 684 689- 690 696-697 701 703 714 719 723 734-735
fetal liver-spleen	Columbia University	FLS003	60 79 157 190 690
fetal liver	Invitrogen	FLV001	3 27 35 48 50 56-57 66 75 92 94 105 157 161 164 176 189 209 220 243 272 324 328 333 335 353 369- 370 381 392 396 429-430 435 439- 440 442 444 465 471 483 487 502 506 513-514 519 534-535 537 548 554 566 568 576-577 580 582 590 613 621 645 648-649 689
fetal liver	Clontech	FLV002	343
fetal muscle	Invitrogen	FMS001	51 79 97 108-110 166 194 196 266 341 352 380 389 402 407 444 464

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			475 501 513 524 546 552 554 560 570 572 598 605 628 634 649 675 703-704 714 737
fetal muscle	Invitrogen	FMS002	524
fetal skin	Invitrogen	FSK001	31 33 35 48 57 63 67 75 112-114 117 157 162 164 172 178 180 188 196 220 243 254 319 324 328 330 333-334 367 369 371 375 379-383 386 388-389 400 404 407 412 419- 420 429 444 455 472-473 491 499 503 508 511 514 517 522-524 529 531 534 537 540 542 547 552 554 556-557 560 563 565 567 571-572 574 576 579 590 596 599 616 621 625 627 631-632 634 639-640 648 653-654 662 689 708 714
fetal skin	Invitrogen	FSK002	501 537
fetal spleen	BioChain	FSP001	465 729
umbilical cord	BioChain	FUC001	27-28 35 57 68 83 105 136 157 159- 160 164 188 191 225 279 315-316 321 328 334 363 367 369 378-379 383 386 388-389 392 397 406-407 413 415-416 427 440 449 455 458 461 464-465 468 473-475 479 485- 486 488 490 496 514 517 522 524 526 528-529 531 533-534 538 540 546 550 552 556-558 572 582 584- 585 587-588 594-597 602 606 613 616 618-619 631 634 637 651 689 696 698 706 729
fetal brain	GIBCO	HFB001	3 5 22 26 46 53 66 73 94 117 134 139 164 172-173 188-189 212 215 230-231 248 251 262 288-289 316 325 329-331 334 337-338 348 352 365-367 369 371 377-379 385-386 388 392 394 396 400 403 420 422 429 437 444-446 449 451 455 459 461-463 466-468 472-473 475 477 481 483 485-486 488 490-491 496 503-504 506 513 523-524 529 532- 533 539-541 545 548 550 552 557- 560 563 565-566 569 571 576-577 579-580 583-584 586 590 593-594 596-599 601-602 604 606 611 613 615 618 621-623 627-628 634-635 637 641 643 647 662 664-665 667 675 677 680 689 695-697 703 726
macrophage	Invitrogen	HMP001	97 518 532 569
infant brain	Columbia University	IB2002	28 46 56-57 59 67 75 78 109 117 122 129 144 157 162 164-165 172 176 180 190 193 212 220 226 236-

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			237 251 261-262 316 318 324 328-330 334-335 337 340 354-356 361 364-365 367 369 371-373 377-380 382 385-386 389 392 395 397 400 411 416 421-422 429 432 436 438 444 448 451 456 464-465 469 471-475 484 486 496 504-506 511 520 524 526 529 531 533-534 537-540 544-546 548 553 556 558 562 565 567 576 579-580 582 584 586 589-590 593 597-598 602 613-614 618 620-621 627-628 632 634 636 641 650 654 659 662 667 683 689 721 730
infant brain	Columbia University	IB2003	46 54 75 109 156 164 220 244 251 314 324-325 331 335 340 361-362 367 369 377-379 400 408 438 442 456 460 464 469 472 496 506 523-524 526 529 538 540 544-545 547 558 560-562 565 567 569 579 584 598 602 613 615 621 627 632 634 637 639 650 738
infant brain	Columbia University	IBM002	262 340 432 436 438 472 531 534 569 613 634
infant brain	Columbia University	IBS001	162 231 283 331 369 385 438 444 472 506 513 523 531 534 580 615 636 689
lung, fibroblast	Stratagene	LFB001	28 54 57 65 172 188 233 321 331 340 347 367 369 378-379 388 401 451 459 475 479 503 511 522 524 532 534 559-560 573 580 583 587 597 615 632 634 638 686 689 708
lung tumor	Invitrogen	LGT002	3 7 21 24 26 28 31 54 56-57 62-63 66 92-93 101 109 112 162 164 171-172 176 183 188-189 192-193 196 201-202 223 230 235 259 273-274 316 321 329-331 333-334 338 345 347-348 356 367 369 371-372 378-379 381-382 386 388-390 396 399-404 406 409 416 424-425 427 429 432 436-437 439 451 455-456 459 464-465 467 473 475 484-486 490 499 502-503 506 508 511 513-514 517-518 522 524 526 528 531-532 534-535 538-539 541 543-546 553 557-559 563 567-568 571 573 575-576 579-580 585-588 590-591 593-594 598 601-604 609 611-613 615 621 627-628 631-632 636-637 645 648 651-652 654 662 667 672 677 681 683 689 698 701-702 714 718 724 726 729 734
lymphocytes	ATCC	LPC001	4 31-32 35 57 65-66 70 110 116 156

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			162 164 230 243 250 282 287 326 328-330 334 336 346-347 359 378 386 388 397 407 414 416 419 472 497 520 525 539 545 549 551 582 590 606 615 618 621 631 634 686 692 698 701 714
leukocyte	GIBCO	LUC001	4 7 9-11 23 28 31 35 39 54 65 75- 76 79 90 97 110 117 134 152 157 159 162 164-167 171 173 176 188 193 199 204 207 220 244 253 255 314 316 318 321 324 326 329-330 337-339 346-347 352 354 356 367 369 371 378-379 382 388-389 392 396-397 400-402 405 415-416 420 422 429 432 435-436 443-444 449 454-455 457-459 465 479 481-486 491 497 501 503-504 506 508 511 514 516 520 523-525 529 532-533 535 538-539 545 548 552-554 556 559-560 562-563 565-566 569 571- 573 576 579 581 585-587 590 593- 594 598 600-602 604 606-609 613- 614 618 620-622 624 627 630 632- 634 636 638 643 645 660-662 667 678 682 684 686 689 691 693 696- 698 714 726
leukocyte	Clontech	LUC003	11 54 97 152 164 330 479 546 564- 565 593 613 627 634 646 696 729
melanoma from cell line ATCC #CRL 1424	Clontech	MEL004	2 57 67 79 164 171-173 188 193 196 232 321 337 341 346 367 379-380 388 407 427 454 472 477 482 501 520 539 545 552 556 579 588 593 598 611 621 631 648 665 714 730
mammary gland	Invitrogen	MMG001	3 20-21 29 31 54 56-57 63-66 79 94 109 112-113 117 122 125 138 141 154 160 162 164 172 176 186 189 192 204 214 220-221 232 238 251 255 257 273 276-278 324 326 328- 331 333 335 337 341-343 347 354- 355 357 367-371 374-375 379 382- 386 388-392 397 399-400 404 406- 408 410-411 425 431 435-436 444 451 455 457 459 461 464-465 470- 471 475 479 483 485 487-488 491 501 506-508 511 513-519 523-524 526 529 531-532 534-535 537 539- 540 542-545 552-554 557-560 563 566 569 572 577 580 584 587-588 590 597-598 602 604-605 609 611 613 615 624 627 631-634 637 639- 640 643 648-649 654 664 669-670 672-673 676-679 681 689 691-695 697-698 706 714 731 734 737

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
induced neuron cells	Stratogene	NTD001	36 57 164 284 388 397 420 481 485 501 524 528-529 539 542 545 560 571 579 582 595 602 620 637 654 667 689 730
retinoid acid induced neuronal cells	Stratogene	NTR001	524 584 693
neuronal cells	Stratogene	NTU001	36-38 120 204 331 351 354 357 386 388 399 411 442 459 516 533 539 545 565 586 606 615 621 637-638 642 646 648 714 730
placenta	Clontech	PLA003	503 579 690
prostate	Clontech	PRT001	15 40 65 164 187 207 229 337 348 367 375 377-378 395 406 416 428 458 468 476 511 524 526 531 534 538 555 559 563 576 584 597 613 622 624 631 642 667 672 677 684 724 734
rectum	Invitrogen	REC001	57 67 164 260 331 343 370-371 380 382 384 404 409 436 444 475 485 498 513 524 526 540 542 552 554 581 615 619 624 627 634 654 659 671 689 714
salivary gland	Clontech	SAL001	21 84 106-107 152 179 238 246 255 273 287 371 378 383 401 407 420 455 475 477 509 512 515 521 541 548 565 570-571 573-574 589 606 628 634 636 652 689 703 738
skin fibroblast	ATCC	SFB002	192
skin fibroblast	ATCC	SFB003	464
small intestine	Clontech	SIN001	57 66 71 98 116 150 164 172 327 336 343 362 367 379 388 397 401- 402 417 429 433 436 496 526 528 533 590 602 620 631 634 667 678 711
skeletal muscle	Clontech	SKM001	3 57 66 101 164 172 256 266 325 379 385 449 468 485 487 518 552 554 566-567 570 582 584 590 606 611 628 631 738
spinal cord	Clontech	SPC001	10 54 57 66 75 100 102 114 144 164 175 193 199 215-216 325 334 337 367 370 380 385-386 406 411-413 419 429 466 470 486 518 526 529 531 534 574 579 585 587 590 604 620-621 631-632 634 642 644 648 659 688-689 691 693 695
adult spleen	Clontech	SPLc01	478 572
stomach	Clontech	STO001	26 90 164 218 358 369 386 468 475

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			485 526 532 569 576 579 581 586 603 631 634 677 682 689
thalamus	Clontech	THA002	17 31 57 66 109 127 164 217-218 262 315-316 324 330 357 369 386 388 400 406 435 456 459 464 468- 469 515-516 537 540-541 556 566 574 590 611 622 631 634 644 648 656 677-678 680
thymus	Clontech	THM001	6 15 26 54 79 164 172 187 193 201 264 291 315 329 331 351 356 367 397-398 401 407 412 424 427 429 435-436 443 451 474 478 482 549 563 565 567 569 576 578 581-582 610 615 621 631-632 634 648 662 667 669 679 689 693 696
thymus	Clontech	THMc02	3-6 8 11 16 18 34 58-59 67 132 149 162 164 167 172-173 186 188-189 193 200 203 216 223 232 239 255 263 265 319-320 331 333-334 355 359 370 373 377-380 382 387-390 393 395 398-399 402 404 408 420 427 434 436 467 475-476 503 508 518 524 526 532 540 560 563 565 571-572 576-577 579 582 598 601 603 612-613 615 621 627 632 634 639 641 648 651 657 659 662 672 677-678 684-686 689 696 699 706 714-716 722 726-729 732
thyroid gland	Clontech	THR001	5 29-30 40 54 57 66 72 79 117 144 160 164 166 170 172 176 183 188- 189 208-209 219 230 285-286 314 318 327 331 335 338 344 347 354 363 367 375 377-380 382 384-386 388 393 397 399 401-403 419 422 429 436 442 444 451 456 458-461 464 467-468 470 472-473 476-477 481 488 494 503 508-509 511 516 519-521 524 528-529 533 537-538 543 548 557 559-560 563 565-566 571-574 576 582 585 587 590-591 593-594 596-597 606 614-615 620- 621 623-624 627 631-634 640 650- 651 653 662 667 669-670 675 679 689 708 712 714
trachea	Clontech	TRC001	156 164 171 240 375 378 390 400 422 468 484 565 574 581 585 587 631 654 689 714
uterus	Clontech	UTR001	65. 77 79 101 164 220 367 369 451 468 526 530 533 548 554 559 562 568 573 582 594 637 648 689

Table 2 - Nearest Neighbor Results

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
1	1000	gi70214 84	Mus musculus	secretory carrier membrane protein 4	567	85
2	10017	R06463	Homo sapiens	Derived protein of clone ICA13 (ATCC 40553).	848	100
3	10020	gi10659 67	Caenorhabditis elegans	similar to other protein phosphatases 1, 2A and 2B	325	36
4	10024	G03460	Homo sapiens	Human secreted protein,	439	98
5	10032	Y12505	Homo sapiens	Human 5' EST secreted protein	136	87
6	10042	Y29511	Homo sapiens	Human lung tumour protein SAL-25 1st predicted amino acid sequence.	701	100
7	1006	Y92324	Homo sapiens	Human alpha-2-delta-D polypeptide from splice variant 1.	763	100
8	10064	gi45893 75	Homo sapiens	Gab2	425	58
9	1007	gi70183 98	Homo sapiens		151	75
10	1008	gi89606 5	Homo sapiens	protein that is immuno-reactive with anti-PTH polyclonal antibodies	1226	99
11	10088	gi37792 44	Homo sapiens	Metallo-protease 1	1512	98
12	10089	gi29472 32	Homo sapiens	membrane associated guanylate kinase 2	523	100
13	10091	gi33478 63	Mus musculus	cAMP-specific cyclic	223	54

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				nucleotide phosphodiesterase PDE8; MMPDE8		
14	10098	gi6979311	Homo sapiens	cysteine-rich repeat-containing protein S52 precursor	1068	100
15	10102	G01395	Homo sapiens	Human secreted protein,	297	88
16	10103	gi854733	Rattus norvegicus	casein kinase 1 gamma 1 isoform	293	84
17	10104	Y60017	Homo sapiens	Human endometrium tumour EST encoded protein 77.	154	100
18	10108	G03290	Homo sapiens	Human secreted protein,	215	97
19	10110	gi7292299	Drosophila melanogaster	CG1271 gene product	208	46
20	10111	gi4512334	Rattus norvegicus	Ca/calmodulin-dependent protein kinase kinase alpha, CaM-kinase kinase alpha	822	89
21	10113	Y41694	Homo sapiens	Human PRO382 protein sequence.	633	97
22	10114	gi349075	Rattus norvegicus	calmodulin-binding protein	531	99
23	10116	gi162981	Bos taurus	endozepine-related protein precursor	937	87
24	10121	gi8979743	Canis familiaris	Band4.1-like5 protein	643	100
25	10126	Y99420	Homo sapiens	Human PRO1486 (UNQ755) amino acid sequence	607	100
26	1013	gi804750	Homo sapiens	protein tyrosine	614	73

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				phosphatase		
27	10136	W02105	Homo sapiens	Human L-asparaginase.	1243	98
28	10142	Y35924	Homo sapiens	Extended human secreted protein sequence,	862	89
29	10148	gi3334982	Homo sapiens	R27216_1	329	98
30	1015	G02485	Homo sapiens	Human secreted protein,	120	72
31	10154	gi10798804	Homo sapiens	sperm antigen	2607	98
32	10175	Y96864	Homo sapiens	SEQ. ID. 37 from W00034474.	536	100
33	10196	gi553621	Homo sapiens	profilaggrin	346	39
34	10198	gi1419016	Mus musculus	odorant receptor	281	53
35	10200	Y57903	Homo sapiens	Human transmembrane protein HTMPN-27.	448	100
36	10208	gi4062492	Escherichia coli		505	100
37	10212	gi882529	Escherichia coli	ORF_f141	625	96
38	10213	gi4062778	Escherichia coli	Hypothetical protein HI0761	773	98
39	10214	gi6693832	Rattus norvegicus	opioid growth factor receptor	661	44
40	10227	G01360	Homo sapiens	Human secreted protein,	384	100
41	10236	gi1651257	Escherichia coli	.	373	100
42	10241	gi2769262	Escherichia coli	catabolite gene activator protein	178	96
43	10245	gi1789539	Escherichia coli	orf, hypothetical protein	679	98
44	10246	gi882492	Escherichia coli	ORF_o179	488	97
45	10247	gi1742149	Escherichia coli	Sn-glycerol-3-phosphate	323	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				transport system permease protein UgpA.		
46	10282	Y29817	Homo sapiens	Human synapse related glycoprotein 2.	521	96
47	1031	gi6435130	Mus musculus	putative E1-E2 ATPase	990	86
48	1040	gi854124	Homo sapiens	Human giant larvae homologue	471	63
49	1043	gi3882285	Homo sapiens	KIAA0782 protein	154	61
50	1051	gi178216	Homo sapiens	anion exchange protein 1	172	100
51	1053	Y76748	Homo sapiens	Human protein kinase homologue, PKH-1.	180	92
52	1062	gi965014	Mus musculus	ADAM 4 protein precursor	492	65
53	1063	gi2393880	Drosophila melanogaster	A-kinase anchor protein DAKAP550	580	60
54	1066	gi2746788	Caenorhabditis elegans	contains similarity to transacylases	607	35
55	107	G00357	Homo sapiens	Human secreted protein,	183	77
56	1071	gi9105937	Xylella fastidiosa	Acetylglutamate kinase	505	36
57	1085	R95913	Homo sapiens	Neural thread protein.	257	55
58	1086	Y76332	Homo sapiens	Fragment of human secreted protein encoded by gene 38.	387	58
59	1088	gi4589642	Homo sapiens	KIAA0999 protein	873	99
60	109	gi763431	Homo sapiens	KIAA0999 protein	360	85
61	1095	Y94907	Homo sapiens	Human secreted	701	97

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				protein clone ca106_19x protein sequence		
62	1102	Y07096	Homo sapiens	Colon cancer associated antigen precursor sequence.	1982	100
63	1105	Y84907	Homo sapiens	A human proliferation and apoptosis related protein.	983	91
64	1108	gi1398903	Mus musculus	Ca ²⁺ dependent activator protein for secretion	1307	89
65	1109	Y91524	Homo sapiens	Human secreted protein sequence encoded by gene 74	2400	99
66	1113	gi1657462	Sus scrofa	calcium/calmodulin-dependent protein kinase II isoform gamma-E	1348	94
67	1117	Y32169	Homo sapiens	Human growth-associated protease inhibitor heavy chain precursor.	2831	97
68	1118	gi3063517	Homo sapiens		1138	98
69	1125	gi8248285	Homo sapiens	sphingosine kinase type 2 isoform	1290	98
70	1132	Y94918	Homo sapiens	Human secreted protein clone dd504_18 protein sequence	437	59
71	1143	gi45806	Homo sapiens	prepro-major	209	40

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		77		basic protein homolog		
72	1146	gi182395	Homo sapiens	focal adhesion kinase	131	87
73	1161	W90962	Homo sapiens	Human CSGP-2 protein.	931	100
74	117	W69428	Homo sapiens	Human secreted protein bp537_4.	159	93
75	1170	gi34339	Homo sapiens		586	87
76	1175	gi7960243	Homo sapiens	SNARE protein kinase SNAK	308	100
77	118	gi5360093	Homo sapiens	NY-REN-18 antigen	178	96
78	1183	gi292037	Homo sapiens	helix-loop-helix phosphoprotein	361	91
79	1193	gi1899186	Rattus norvegicus	polysialyltransferase	171	76
80	1195	gi1399462	Homo sapiens	serine/threonine-protein kinase PRP4h	208	71
81	1198	gi181535	Homo sapiens	defensin precursor	150	71
82	1201	gi5668935	Rattus norvegicus	plasma membrane Ca ²⁺ ATPase isoform 1kb	244	73
83	1207	gi6224868	Homo sapiens	TANK binding kinase TBK1	716	86
84	1210	gi179646	Homo sapiens	complement component C1s	242	61
85	1211	gi1483187	Homo sapiens		296	65
86	1214	gi7800638	Streptococcus pneumoniae	PspA	121	37
87	123	Y44810	Homo sapiens	Human Aspartic Protease-2 (NHAP-2).	218	93
88	1259	gi2116672	Homo sapiens	EAR-1r	128	70
89	1266	gi7243125	Homo sapiens	KIAA1372 protein	403	53
90	1270	gi1289445	Homo sapiens	diacylglycerol kinase epsilon DGK	125	96

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
91	1290	gi1429371	Drosophila melanogaster	ubiquitin-specific protease	470	41
92	1291	Y66755	Homo sapiens	Membrane-bound protein PRO1185.	993	100
93	1296	gi9652087	Homo sapiens	scavenger receptor cysteine-rich type 1 protein M160 precursor	1183	99
94	1299	gi7300398	Drosophila melanogaster	CG7683 gene product	397	40
95	1317	gi3695115	Rattus norvegicus	CL1AA	216	100
96	132	gi187171	Homo sapiens	12-lipoxygenase	176	97
97	1330	Y12482	Homo sapiens	Human 5' EST secreted protein	65	44
98	1336	gi10798814	Homo sapiens	MLTK-beta	2366	99
99	135	gi456090	Homo sapiens	effector cell protease receptor 1	190	74
100	1356	gi193057	Mus musculus	envelope polyprotein precursor	131	36
101	1369	gi458657	Homo sapiens	glucocorticoid receptor alpha-2	596	89
102	1392	gi8493519	Mus musculus	nuclear localization signal binding protein	145	59
103	1408	gi3127051	Rattus norvegicus	potassium channel regulatory protein KChAP	176	84
104	141	gi6453613	Mus musculus	putative protein kinase	204	33
105	1424	gi2982501	Homo sapiens	neuropathy target esterase	769	100
106	143	W50033	Homo sapiens	Human immunity related factor.	1201	98
107	1431	gi10644	Heterodera	hypothetical	133	36

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		565	glycines	esophageal gland cell secretory protein 10		
108	1441	gi3044086	Myxococcus xanthus	unknown	149	32
109	1444	gi7248381	Homo sapiens	adaptor protein p130Cas	1615	97
110	1447	Y65168	Homo sapiens	Human 5' EST related polypeptide	403	97
111	1457	W19919	Homo sapiens	Human Ksr-1 (kinase suppressor of Ras).	227	77
112	1471	G02532	Homo sapiens	Human secreted protein,	97	59
113	1473	gi6062874	Homo sapiens	candidate tumor suppressor protein DICE1	581	100
114	1474	Y64896	Homo sapiens	Human 5' EST related polypeptide	197	100
115	1483	gi436218	Homo sapiens	KIAA0037	295	76
116	1486	gi5852834	Homo sapiens	bridging integrator-2	133	64
117	149	gi3327162	Homo sapiens	KIAA0674 protein	2243	98
118	1503	gi1736785	Escherichia coli	.	1270	97
119	1506	gi4062298	Escherichia coli	YhhI protein	612	90
120	1513	gi4062346	Escherichia coli	.	556	94
121	1514	gi216609	Escherichia coli	PhoQ protein	661	90
122	1523	gi5712756	Rattus norvegicus	calcium transporter CaT1	1178	90
123	1527	gi1853980	Mus musculus	glucocorticoid receptor interacting protein 1	171	84
124	1536	Y17227	Homo sapiens	Human secreted	452	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				protein (clone yal-1).		
125	154	gi8515090	Pinus taeda	putative arabinogalactan protein	81	40
126	1544	gi3879933	Caenorhabditis elegans	Similarity to Xenopus F-spondin precursor (PIR Acc. No. comes from this gene	134	34
127	1554	gi6523817	Homo sapiens	SIR protein	255	84
128	1555	gi6635205	Homo sapiens	beta-ureidopropionase	210	90
129	1556	Y39286	Homo sapiens	Phosphodiesterase 10 (PDE10) clone FB93a.	161	61
130	1564	gi8977945	Streptomyces coelicolor A3(2)	putative secreted serine protease	231	45
131	1576	gi3025828	Rattus norvegicus	signal transducer and activator of transcription 4	183	97
132	1578	gi5106572	Homo sapiens	transcriptional activator SRCAP	758	98
133	1579	gi8575527	Homo sapiens	toll-like receptor 8	595	99
134	158	gi406058	Mus musculus	protein kinase	168	70
135	1580	gi63340	Gallus gallus	c-Rmil	231	90
136	1588	gi2217931	Homo sapiens	PKU-alpha	127	92
137	1589	gil272422	Mus musculus	Phosphoinositide 3-kinase	720	99
138	159	gi2224629	Homo sapiens	KIAA0344	215	43
139	1600	gil016012	Rattus norvegicus	neural cell adhesion protein BIG-2 precursor	543	93
140	161	gi6649583	Homo sapiens	kidney and liver proline	1651	98

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				oxidase 1		
141	1612	gi406113	Rattus norvegicus	protein kinase I	125	89
142	1615	gi219992	Homo sapiens	phSR2	150	78
143	1620	gi5714636	Homo sapiens	serine/threonine protein kinase Kp78 splice variant CTAK75a	126	71
144	1644	Y13352	Homo sapiens	Amino acid sequence of protein PRO228.	2542	100
145	1647	Y99444	Homo sapiens	Human PRO1575 (UNQ781) amino acid sequence	704	100
146	1650	gi3789765	Homo sapiens	transmembrane receptor UNC5C	271	100
147	1663	W75258	Homo sapiens	Fragment of human secreted protein encoded by gene 26.	163	.96
148	1665	gi10432431	Homo sapiens	secreted modular calcium-binding protein	1428	99
149	1671	gi6708169	Mus musculus	inositol phosphatase eSHIPD183	169	97
150	1672	Y68773	Homo sapiens	Amino acid sequence of a human phosphorylation effector PHSP-5.	1030	99
151	1678	gi6063017	Homo sapiens	tousled-like kinase 1	132	86
152	1680	gi3510603	Homo sapiens	nuclear receptor co-repressor N-CoR	278	80
153	1692	gi1546084	Homo sapiens	farnesol receptor HRR-1	165	100
154	1698	gi520469	Oryctolagus cuniculus	597 aa protein related to	177	94

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
				Na/glucose cotransporters		
155	1702	gi10432382	Homo sapiens		519	95
156	1704	Y91668	Homo sapiens	Human secreted protein sequence encoded by gene 73	214	75
157	1708	gi3080757	Mus musculus	growth factor independence-1B	457	78
158	1716	gi29653	Homo sapiens	putative oncogene	220	92
159	173	gi3452473	Rattus norvegicus	serine/threonine protein kinase TAO1	699	100
160	1731	Y27581	Homo sapiens	Human secreted protein encoded by gene No. 15.	774	100
161	1732	gi9652087	Homo sapiens	scavenger receptor cysteine-rich type 1 protein M160 precursor	1025	98
162	174	Y35923	Homo sapiens	Extended human secreted protein sequence,	1691	100
163	1740	Y53014	Homo sapiens	Human secreted protein clone fn189_13 protein sequence	337	60
164	1748	gi7770237	Homo sapiens	PRO2822	218	93
165	1751	gi8979825	Homo sapiens		306	50
166	1755	R95332	Homo sapiens	Tumor necrosis factor receptor 1 death domain ligand (clone	1184	62

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				3TW).		
167	1762	gi73809 47	Homo sapiens	Gem-interacting protein	1545	99
168	1776	gi59122 65	Homo sapiens	hypothetical protein	224	100
169	1777	Y70461	Homo sapiens	Human membrane channel protein-11 (MECHP-11).	413	95
170	1781	R26060	Homo sapiens	Growth Factor Receptor Bound protein GRB-1.	398	98
171	1796	gi10312 169	Homo sapiens	serine carboxypeptidase 1 precursor protein	1381	99
172	180	gi30025 27	Homo sapiens	neuronal thread protein AD7c-NTP	477	61
173	182	gi73851 31	Homo sapiens	HBV pX associated protein-8; XAP-8	2066	82
174	1820	G03249	Homo sapiens	Human secreted protein,	370	97
175	1822	gi47396 9	Oryctolagus cuniculus	one of the members of sodium-glucose cotransporter family	1048	90
176	1829	gi10440 355	Homo sapiens	FLJ00012 protein	310	96
177	1832	gi16565 0	Oryctolagus cuniculus	phosphorylase kinase beta-subunit	146	96
178	1834	W75132	Homo sapiens	Human secreted protein encoded by gene 11 clone HCENJ40.	423	47
179	1837	gi60369	Saimiriine herpesvirus 2	ORF 48-EDLF5-sim. to EBV BRRF2	615	71

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
180	1859	gi9989696	Homo sapiens	ROR2 protein	645	87
181	1880	gi7340847	Mus musculus	chondroitin 4-sulfotransferase	275	40
182	1881	gi7573291	Homo sapiens		298	100
183	1890	gi3149950	Homo sapiens	ST1C2	183	94
184	1899	gi2143260	Homo sapiens	Phosphoinositide 3-kinase	346	98
185	19	gi1808582	Homo sapiens	U2AF1-RS2	224	46
186	192	G03192	Homo sapiens	Human secreted protein,	267	86
187	1922	gi485858	Mus musculus	IB3/5-polypeptide	1206	78
188	1945	gi37261	Homo sapiens		1402	97
189	195	W67863	Homo sapiens	Human secreted protein encoded by gene 57 clone HFEBF41.	551	98
190	1957	gi406738	Homo sapiens	Shb	263	44
191	1969	Y41701	Homo sapiens	Human PRO708 protein sequence.	975	98
192	1970	gi3979817	Caenorhabditis elegans	Weak similarity to Human tyrosine-protein kinase CSK	254	49
193	1973	G00796	Homo sapiens	Human secreted protein,	365	98
194	1985	gi4558637	Homo sapiens	Putative homolog of hypoxia inducible factor three alpha	1420	99
195	1986	gi4455015	Homo sapiens	host cell factor homolog	367	50

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				LCP		
196	2	G02532	Homo sapiens	Human secreted protein,	106	85
197	2004	gi10503 935	Homo sapiens	type A calpain-like protease	961	100
198	2023	gi16513 41	Escherichia coli	.	1075	97
199	2025	Y71069	Homo sapiens	Human membrane transport protein, MTRP-14.	540	100
200	2038	gi85725 43	Homo sapiens	membrane-associated lectin type-C	686	98
201	2041	gi37400	Homo sapiens	trk-2h polypeptide	228	89
202	2043	W75096	Homo sapiens	Human secreted protein encoded by gene 40 clone HNEDJ57.	290	38
203	2068	G03394	Homo sapiens	Human secreted protein,	595	97
204	2072	gi21165 52	Rattus norvegicus	cationic amino acid transporter 3	1025	85
205	2076	gi15740 9	Drosophila melanogaster	fat protein	369	39
206	2078	gi10549 40	Gallus gallus	cSH-PTP2	605	94
207	2084	gi96631 28	Homo sapiens	hypothetical protein	874	99
208	2088	gi10567 590	Homo sapiens	sodium bicarbonate cotransporter-like protein	609	100
209	2089	gi17890 01	Escherichia coli	putative ATP-binding component of a transport system	961	98
210	2097	Y70460	Homo sapiens	Human membrane channel	258	96

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
				protein-10 (MECHP-10).		
211	2108	gi3207508	Rattus norvegicus	hexokinase	767	74
212	2111	gi6330233	Homo sapiens	KIAA1176 protein	3710	99
213	2118	W74797	Homo sapiens	Human secreted protein encoded by gene 68 clone HKIXR69.	156	96
214	2134	gi1780991	Homo sapiens	branched chain acyl-CoA oxidase	209	97
215	2146	gi7688148	Homo sapiens	hypothetical protein	1038	100
216	2149	gi2280485	Homo sapiens	KIAA0376	917	100
217	2153	gi1842429	Rattus norvegicus	ankyrin binding cell adhesion molecule neurofascin	592	88
218	2155	gi6526791	Homo sapiens	Eps15R	1126	100
219	2161	gi7300427	Drosophila melanogaster	CG7709 gene product	200	33
220	2163	Y52296	Homo sapiens	Human isomerase homologue-3 (HIH-3).	186	91
221	2173	W34526	Homo sapiens	hTCP protein fragment.	164	93
222	2178	gi3360512	Rattus norvegicus	Citron-K kinase	299	94
223	2180	Y74008	Homo sapiens	Human prostate tumor EST fragment derived protein #195.	261	41
224	2184	gi53041	Mus musculus		130	41
225	2186	gi401774	Homo sapiens	ribosomal protein S6 kinase 3	142	64
226	2190	gi577295	Homo sapiens	The ha1225 gene product is related to human alpha-	176	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				glucosidase.		
227	2210	gi2055392	Rattus norvegicus	transmembrane receptor UNC5H1	620	90
228	2214	gi7861733	Homo sapiens	low density lipoprotein receptor related protein-deleted in tumor	1360	98
229	2223	gi7959189	Homo sapiens	KIAA1464 protein	884	99
230	223	W88627	Homo sapiens	Secreted protein encoded by gene 94 clone HPMBQ32.	300	77
231	2233	gi7839587	Homo sapiens	organic anion transporting polypeptide 14	1092	99
232	2237	gi10440400	Homo sapiens	FLJ00033 protein	1212	99
233	2251	gi5923786	Homo sapiens	zinc metallo-protease ADAMTS6	277	44
234	2256	W63698	Homo sapiens	Human secreted protein 18.	516	100
235	2259	gi4678722	Homo sapiens	hypothetical protein	387	36
236	2262	Y33741	Homo sapiens	Beta-secretase.	793	99
237	2265	gi7018545	Homo sapiens	hypothetical protein	608	94
238	2271	gi4186183	Homo sapiens	unknown	684	53
239	2273	gi7243035	Homo sapiens	KIAA1327 protein	1031	100
240	2280	gi5809678	Homo sapiens	sperm membrane protein BS-63	342	95
241	2286	gi6224691	Homo sapiens	Na+/sulfate cotransporter SUT-1	1221	99
242	2291	gi207621	Rattus norvegicus	uromodulin	345	50
243	2292	gi7296304	Drosophila melanogaster	CG5274 gene product	272	35
244	2294	Y28503	Homo sapiens	HGFH3 Human Growth Factor	320	98

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				Homologue 3.		
245	2296	W88799	Homo sapiens	Polypeptide fragment encoded by gene 45.	223	86
246	2303	gi7110160	Homo sapiens	guanine nucleotide exchange factor	1212	99
247	2306	gi6434874	Mus musculus	calcium/calmodulin dependent protein kinase kinase alpha	576	84
248	2309	Y95433	Homo sapiens	Human calcium channel SOC-2/CRAC-1 C-terminal polypeptide.	1203	99
249	2313	gi7300943	Drosophila melanogaster	CG4677 gene product	689	79
250	2318	W48351	Homo sapiens	Human breast cancer related protein BCRB2.	202	59
251	2329	G01772	Homo sapiens	Human secreted protein,	311	84
252	2330	Y41729	Homo sapiens	Human PRO1071 protein sequence.	886	99
253	2342	gi3786430	Caenorhabditis elegans		268	42
254	2350	gi930104	Homo sapiens	protein-tyrosine phosphatase	571	79
255	2359	gi9392591	Homo sapiens	CC chemokine CCL28	679	99
256	2361	gi1666689	Mus musculus	alpha-NAC, muscle-specific form gp220	357	41
257	2374	G03172	Homo sapiens	Human secreted protein,	112	78
258	2387	gi1399197	Homo sapiens	pyruvate dehydrogenase kinase isoform 4	201	85
259	2401	G01757	Homo sapiens	Human	612	99

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein,		
260	2409	gi181123	Homo sapiens	cleavage signal 1 protein	194	86
261	2431	gi7018547	Homo sapiens	hypothetical protein	473	50
262	2432	gi4826496	Homo sapiens		327	39
263	2467	G03667	Homo sapiens	Human secreted protein,	640	97
264	2471	gi7688148	Homo sapiens	hypothetical protein	1284	91
265	2478	gi790819	Homo sapiens	polycystic kidney disease-associated protein	615	90
266	2484	gi3327080	Homo sapiens	KIAA0633 protein	1747	99
267	249	G03793	Homo sapiens	Human secreted protein,	139	65
268	2490	gi6467371	Homo sapiens	thyrotropin-releasing hormone degrading ectoenzyme	757	98
269	25	G03203	Homo sapiens	Human secreted protein,	137	65
270	2504	gi4097712	Homo sapiens	HBV associated factor	166	74
271	2506	gi2072784	Homo sapiens	Na ⁺ /nucleoside cotransporter	201	95
272	2507	gi5924007	Homo sapiens		335	38
273	2510	gi7717385	Homo sapiens	beta-site APP-cleaving enzyme 2, EC 3.4.23.	383	89
274	2523	gi339709	Homo sapiens		150	96
275	253	gi36615	Homo sapiens	serine/threonine protein kinase	391	77
276	2533	gi45896	Homo sapiens	KIAA0985	191	61

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		14		protein		
277	2536	gi2088685	Caenorhabditis elegans	strong similarity to the CDC2/CDX subfamily of ser/thr protein kinases	419	55
278	2544	gi1002425	Mus musculus	YSPL-1 form 2	280	80
279	2568	Y41738	Homo sapiens	Human PRO541 protein sequence.	379	49
280	2580	gi3004482	Rattus norvegicus	putative integral membrane transport protein	382	49
281	2593	gi7300049	Drosophila melanogaster	CG4525 gene product	582	50
282	2600	gi4530437	Homo sapiens	thyroid hormone receptor-associated protein complex component TRAP240	334	90
283	2625	gi8099652	Homo sapiens	toll-like receptor 9 form A	761	96
284	2641	gi148019	Escherichia coli	tolA	692	100
285	2667	gi1750387	Pseudomonas aeruginosa	Carbamoyl-phosphate synthetase large subunit	143	76
286	2670	gi4883437	Mus musculus	RNA binding protein	139	92
287	2673	Y66656	Homo sapiens	Membrane-bound protein PRO943.	1869	98
288	2676	gi3885978	Mus musculus	mismatch-specific thymine-DNA glycosylate	123	88
289	2680	gi6453438	Homo sapiens	hypothetical protein	465	82
290	2682	gi18417	Mus musculus	GATA-5	527	77

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		56		cardiac transcription factor		
291	2684	gi9844920	Homo sapiens	nicotinic acetylcholine receptor subunit alpha 10	294	88
292	2695	gi1789764	Escherichia coli	putative transport	879	98
293	2697	gi349229	Escherichia coli	peripheral membrane protein	936	99
294	2698	gi4062194	Escherichia coli	.	737	100
295	2700	gi529240	Escherichia coli	homoserine kinase	578	100
296	2704	gi1552831	Escherichia coli	hypothetical	420	100
297	2712	gi1789672	Escherichia coli	putative ATP-binding component of a transport system	262	100
298	2716	gi4062409	Escherichia coli	Transmembrane protein dppC	382	100
299	2719	gi304976	Escherichia coli	matches PS00017: ATP_GTP_A and PS00301: EFACTOR_GTP; similar	921	95
300	2724	gi145856	Escherichia coli	nmpC	647	97
301	2725	gi1789473	Escherichia coli	putative transport protein	312	100
302	2728	gi1805561	Escherichia coli	.	222	97
303	2729	gi43248	Escherichia coli	.	655	91
304	2744	gi396299	Escherichia coli	similar to E. coli pyruvate formate-lyase activating enzyme	675	100
305	2749	gi1742648	Escherichia coli	.	592	100
306	2752	gi40622	Escherichia	Sensor kinase	357	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		36	coli	Cita		
307	2762	gi1787795	Escherichia coli	putative LACI-type transcriptional regulator	342	100
308	2764	gi1799743	Escherichia coli	putative LACI-type transcriptional regulator	151	84
309	2768	gi405964	Escherichia coli	yohG	534	94
310	2774	gi4062338	Escherichia coli	.	387	97
311	2790	gi4062338	Escherichia coli	.	420	86
312	2800	gi1789805	Escherichia coli	putative transport	572	100
313	2811	gi5305333	Mus musculus	protein kinase Myak-S	421	49
314	2827	gi10047251	Homo sapiens	KIAA1588 protein.	531	97
315	2830	G02872	Homo sapiens	Human secreted protein,	185	62
316	2836	gi191175	Cricetulus sp.	cAMP-dependent protein kinase alpha-catalytic subunit	1677	97
317	2851	gi558846	Homo sapiens	BCL2/adeno-virus E1B 19kD-interacting protein 3	220	61
318	2856	gi3882211	Homo sapiens	KIAA0745 protein	232	93
319	2866	gi6329708	Homo sapiens	KIAA1119 protein	1331	91
320	2874	gi2853033	Mus musculus	tousled-like kinase	203	82
321	2882	gi10185134	Schizosaccharomyces pombe	hypothetical zinc-finger protein	318	42
322	2886	G03797	Homo sapiens	Human secreted protein,	140	69
323	2899	gi4240325	Homo sapiens	KIAA0918 protein	170	53

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
324	2906	Y94988	Homo sapiens	Human secreted protein vl1_1,	1738	100
325	2920	gi9453735	Homo sapiens		1926	100
326	2925	gi6434876	Homo sapiens	CDK4-binding protein p34SE11	1210	100
327	2930	gi3941320	Schistosoma japonicum	myosin	208	28
328	2934	Y31645	Homo sapiens	Human transport-associated protein-7 (TRANP-7).	642	63
329	2955	G01165	Homo sapiens	Human secreted protein,	528	99
330	2967	gi7263960	Homo sapiens		466	100
331	2980	gi4589530	Homo sapiens	KIAA0943 protein	1849	94
332	2994	G03812	Homo sapiens	Human secreted protein,	124	61
333	2996	gi9857400	Homo sapiens	tumor endothelial marker 1 precursor	2666	98
334	2999	Y66697	Homo sapiens	Membrane-bound protein PRO1383.	2254	100
335	3	gi6289072	Homo sapiens	JM24 protein	930	100
336	3008	Y45219	Homo sapiens	Human CASB47 protein.	557	92
337	3013	gi5262678	Homo sapiens	hypothetical protein	1747	100
338	3041	Y73335	Homo sapiens	HTRM clone 1850120 protein sequence.	1315	99
339	306	gi4868443	Mesocricetus auratus	Mx-interacting protein kinase PKM	1867	95
340	3061	gi433338	Homo sapiens	protein-tyrosine kinase	3934	94

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
341	309	Y76145	Homo sapiens	Human secreted protein encoded by gene 22.	1313	99
342	3095	gi7300159	Drosophila melanogaster	CG14899 gene product	190	57
343	3098	gi532056	Homo sapiens	protein-tyrosine-phosphatase	2641	86
344	3105	gi285987	Homo sapiens	mitochondrial outer membrane protein 19	192	71
345	3118	gi9929935	Macaca fascicularis	hypothetical protein	180	61
346	3124	gi8131903	Mus musculus	transient receptor potential-related protein	226	100
347	3126	Y02370	Homo sapiens	Polypeptide identified by the signal sequence trap method.	261	100
348	3166	gi7290860	Drosophila melanogaster	CG1531 gene product	534	42
349	3175	gi6649583	Homo sapiens	kidney and liver proline oxidase 1	1752	95
350	3176	gi7208438	Homo sapiens	long-chain 2-hydroxy acid oxidase HAOX2	1048	95
351	3188	Y02693	Homo sapiens	Human secreted protein encoded by gene 44 clone HTDAD22.	243	57
352	3191	gi7105926	Homo sapiens	calcium channel alpha2-delta3 subunit	300	96
353	3208	gi10334774	Homo sapiens	MUCDHL-FL	613	98
354	3226	Y87209	Homo sapiens	Human secreted protein sequence	3147	99

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
355	3235	gi6715135	Homo sapiens	Fanconi anemia, complementation group F	1947	99
356	3257	gi5441615	Canis familiaris	zinc finger protein	326	42
357	3282	G03002	Homo sapiens	Human secreted protein,	211	61
358	3289	gi3288457	Homo sapiens	PI3-kinase	5832	97
359	3296	gi7770139	Homo sapiens	PRO1722	293	64
360	3298	gi2198815	Ambystoma tigrinum	electrogenic Na ⁺ bicarbonate cotransporter; NBC	1278	52
361	3303	gi4028015	Homo sapiens	potassium channel	1881	92
362	3305	gi5902966	Homo sapiens	very large G-protein coupled receptor-1	1770	100
363	3308	gi219944	Homo sapiens	The first in-frame ATG codon is located at nucleotides NPPase.	3967	86
364	3325	gi3510234	Homo sapiens	R31237_1, partial CDS	192	94
365	3341	W78899	Homo sapiens	Human UNC-5 homologue UNC5H-1.	1614	90
366	3342	gi1478205	Mus musculus	PNG protein	341	70
367	3350	gi2739460	Bos taurus	regulator of G-protein signaling 7	2263	98
368	3372	gi7671663	Homo sapiens		375	79
369	338	Y84322	Homo sapiens	A human cardiovascular system associated protein kinase-3.	2606	100
370	3383	gi10441	Homo sapiens	protein	1127	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		382		kinase		
371	3395	gi530823	Homo sapiens	epidermal growth factor receptor kinase substrate	402	47
372	3405	Y29332	Homo sapiens	Human secreted protein clone pe584_2 protein sequence.	1220	94
373	3408	gi3334741	Homo sapiens	shal-type potassium channel	2888	90
374	345	gi4539527	Homo sapiens	NAALADase L protein	600	72
375	346	Y95434	Homo sapiens	Human calcium channel SOC-3/CRAC-2 C-terminal polypeptide.	1802	99
376	3470	gi9798452	Homo sapiens	putative capacitative calcium channel	277	100
377	3482	gi3818572	Homo sapiens	cAMP-specific phosphodiesterase 8B; PDE8B1; 3',5'-cyclic nucleotide phosphodiesterase	2353	96
378	3492	gi1665825	Homo sapiens		3878	99
379	3530	gi505100	Homo sapiens	KIAA0066	3637	100
380	3533	Y32169	Homo sapiens	Human growth-associated protease inhibitor heavy chain precursor.	2860	99
381	3545	gi6624133	Homo sapiens		449	98
382	3549	gi1469193	Homo sapiens	The KIAA0135 gene is related to	5374	99

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				pim-1 oncogene.		
383	3595	gi6330190	Homo sapiens	KIAA1169 protein	1893	100
384	3601	gi808915	Homo sapiens	tumor necrosis factor receptor type 1 associated protein	992	99
385	3612	gi5305448	Mus musculus	SH2-B PH domain containing signaling mediator 1 gamma isoform	1439	92
386	3613	Y32194	Homo sapiens	Human receptor molecule (REC) encoded by Incyte clone 266775.	1438	100
387	3621	gi897849	Mus musculus	ubiquitinating enzyme E2-230 kDa	393	68
388	3624	R47858	Homo sapiens	Human LDL receptor Domains 1 and 2.	2895	100
389	3625	Y57949	Homo sapiens	Human transmembrane protein HTMPN-73.	1868	100
390	3626	W69342	Homo sapiens	Secreted protein of clone CJ424_9.	442	94
391	3627	gi6537136	Homo sapiens	putative organic anion transporter	982	92
392	3630	Y06886	Homo sapiens	HWHHJ20 polypeptide.	1109	91
393	3642	gi4886467	Homo sapiens	hypothetical protein	570	52
394	3645	gi9588402	Homo sapiens		598	98
395	3647	Y12050	Homo sapiens	Human 5' EST secreted protein	517	98

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
396	3653	Y70018	Homo sapiens	Human Protease and associated protein-12 (PPRG-12).	2232	99
397	3676	W67818	Homo sapiens	Human secreted protein encoded by gene 12 clone HMSJJ74.	338	100
398	3677	gi32093	Homo sapiens	HGMP07J	650	52
399	3681	Y48443	Homo sapiens	Human prostate cancer-associated protein 140.	803	93
400	3682	gi46917 26	Homo sapiens	ARF GTPase-activating protein GIT1	2435	91
401	3688	gi66938 24	Homo sapiens	ubiquitin-specific protease	1995	99
402	3689	Y94927	Homo sapiens	Human secreted protein clone ck213_12 protein sequence	530	81
403	3690	gi18716 12	Oryctolagus cuniculus	ryanodine receptor	594	95
404	3706	gi60027 14	Homo sapiens	membrane-type serine protease 1	2630	94
405	3714	gi26957 08	Homo sapiens	SPOP	553	81
406	3720	gi93092 93	Homo sapiens	asc-type amino acid transporter 1	566	95
407	3726	gi10440 381	Homo sapiens	FLJ00026 protein	1023	69
408	373	gi57146 96	Mus musculus	alpha 2 delta calcium channel subunit	243	95
409	3788	gi69112 19	Homo sapiens	type II membrane serine protease	841	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
410	3789	Y45023	Homo sapiens	Human sensory transduction G-protein coupled receptor-B3.	1084	95
411	3790	gi1524088	Homo sapiens	Polio virus receptor protein	1508	99
412	3801	gi6723675	Homo sapiens	mitotic kinase-like protein-1	2035	99
413	3803	gi968973	Homo sapiens	mitotic kinase-like protein-1	332	86
414	3820	gi1770478	Homo sapiens	NK receptor	1988	99
415	3831	gi2781386	Homo sapiens		1493	99
416	3837	gi9367840	Homo sapiens	neuronal apoptosis inhibitory protein 2	2243	99
417	385	gi1526978	Homo sapiens	ryanodine receptor 2	149	96
418	3856	gi995654	Homo sapiens	interleukin-11 receptor	147	100
419	386	gi4960038	Mus musculus	T2K protein kinase homolog	669	66
420	3861	Y74129	Homo sapiens	Human prostate tumor EST fragment derived protein #316.	842	98
421	3883	gi6635205	Homo sapiens	beta-ureidopropionate	1576	100
422	3898	gi37231	Homo sapiens	DNA topoisomerase II	8436	99
423	3921	gi8648881	Homo sapiens	putative organic anion transporter	131	100
424	3932	gi8575775	Homo sapiens	KRAB zinc finger protein	1935	99
425	3934	gi4689128	Homo sapiens	SIH003	127	92
426	3963	gi3212996	Homo sapiens		339	64
427	3974	G03790	Homo sapiens	Human	232	63

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein,		
428	3983	gi181971	Homo sapiens	vascular endothelial growth factor	433	85
429	3999	gi1657464	Sus scrofa	calcium/calmodulin-dependent protein kinase II isoform gamma-G	484	75
430	4001	gi6572230	Homo sapiens		329	100
431	4009	gi2143260	Homo sapiens	phosphoinositide 3-kinase	521	99
432	401	gi6572379	Homo sapiens		1372	56
433	4020	gi2815624	Homo sapiens	tumor necrosis factor superfamily member LIGHT	1252	100
434	4024	Y21166	Homo sapiens	Human bcl2 proto-oncogene mutant protein fragment 14.	84	40
435	4040	Y57285	Homo sapiens	Human GPCR protein (HGPRP) sequence (clone ID 2214673).	1726	99
436	4057	W74873	Homo sapiens	Human secreted protein encoded by gene 145 clone HFXHL79.	531	100
437	4066	G03714	Homo sapiens	Human secreted protein,	92	70
438	4067	gi8331760	Homo sapiens	LUL1 protein	1077	92
439	4078	Y57900	Homo sapiens	Human transmembrane protein HTMPN-24.	996	100
440	4120	gi18715	Homo sapiens	mitogen-	927	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		39		activated protein kinase phosphatase 4		
441	4123	gi5360125	Homo sapiens	NY-REN-58 antigen	140	100
442	4130	gi6289072	Homo sapiens	JM24 protein	604	100
443	4133	gi8575527	Homo sapiens	toll-like receptor 8	755	100
444	4166	gi6118555	Homo sapiens	DEAD-box protein abstrakt	2512	100
445	4167	gi3800830	Rattus norvegicus	putative four repeat ion channel	615	93
446	4172	gi7209676	Homo sapiens	potassium channel Kv8.1	369	100
447	4185	gi5305405	Homo sapiens	Na ⁺ /H ⁺ exchanger isoform 2	1769	100
448	4197	gi2811122	Xenopus laevis	NaDC-2	524	69
449	4203	Q89840_aa1	Homo sapiens	Human death associated protein DAP-3.	198	97
450	4262	gi5901478	Marmota marmota	olfactory receptor	209	92
451	4276	gi32456	Homo sapiens	protein-tyrosine phosphatase	3270	99
452	4283	R41231	Homo sapiens	GAT-2 transporter gene.	477	100
453	4331	gi3171912	Homo sapiens	RAMP2	443	98
454	4340	gi8118223	Homo sapiens	unknown	1330	100
455	4351	gi1754515	Rattus norvegicus	aminopeptidase -B	2050	92
456	4354	Y57906	Homo sapiens	Human transmembrane protein HTMPN-30.	1402	100
457	4385	gi5596433	Homo sapiens	candidate tumor suppressor protein NOC2	509	97

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
458	4388	W78140	Homo sapiens	Human secreted protein encoded by gene 15 clone HSDES04.	100	94
459	4405	Y48226	Homo sapiens	Human prostate cancer-associated protein 12.	1246	99
460	441	gi291536	Bovine herpesvirus 1	BICP4	106	35
461	4417	gi6562533	Homo sapiens	sialin	939	100
462	4419	gi1841555	Homo sapiens	NG5	146	33
463	4443	gi496139	Mus musculus	AMPA selective glutamate receptor	262	94
464	4470	gi7248381	Homo sapiens	adaptor protein p130Cas	2592	100
465	4482	gi7329979	Homo sapiens	apoptosis regulator	2071	100
466	4487	gi6706659	Homo sapiens		405	100
467	4491	gi9837341	Homo sapiens	CamKI-like protein kinase	1044	100
468	4492	Y42751	Homo sapiens	Human calcium binding protein 2 (CaBP-2).	586	99
469	4497	gi6179740	Homo sapiens	paraneoplastic cancer-testis-brain antigen	352	37
470	4502	gi6329742	Homo sapiens	KIAA1124 protein	327	100
471	4519	Y99426	Homo sapiens	Human PRO1604 (UNQ785) amino acid sequence	1563	100
472	4526	Y08008	Homo sapiens	Human HLIQ-1 protein.	4023	99
473	4547	gi4589562	Homo sapiens	KIAA0959 protein	4165	99
474	4554	gi1381029	Mus musculus		1164	77

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
475	4555	gi2792366	Homo sapiens	unknown protein IT12	4461	99
476	457	Y70551	Homo sapiens	Human latent transforming growth factor-beta binding protein 3 (I).	1825	100
477	4571	gi5360115	Homo sapiens	NY-REN-45 antigen	869	100
478	4613	Y05868	Homo sapiens	Human Toll protein PRO358.	2413	100
479	4614	Y27129	Homo sapiens	Human bone marrow-derived polypeptide (clone OAF038-Leu).	1815	100
480	4622	G03789	Homo sapiens	Human secreted protein,	173	53
481	4667	gi7673638	Danio rerio	Dedd1	446	48
482	4670	gi402649	Homo sapiens	c-rel	2309	100
483	4683	Y68773	Homo sapiens	Amino acid sequence of a human phosphorylation effector PHSP-5.	2234	99
484	4698	Y73470	Homo sapiens	Human secreted protein clone yd141_1 protein sequence	746	100
485	4724	gi6456846	Homo sapiens	hypothetical protein	1101	99
486	4734	gi3334982	Homo sapiens	R27216_1	1151	80
487	4814	gi6274473	Homo sapiens	pregnancy-induced growth inhibitor	1348	100
488	4819	Y07825	Homo sapiens	Human secreted protein fragment #4 encoded from	117	67

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				gene 28.		
489	4821	Y81498	Homo sapiens	Human foetal bone-derived growth factor-like protein.	1200	100
490	4851	gi5689491	Homo sapiens	KIAA1077 protein	4364	99
491	4872	gi5911953	Homo sapiens	hypothetical protein	3723	99
492	4902	B08917	Homo sapiens	Human secreted protein sequence encoded by gene 27	717	100
493	5006	gi435774	Homo sapiens	receptor tyrosine kinase isoform FLT4 long, FLT41 {C-terminal}	385	100
494	5007	Y93951	Homo sapiens	Amino acid sequence of a Brainiac-5 polypeptide.	804	100
495	5027	gi3548791	Homo sapiens	R33590_1	1606	100
496	5029	gi5689527	Homo sapiens	KIAA1095 protein	5722	99
497	5033	Y14482	Homo sapiens	Fragment of human secreted protein encoded by gene 17.	166	66
498	5040	Y95019	Homo sapiens	Human secreted protein vql_1,	258	92
499	5061	gi1304434	Pseudorabies virus	EP0	85	38
500	5081	gi4038081	Homo sapiens	vascular endothelial cell growth inhibitor	134	100
501	5129	gi3169158	Homo sapiens	BC269730_2	2340	99
502	5139	gi4062856	Homo sapiens	HEXIM1 protein	293	47
503	5174	gi93685	Homo sapiens	140up gene	576	90

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		40		product		
504	524	G00329	Homo sapiens	Human secreted protein,	565	100
505	5291	Y92515	Homo sapiens	Human OXRE-12.	1271	98
506	5335	gi7296158	Drosophila melanogaster	CG3862 gene product	753	46
507	5346	Y94987	Homo sapiens	Human secreted protein vjl_1,	849	100
508	5379	gi7144506	Homo sapiens	cytokine-inducible SH2-containing protein	1353	99
509	5441	gi8096551	Homo sapiens	similar to mouse Ehm2	1516	100
510	549	Y22113	Homo sapiens	Human ZSMF-3 protein sequence.	294	62
511	5542	Y76267	Homo sapiens	Fragment of human secreted protein encoded by gene 11.	1066	100
512	5560	G03790	Homo sapiens	Human secreted protein,	103	36
513	5696	gi7920398	Homo sapiens	PTOV1	1904	91
514	5704	B08930	Homo sapiens	Human secreted protein sequence encoded by gene 2	987	100
515	5758	W18878	Homo sapiens	Human protein kinase C inhibitor, IPKC-1.	368	100
516	5760	gi6562176	Homo sapiens	hypothetical protein	425	100
517	5763	Y41706	Homo sapiens	Human PRO381 protein sequence.	441	100
518	5787	Y57907	Homo sapiens	Human transmembrane protein HTMPN-31.	952	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
519	5823	gi9800242	rat cytomegalovirus Maastricht	pr5	153	36
520	5886	gi1781037	Mus musculus	neuronal tyrosine threonine phosphatase 1	1135	52
521	5924	W69221	Homo sapiens	Human parotid secretory protein.	710	96
522	5960	Y91529	Homo sapiens	Human secreted protein sequence encoded by gene 79	1300	99
523	5962	W69784	Homo sapiens	Protein Kinase C Inhibitor-like Protein (IPKC-2).	395	100
524	5969	Y79141	Homo sapiens	Human haemopoietic stem cell regulatory protein SCML13.	1205	79
525	5976	gi780310	Homo sapiens	natural killer associated transcript 4	1808	91
526	6002	gi2104553	Homo sapiens		4367	67
527	6008	Y66765	Homo sapiens	Membrane-bound protein PRO1384.	822	100
528	6020	gi1911548	Homo sapiens	cytochrome c-like polypeptide	322	50
529	6036	W71362	Homo sapiens	Human cytokine/steroid receptor protein.	353	51
530	6070	Y42750	Homo sapiens	Human calcium binding protein 1 (CaBP-1).	626	100
531	6075	gi10732648	Homo sapiens	angiopoietin-like protein	2164	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				PP1158		
532	6106	gi2217970	Homo sapiens	p40	1349	96
533	6420	W82000	Homo sapiens	Human adult brain secreted protein dm26_2.	929	100
534	6434	gi10732648	Homo sapiens	angiopoietin-like protein PP1158	2164	100
535	6439	gi189701	Homo sapiens	endothelial cell growth factor	376	100
536	6463	Y41720	Homo sapiens	Human PRO792 protein sequence.	360	82
537	6466	gi4884084	Homo sapiens	hypothetical protein	538	100
538	6508	gi5442030	Homo sapiens	aminopeptidase	2317	96
539	6570	gi5921491	Homo sapiens		1591	99
540	6719	gi31847	Homo sapiens	glypican	1625	87
541	6772	Y65432	Homo sapiens	Human 5' EST related polypeptide	180	53
542	6789	gi537292	Homo sapiens	ICH-1L	1556	100
543	6805	gi4454702	Homo sapiens	HSPC007	634	84
544	6833	gi1890660	Homo sapiens	protein tyrosine phosphatase receptor omicron	5726	87
545	6834	gi5921491	Homo sapiens		1746	88
546	6851	gi2407641	Homo sapiens	neuropilin	3968	98
547	6868	gi6714641	Drosophila melanogaster	MAP kinase phosphatase	218	49
548	6876	Y13138	Homo sapiens	Human secreted protein encoded by 5' EST	414	76
549	688	Y73463	Homo sapiens	Human secreted protein clone	701	98

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				yk199_1 protein sequence		
550	6897	gi5815180	Homo sapiens	unknown	509	97
551	690	gi10645186	Homo sapiens	meningioma-expressed antigen 5s splice variant	522	100
552	6909	W78149	Homo sapiens	Human secreted protein encoded by gene 24 clone HSVBF78.	485	100
553	6924	Y35923	Homo sapiens	Extended human secreted protein sequence,	514	99
554	6937	G03798	Homo sapiens	Human secreted protein,	281	70
555	6951	gi511857	Homo sapiens	prostate-specific antigen	364	95
556	7008	G03200	Homo sapiens	Human secreted protein,	548	98
557	7009	Y22213	Homo sapiens	Human V201 protein sequence.	856	100
558	7057	gi6003654	Homo sapiens	brain specific membrane-anchored protein BSMAP	1814	100
559	7098	W27291	Homo sapiens	Human H1075-1 secreted protein 5' end.	712	100
560	7114	gi3212110	Homo sapiens	prefoldin subunit 1	534	98
561	712	gi4558641	Homo sapiens	P85B_HUMAN; PTDINS-3-KINASE P85-BETA	470	74
562	7215	gi4868366	Homo sapiens	delta-6 fatty acid desaturase	2437	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
563	7244	Y12445	Homo sapiens	Human 5' EST secreted protein	428	100
564	7248	gi311376	Homo sapiens	Humig	633	100
565	7252	gi5689531	Homo sapiens	KIAA1097 protein	5240	100
566	7292	gi5106998	Homo sapiens	HSPC040 protein	580	100
567	7306	Y32201	Homo sapiens	Human receptor molecule (REC) encoded by Incyte clone 2057886.	1974	95
568	7338	Y73880	Homo sapiens	Human prostate tumor EST fragment derived protein #67.	1566	100
569	736	gi10178317	Homo sapiens		1468	100
570	737	G00851	Homo sapiens	Human secreted protein,	522	98
571	740	W85610	Homo sapiens	Secreted protein clone eh80_1.	1115	87
572	7400	Y93948	Homo sapiens	Amino acid sequence of a lectin ss3939 polypeptide.	1982	98
573	7415	gi3043670	Homo sapiens	KIAA0573 protein	2392	100
574	7429	Y40864	Homo sapiens	A human glutathione-S-transferase (hGST) protein.	1183	99
575	7458	Y53643	Homo sapiens	A bone marrow secreted protein designated BMS6.	554	99
576	7516	gi4468311	Homo sapiens		1146	99
577	7526	gi4138922	Homo sapiens	promyelocytic leukemia zinc finger	3571	99

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				protein; kruppel-like zinc finger protein; PLZF		
578	7571	G02915	Homo sapiens	Human secreted protein,	209	100
579	7614	W74726	Homo sapiens	Human secreted protein fg949_3.	1879	100
580	7663	gi59125 48	Homo sapiens		1634	100
581	7686	gi49297 11	Homo sapiens	CGI-121 protein	870	100
582	7714	gi38876 5	Homo sapiens	phospholipase D	4428	99
583	7724	G03933	Homo sapiens	Human secreted protein,	570	100
584	7834	gi89191 66	Homo sapiens	mesenchymal stem cell protein DSC92	1133	100
585	7855	Y48505	Homo sapiens	Human breast tumour-associated protein 50.	684	100
586	7870	Y13372	Homo sapiens	Amino acid sequence of protein PRO223.	2559	100
587	7871	Y91689	Homo sapiens	Human secreted protein sequence encoded by gene 93	768	100
588	7892	gi34659	Homo sapiens	macrophage inflammatory protein-2alpha precursor	532	100
589	7927	gi32575	Homo sapiens		183	91
590	7944	gi16574 58	Sus scrofa	calcium/calmodulin-dependent protein kinase II isoform gamma-B	2744	100
591	7947	G01131	Homo sapiens	Human	574	96

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein,		
592	800	gi3021428	Homo sapiens	neutral sphingomyelinase	167	68
593	8055	gi4929637	Homo sapiens	CGI-84 protein	1038	100
594	8082	gi4679014	Homo sapiens	HSPC014	715	100
595	8127	gi9955693	Homo sapiens	twisted gastrulation protein	905	95
596	8174	gi5532294	Homo sapiens	MUM2	767	100
597	8178	gi4530587	Homo sapiens	TADA1 protein	1132	100
598	8215	R66278	Homo sapiens	Therapeutic polypeptide from glioblastoma cell line.	830	100
599	8263	Y48371	Homo sapiens	Human prostate cancer-associated protein 68.	713	98
600	827	gi3172337	Cavia porcellus	phospholipase B	955	73
601	828	Y29517	Homo sapiens	Human lung tumour protein SAL-82 predicted amino acid sequence.	833	94
602	8294	gi4929767	Homo sapiens	CGI-149 protein	1085	100
603	8313	gi5771420	Homo sapiens	group IID secretory phospholipase A2	852	100
604	832	Y86260	Homo sapiens	Human secreted protein HELHN47,	319	78
605	8357	gi4191358	Mus musculus	claudin-7	164	47
606	8373	gi1945271	Homo sapiens	protein phosphatase 6	1666	100
607	8379	gi58529	Homo sapiens		1226	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		81		cardiotrophin-like cytokine CLC		
608	8380	gi3402216	Homo sapiens	protein	974	100
609	8386	gi386988	Homo sapiens	oncostatin M	1297	99
610	8418	Y70210	Homo sapiens	Human TANGO 130 protein.	722	98
611	8442	G01895	Homo sapiens	Human secreted protein,	490	95
612	8457	G04048	Homo sapiens	Human secreted protein,	450	98
613	8458	W97119	Homo sapiens	S-adenosyl-L-methyltransferase (SAM-MT) protein.	1484	100
614	8469	gi7159799	Homo sapiens		255	100
615	8480	gi4589530	Homo sapiens	KIAA0943 protein	1998	100
616	8521	gi5726235	multiple sclerosis associated retrovirus element	unknown protein U5/2	250	82
617	857	gi9663958	Homo sapiens	cysteinyl leukotriene CysLT2 receptor	612	99
618	8574	gi6841260	Homo sapiens	HSPC305	1049	100
619	8606	gi3367707	Homo sapiens	scrapie responsive protein 1	544	100
620	8632	G01158	Homo sapiens	Human secreted protein,	502	100
621	8646	gi3882249	Homo sapiens	KIAA0764 protein	2175	100
622	8666	Y66196	Homo sapiens	Human bladder tumour EST encoded protein 54.	1080	95
623	8675	gi9963908	Homo sapiens	NPD009	432	96
624	8683	G04018	Homo sapiens	Human	469	98

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein,		
625	8708	gi1633564	Homo sapiens	C8	364	98
626	8720	gi8248465	Homo sapiens	hepatocellular carcinoma-associated antigen 56A	191	69
627	8756	Y94984	Homo sapiens	Human secreted protein vell_1,	369	97
628	8765	Y00346	Homo sapiens	Fragment of human secreted protein encoded by gene 2.	1068	97
629	8783	Y27918	Homo sapiens	Human secreted protein encoded by gene No. 123.	1051	95
630	8804	Y25426	Homo sapiens	Human SIGIRR protein.	887	100
631	8838	Y99409	Homo sapiens	Human PRO1343 (UNQ698) amino acid sequence	1279	100
632	8851	W74785	Homo sapiens	Human secreted protein encoded by gene 56 clone HSAXS65.	454	100
633	8853	W75116	Homo sapiens	Human secreted protein encoded by gene 60 clone HILCJ01.	245	95
634	8857	gi2565196	Homo sapiens	non-functional folate binding protein	479	74
635	8859	Y02690	Homo sapiens	Human secreted protein encoded by gene 41c lone	600	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				HSZAF47.		
636	8901	Y86491	Homo sapiens	Human gene 59-encoded protein fragment,	548	99
637	8907	W88745	Homo sapiens	Secreted protein encoded by gene 30 clone HTSEV09.	2004	99
638	8934	W75088.	Homo sapiens	Human secreted protein encoded by gene 32 clone HAGBB70.	421	98
639	8960	Y02693	Homo sapiens	Human secreted protein encoded by gene 44 clone HTDAD22.	267	72
640	8979	Y76143	Homo sapiens	Human secreted protein encoded by gene 20.	1374	98
641	8980	Y11433	Homo sapiens	Human 5' EST secreted protein	466	100
642	8986	G02626	Homo sapiens	Human secreted protein,	306	100
643	8987	G02093	Homo sapiens	Human secreted protein,	486	97
644	8995	Y12908	Homo sapiens	Human 5' EST secreted protein	181	100
645	9035	Y71108	Homo sapiens	Human Hydrolase protein-6 (HYDRL-6).	800	100
646	9062	gi8886005	Homo sapiens	lysophosphatidic acid acyltransferase-delta	523	100
647	9074	Y25761	Homo sapiens	Human	1366	99

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein encoded from gene 51.		
648	9075	Y73336	Homo sapiens	HTRM clone 1852290 protein sequence.	1591	100
649	9098	Y57878	Homo sapiens	Human transmembrane protein HTPMN-2.	516	100
650	9109	gi23903	Homo sapiens	63kDa protein kinase	1141	97
651	911	gi32456	Homo sapiens	protein-tyrosine phosphatase	2591	100
652	912	gi11367 43	Homo sapiens	human P5	212	46
653	9163	Y34129	Homo sapiens	Human potassium channel K+Hnov28.	377	71
654	9164	Y41324	Homo sapiens	Human secreted protein encoded by gene 17 clone HNF1Y77.	1083	99
655	9173	gi68512 56	Mus musculus	protein tyrosine phosphatase-like protein PTPLB	631	93
656	9187	Y66721	Homo sapiens	Membrane-bound protein PRO511.	1173	95
657	9190	W40378	Homo sapiens	Human breast cancer protein CH14-2a16-1 from 2.0 kB DNA fragment #2.	792	81
658	9194	Y02781	Homo sapiens	Human secreted protein.	462	70
659	9210	G02994	Homo sapiens	Human secreted protein,	166	80

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
660	9222	G02520	Homo sapiens	Human secreted protein,	186	43
661	9230	gi6706554	Homo sapiens	inositol 1,4,5-trisphosphate 3-kinase B	1315	95
662	9258	gi522145	Homo sapiens	B-cell growth factor	120	56
663	9260	G04072	Homo sapiens	Human secreted protein,	138	51
664	9271	gi6690095	Homo sapiens	tetraspanin protein	317	67
665	9272	gi163042	Bos taurus	factor activating exoenzyme S	444	72
666	9275	gi401774	Homo sapiens	ribosomal protein S6 kinase 3	424	81
667	930	G02355	Homo sapiens	Human secreted protein,	167	41
668	9304	gi8979743	Canis familiaris	Band4.1-like5 protein	1493	93
669	9346	gi2738989	Mus musculus	high mobility group protein homolog HMG4	384	89
670	9347	gi36613	Homo sapiens	serine/threonine protein kinase	199	91
671	935	gi5541870	Homo sapiens	QA79 membrane protein, allelic variant airm-1b	334	57
672	9350	gi3327124	Homo sapiens	KIAA0655 protein	757	87
673	9351	W57260	Homo sapiens	Human semaphorin Y.	573	95
674	9356	gi59977	Human endogenous retrovirus	tripartite fusion transcript PLA2L	127	59
675	9363	Y17834	Homo sapiens	Human PRO361 protein sequence.	968	92
676	9366	gi72431	Homo sapiens	KIAA1374	649	96

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		29		protein		
677	9369	G03793	Homo sapiens	Human secreted protein,	222	69
678	9378	gi44683 11	Homo sapiens		163	39
679	9393	gi27389 89	Mus musculus	high mobility group protein. homolog HMG4	384	89
680	9444	G01399	Homo sapiens	Human secreted protein,	157	93
681	9467	gi44547 02	Homo sapiens	HSPC007	230	71
682	9486	gi10047 243	Homo sapiens	KIAA1584 protein	605	93
683	949	Y30895	Homo sapiens	Human secreted protein fragment encoded from gene 25.	704	99
684	9499	W36002	Homo sapiens	Human Fchd531 gene product.	2173	96
685	9510	gi16657 99	Homo sapiens		867	83
686	9523	Y53022	Homo sapiens	Human secreted protein clone qf116_2 protein sequence	1252	89
687	9534	Y66670	Homo sapiens	Membrane-bound protein PRO1180.	998	100
688	9539	Y76144	Homo sapiens	Human secreted protein encoded by gene 21.	633	100
689	954	G02490	Homo sapiens	Human secreted protein,	160	78
690	9546	gi18112 1	Homo sapiens	chorionic somatomammotropin	616	96
691	955	gi72431 03	Homo sapiens	KIAA1361 protein	2042	100
692	9551	gi17723	Homo sapiens	ras-related	341	57

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		45		GTP-binding protein		
693	9558	W88403	Homo sapiens	Human adult testis secreted protein ga63_6.	2252	100
694	9561	gi6690017	Herpesvirus papio	NTR	100	30
695	957	Y86260	Homo sapiens	Human secreted protein HELHN47,	319	78
696	9572	gi972940	Mus musculus	Elf-1	806	92
697	9576	gi3249005	Homo sapiens	geminin	448	98
698	9586	gi2887288	Homo sapiens	mRNA cleavage factor I 25 kDa subunit	208	100
699	9587	G00995	Homo sapiens	Human secreted protein,	726	99
700	9592	gi495273	Rattus norvegicus	ribosomal protein S15a	202	78
701	9595	gi7799912	Homo sapiens	UBASH3A protein	453	47
702	9610	Y07875	Homo sapiens	Human secreted protein fragment encoded from gene 24.	574	100
703	9634	Y73325	Homo sapiens	HTRM clone 001106 protein sequence.	820	99
704	9639	G00805	Homo sapiens	Human secreted protein,	155	67
705	9647	G03786	Homo sapiens	Human secreted protein,	196	73
706	9653	gi3882341	Homo sapiens	KIAA0810 protein	523	100
707	9654	G01924	Homo sapiens	Human secreted protein,	469	100
708	9678	Y99376	Homo sapiens	Human PRO1244 (UNQ628) amino	474	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				acid sequence		
709	9709	Y11825	Homo sapiens	Human 5' EST secreted protein	657	100
710	9722	gi76774 22	Mus musculus	GTPase Rab37	189	75
711	9731	Y12424	Homo sapiens	Human 5' EST secreted protein	207	100
712	9742	Y57954	Homo sapiens	Human transmembrane protein HTPPN-78.	484	100
713	9749	gi36878 29	Homo sapiens	hT41	386	65
714	9755	gi20552 95	Homo sapiens	Similar to a C.elegans protein in cosmid C14H10	2583	100
715	9762	G03436	Homo sapiens	Human secreted protein,	176	61
716	9763	gi61800 11	Homo sapiens	anaphase-promoting complex subunit 4	1016	100
717	9784	G03570	Homo sapiens	Human secreted protein,	401	96
718	9794	G00803	Homo sapiens	Human secreted protein,	333	69
719	9795	gi25162 42	Mus musculus	Rab33B	669	94
720	9798	gi55859 9	Homo sapiens	ZID, zinc finger protein with interaction domain	605	96
721	9805	Y25881	Homo sapiens	Human secreted protein fragment encoded from gene 61.	566	96
722	9816	gi53205 6	Homo sapiens	protein-tyrosine-phosphatase	384	100
723	9830	G00857	Homo sapiens	Human	539	96

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
				secreted protein,		
724	9836	G00914	Homo sapiens	Human secreted protein,	527	100
725	9837	gi26620 99	Homo sapiens	KIAA0409	230	67
726	984	Y29517	Homo sapiens	Human lung tumour protein SAL-82 predicted amino acid sequence.	833	94
727	9849	gi72293 05	Homo sapiens	ZNF264, partial cds	140	90
728	9851	gi52625 60	Homo sapiens	hypothetical protein	369	64
729	9859	gi38819 76	Homo sapiens	hypothetical protein	167	93
730	9863	gi72957 07	Drosophila melanogaster	CG15433 gene product	837	78
731	9888	gi33196 77	Homo sapiens		209	72
732	989	gi45571 43	Rattus norvegicus	zinc finger protein RIN ZF	604	92
733	9919	G01843	Homo sapiens	Human secreted protein,	586	100
734	9922	W67869	Homo sapiens	Human secreted protein encoded by gene 63 clone HHGDB72.	551	93
735	9947	W78239	Homo sapiens	Fragment of human secreted protein encoded by gene 3.	251	78
736	9956	Y36203	Homo sapiens	Human secreted protein #75.	273	77
737	9961	Y99357	Homo sapiens	Human PRO1190 (UNQ604) amino acid sequence	650	99
738	9972	Y12149	Homo sapiens	Human 5' EST secreted protein	284	100
739	9977	gi10039	Homo sapiens	osteoblast	822	98

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		439		differentiation promoting factor		

Table 3 - Amino Acids

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
1	740	2	557	FVGRLLRLGEALRLRPDPSSGGCRLQPALVGETEMSEKENNFPPLPKFIPVKPCFYQNFSDIIPVEHQVLVKRIYRLWMFYCATLGVNLIACLAWWIGGSGTNEFLAFVWLLLFPCGYVCWFRPVYKAFRADSSFNMAFFFI FRSPVCPDRHPGDWLLRLGRVRLAVGNWILPVQPGRCRGHA
2	741	305	838	FLGAGADIFCAYLRMSSKQATSPFACAADGEDAMTQDLTSREKEEGSDQHVASHLPLHPIMHNKPHSEELPTLVSTIQDADWDSVLSQQRMESENNKLCSLYSFRNTSTSPHKPDEGSRDREIMTSVTFGTPERRKGLADVVDTLKQKLEEMTRTEQEDSSCMEKLLSKDWKE
3	742	12	1315	EGYLTGRPTRPVAVRGKSTADLRMMGRSPGFAMQHI VGVPHVLVRRGLLGRDLFMTRTLCSPGPSQPGEKRPEEVALGLHHRLPALGRALGHSIQQRATSTAKTWWDREYEFVGLNEVREAQGVTEAEKVFMVARGLVREAREDELVHQAKLKEVRDRLDRVSRDSQYLELATLEHRMLQEEKRLRTAYLRAEDSEREKFSLSAAVRESHEKERTRAERTKNWSLIGSVLGALIGVAGSTYVNRVRLQELKALLL EAQKGPVSLQEAIREQASSYSRQQRDLHNL MVDLRLGLVHAAGPGQDSGSQAGSPPTRDRDVLVLSAALKEQLSHSRQVHSCLEGLR EQLDGLEKTC SQMAGVVQLVKSAAHPGLVEPADGAMP SFLLEQ GSMILALSDTEQRLEAQVNRNTIYSTLVTCVTFVATLPVLYMLFKAS
4	743	112	745	NLPPLTPQPGPRLAGSGPSHWFSPLSLPVASKAPGTMAQALGEDLVQPPELQDDSSSLGSDSELSPGPGPYRQADRYGFIGGSSAEPGPGHPPADLIRQREMKVEMTSHWEKTMSTRYKVKMQCRKGI PSALRARCWPLLCGAHVCQKNSPGTYQELAEAPGDPQWMETIG RDLHRQFPLHEMFVSPQGHGQQLLQVLKAYTLYRPEQG
5	744	99	265	LRGMAAAAAGPAASQRFFQSFSDALIDQDPQAALVGEPLPLPADPPPSSTA

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
6	745	210	758	WACFRSAHCSRHRLRNRI FMYLYWDKTRSPVCKG PALREERPOP RLKLEDYKDR LKSGEHLNPDQLEAVEKYEEVLHNLEFAKELQK TFSGLSLDLLKQAQKQRREHMLKLEAEKKKLR TILQVQYVLQ NLTQEHVQKDFKGG LNAVYLP SKELDYL IKFSKLTCPERNES LRQTLEGSTV
7	746	48	450	XAGVQMKLEFLQRKFWAATRQCSTVDGPCTQSCEDSDLDCFVI DNNGFILISKRSRETGRFLGEVDGAVLTQLLSMGVFSQVTMYD YQAMCKPSSHHSAAQPLVSPISAFLTATR WLLQELVLFLEW SVWGSX*
8	747	1	469	CRGRLAQL EEA VAATMSAGDAVCTGWL VKSPPERKLQRYAWR KRWFVLRRRGRMSGNPDVLEYR NKHSSKP IRVIDLSECAVWKH VGPSFVRKEFQNNFV FIVKTTSR T FYLVAKTEQEMQV VVHSIS QVCNLGHLEDGAADSMESLSYTRSYLQ
9	748	242	409	IPAVPLTSCVTVGSYSLSVRDYDPRQGDIVKHYKIRTL\DKRG FYISP\RSTFSTLQ
10	749	1	1146	KDSVLNIARGK KYGEKTKRVSSRKKPALKC/TSQKQPALKAIC DKEDSVPN TATEKKDEQISGTVSSQKQPALKATS DKKDSVSN I PTEIKDGQQSGT VSSQKQP AWKATSVK KDSVSN IATEIKDGOI \RGTVSSQRQPALKA\TGDEKDSVSN IAREIKDGEKSGTVSPQ KQSAQKVI FKKKVS LLNIATRITGGWKS GTEYPENLPTLKATI ENKNSVLNTATKMKDVQ TSTPEQDLEMASEGEQKRL E EYENNQ PQVKNQIHSRDDDDIIQSSQTVSEGDGSLCCNCKNVILLIDQ HEMKCKDCVHLLKIKKTFCLCKRLTELDKNHCEQLRVKIRK LK NKASVLQKRLSEKEEIKS QLKHETLELEKELCSLRF AIQQ
11	750	3	892	SPLRYRAGQSGSTISSSSCAMWRCCGRQGLCVLRRRLSGGHAH RARWNSNRACERALQYKLGDKIHGFTVNQVTSVPELFLTAVK LTHDDTGARYLHLAREDTNNLFSVQFR TTPMDSTGVPHILEHT VLCGSQKYP CRDPFFKMLNRSLS TFMNAFTASDY TLYPFSTQN PKDFQNL LSVYLDATFFPCLRELD FWQEGWRLEHENPSDPQTP LVFKGVVFNEMKGAFTDNERIFSQHLQNRLLPDHTYSV VSGGD PLCIPELTWEQLKQFHATHYHPSNARFFTYGNFPLDQH
12	751	367	856	RGAKAKSAVLP GPCCSILILSPPAPLTPRSPGTEATRPTAM SKSLKKKSHWTSKVHESVIGRNPEGQLGFELKGAENGQFPYL GEVKPGKVAYESGSKLVSEELLLEVNETPVAGLTIRDVLAVIK HCKDPLRLKCVKQGESSGLLSVLPGGGTARGAGQ
13	752	144	442	SHRPQPD AWRQGN AFQCVQKEKMQVSSAEVRIGPMRLTQDPTIQ VLLIFAKEDSQSDGFWWACDRAGYRCNIARTPESALECF LDKH HEIIVLDHRQTQN
14	753	1	581	FRLAGCGHLLVSL LGLLLLLARS GTRALVCLPCDESKCEEPRN CPGSIVQGVGCCYTCASQRNESCGGTFGIYGTCDRGLRCVIR PPLNGDSLTEYEAGVCE DENWTD DQLLGFKPCNENLIAGCNI I NGKCECNTIR TCSNPFEPSPQDMCL SALKRIE EEPKDCSKARC EVQFSRCPEDSVLIEGYAPP

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
15	754	1	219	FRMAANVGSMFQYWKRFDLQQLQRELDATATVLANRQDESEQS RKRLIEQSREFKNTPEVRRVTIVFALKGS
16	755	313	562	ETLSCRIMDHPSSREKDERQRTTKPMAQRSAHCSRPSGSSSSSG VLMVGNFRVGGKIGCGNFGELRLGEGLPQVYVYFGPCGKY
17	756	273	574	GCCKD*HSGVIGRSWAMLFASGGFQVKLYDIEQQQIRNALENT RWASRRSPGMEVGLFSLVGLVCHILKAMRICDVTFFSSDGYCS ASELVKARPTVAGM
18	757	3	390	NSRVDDFVSARPKRPLPRARGMVVVTGREPDSRRQDGAMSSS DAEDDFLEPATPTATQAGHAL/PPAAT/GSFLRLFPLTSEGLT SLHACPHCGATKTPCWQPCSVGGTTSPTPRAGTSSSTEMAHTL EMC
19	758	98	461	RALWVGGCSGEACGIGMSGLLTDPEQRAQEPYPGFVGLDVG SSVIRCHVYDRAARVCGSSVQKVENLYPQIGWVEIDPDVLWIQ FVAVIKEAVKAAGIQMNQIVGLGISTQRATFITWN
20	759	100	731	GLAAEQSMQFVKLWCGCSGEFPTRLRRTPLTEAMEGGPAVCC QDPRAELVERVAADIVTHLEADGGPEPTRNGVDPPPRARAAS VIPGSTRLLPARPSLSARKLSLQERPAGSYLEAQAGPYATGP ASHISPRARRPTIESHHVAISDAEDCVQLNQYKLSIEIGKA YGVVRLAYNESEDRHYAMKVLKLLKQYGFPRRPP
21	760	2	520	FVYGKPVTLWPTISSVVPSTFLGLGNYEVEVEAEPDVRGPEIV TMGENDPPAVEAPFSFRSLFGLDDLKISPVAPDADAVAAQILS LLPLKFFPIIVIGI IALILALAIGLGIHFDCSGKYRCRSSFKC IELIARCDGVS DCKDGEDEYRCVVRVGGQNAALQVFTAASRKT M
22	761	158	470	SLAMPFGCVTLGDKKNYNQPSVETDRYDLGQVIKTEEFCEIFR AKDKTTGKLTCKKFQKRDGRKVRKAAKNEIGILKMVKHPNIL QLVDVVFVTRKEYFIFLEL
23	762	1	749	QRRRFRAGLWGGHGLTDGLRRNGGCGCSARVPRVGERLRGRHRC PDPLCLLLDMLFSLFHAGSWESWCCCLIPADRPWDRGQHWQL EMADTRSVHETRFEA AVKVIQSLPKNGSFQPTNEMMLKFYSFY KQATEGPKLSRPGFWDPIGRYKWD A WSSLDGMTKEEAMIAYV EEMKKI IETMPMTEKVEELLRVIGPFYEIVEDKKSGRSSDITS DLGNVLTSTPNAKTVNGKAESSDSGAESEEEBAC
24	763	3	558	SCFKGRTGGRSGSSGDSSRWARCGRHFSASTEPPLSQPCSA LPRSGRRGCAVPSSVTKMLSFFRRTLGRRSMRKHAEKERLREAQ RAATHIPAAGDSKSIITCRVSLDGTDVSVLPPKAKGQELFD QIMYHLDLIESDYFGLRFMDSAQVAHWLDGTSIKKQVKIGSP YCLHLRVKIFYSS
25	764	9	424	ESRERSGNRRGAEDRGTCLQSPSAMLGAKPHWLPGLHSPGL PLVVLVLLALGAGWAQEGSEPVLLGECLVVCEPGRAAAGGPGG AALGEAPPGRVAFAAVRSHHHEPAGETGNGTSGAIYFDQVLVN EGGGFDRAS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
26	765	2	507	EDVKSYYTVHLPQLENINSGEVRTISHFHYTTWPDFGVPQSPA SFLNFLFKVRESGSLNPDHGPVVIHRSAGTGRSSTFSVVHTCL VLMEKGGDDINIKQVLLNIRKFMGLI\QTPDQLRFSYMAITEG AKCVKGDSSIQKRWKELSKE/DLPPAFDHS PNKIMTEKYNR
27	766	84	852	LNRQRCGDQVLVPGTGLAATLRTLPMFHDDEEHARARGLSEDTL VLPPASRNQRILYTVLEQCPLFDSSDMTIAEWWCLAQTIKRHY EQYHGFFVVIHGTDTMAFAASMLSFMLENLQKTVILTGAQVPIH ALWSDGRENLLGALLMAGQYVIEVCLFFQNLFRGNRATKVD ARRFAAFCS ENLLPLATVGADITINRELVRKVDGKAGLVVHSS MEQDVGLLRLYPGI PAALVRAFLQPPLKGVVMEFTFGSNG
28	767	992	210	LFRLAPGFLRSLARQGYHQIWAFFPLPSGATATWPAASRSRSL AARSLPRSPARPGPNDA LLGEHDFRQGQVRAQRFRFSEEPGPG ADGAVLEVHVPIGAGVSLPGILAAKCGAEVILSDSSELPHCL EVCRCQSCQMNPLPHLQVVGLTWGHSWDLALPPQDIILASDV FFEPEDFEDILATIYFLMHKNPKVQLWSTYQVRSADWSLEALL YKWDKCVHI PLESFDADKEDIAESTLPGRHTVEMLVISFAKD SL
29	768	23	624	SFIYKHTHRARFGPRAIVASPALTAGPHVSLTASCRVGMWVSC SPSPFLHPTNTLVAVLERDTLGIREVRLFNAVVRWSEAEQORQ QLQVTPENRRKVLGKALGLIRFPLMTIEEFAAGNRARAQGLVW EGSGTQVGIW/CTEDSAPEFTAESLADAWHIQIGRNLACEDAS T/WAIC*PRPGSVPTVHTARPRLSCLSSCF
30	769	100	2	MASTQDAELAVSRXRAIALXPGXQSQXXPSQKKK
31	770	158	1957	LLKSCGVLLSGVCIPCEGKGPTVLVIQTAVPQDRPTKSSMRSA AKPWNPAIRAGGHGPDVRPLPAASSGMKSSKSSSTSLAFESRL SRLKRASSEDTLNKPSTAASGVVRLKKTATAGAISELTESRL RSGTGAFTTTKRTGIPAPREFSVTVSRERSVPRGPNRKSVS SPTSSNTPTPKHLRTPSTKPKQENEGGEK\VR LSPK/FRELL AEAKAKDSEINRLRSELKKYKEKRTLNAEGTDALGPNVDGTSV SPGDTEPMIRALEEKKNFQKELSDLEENRVLKEKLIYLEHS PNSEGAASHTGDSSCPTSITQESSFGSPTGNQLSSDIDEYKKN IHGNALRTSGSSSDVTKASLSPDASDFEHITAE TSPRPLSST SNPFKSSKCS TAGSSPNSVSELSLASL TEKI QKMEENHSTAE ELQATLQELSDQQMVQELTAENEKLVDEKTILET SFHQHRE AEQLSQENEKLMNLLQERVKNEEPTQEGKIIIELEQKCTGILE QGRFEREKLLNIQQQLTCSLRKVEENQGALEMIKRLKEENEK LNEFLELERHNNMMAKTLEECRVTLLEGLKMENGLSKSHLQG
32	771	203	514	SQMRHLIFVYTLICANFCSCRDTSATPQSASIKALRNANLRRD ESNHLTDLYRRETIQVKGNGYVQSPRFPNSYPRNLLLTWRLH SQENTRIQLVFDNQFGL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
33	772	59	713	PFKKMTDLRSVVTVIDVFYKYTKQDGECCGTLISKGELKELLEK ELHPVLKPNDDPDTVDVIMHMLDRDHDRRLDFTEFLLMIFKLT MACNKVLSKEYCKASGSKKHRRGHRHQEESETEEEDDTPGH KSGYRHSSWSEGEHGYSSGHSRGTVKCRHGSNSRRLGRQGNL SSSGNQEGSQKRYHRSSCGHSWSGGKDRHGSSVELRERINKS HIK
34	773	209	601	VPKISGPDHIDFIPWDQLFMASSSSVTEFLVLGFSLSLGEQLV LFAVFLCLYLIILSGNIIISVIHLDSLHPTMYFFLGILSIS EIFYTTVILPKMLINLFSVFRTLSFVSCATQMFYIEIVGPGTQE R
35	774	373	987	DHSTETPGIPAAEPVSHGTGKLERAPTLPAGAELPAPAAPVPCP TL*VC/LYPQLLGLSVATMVTLYFGAHFAVIRRASLEKNPYQ AVHQWGTQORLIQHPEGSEGSLLGPLRAFSAGLSLVGLLTL GAVLSAAATVREAQGLMAGGFLLCFSLAFCAQVQVFWRLHSPT QVEDAMLDTYDLVYEQAMKGTSHVRRQELAAIQ
36	775	102	466	QPGYSEYDKNRGQGMMLNMMCGRQLSAISLCLAVTFAPLFNAQ ADEPEVIPGDSPPAVSEQGEALPQAQATAIMAGIQPLPEGAAE KARTQIESQLPAGYKPVYLNQLQLLYAARGISCV
37	776	2	430	RTRADVYVFSLTGKSRNVSSSTVRRSAVGGMSALALFDLLKP NYALATQVEFTDPEIIVAEYITYPSPNGHGEVRYLVKPAKMSG KTPAVVVHENRGLNPNYIEDVARRVAKAGYIALAPDGLSSVGG YPGNDIKVVSAAA
38	777	106	556	VKQRHGNSLLTTETKCSICRLGVPLSPQRRFQAIRIEEVKLRW FAFLIVLLAGCSSKHDTYTNPPWNAKVPVQRAMQWMPISQKAGA AWGVDPLITAI IAIESGGNPNNAVSKSNAIGLMQLKASTSGRD VYRRMGWSGEPTTSELKNSSR
39	778	3	892	HAAGIRHEAKPKRSFYAARDLYKYRHQYPNFKDIRYQNDLSNL RFYKNIKIPFKPDGVYIEEVLSKWKGDYKLEHNHTYIQWLFPL REQGLNFYAKELTTYEIEEFKTKEAIRRFLLAYKMMLEFFGI KLTDKTGNVARAVNWQERFQHLNESQHNYLRITRILKSLGELG YESFKSPLVKFILHEALVENTIPNIKQSALEYFVYTI RDRRER RKLLRFAQKHYPSENF IWGPPRKEQSEGSKAQKMSPLASSH NSQTSMHKAKADSKNSSSAVHLNSKTAEDKKVAPKEPV
40	779	123	395	ELQVFQPIGGMSDSGSQLGSMGSLTMKSQQLITVISA LKLENK KNWFGPSPYVEVTVDGQSKKTEKCNNTNSPKWKQPLTVIVTPV SKLH
41	780	173	438	IETLSFVIRNWNTHAMSKPIVMERGVKYRDADKMALIPVKNVA TEREALLRKP EWMKIKLPADSTRIQGIKAAMRKNGLHSVCEEA SC
42	781	287	393	PRMVLGKQTDPTLEWFLSHCHIHKYPKSTLIPQ
43	782	119	556	GLRISVQERIKACFTESIQTQIAAAEALPDAISRAMTLVQSL LNGNKILCCGNGTSAANAQHFASMINRFETERPSLPALALNT DNVVLTAIANDRLHDEVYAKQVRALGHAGDVLLAISTRGNSRD IVKAVEAAVTRDTTIV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
44	783	248	554	KQTQHAPGMMKKYLALALIAPLLISCSTTKKGDYNEAWVKDT NGFDILMGQFAHNIENIWGFKEVVIAGPKDYVKYTDQYQTRSH INFDDGTITIEPIPGT
45	784	77	311	TDRTALNPGQESAMNRLFSGRSDMPFALLLLAPSLLLLGLLVA WPMVSNIEISFLRLPLNPNIESTFVGVSNYVRILS
46	785	184	627	KELVDEKSERGRAMDPVSQLASAGTFRVLKEPLAFLRALELLF AIFAFATCGGYSGLRLSVDCVNKTESNLSIDIAFAYPFRLLHQ VTFEVPTCEGKERQKLALIGDSSSSAEFFVTAVFAFLYSLAA TGRYIFFHKNRENNRGPL
47	786	3	742	LGTVSYGADTMDIQTSHVRSYSQMQSQAGNNTGSTPLRKAQ SSAPKVRKSVSSRIHEAVKAIVLCHNVTPTYESRAGVTEETEF AEADQDFSDENRTYQASSPDEVALVQWTESVGLTLVSRDLTSM QLKTPSGQVLSFCILQLFPFTSESKRMGVIVRDESTAETIFYM KGADVAMSPIVQYNDWLEEECGNMAREGLRTLIVVAKKALTEEQ YQDFEVSRLPGIPSSYDGAFLTLKLVLPVFV
48	787	864	335	EGPHR\RLFQMVKA/LQEAPEDPNQILIGYSRGLVVIWDLQGS RVLYHFLSSQOLENIWWQRDGRLLVSVCHSDGSYCQW\PVSSEA QQPEPLRSLVPGPFCKAITRILWLTTROGLPFTIFQGGMPR ASYGDRHCISVIHDGQQTAFDFTSRVIGFTVLTEADPAASRA SGVGAQG
49	788	410	951	KQGLEVRDLHFKEITSGRALLRVACKRPSMVPGGQLQRAGAGA QARITGLSPALWGARVHWIPELPAGLPPGACLWPLIPACPSR HWGWVSAPVKG/WAQAILGLALCL/RGEHRLGAGVSKVRSLK MDRKVWTETLIEVGMPLLATDTWGLPHSTAVVVSQPPPYLSDH STLELERDPL
50	789	1	437	LSCNSEQALLSLVPVQRELLRRRYQSSPAKPDSSFYKGLGTCP SQLRLSEPPPTPRHLSVASVSHHMFPSHRSLCPHLPDFFAAPP PSDNLPTYTLOSPFPSPPPATPSDHALILHH\DLNGGPDPLQQ TGQLFGGLVRDIRRRYP
51	790	1	198	SPSSKLVGMWWAGRAGSSRTTSVSLCLP/SAPFGASNLLVNP LEPQNADKIKIKIADLGNACWVV
52	791	3	435	RVDPRVRAPRCGDKIKNHMY\KDCGSLKDCASDRCCETSCTL SLGSVCNTGLCCHKCKYAAPGVVCRDLGGICDLPEYCDGKKEE CPNDIYIQDGTPCSASVVCIRGNCSDRDMQCQALFGYQVKDGS PACYRKLNRIGNRFGT
53	792	1	728	PGRPTRPDASLAQ/DPRTTMFRIPFKWSPMHQRLLLDILLFAL ETDVHVWRS\HSTKSVMDVNSNENIIFVHNTIHLISQMVNDNI IIACGGILPLLSAATSPTGSKTELENIEVTQGMSAETAVTFLS RLMAMVDVLFASSLNFSEIEAEKNMSSGGLMRQCLKLVCCVA VRNCLECRQRDRGNKSSHGSSKPQEVQSVTATAASKTPLE NVPGNLSPIKDPDRLLQDVIDINLRVVF

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
54	793	2230	990	NSSGVKLLQALGLSPGNGKDHSILHSRNDLEEAFIHFMRGAA AERFFSDKETFHDIAQVASEFPGAQHYVGGNAALIGQKFAANS DLKVLKCGPVGPKLHELLDDNVFVPPESLQEVDEFHLILEYQA GEEWGQKAPHANRFIFSHDLSNGAMNMLEVFVSSLEEFQPD GGLSGLHMMEGQSKELQRKRLLEVVTISIDIPTGIPV\HLELG \SMTNRELMSIV\LQQVFPVAVTSLGNEQELFLTQSASGPH SSLSSWNGVPDVGMSDILFWILKEHGRSKSRASDLTRIHFT LVYHILATVDGHWANQLAAVAAGARVAGTQACATETIDTSRVS LRAPQEFMTSHSEAGSRIVLNPKNPVEVWHREGISFHFTPVLV CKDPVRTVGLGDAISAEGLFYSEVHPHY
55	794	249	3	DDSSGWGLEQLVVRWSLALWPRLECSGMI SAHCNLC/LGSSD SPASAPRVAGITDVCHHAWLVFVFLVVMGFPVHGVGLELL
56	795	2	1176	LGEVLKCCQGVSSLAFALAFQRMDMKPLVVLGLPAPTAPSGC LSFWEAKAQLAKSCKVLVDALRHNAAAVPPFGGGSVLRRAEP APHASYGGIVSVETDLLQWCLESGSIPILCPIGETAARRSVLL DSLEVTASLAKALRPTKIIFLNNTGGLRDS SHKVL SNVNL PAD LDLVCNAEWS TKERQMR L IVDVLSRLPHSSAVITAAS TLL TELF SNKGS GTLFKNAERMLRVRSLDKLDQGR LVDLVNASFGK KLRDDYLASLRPRLHSIYVSEGYNAAILTMEPV LGGTPYLDK FVSSSRQGGSGQMLWECLRRDLQTLFWRSRVTNPINPWYFK HSDGSFSNKQWIFFWFGLADIRDSYELVNHAKGLPDSFHKPAS DPGS
57	796	755	374	YHAPALQPQQSKTLSQEKKNFPRPGAVAHTCNPSTLGGRGGR ITRSGDRDHPG*HGETPSLLKIQKKLAGRDGGRL*SLLGRLR QENGVNPGGGGCSEPRLRHCTPAW*QSETISRKKRKKERKY
58	797	2	476	FRPIGIRQALCSADGHQRRILTLRLGLLVIPFLPASNLFFRV GFVVPVSGCCVMLLFGFG/ALRKHTEKKLIAAVVLGILLS/N DAERLRCAVRGGWRSE/EAVFRGAVSVCPLSAEVR CNIGRNL AAKGNQTGAIRYHREAVSLNPKTKSSTREFRPC
59	798	3	711	KIADFGFSNLF TPGQLLKTWCGSPPYAAPELFE GKEYDGP KVD IWSLGVVLYVLVCGALPFDGSTLQNLRARVLSGKFRIPFFMST ECEHLIRHMLVLDPNKRLSMEQICKHKWMLGDADPNFDR LIA ECQQLKEERQVDPLNEDVLLAMEDMGLDKEQTLQSLRSDAYDH YSATYSLLCDRHKRHKTLRLGALPSMPRALGLSSTSQYP\AEQ AGTAMNISVPQVQLINPENQIV
60	799	2	344	AREFLGHRASITWS*ARVHHRFPKAEVA*P/SLLRDTLTDERT KCCHGDLL ECADDRADLVEDIWENQDSISTILIECCEKPLLEK SHCIAEVENDEMPADLPSLAADFVESKDV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
61	800	142	594	VPPKMKRGTSLHSRRGKPEAPKGSPOINRKSQEMTAVMQSGR PRSSSTTDAPTGSAMMEIACAAAAAAACLPGEEGTAERIERL EVSSLAQTSSAVASSTDGSIHTDSVDGTPDPQRTKAAIAHLQQ KILKLTEQIKIAQTARRNRRPGS*KDCTP*KCLRKSDEALNRV LQQI\RVPPKMKRGTSLHSRRGKPEAPKGSPOINRKSQEMTAV VMQSGRPRSSSTTDAPTGSAMMEIACAAAAAAACLPGEEGTA ERIERLEVSSLAQTSSAVASSTDGSIHTDSVDGTPDPQRTKAA IAHLQQIKLKLTEQIKIAQTARRNRRPG
62	801	232	1299	MQTIERLVKERDMLLSALVSVRSSLADTQOREASAYEQVKQVL QISEEANFEKTKALIQCDQLRKELEKLEKELASQQEKRA IEKDMKKEITKEREYMGSKMLILSQNIAQLEAVEKVTKEKI SAINQLEEQSASREMDVTKVCGEMRYQLNKTINMEKDEAEK EHREFRAKTNRDLEIKDQEI EKLR IELDESKQHLEQEQKAAL AREECLRLTELLGESEHQLHLTRQEKDSIQQSFSKEAKAALQ AQQREQLTQKIQQMEAQHDKTENEQYLLLT SQNTFLTCLKKEE CCTLAKKLEQISQKTRSEIAQLSQEKRYTYDKLGLQRNEEL EEQCQVQHRST*
63	802	3	334	SYPVWVNSPLTAEVPPPELLAAAGFFHTGHQDKVRCFFCYGGLQ SWKRGDDPWTEHAKWFPSCQFLLRSGRDFVHSVQETHSQLLG SWDPWEEPEDAAPVAPVSPASGYPELPTPRREVQSESAQEPGG VSPAQAQRAWVLEPPGARDVEAQLRRLQEERTCKVCLDRAVS IVFVPCGHLVC\AECAPGLQLCPI\CRSPCGPLRPLWVP
64	803	70	456	MCSYREKKAEPQELLQLDGYTVDYTDPPGLEGGRAFFNAVKE GDTVIFASDDEQDRILWVQAMYRATGQSHKVPVPTQVQKLNK GGNVPQLDAPISQFYADRAQKHGMDEFISSNPCNFDHASLFEM *
65	804	2	1376	KQLIVLGNKVDLLPQDAPGYRQLRERLWEDCARAGLLAPGH QGPQRPVKDEPDGENPNPPNWSRTVVRDVRLLISAKTGYGVEE LISALQRSWRYRGDVYLVGATNAGKSTLFNTLLESDYCTAKGS EAI DRATISPWPGTTLNLLKFPICNPTPYRMFKRHQRLK KDST QAEEDLSEQEQNLNVLKKGHYVVGVRGRTFLYSEEQKDNIPF EFDADSLAFDMENDPVMGTHKSTKQVELTAQDVKDAHWFYDTP GITKENCILNLLTEKEVNIVLPTQSIVPRTFVLKPGMVLFLGA IGRIDFLQGNQSAWFTVVASNILPVHITSLDRADALYQKHAGH TLLQIPMGGKERMAGFPPLVAEDIMLKEGLGASEAVADIKFSS AGWVSVTPNFKDRHLRGLYTPEGTVLTVRPLLPIVNIKQQR IKKSVAYKTKKPPSLMYNVRKKKGINV
66	805	1	874	STVASMHRQETVECLRKFNARRKLGAILTMTLVSRNFSAK SLLNKKSDGGVKPQSNKNKSLVSPAQEPAPLQTA ME PQTTVVH NATDGIKGSTESCNTTTEDEDLKAAPLRTGNGSSVPEGRSSRD RTAPSAGMOPQPSLCSAMRKQEI I KITEQLIEAINNGDFEAY TKICDPGLTSFEPEALGNLVEGMDFKFYFENLLSKNKSPIHT TILNPHVHIGEDAACIAYIRLTQYIDGQGRPSNPAKSEE\TR VWH\RR\DGKWLNVHYHCSGAPCPHRCSEL SHRGF

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
67	806	3	1714	LPKNVVFVLDSSASVMGTKLRQTKDALFTILHDLRPQDRFSII GFSNRKIKVWKDHLISVTPDSIRDGKVIYIHHMSP TGGTDINGAL QRAIRLLNKYVAHSGIGDRRVSLIVFLTDGKPTVGETHTLKIL NNTREAARGQVCIFTIGIGNDVDFRLLLEKLSLENCGLTRRVHE EEDAGSQLIGFYDEIRTPLLSDIRIDYPPSSVVQATKTLFPNY FNGSEII IAGKLVDRKLDHLHVEVTASNSKKFII LKTDV PVRP QKAGKDV TGS PRPGDGEGD TNHIERLWSYLTTKELSSWLQS DDEPEKERLRQRAQALAVSYRFLTPFTSMKLRGPVPRMDGLEE AHGMSAAMGPEPVVQSVRGAGTQPGPLLKPKYQPRIKISKTSV DGDPHFVVDVPLSRLTVCFNIDGQPGDILRLVSDHRDSGVTVN GELIGAPAPPNGHKKQRTYLRTITILINKPERSYLEITPSRVI LDGGDRLVLPNCNQS VVVG SWGLEVSVSANANVTVTIQGSI AFV ILIHLYKKPAPFQRHHLGFYIANSEGLSSNCRVFCESGILIQE LTQQSVAVAGR
68	807	2	841	FFLEQVSQYTFAMCSYREKKSEPELMQLEGYTVDYTDHPGL QGGCMFFNAVKEGDTVIFASDDEQDRILWVQAMYRATGQSYPK VP AIQTQKLNPKGGTLHADAQLYADRFOKHGMDEFISANPKCL DHAFLRILQRQTL DHR LND SYSLGWFS PGQV FVLFVRY GVRGCHRHLCYLAELMEHSENGAVIDPTLLHYSFAFCAS\HVV GNRPD GIGTVSVEEKERFEEIKERLSSLENQISHFRYCFPF RPEGALKATLSLLERVLMKDIA
69	808	2	757	DGLLHEVLNGLLDRPDWEEAVKMPV GILPCGSGNALAGAVNQH GGFEPALGLDLLNCSLLCRGGGHPDLLSVTLASGSRCSF LSVAWGFVSDVDIQSERFRALGSARFTLGTVLGLATLH TYRGR LSYLPATVEPASPTPAHSLPRAKSELTPDPAPPMAHSP LHR SVSDLPLPLPQPALASPGSPEPLPILSLNGGGPELAGDWGGAG DAPLSPDPQLSSPPGSPKAALHSPV*KKAPVIPPDM
70	809	3	530	KGVPTLLMAAGSFYDILAITGFNTCLGIAFSTGSTVFNVLRGV LEVVI G VATGSVLGFFIQYFPSRDQKLVCKRTFLVLGLSVLA VFSSVHFPGSGGLCTLVMAFLAGMGTSEKAEVEKI IAVAW DIFQPLLFLGIG\AEVSI\SSLRPETVGLCVATVGI\AVLIRI FDYIF
71	810	228	541	LLKEVVVQASPVCKTCCSQLV R T P V T F T E V Q N V / C R C S A G Y L I SVCSYTSDDHNQCYAGTASLALLWIGGILKGCLLWKQFRWTER SHWNFGYWALWSPGNNGC
72	811	173	404	ICTSTYLQIFPGKPSCFMCKGRLMCIYFILWYLGHYTSLHWNW CRYISDPNVD/ACPDPRNAEVSMTHTVPALMELID
73	812	2	586	LES L P G F K E I V S R G V K V D Y L T P D F P S L S Y P N Y Y T L M T G R H C E V HQMIGNYMWDP T T N K S F D I G V N K D S L M P L W W N G S E P L W V T L T K AKRKVYMYYPGCEVEILGVRPTYCLEYKNVPTDINFANAVSD ALDSFKSGRADLAAIYHERIDVEGHYGPASPQRKDALKAVD TVLKYMTKWIQERGLQDRNLNVI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
74	813	2	348	ARDFHPKQTLDFLRSDMANSKITEEVKRSIAQQYLDLTVA/LE QVDPDAEVDAA PSTTSSCGH*DSHAGS*RVLSLLGD*GPA*TG ANSMAGKLLLVAVLWLGFPDPFWGKELSDPAFK
75	814	2	366	KQSGDVTNCNTDGR LAP SCLTCVGHCI FGGYCTMNSKMMPECQ SPPHMTGPRCEEHVFSQHQP GHITS ILIPML*LLLLVLVAGVI FCHKRRVQGAKGFQHQ RMTNGAMNAQ IANPTYKMY
76	815	420	681	TVENAGRWL*EEAEIQAELE RLERVRNLHIRELKR INNEDNSQ FKDHPTLNERYLLLHLLGRGGFSEVYKVMYGLFWFFYTNVARI
77	816	37	428	MCEEFLVMGKGCSCVF*ILLSNPQMWLND SNPETDNRQESPS QENIDRVSD/MAFVPSAWTASGGVAVGNLGE SGRSRTGGVRAET LAPRLQV*PAHLRGHPRSNRGQRP PWKAGKLGKCQEV LFRFA AF
78	817	1	358	FRAMFLAVQHD CRPMDKSAGSGHKSEEKREKMKR TLLKDWKTR LSYFLQNSSTPGKPKTGKKSQQAFIK*VENPELANINS*LLN *KGEL**A*ANI QNLSCRPSPEEAQLWSEAFDE
79	818	1	169	GFFNFSSPKLKGWKINSSLVLEIRKNILRFLDAERDVS VVKSS FPSKDARHSSVHR*FTQLHWGPPSHTPARP*RGFFNFSSPKLK GWKINSSLVLEIRKNILRFLDAERDVS VVKSSFPSKDARHSSV HR
80	819	55	310	RIDDQOELKRV T*YSQKEYTKKKLHKCNIIQADIKPDNILDN ESITILKLSDFGSASHVADNDITPSSSQTTSAASSPRTLRR
81	820	1	134	SSKPWD*SLAPKHS G*TKNMDCYCIPTCIGRERCYGT CIGDT V
82	821	187	360	NSSKKLVMHQWKKYLRRNYQRMLNRLITLIGSCGVL*LISTI PTRLKFLKETGHGTPMEEIPEEELSEDVEQIDHADRELRRGQ NLRCKGIHRLP THIQVQON
83	822	208	723	KWMLLHFSKIFCLSLYPQL*CPFEFFSHSATIFHEL VYKQTKI ISSNQELIYEGRRLVLEPGRLAQHF PKTEENPIFVVSREPLN TIGLIYEKISLPKVHPRYDLGDASMAKAITGVVCYACRIAST LLLYQELMRKGIRWLI ELIKDDYNETVHKKTEVVITLGFVSR
84	823	1	314	GTRKMGPTVSPICLPGTWGDYNLMDGDLGLISGWGRTEKRDRA DRLKAGRSPAAG*RKWEPGRGDPTWEESEEDVHKS KWTRCVDE KGA*C*TDNKRPLRCGVT
85	824	3	302	HELENLIKSAHSYSLY*G*YLHGA*TAEPEASFCPRRGWNRQA GAAGSRMNF R P G V L S S R Q L G L P G P D G P D Y T V Y Y P F H R L A M V T AASRLEREHLTHL
86	825	87	422	PVPLPHPILEVCPGQ*EPQSAISLTA FQVQAGASRASPGPPAP SSSKPGRKAKVASPCDRPAPPPT*PRPAAAPGSESSPRPPRP RTGRRQORAHARRAAARTAPWRPSC
87	826	3	289	HEGRRRGWASASQRFLRNWAF LTPSKVRRLKGQKAFGLPSHS DTSLSLSDLG FHHRFNP NASSSFKPSGTF AIQYGTGRVDG ILS EDKLT V SGL
88	827	1	101	GRNIMHYPNGHAICTIANGHC IIL*NSHNKVVV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
89	828	1	535	INLGNTCYMNSVI*ALFMATDFRRQVLSLNLNGCNSLMKQLQHLFAFLAHTQREAYAPRIFFEASRPPWFTPRSQQDCSEYLRFLLDRLHEEEKILKVQASHKPSEILECSETSLOEVASKAAVLTETPRTSDGKTLIEKMFGGKLRTHIRCLNCTSTSQKVEAFTDLSLAFWPSSS
90	829	1	434	ARDDPRVRLSLSPNFF*LASKLKGQWTPLIILANSLSGTNMG
91	830	3	782	MHRIKLNDRMTFPEELDMSTFIDVEDEKSPQTESCTDSCGAENEGSCHSDQMSNDFSNDDGVDEGICLETNSGTEKISKSGLEKNSLIYELFSVMVHSGSAAGGHYYACIKSFSDEQWYSFNDQHVSRITQEDIKKTGGSSGSRGYSSAFASSTNAYMLIYRLKDPARNAKFLEVDEYPEHIKNLVQKERELEEQEKRQREIERNTCKIKLFCLEHPTKQVMMED*IEVHKDKTLKEAVEMAYKMMDL EEVIPLDCCL
92	831	2	604	SVMPVPALCLLWALAMVTRPASAAPMGGPELAQHEELTLLFHGTLQLGQALNGVYRTTEGRLTKARNSLGLYGRTEILGQEVSRGRDAAQELRASLLETQMEEDILQLQAEATAEVLGEVAQAQKVL RDSVQRLEVQLRSAWLGPAYREFEVLKAHADKQSHILWALTGHVQRQRREMAQQHRLRQIQERLHTAALPA
93	832	16	690	ITSVDPRVRGNASTGYGKIWLDDVSCDGDSDLWSCRNSGWSNDCSHSEVDGVICSDASDMELRLVGGSSRCAGKVEVNVQGA VILCANGWGMNIAEVVCRQLECGSAIRVSREPHFTERTLHILMSNSGCAGGEASLWDCIRWEWKQTACHLNMEASLICSAPRQLV GADMPGSGRVEVKHAHTWRSVCDSDFLHAANVLCRELNCGDAISLSVGDHFG
94	833	108	727	SNYPSSRFRVAGITGVKLGMRSIPIATACTIYHKPFCETNLDA YDPYLIAMSSIIYLAGKVEEQHLRTRDIINVSNRVFNPSGEPLE LDSRFWELRDSIVQCELLMLRVLRFQVVFQHPKYLHLVSL QNWLNRHSWQRTPVAVTAWALLRDSYHGALCLRFQAQHI AVAVLYLALQVYGVVPAEVEA/DEAVGWQIYAMDTEIP
95	834	118	376	RGSRHAVHGWAFGLLFINKESVVMAYLFTTFNAFQGVFIFV FHCALQKQKVRSSRRGPGSQPPLETFPGYPGEGGEGGDSGAPSSPQ
96	835	3	333	ARKDDLPPNMRFHEEKRLDFEWTLKAG*EKG*PSK*NGWEGQ E***TVRD*GIS**VKPQHL*\ALQMALKRVYTLSSWNCLE DFDQIFWGQKSALAGQWFPEVSIIP
97	836	740	951	GKQORETLRRPSPTISVQRAGSPEHSSASH*HSPCPAPGQRVLPTALCTLMTSKHFHGCPLAGQGRAVTL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
98	837	81	1503	GVCGLPRFCGSIILCHYEMSSLGASFVQIKFDDLQFFENC GGG SFGSVYRAKWISQDKEVAVKLLKIEKEAELSVLSHRNIIQF YGVILEPPNYGIVTEYASLGS LYDYINSNRSEEMDMHIMTWA TDVAKGMHYLHMEAPVKVIHRDLKSRNVVIAADGV LKICDFGA SRFHNHTTHMSLVGTFPWMAPEVIQSLPVSETCDTYSYGVVLW EMLTREVVPFKGLEGLQVAWL VVEKNERLTIPSSCPRSFAELLH QCWEADAKKRPSFKQIISILESMSNDTSLPDKCNSFLHNKAEW RCEI EATLERLKKLERDLSFKEQELKERERRLKMWEQKLTEQS NTPLLLPLAARMSEESYFESKTEESNSAEMSCQITATSNGEGH GMNPSLQAMMLMGFGDIFSMNKAGAVMHSGMQINMQAKQNSK TTSKRGRGKKNMALGFSDFDLSEGD DDDDDGEEEYNDMDNSE
99	838	185	328	MLWETGCSAACRVTVSPTVTFATFSTRGIDAMRPGPSFLWRQQ LSQG*
100	839	1	348	PTLGDQPD LHSITRASRPKLC TRKNCNPLTITVHDPNSTQ*YY GMSWELRFYIPGFDVGTMTFIQKILVSWSPPKPIGPLTDLGDP MFQKPPNKVDLTVPPPFLVIKDTLQKFEKI
101	840	1	416	SLNNVTL PQA KTEKDFIQLCTPGVIKQEKLGTVYQASSPGAN MIGNKMSAISVHGVSTSGGQMYHYDMNTASLSQQ*DQKPIFNV IPPIPVGS ENWNR CQSGDDNLTSLGTLNFPGRTVSFSFEMES RSVAAQAGVQ
102	841	105	354	RHTQECRCPHTHIHTHSHSHTSHSHSHTTTPRC SHTQPP HAQAPALC*S*EDRGQPTWKLCAHRPRLKVIKEGGWLG G
103	842	171	347	NYSLSVYLVRQLTAGTLLQKLRAGIRNP DHSRALSE*HLSSL PHLIWIQVFLALQPS
104	843	2	690	ATYIVDFGFSTTFREGQMLTAF CGMYPYVAPERSLGQACQ*PA RDIQSLSVILYFRNTVGRRARTL PPFYS/AEASKLQEKILTGRY HAPLLALQLDSL/IKLLMLNARKCPSL*LMKNPWWKSSQKMP LIPYEEPL/RGPPQTIQLMVAMGFQAKNISVAIIERKFNY PMA TYLILEHTKQERK CSTIRELSLPPGVPTSPSPSTELSTFPLSL MRAHREPAFNVQPPEEQ
105	844	2	777	AKQELAKLMRIEDPSLLNSRVLLH HAKAGTIIARQGDQDVS LH FVLWGCLHVYQRMIDKAEDVCLFVAQPGELV GQLAVLTGEP LI FTLRAQRDCTFLRISKSDFY EIMRAQPSVVLSAHTVAARMSP FVRQMDFAIDWTAVEAGRALYRCSSHRAA QARPRGGDLGVVRP C*PPRPLRQGD RSDCTYIVLNGRLRSVIQRGSGK KELVGEYGR GD LIGVVSATPTH*PLAFSRPVPRQLTRIIPGNPGSGEVFP GA
106	845	3	709	HASGWTPGTTQLGQGTAWDTVASTPGTSETTASAEGRRTPGA TRPAAPGTGSWAEGSVKAPAPIPESPPSKSRMSNTTEGVWEG TRSSVTNRRASKDRREMTTTKADRPREDIEGVRIALDAAKV LGTIGPPALVSETLAW EILPQATPVSKQQS QSGSIGETT PAAGM WTLGTPAADVWILGTPAADVWTSMEASGEGS AAGDLDAATGD RGPQATLSQTPAV*PWGPPG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
107	846	3	406	AGTSGTGDTPGNTAVSGTPVSPGATPGAPGSSTPGEADIGN TSFGKSGTPTVSAASTTSSPVSXKHTDAASATAVTTISGSKPGTP GTPGGATSGGKITPGIA*PTLDQKSPCFSGYGGYFPVNP HQNP CADSL
108	847	1	565	RAHRCCLPLPSLSCEIQIGFS*SSIFPGQ*ACPCSCCRSCRRN WPQSPRCPHPPAPCSLLLSCLPPPLSCSWRGTSGKPPSQSP AASRSMRPRCSPRTSSLRGASCRGPGGSAPAAASGPRCRGCSR SPRRCRSRSCAAASPPRSQRSPPLSPPFPPTSGTLLLKTSRF GSATRE*SSPRPRPRP
109	848	2	987	DDVPPPAPDLYDVPPGLRRPGPTLYDVPRERVLPEVADGGV VDSGVYAVPPPAEREAPAEGKRLSASSTGSTRSSQSASSLEVA GPGREPLELEVAVEALARLQQQVSATVAHLDDL LAGSAGATGSW RSPSEPQEPLVQDLQA AVAVQSAVHELLEFARS AVGNAHTS DRALHAKLSRQLQKMEDVHQLVAHQALDAGRGGSGATLEDL DRLVACSRVPEDAKQLASFLHGNASLLFRRTKATAPGPEGGG TLHPNPTDKTSSIQSRPLPSPPKFTSQDSPDGGQYENSEGGWME DYDYVHLTGGRSF*KTQKELLGKRAA
110	849	84	372	MATDEENVYGLEENAQSRQESTRRLILVGRGTGAGKATGNSIL GQRRFFSRLGATSVTRACTTGSRRWDKCHVEVVDTPDIFSSQV SKTDPGCEERX*
111	850	2	47	TLGLRSLTKEGGGGDVAAFEVGTGAAASRALGQCQQLKLIIV IFIGSLCGLCTKCAVSNDLTQQEIQTP EIQQRNA*CD SRVTFT NEGGRWWG
112	851	1192	1040	FFFLVETRFHHIGQAGLELLTSLIK*SARLGLPKCWDRREPP YLAGFMI
113	852	791	362	RRSPPPAPPPPLPSPLSPPPAPVSPASTMPILLFLIDTSAMN QRSHLGTTYLDTAKGAVETFMKLRARDPASRGDRYMLVTFEEP PYAIKAGWKENHATFMNELKNLQAEGLTTLGQSLRTAFD LNL NRLVTGIDNYGQVG
114	853	812	348	NCRTYVFCFVLVFRLLFLHGSPLSPLLSRAGLLCGSAENPTP FLCGITMAAGVSL LALVVRVILSTAILCP SGASRRQRSSEVEW GTDSGVYRLYCWRVGF LGGGELRLGLSEARGRVRWGRGEKRC RVWAVRSLRKGFGSVAALRRGIWAG
115	854	93	170	VTPTPPQYYTCSCVLGF IACSI FLQMSLKPVM LLLTVALVACL VLFNLSQCWQRDCCSQGLGNLTPSGTNR*GPAAVSWASLPAP SSCR
116	855	1	183	GKAGGAAGLFAKQVQKKFSRAQEK*TRRFGKTCQPEERAREER QEGPEIEFGFSFFSLSLY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
117	856	53	2400	PKRFLFLFQDVNTLQGGGQPVVTPSVQPSLQPAHPALPQMTSQA POPSVTGLQAPSAALMQVSSLDHSAVSGNAQSFQPYAGMQAY AYPQASAVTSQLQPVRPLYPAPLSQPPHFQSGDMASFMTTEA RQHNTAIRMAVSKVADKMDHLMTKVEELQKHSAGNSMLIPSMS VTMETSMIMSNIQRITIQENERLKQEI LEKSNRIEEQNDKISEL IERNQRYVEQSNLMMEKRNNSLQTATENTQARVLHAEQEKAKV TEELAAATAQVSHLQLKMTAHQKKE TELQMLTESLKETDLLR GQLTKVQAKLSELQETSEQAQSKFKSEKQNRKQLELKVTSLEE ELTDLRVEKESLEKNLSERKKKSAQERSQAEIEIDEIRKSYQE ELDKLRQLLKKTRVSTDQAAAEQLSLVQAELOQTQWEACEHLL ASAKDEHLQQYQEVCAQRDAYQQKLVQLQEKSVCFACLALQA QITALTQNEQHIKELEKNKSQMSGVEAAADPSEKVKIMNQ VFQSLRREFELEESYNGRTILGTIMNTIKMVTLQLLNQQEQEK EESSSEEEEEKAEERPRRPSQEQSASASSGQPQAPLNERPES PMVPSEQVVEEAVPLPPQALTTSDGHRRKGDSEAEALSEIKD GSLPPELSCIPSHRVLGPPTSIPPEPLGVPVSMDECEESLAAS PMAAK\PDNPSGK\VCVQGK*APDGPTYKE\SSTRLFPGFQDP E\EGDPLALGLE\SPG\EPQPPQLQGVVH*VPPVPHKGAFO EQEGRFPQFCRE
118	857	1	791	SETAQOIIDRLRVKLAKPEGANLFLMAVQDIRVGGRQSNASYQ YTLLSDDLAALREWEPKIRKKLATLPELADVNSDQDNGAEMN LVYDRDTMARLGDVQAANSLLNNAFGQRQISTIIYQPMNQYKV VMEVDPRYTQDISALEKMFVINNEGKAIPLSYFAKWQAPANAPL SVNHQGLSAAITISFNLPTGKSLSDASAAIDRAMSQLGVPSTV RGSFAGPAQVFQETMNSQVILIIAAIATVYIVLGIPIYERYVHP PTILL*RPGANLFLMAVQDIRVGGRQSNASYQYTLLSDDLAAL REWEPKIRKKLATLPELADVNSDQDNGAEMNLVYDRDTMARL GIDVQAANSLLNNAFGQRQISTIIYQPMNQYKVVMEVDPRYTQD ISALEKMFVINNEGKAIPLSYFAKWQAPANAPLSVNHQGLSAAI TISFNLPTGKSLSDASAAIDRAMSQLGVPSTV RGSFAGPAQVF QETMNSQVILIIAAIATVYIVLGIPIYERYVHPPTILL
119	858	3	417	IITPDAMGCQKDIAEKIQKGGDYLFAVKGNQGRNLNKAPEEKF PLKELNNPEHDSYAISEKSHGREIIRLHIVCDVPDELIDFTFE WKGLKKLCVAVSFRSIIAEQKKEPEMTVRYNIS*LGIAGDISV TAISGTD
120	859	2	373	HYLKMLTQARREVI IANAYFFPGYRFLHALRKAARRGVRIKLI IQGEPDMPIVRVGARLLYNYLVKGGVQVFEYRRRPLHGKVALM DDHWATVGSSNLHPVS*SGNLQANVILHVLRVPTLNP
121	860	286	495	CWSKSAAFHSKLATTCIVPVAAGHCSAAW*SLRPIEALAKEV RELK*HTR*LLNPATRELTSLGRNLRLLKSERERYDKYRTT LTDLTHSLKTPLAVLQSTLRSRSEKMSVSDAEPVMEQISRI SQQIGYYLHRASMRGGTLLSRELHPVAPLLDNLTSALIKGKPR KGGNVTVFPPTAMYRDGH

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
122	861	2	725	GNTVMFQHLMQKRKHTQWTYGPLTSTLYDLTEIDSSGDEQSLLELIITTKREARQILDQTPVKELVSLKWKRYGRPYFCMLGAIYLLYIICFTMCCIYRPLKPRTNNRTSPRDNTLLQKLLQEAYMTPKDDIRLVGELVTVIGAIILLVEVPDIFRMGVTRFFGQTILGGPFHVLIIITYAFMVLVTMVMRLISASGEVVPMSFALVLGWCNVMYFARGFQMLGPFITIMI QKMI FGDLM
123	862	1	135	EKAAAANIDEVQKSDVSSTGQGVIDKDALGPMMLEVAHLHFSAVF
124	863	2	364	LEVPSEVTPPLGFAMQATKTL LLLRTCCLEQFNIMEKNKGWALLGKGDGHLQGLFLLANALLERNQLLAQKVMYLLVPLLN RGN DKHKLTSAGFFVELLRSPVAKRLPSIYSVARFKDWLQD
125	864	1	374	RPAPAPSAAPEEAPSP\GVKGRGMAKRRVPAPVWGGAGGGTKSARRAAAAPDTERSEEGGRAVKEAYSSRQPPPPSP*PLRCARRCHPNLAPSMPI SNREGKGRREEKIRPLSPASTHTSARA
126	865	3	364	LQGVHSSSTFCSSLSSDFDPLEVCSFKGDPQRVDMQPSVTSRPRSLDSEVPTGETQVSSHVYHRHRHHYKRFQRHGRKPGPETGV PQSRPPIPRTPQPPEPPSPDQVTRSN SAAP
127	866	2	250	MADPDPRYPRSSI EDDFNYSSEASDTVHIRMAFLRRVYSILSLQDLLATVTS TDNLAFEDGR TDWLQR PDCV SFKIHV LPM
128	867	194	375	AGMSVVVPPIGSSYLGLISQEHFPNEFTSGDGKKAHQDFGYFYGSSYVAASDSSRTPGL
129	868	104	339	VAAALTLPFQQLSPPGAWGLGLSACFCCAEGFSRLNQQLVSSSLLLLSRTNCPCKYSFLDNLKKLTPRRDVPTYPKVR
130	869	2	360	RDDACLYSPASAEVITVGATNAQDQVTLGTLGTFNGRCVDL FAPGEDIIIGASSDCSTCFVVSQSGTSQAAAHVAGIAAMMLSAEP ELTLAELRQRLIHFSAKDVINEAWFPEDQRVLT
131	870	2	105	LEIKFLEQVDQFYDDNFPMEIRHLLAQWIENQDW
132	871	2	466	EAGDADEADANS SDCEPEGPVEAEPPQEDSSSQSDSVEDRSEDEEDEHSEEEETSGSSASEESESESESEDAQSQSQADEEEDDDFGVEYLLARDEEQSEADAGSGPPTPGPTTLGPKKEITDIAA AEBLQPKGYTLATTQVKTP I P L L L
133	872	1	354	LKNLRELLLEDNQLPQIPSGLPESLTEL SLIQTNIY NITKEGISRLINLKNLYLAWNCYFNKVCEKTNIEDGVFETLTNLELLSLSFNSLSHVPPKLPSSLRKLFLSNTQIKYISEED
134	873	59	184	MRSQALGQSAPSLTASLKELSLPRRGSFPVCPNAGRTPGL*
135	874	1	210	LLCVCLPVGACPSLSLLTAPLNQLMRCLRKYQSRTSPPLLSVPSEIVDFEFGPVFRGSWALLSWSTRP
136	875	131	254	QTPDKKQNDQRNRKRKAEPYETSQGSNNFVSTKVLNSNVLR
137	876	84	504	YFI I KGMVELVPASDTLRKIQVEYGVTSFKDKPLAEWLKRYN PSEEEYEKASENF IYSCAGCCVATYVLGICDRHNDNIMLRSTGHMFHIDFGKFLGHAQMFGSFKRDRAPFVLTSDMAYVINGGEKPTIRFQLFVDL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
138	877	3	215	PSPLPSLSLPPVAPGGQESPPHTAEVESEASPPPARPLPGE ARLAPISEEGKPOLVGRF\QVTSSK\NRLSLFPCSQHPPLSLV LQNLQPLSSLQRAQIQRTV/PGGGPETREALAESDRAEGLGA GVEEEDDGKEPQVGGSPQPLSHPSVWVMNYSYSSLCLSSEES ESSGEDEEFWAEQLSLRQKHLSEVETLQTLQKKEIEDLYSRLG KQPPPGIVAPAAMLSSRQRRLSKGSFPTSRNSLQRSEPPGPG ETA/GHPASIFSLRPLSVDCFSPGPGGLPRGNRPPLPTSPFLT *CSPSPHTAEVESEASPPPARPLPGEARLAPISEEGKPOLVGR FPSDFIQGTG
139	878	1	337	RRFVSQETGNLYIAKVEKSDVGNVTCVVTNTVTNHKVLGPPTP LILRNDGVMGEYEPKIEVQFPETVPTAKGATVKLECFALGNPV PTIIWRRADGKPIARKARRHKS RVGK
140	879	72	917	MLRTCYVLC SQAGPRS SRGWQSL SFDGGAFHLKGTGELTRALLV LRLCAWPPLVTHGLLLQAWSRLLGSRLSGAFLRASVYGQFVA GETAEVKGCVQQLRTLRLPLLA VPTEEEPPDSA AKS GEAWYE GNLGAMLRCDVLSRGLLEPPSLAEASLMQLKV TALTSTRLCKE LASWVRRPGASLELS PERLAEAMDSGQNLQVSCLNAEQNHRLR ASLSRLHRVAQYARAQHVRLLDVAEYTS LNPALSLLVAALAVR WNSPGEGGPWVWNTYQACLKDTF*
141	880	219	308	PHHRIAGDTAIDKNIHQSVSEQIKKNFAK
142	881	182	317	QMTNPFFLCFTTMMISNCNFFKGGPPGPPGEGDRGPTGESGPRG FP
143	882	177	341	NGIIASFFLRTFFICFIHQGCQAGQTIKVQVSFDLLSLMFTF VSPCTNDLIH
144	883	3	1441	KLSVNHRRTHLTKLMHTVEQATLRISQSFOKTEFDNSTDIA LKVFFFD SYNMKHIHPHMNDGDYINIFPKRKAAYDSNGNVAV AFLYYKSI GPLLSSDNFLLKPNYDNSEEEERVIS SVISVSM SSNPPTLYELEKITFTLSHRKVTD RYRSLCAFWNYSPTMNGS WSSEGC ELYSNETHTSRCRNLTHFAILMSSGPSIGIKDYNI LTRITQLGIIISLICLAICIFTFWFFSEIQSTRTTHKNLCCS LFLAELVFLVGINTNTNKLFC SIIAGLLHYFFLAFAWMCIEG IHLYLIVGVVIYKGFHLKNFYIFGYLSPAVVGFSAALGYRY YGTTKVCWLSTENNFIWSFIGPACLIILVNLLAFGVIIYKVFR HTAGLKPEVSCFENIRSCARGALALLFLLGTTWIFGVLVHVVHA SVVTAYLFTVSNAFQGMFIFLFLCVLSRKIQEYYRLEFKNVPC CFGCLR
145	884	1	429	GTREAA PSRFMFLFLLTCELA EVAEVEKSSDGP GAAQEP T WLTDVPAAMEFIAATEVAVIGFFQDLEIPAVPILHSMVQKFP G VSFGIS TDSEVLTHYNTGNTICL FRLVDNEQLNLEDE DIESI DATKLSRFIEINSL
146	885	1	156	DETSGLIVREVSIEISRQQVEELFGPEDYWCQCVAWSSAGTTK SRKAYVRIA
147	886	1	121	GTRSIHVKLDVGLHTQPKLAAQLRMVDDGSGKVEGLPGI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
148	887	128	652	XCGEDGSFTQVQCHTYTGYCWCVTPDGKPIGSSSVQNKTPVCSGSVTDKPLSQGNSGRKDDGSKPTPTMETQPVFDGDEITAPTLWIKHLVIKDSKLNNTNIRNSEKVYSCDQERQSALEEAQQNPREGIVIPECAPGGLYKPVQCHQSTGYCWCVLVDTGRPLPGTSTRYVMPX*
149	888	128	273	VLQLIKSQKFLNKLVLVETEKEKILRKEYVVFADSKVSDSKLLKWAVER
150	889	1	948	RRLSLLDLQLGPLGRDPPQECSTFSPTDSGEEPGQLSPGVQFQRRQNQRFSMEDVSKRSLPMDIRLPQEFLOKQOMESPDLPKPLSRMSRRASLSDIGFGKLETYVKLDKLGEGTYATVFKGRSKLTENLVALKEIRLEHEEGAPCTAIREVSLKLNKXANIVTLHDLIHTDRSLTLVFEYLDSDLKQYLDHCGNLMSTMHNKVRPRGQGGPILAATCPEAQCGDPLSPGIRLLRWLKP SHVGRERAMPSTSPGTGLSALPQEQTHTVCHCLAVGIKPTLNSEHQFPPSLNNGSVSYLPKCREASGEARGYE
151	890	3	108	HERHEPSPTALAFGDHPVQPKQLSFKIIQVNDN
152	891	2	208	ARGPSLLSEFHPGSDRPQERRTSYEPHFGPSPVDHDSLESKRPRLEQASDSHYQGHI TGESLPGRVH
153	892	1	116	GTRKEEFSAEENFLILTEMATNHVQVLVEFTKPLPGIF
154	893	74	661	HTHKLVAPRPGLPPTSQWPRDAGRQASGGLPSSLSTGPPKGRDGLARGHPAEWLAGSPGNNSPTQGSLLPQLDLYAGALFVHICLGNWFYLSITLTLGITALYTIAGMVPAAGRSTQGTCKGVRRPPPTGPREQPRKWPQEPQKFLPVSLLPGARAPSSNLASTGRGPGCCNLHGRPADAHGGGGCHPDNQR
155	894	55	312	MVNHSIQETSEQNVILQHTLQOOQMLQOETIRNGELEDTQTKLEKQVSKLEQELQKQRESSAEKLRKMEEKCESAAHEADLKRQK*
156	895	38	185	VCPKWCRFLTMLGHCCYFWHVWPAS*ALSAGPTPTSRSFSPSPLRSIST
157	896	37	462	MRGPPVLLLQAAPMECPVPQGI PAGSSPEPADPPGPHFLRQERSFECRMCGKAFKRSSLTSLTHLLIHS DTRYPYPCQFCGKRHFHQKSDMKKHTYIHTGEKPHKCQTQREPTMVLSPADKTNVKAAXX*
158	897	3	175	HEQLTNNATATAPSATPVFGQVAASTAPSLFGQQTGITASTAVATPQVISSRFINLDF
159	898	187	677	VSVFKNCPMY*ICIFLTKMFCVLII*NKF*VHKKPLQEVEIAAITHGALQGLAYLHSHMTMIHRDIKAGNILLTEPGQVKLADFGSASMASPANSFVGTPYWMapevILAMDEGQYDgKVDVWSLGITCIELAERKPPLEFMNAMSALYHIAQNESPTLQSNW

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
160	899	2	1060	RHARPGGGGHSNQRKMSLEQEEETQPGRLLGRRDAVPAFIEPN VRFWITERQSFIRRFLOWTELLDPTNVFISVESIENSRQLLCT NEDVSSPASADQRIQEAWKRSLATVHPDSSNLI PKLFRPAAFL PFMAPT VFLSMTPLKGIKSVILPQVFLCAYMAAFNSINGNRSY TCKPLERSLLMAGAVASSTFLGVIPQFVQMKYGLTGPWIKRLL PVI FLVQASGMNVMSRSLES IKGIAVMDKEGNVLGHSRIAGT KAVRETLASRIVLFGTSALIPEVFTYFFKRTQYFRKNPGLWI LKLSCTVLAMGLMVPFSFSIFPQIQIQYCSLEEKIQSPTEET EIFYHRGV
161	900	3	564	HASGRLEVPYNGTGWGSGVRRNITTAIAGIVCRQLGCGENGVVS LAPLSKTGSGFMVDDIQCPKTHISIWQCLSAPWERRISSPAE ETWITCEDRIRVRGGDTECSGRVEIWHAGSWGTVCDSDWDLAE AEVVCCQLGCGSALAALRDASFGQGTGTIWLDDMRCKGNESFL WDCHAKPWGQSDCG
162	901	1099	2	LGDFPQPQRRRPGASDLPPHLAGARQWEVRFRRHLPARTLPP SLRMPEGPPELHLASQFVNEACRALVFGGCVEKSSVSRNPEVFP ESSAYRISASARGKELRLILSPLPGAQPQOEPLALVFRFGMSG SFQLVPREELPRHAHLRFYTAPPGPRLALCFVDIRRFGRWDLG GKWPGRGPCVLQEQYQFRENVLRLNADKAFDRPICEALLDQR FFNGIGNYLRAEILYRLKIPPEKARSVLEALQOHRPSPETL SQKIRTKLQNPDLLELCHSVPKEVVQLGGRGYGSESGEEDFAA FRAWLRCYGMPSLQDRHGRTIWFQGDPPGLAPKGRKSRKK KSKATQLSPEDRVEDALPPSK
163	902	3	335	LTWSACYWRDILRIQLWIAADILLRMLLEKALLYSEHQNISNTG LSSQGLLI FAELIPAIKRTLARLLVIAASLDYGIKPHLGTGM HRVIGLMLLYLIFANAESVIRVIG
164	903	2	135	FFFEMESRSAAQAGVQWCNLGSLQALPPRFTPFSCLSLPSWD Y
165	904	74	645	YECBELAKKLENSQRDGISRNKLALAEIYEDEVKCKSSKSNRP KATVFKSPRTPPQRFYSSEHEYSGLNIVRPSTGKIVNELFKEA REHGAVPLNEATRASGDDKSKSFTGGGYRLGSSFCRSEYIYG ENQLQDVQIILLKLSNGFSLDDGELRPYNEPTNAQFLESVKRG VTLIACMPEIQQLMLEIF
166	905	14	1257	WPCGAAPGLTHASERMFTLTTMIQALAPVMGWDRKPLKMFSS EEMRGLHHHHKCLTKILKVEGQVPDLPSCLPLTDNTRMLASIL INMLYDDLRCDPERDHRKICEEYITGKFDPODMDKNLNAIQT VSGILQGPFDLGNQLLGLKGVMMEMVALCGSERETDQLVAVEA LIHASTKLSRATFIITNGVSLKQIYKTTKNEKIKIRTLVGLC KLGSAGGTDYGLRQFAEGSTEKLAKQCRKWL CNMSIDTRTRRW AVEGLAYLTLADAVKDDFVQDVPALQAMFELAKTSDPKTILYSV ATTLVNCTNSYDVKEVIPELVQLAKFSKQHVPEEHKDKKDFI DMRVKRLLKAGVISALACMVKADSAILTDQTKELLARVFLALC DNPKDRGTIVAQQGGKALIPLALEGTD

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
167	906	3	894	VDSVGGGSESRLDSPTSSPGAGTRQLVKASSTGTESDDFEE RDPDLGGDLENGLGS PFGKWTLSAAQTHQLRRLRGPACRE EAFMVSGETECEECLTCHKRCLETLILLCGHRRLPARTPLFGV DFLQLPRDFPEEVFPVVTCKTAEIEHRALDVQGIYRVSGSRVR VERLCQAFENGRALVELSGNSPHDVSSVLKRFQELTEPVI HLYDAFISLAKTLHADPGDDPGTSPSPSPEVIRSLKTLVQLPD SNYNTLRHLVAHLFRVAARFMENKMSANNLGIVFGPTL
168	907	1	394	GLHVISLHSADGRHWEDPLSELDSERVS AFLVTETLVFYFLCL LADETVVPPDVPSYLSQGTLSDRQETVVRTEGGPQANGHIES NGKASVTVKQSSAVTVSLGAGGGLQVFTGQVPGIRWKGKLEAH AS
169	908	179	551	KIKHRPEEPRWAAAGAQSAGPGAEEVAPPRPGTVAPGANGMT DSATANGDDRDP EIELFVKAGIDGESIGNCPFSORLFMILWLK GVVFNVTVDLKRKPADLRNLAPGTHPPFLAFNWVVK
170	909	1	335	LGFSDGQEARPEEIGWLNQYNETTGERGDFPGTYVEYIGRKKI SPPTPKPRPPPLPVAPGSSKTEADVEQVLYKYRKKPSSSHR PQTPHNGKSKNFLHKQGLKKKKASL
171	910	1	895	RTRGVMELALRRSPVPRWLLPLLLGLNAGAVIDWPTEEGKE VVDVYVTRKDAYMFWWLYATNSCKNFSELPVMWLQGGPGGS STGFGNFEEIGPLDSDLKPRKTTWLQAASLLFVDNVPVGTGFSY VNGSGAYAKDLAMVASDMMGLLKTFFSCHKEFQTVPFYIFSES YGGKMAAGIGLELYKAIQRGTIKCNFAGVALGDSWISPVDSVL SWGPLYYSMSLLEDKGLAEVSKVAEQVLNAVNRGLYREATELW GKAEMIEQVKGNTQORRACLAFSGGYRAHGWCCTWSLH
172	911	553	194	PGWSRSPDLVIRLPRPPKVLGLQYHFFFFLWLSL/DSVAQAE VQWHDRLSLQAPPPGFTPFSCLSLPGSWDYRCPPRPANFLYF **RRGFTVLARMVSI*PRDPPASASQSAGITVLSLFFFEME SCSVAQAGVQWRYLGSLSLQALPPGFTPFSCLSLPSWDYRRPPP RPFANFFVFLVETGVSPC*PGWSRSPDLVIRLPQPKVLGLQV
173	912	1761	1	PSMKTGELEKETAPLRKDADSSISVLEIHSQKAQIEEPDPPPEM ETSLDSSEMAKDLSSKTALSSSTESCTMKGEEKSPKTKKDKRPP ILECLEKLEKSKKTFDKDAQRLSPIPEEVPKSTLESEKPGSP EAAETSPPSNIIDHCEKLAKEVVEEQSTSTVGGQSVKKVDL ETLKEDSEFTKVEDNLDNAQTSGIEEPSETKGSMSKSKFKYK LVPEEETTASENTEITSERQKEGIKLTIRISSRKKKPDSPPKV LEPENKQEKTEKEEKTNVGRTLRRSPRISRPTAKVAEIRDQK ADKKRGEDEVEEESTALQTKKEILKKSEKDTNSKVSQV PKGKVRWTGSRTRGRWKYSNDESEGSGSEKSSAASEEEEEKE SEEAILEDDEPCKKCGLPNHPELILLCDSCDSGYHTALPFAP PLMIHPQMGW\F\CPTFCPTLNLLLEKLEDQF\QDL\DVAL KKERALPERRK\ERLVYVGI\SIENIIPPQ\EPDFSEDQEEKK KDSKSKANLL\ERRSTRKCI SYRFDEFDEAIEDDIDK EADGGVGRGKDISTITGHRGKDISTILDEER

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
174	913	3	539	KRRGSFKMAELDQLPDESSAKALVSLKEGSLSNWTWNEKYSSLQKTPVWVKGRNTSSAVEMPFRNSKRSRLFSDEDDRQINTRSPKRNQRVAMVPQKFTATMSTPDKKASQKIGFRLRNLLKLPKAHKWC IYEFYFSNIDKPLFEGDNDFCVCLKESFPNLKTRKLTRVEWGK IRRIMG
175	914	166	635	MPEYLRKRFRGGIRIPIILAVLYLFIYIFTKISVDMYAGAIPIQ QSLHLDLYLAIIVGLLAIITAVYTVAGGLAAVIYTDALQTLIMLI GALTLMGYSFAAVGGMEGLKEKYFLALASNRSENSSCGLPRED AFHIFRDPLTSDLWPVPGVLFGMSIPSLX*
176	915	673	1025	XSASATSLTLSHCVDVVKGLLDFKKRRGHSIGGAPEQRYQIIP VMCCSLLATGGADRLIHLWNVVGSRLEANQTLEGAGGSITSDV FDPSTGYQVLAATYNQVAQFWK*
177	916	3	139	QKRFFSNCGRDGKFLWQALHI IAKLLGKWRRLGMVFFSLLLSY
178	917	1	541	VHVCSSKMGALSTERLQYYTQELGVRERSGHSVSLIDLWGLLV EYLLYQEEENPAKLSDQQEAVRQGNPYP IYTSVNVRTNLSGED FAEWCEFTPYEVGFPKYGAYVPTLFGSELFMGRLLQLQPEPR ICYLQGMWGSFAFATSLDEIFLKTAGSGLSFLWYRGSVNI TDD CQKPQLHN
179	918	1	628	EFLGRPTRPAKDEGNDEGKDEGKDEGKDEGKDEGKDEGKDERK DEGKDEGKDERKDEGKDEGKDEGKDEGKDEGKDEGKDEGKDEG NDEGKDEGKDEGKDEGKDEGKDEGKDERKDEGKDEGKDERKDE GKDEGKDEGKDEGKDEGKDEGKDEGKDEGNDEGKDEGKDEGKD EGKDEGKDEGKDEGNDEGNDEGNDEGNDEGKDEGKDERNDEGKDEGK DEGKDEGKDERNDEGKDERKDEGKDEGKDEGKDEGKDEGKDEG NDEGKDERKDEGKDEGKDEGKDK
180	919	27	471	PSLRPAWHEGEDFSYGLQPYCGYSFQVVGEMIRNREVLPCPDD CPAWAYALMIEGWNEFPSRRARFKDIHSRLRAWGNLSNYSNSE QTSGGRNNTQTSSLSTSPLCNVSNAPYVGPQKQVPPFPQTQVI PMKGQIRPMVPPPQLYVP
181	920	2	454	RNSGRHPRVRWILEERKRVMQEACAKYRASSSRAVTPRHVSR IFVEDRHRVLYCEVPKAGCSNWKRVLMVLAGLASSTADIQHNT VHYGSALKRLDTFDRQGIHLRLSTYTKMLFVREPFERLVSFAFR DKFEHPNSYYHPVFCMAILAR
182	921	2	378	IMYSISPANSEEGQELYVCTVKDDVNLDTVLLLPFLKEIAVSQ LDQLSPEEQLLVKCAAIIGHSFHIDLLQHLLPGWDKNKLLQVL RALVDIHVLCWSDKSQELPAEPIIMPSSIDIIDGTKEKK
183	922	181	513	GPHVVLVLRRCFLLSYFKGVEKAKAMPSPRIKTHLSTQLLPP SFWENNCKVRYQQLPVTEGKVSQPKRVLQPTPTQSIRDHLCLST VSDAYQQRENIKFYIQQDIHLNSFK
184	923	32	239	FYYICRLSKEDKAFLWEKRYCFKHPNCLPKILASAPNWKWVN LAKTYSLLHQWPALYPLIALELLDSK

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
185	924	3	361	KMMI*GLFEIQQCPIGKHCNLFQVLRN/PNRDL/WLVSSFGKSKGRERMGGHDEYYRLRGR/HNPSPDHSYKRNAGESERKRKSH *HMSKSKQERHNSPSRGRNSDRSGGRCRSRSDNGRSRYR
186	925	443	1412	PLSLFARVAGSRVEMPEPPGLGDEGRPLLHPGRREAVGWSVSA FAGDSTPCGPGDLSVPRREPFRLTAL*PHRSPVVRTSLIGLLL GFSVKEELRGVGAARTPLGIR
187	926	2	917	FDKRQHEARIQQMENEIHYLQENLKSMEEIQGLTDLQLOEADE EKERILAQLELEKKKKLEDAKSQEQVFGDKELKLLKAVAT SDKLATAELTIAKDQLKSLHGTVMKINQERAEELQEAERFSRK AAQAARDLTRAEBEIELLQNLRLRQKGEQFRLEMKTGVGTGAN SQVLEIEKLNEMERQTEIARLQNVLYLTGSDNKGGFENVLE EIAELRREGSYQNDYISSMADPFKRRGYWYFMPPPSSKVS SH SSQATKDSGVGLKYSASTPVRKPRPGQDQKQSGSPPPASGYW VYSP
188	927	171	1082	SDASSFKTRVIVVPRPRVFPPLGSAITENSLESQIGQFGVGF YSAFLVADKVIIVTSKHNDTQHIWESDSNEFSVIADPRGNTLG RGTITLVLKEEASDYLELDTIKNLVKKYSQFINFPYVWSSK TETVEEPMEEEEAAKEEKEESDDEAAVEEEEEKPKTKKVEK TVWDWELMNDIKPIWQRPSKEVEDEYKAFYKFSKESDDPMA YIHFTAEGEVTFKSILFVPTSAPRGLFDEYGSKSDYIKLYVR RVFITDDFHDMPKYLNFVKGVDSDDLPLNVSRETLOQHKLK KV
189	928	718	275	CGSWMRRALIPPCRGGPSASDRCCSCSPSGFSAGRGRCPVQGC LRPHRVQLLRWGPSPAGQRLSKGFQLLRWGWGSPAPEPRK GPFPPDPVPTAVTVMAGSVPSAQSVDALESPGPLALEGPS SPRNLLWREMSIFLPGIF
190	929	1	550	PGPTPPRHGSPPHRLIRVETPGPPAPPADERISGPPASSDRL AILEDYADPFVQETGEGSAGASGAPEKVPENDGYMEPYEAQK MMAEIRGSKETATQPLPLYDTPYEPEEDGATPEGEGAPWPRES RLPEDDERPPEEYDQPWEWKKERISKAFAVDIKVIKDLWPVP VGQLDSSPSLP
191	930	1	562	QFFSLFLRYQIHTGLQHSIRPTQPNCLPLDNATLPQKLKEVG YSTHMVKGWHLGFYRKECMPTRRGFDTFGSLGSGDYIYTHYK CDSPGMCGYDLYENDNAAWDYDNGIYSTQMYTORVQQILASHN PTKPIFLYIAYQAVHSPHQAPGRYFEHYRSIININRRRYAAML SCLDEAINNVTLALK
192	931	3	580	RVRKGRGGERLQSPLRVPQKPERPPLPPKQFLNSGAYPQKPL RNQGVVRTLSSSAQEDIIRWFKEQLPLRAGYQKTSDTIAPWF HGILTLKANELLSGMPGSLIRVSRERIKGYALSYLESDGC KHFLIDASADAYSFLGVDQLQHATLADLVEYHKEEPITSLGKE LLLYPCGQDQLPDYLELFE

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
193	932	3	1641	GSLEKALFQLLKVWGQWAEQTRRLQRLDVSLSVARVRSAGPSC QNKGDLVMEALLEGIQNRGHGGGLTSCAEALQELMKQIDIMV AHKKSEWEGRTHALETCLKIREQELKSLRSQLDVTHKEVGM LH QOVEEHEKIQEMTMEYKQELKKLHEELCILKRSYEKLOKKQM REFRGNTKNHREDRSEIERLTAKIEEFRQKSLDWEQRLLYQQ QVSSLEAQRKALAEQSEIIQAQLVNRKQKLESVELSSQSEIQH LSSKLERANDTICANELEIERLTMRVNDLVGTSMTVLQEQQK EEKLRSEKLEALQEEKRELKAALQSQENLIHEARIQKEKLQ EKVKATNTQHAVEAISLESVSATCKQLSQELMEKYEELKRMEA HNNEYKAEIKKKEQILQGEQSYSSALEGMKMEISHLTQELHQ RDIITIASTKGSSSDMEKRLRAEMQKAEDKAVEHKEILDQLES L KLENRHLSEMVMKLELGLHECSLPVSPGLSIATRFLEEEELRS HHILERLDAHIEELKRESEKTVRQFTALK
194	933	159	1053	TGFLGWSQGPSLTPTLSLSALYPSQVEETGVVLSLEQTEQHSRR PIORGAPSQKDTPNPGDSLDTPGPRILAFHPPSLSEAAALAD PRRFCSPDLRRLGPILDGASVAATPSTPLATRHPQSPLSADL PDELPGVTENVHRLFTSGKDEAVETDLDIAQDADALDLEMLA PYISMDDDFQLNASEQLPRAYHRPLGAVPRPRARSFHGLSPPA LEPSLLPRWGS DPRLSCSSPSRGDPSASSPMAGARKRTLAQSS KDEDEGVELLGVRPPKRSPSPEHENFLLFPLSLSFLLTG
195	934	3	425	ELQDCFDVHDASWEEQIFWGWHDVHIFDFTKTQTFWQPEIKGG VFPQPRAAHTCAVLGNKGYIFGGRVLQTRMNDLHYLNLDWTW SGRITINGESPKHRSWHTLTPAIADKFLFCGGLNAYNMPPLSDG WIHNVTTHCWK
196	935	2	295	FFFLRTRSHSVTPRWECSDDITAHWQPQPWGSSDPLTFS/RPQ VVVPPTHLLCP\ANFFVFCIFCRNRISPCWPGWSRTPWAQLI RLPRPPKVLGLQV
197	936	2	737	PREGQVKQGLLGDCWFLCACAALQKSRHLLDQVIPPGQPSWAD QEYRGSFTCRIWQFGRWVEVTTDDRLPCLAGRLCFSRCQREDV FWLPLEKVKYAKVHGSYEHLWAGQVADALVDLTGGLAERWNLK GVAGSGGQDRPGRWEHRTCROLLHLKDQCLISCCVLSPRAGE ARGQHGRAAASVPTARPQAHCSFLCDWLHSPVRTKWEVSLF SRVVSSVCDLPLLSSSRGTWPFSPLTSPFH
198	937	3	638	AECLEAS IARYAHRVANSRYTFDGETVTLSPSQGVNQLHGGPE GFDKRRWQIVNQDRQVLFALSSDDGDQGFPGNLGATVQYRLT DDNRISITYRATVDKPCPVNMTNHVYFNLDGEQSDVRNHLKQI LADEYLPVDEGGIPHDGLKSVAGTSFDFRSAKIIASEFLADDD QRKVKGYDHAFLLOAKGDGKVAHVWSADEKLQKLVYT
199	938	69	425	PLSRFLSKESQEDWGMERQSRVMSEKDEYQFHQGAVELLVFN FLLILTILTIWLFKNHRFRFLHETGGAMVYDKPKFAMSRQMS QSCSHTAHNASLLTDAGPLSCGESRASCLFL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
200	939	3	435	DSKEPRLQQLGLLEEEQLRGLGFRQTRGYKSLAGCLGHGPLVL QLLSFTLLAGLLVQVSKVPSISIQEQSRQDAIYQNLTLQKAAV GELSEKSLQEIYQELTQLKAAVGELPEKSKLQEIYQELTWLK AAVGELPEKSKMQE
201	940	657	469	MQSIAWGHRDRGESPLGWGQSEASPSALTEAPKAAHTTRLG FLAANNPNHGSQPQDSFLL*
202	941	1	714	FETLSMRGIPHMLALGPQQLLAQDEEGDTLLHLFAARGLRWAA YAAAEVLQVYRRLDIREHKGKTPLLVAAAANQPLIVEDLLNLG AEPNAADHQGRSVLHVAATYGLPGVLLAVLNSGVQVDLEARDF EGLTPLHTAILALNVAMRPSDLCPRVLSTQARDRLDCVHMLLQ MGANHTIQVSGDVGQTLGDCVWGHLDVRELQANADFASSLL RALEHVTSLLCALRVFCLFLCQL
203	942	3	479	DAWADAVGTRKMDLDSPPKLSGVQQPSEGVGGRCSEISAEL IRSLTELQELEAVYERLCGEEKVVERELDALLEQONTIESKMV TLHRMGPNLQLIEGDAKQLAGMITFTCNLAENVSSKVRQLDLA KNRLYQAIQRADDILDLKFCMDGVQALR
204	943	1	706	AVEFRVPRSGSAYLYSYVTVGELWAFRTGWNLILSYVIGTASV ARAWSSAFDNLIGNHISKTLQGSIALHVPVLAEYPDFFALGL VLLLTGLLALGASESALVTKVFTGVNLLVLGFVMISGFVKGDV HNWKLTEEDYELAMAEINDTYSGLPLGSGGFVFGFEGILRGA ATCFYAFVGFDCIATTGEEAQNQRSIPMGIGISLSVCFLADF AVSSALTLMPYQQLQPEP
205	944	1	852	GFHPNTHYRARRAAARAGAGSFVGEVSAVDKDFGPNGEVRYSF EMVQPDFELHAISGEITNTHQFDRESLMRRRTAVFSFTVIAT DQGIPQPLKDQATVHVYMKDINDNAPKFLKDFYQATISESAAN LTQVLRVSASDVDEGNGLIHYSIIKGNRQFAIDSTSGQVT LIGKLDYEATPAYSLVIQAVDSGTIPLNSTCTLNIDILDENDN TPFF/LLNQHFFVDVLENMRIGELGASGTATDS\DSGDIADLY YKFTGTKHPPGTFSISPKHLGVFFLAQK
206	945	3	363	GDCYDLYGGEKFATLAEVQYYMEHHGQLKEKNGDVIELKNPL NCADPTSQRWFHGLSGKEAKLLTEKGKHSFLVRESQSHPG DFVLSVCTGDDKGESNDGKSKVTHVMIHCQELK
207	946	218	717	IDSGNQNGNDKTKNAERNYLNVLPGEFYITRHSNLSEIHVA FHLCDVDHVKSGNITARDPAIMGLRNILKVCCTHDITTIIS IPL LLVHDMSEEMTIPWCLRRAELVFKCVKGFMMEMASWDGGISRT VQFLVPQSISEEMFYQLSNMLPQIFRVSSTLTLTSKH
208	947	3	368	SILPALLVTILIFMDQQITAVIVNRKENKLLKKAAGYHLDLFWV GILMALCSFMGLPWYVAATVISIAHIDSLKMETETSAPGEQPQ FLGVREQRVTGIIIVFILTGISVFLAPILKCIPLPV
209	948	2	575	GASRVEAGSANGMLIDGGSQIVKVQGHADGTTINKSGSQDVVQ GSLATNTTINGGRQYVEQSTVETTTIKNGGEQRVYESRALDIT IEGGTQSLNSKSTAKNTHIYSGGTQIVDNTSTSDVIEVYSGGV LDVRGGTATNVTQHDGAILKTNNTNGTTVSGTNSGAFS IHNHV ADNVLLENGGHLIDINAYGS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
210	949	1	296	FFSSIQLTDDQGPVLMTTVAMPVFSKQNETRSKGILLGVVGT VPVKELLKTI PKYKVMNDLIPEIKATEMPRALFSQSSGFKLYF GAMFLLTTITAC
211	950	3	594	SCSGTGTNACYMEDMSNIDLVEGDEGRMCINTEWGAFGDDGAL EDIRTEFDRELDLGS LNPGKQLFEKMISGLYL GELVRL ILLKM AKAGLLFGGEKSSALHTKGIETR HVAAMEKYKEGLANTREIL VDLGLPESEADCIAVQH VCTIVSFRSANLCAAALAILRLRE NKKVERLRRTTVGMDGTYKIHPQY
212	951	2	2167	FVAIATNGVVPAGGSYMI SRSLGPEFGGAVGLCFYLGTTFAG AMYILGTIEILLAYLFPAMAIFKAEDASGEAAAMLNMRVYGT CVLTCMATVVVFGVKYVNFALVFLGCVILSILAIYAGVIKSA FDPNFPICLLGNRTL SRHGFDVCAKLAWEGETVTTLRWGLF CSSRFLNATCDEYFTRNVTEIQGIPGAASGLIKENLWSSYLT KGVIVERSGMTSVGLADGTPIDMDHPYVFSDMTSYFTLLVGIY FPSVTGIMAGSNRSGDLRDAQS IPTGTILAIATTSAVYISSV VLFGACIEGVVLRDKFGEAVNGNLVVGTLAWPSPWVIVIGSFF STCGAGLQSLTGAPRLQAI SRDGI VPF LQVFGHGKANGPTW ALLLTACICEIGILIASLDEVAPILSMFFLMCYMFVNACAVQ TLRTPNWRPRFRY YHWTL SFLGMSLCLALMFCISWYVALAM LIAGLIYKYIEYRGAKKEWGDGIRGLSLSAARYALLRLEGGP HTKNWRPQLLVLRVDQDNVHPQLLSLTSQLKAGKGLTIVG SVLEGTFLNHPQAQRAEESIRRLMEAEKVGFQOVVISSNLR DGVSHLIQSGGLGGLQHNTVLVGVPRNWRQKEDHQTWRNFIEL VRETTAGHLALLVTKNVSMFPGNPERFSEGSIDRWGIGHDGGM LMLVPPFLLRHHKVKRCKMRI FTVAQMVDMMHAM
213	952	1	128	FYLRLLSFFCFQEHEKRCWSVDFNLMDPKLLASGSDDAKGTV
214	953	3	244	RNSKAMHRSSCDGPLLSLPSVGRSATHALVQAQLICSGARRGM HAFIVPIRSLQDHTPLPGKPIMLPQGTLPGGEPWRPP
215	954	2	609	CGTLILQARAYVGPVHLAVVTRTGFTAKGGLVSSILHPRPIN FKFYKHSMKFVAALSVLALLGTIYSIFILYRNRVPLNEIVIRA LDLVTVVPPALPAAMTVCTLYAQSRLRRQGFICIHPLRINLG GKLQLVCFDKTGTLTEDGLDVMGVVPLKGGQAFPLPVPEPRRLP VGPLLRALATCHALSRLQDTPVGDPMDLKM
216	955	292	855	QIEYFRSLLDEHHISYVIDEDVKSGRYMELEQR YMDLAENARF EREQLLGVQQHLSNTLKMAEQDNKEAQEMIGALKERSHHMERI IESEQKGAALAAATLEEYKATVASDQIEMNRLKAQLENEKQKV AELYSIHNSGDKSDIQDLLESVRLDKEKAETLASSIQEDLAHT RNDANRLQDAIAKGRG
217	956	2	400	ARYRFTLSARTQVGSGEAVTEES PAPPNEATPTAAPPTLPPTT VGATGAVSSTDATAIAATTEATVPIIPTVAPTMTATTTTIVAT TTTTTAATTTTESPPTTTSGTKIHESAPDEQS IWNVTVLPNS KWA

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
218	957	1	662	LKSTQDEINQARSKLSQLHESRQEAHRSLEQYDQVLDGAHGAS LTDLANLSEGVSLAERGSFGAMDDPFKNKALLFSNNTQELHPD PFQTEDPFKSDPFKGADPFKGDPFQNDPFAEQOTTSTDPFGGD PFKESDPFRGSATDDFFKKQTKNDPFTSDPFKPNPSLPSKLDP FESSDPFSSSSVSSKGSDFPGTLDPFSGSFFNSAEGFADFSTI EGRRG
219	958	1	752	RTRGGSGNSSQPSLREGHDKPVFNGAGKPHSSTSSPSVPKTS SRTQKSAVEHKAKKSLSHPSHSRPGMVTPHNKAKSPGVRQPG SSSSSAPGQPSTGVARPTVSSGPPVRRQNGSSSSGSPERSISGS KKPTNDSNPSRRTVSGTCGPGQPASSSGGPRPIGSSVSSARP LGSSRGPGRPVSSPHELRRPVSGLPPGRSVSGPGRSISGSI AGRTVSNVPGRPVSSSLGPGQTVSSSGPTIKPKCT
220	959	439	582	RGKGITPRYHLCISDPHNLKICCRVNGEVVQSSNTNQMVFKTE DLIAW
221	960	230	420	VVAVTRWLCENGVSYLKRCVCSACRHGTRCAGEVAAAANNSHC TVGLAFNAKIGMGNQLTWM
222	961	311	490	GAPPPFVPTLKSDDDTSNFDEPKKNSWVSSSPCQLSPSGFSGE ELPFVGFYSYKALGIL
223	962	2	422	FVERLAHLHAACAPRRKVALLEVCRDVYAGLARGENQDPLGA DAFLPALTEELIWSPDIGDTQLDVEFLMELLDPELGEAGYY LTTWFGALHHIAHYQPETDRAPRGLSSEARASLHQWRRRRLH RKDHPRQQLD
224	963	385	844	FWMDPYNPLNFKAPFQTSGENEKGCRRDSTPSESIVAISECHT LLSCKVQLLGSQESECPDSVQRDVLSSGRRHTRVKKKVTFL VTEYYISGDEDRKGPWEEFARDGCRFQKRIQETEDAIGYCLTF EHRERMFNRLQGTCTFKGLNVLKQC
225	964	3	166	AASTAYSFFGTVENMAPKVVNRPGHTQSADWGSFGGLMGRFEF GIFLKGKEIVK
226	965	1	118	GFVFLPGPMSVGLDFSLPGMEHVYGIPEHADNLRLLKVTE
227	966	1	390	GSECQGTDLDRNCTSDLCVHTASGPEVALYVGLIAVAVCLV LLLLVLILVYCRKKEGLSDVADSSILTSGFQPVSIKPSKADN PHLLTIQPDLSSTTTTYQGSCLPRQDGPSPKFQLTNGHLLSPL G
228	967	1	777	LIYNEDMICWIESRESSNQLKCIQITKAGGLTDEWTINILQSF HNVQQMAIDWLTRNLYFVDHVGDRIFVCNSNGSVCVTLIDLEL HNPKAIADVPIAGKLFYTDYGNVAKVERCDMDGMNRTRIIDS TEQPAALALDLVNKLIVYWDLYLDYVGVVDYQGKNRHAVIQGR QVRHLYGITVFEDYLYATNSDSYNIVRISRFNGTDIHSLIKIE NAWGIRIYQKRTQPTVRSHACEVDPYGMPPGCSHICLLSSSYT K
229	968	3	488	SSGNPQPGDSSGGGAGGLPSPGEQELSRRLQRLYPVAVNQET PLPRSWSPKDKYNYIGLSQGNLRVHYKGGKGNHKAASVRATH PIPAACGIYYFEVKIVSKGRDGYMGIGLSAQGVNMNRLPGWDK HSYGYHGGDGHSPCSSGTGQPYGPTFTTGDVI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
230	969	1	228	FFFFKMGSRSVTQAGVQWCDVSSLQAPPPRFTLFCLSLSPSSWD YRCVPPCPANFFVFLVETGFHRVSYQGLDLTS
231	970	2	119	QLSLARGKVFLCALS FVYFAKALAEGLKSTITQIERRVDIPS SLVGVIDGSFEIGNLLVITFVSYFGAKLHRPKIIGAGCVIMGV GTLCLIAMPQFMEQYKYERYSPSSNSTLSISPCLLESSSQLPV SVMEKSKSKISNECEVDTS SSMWIYVFLGNLLRGIGETPIQPL GIAYLDDFAS EDNAAFYIGCVQTVAIIGPIFGFLLGSLCAKLY VDIGFVNL/DHF*VSAQLGTRKGVLCVLFCLLCQSIGRRLSE EHHHSDREKG
232	971	221	1068	QPAGRVEAFCKFHMWAEGMTSLMKAALDLYPITSMFSGAGFN SSIFSVFKDQQIEDLWIPYFAITTDITASAMRVHTDGS LWRYV RASMSLSGYMPPLCDPKDGHLLMDGGYINNLPAVARSMGAKV VIAIDVGRDETDLTNYGDALSGWLLWKRWNPLATKVKVLMN AEIQTRLAYVCCVRQLEVVKSSDYCEYL RPPIDSYSTLDFGKF NEICEVGYQHGRVFDIWRSGVLEKMLRDQOGPSKPPASAVL TCPNASFTDLAETVSRIEPAKPAM
233	972	133	635	LWVIMFVSYLILTLHLVQTAVLARPGGESIGCDDYLGS DKVVD KCGVCGDNTGCQVVS GVFKHALTSLGYHRVVEIPEGATKINI TEMYKSNNYLALRSRSGRSIINGNWAIDRPGKYEGGTMFTYK RPNEISSTAGESFLAEGPTNEILDVYVSLDVSGLFFGF
234	973	1	420	ISGGTRSAGPLRRNYNFIAAVVEKVAPSVVHVQLWGRNQQWIE VVLQNGARYEAVVKDIDLKLDLAVIKIESNAELPVLMLGRSSD LRAGEFVVALGSPFSLQNTATAGIVSTKQRGGKELGMKDSMD YVQIDATINYG
235	974	2	860	PRVRELKEILDRKGHFSENETRWIIQSLASAIAYLHNNDI VHR DLKLENIMVKSSLI DDNNEINLNKIVTDFGLAVKKQSRSEAML QATCGTPIYMAPEVISAHDY SQQCDIWSIGVVMYMLLRGEPPF LASSEKLFELIRK GELHFENAVWNSISDCAKSVLKQLMKVDP AHRITAKELLDNQWLTGNKLSVRPTNVLEMMEKWKNNPESVE ENTTEEKKNKPEEKLSYQPWGNVPETNYTSDEEEEKQVGR I IAAFLPSVKYPHHTWNI FLQICLFVVS L
236	975	1	467	LSISVSDVSLSD EGQYTC SLFTMPVKTSKAYLTVLGVPEK PQI SGFSSPVM EGDLMQLTCKTSGSKPAADIRWFKNDKEIKDV KYL KEEDANRKTFTVSS TLDFRVD RSDDGVAVICRVDHESLNATPQ VAMQVLEMHYTPSVKII PSTPFPQEG
237	976	3	417	YNQKVDLFS LGIIF FEMS YHPMVTASERIFVLNQLRDP TSPKF PEDFDDGEHAKQKSVISWLLNHPAKRPTATELLKSELLPPPQ MEESELHEVLHHTLTNVDGKAYRTIDGPRSFRQRISPAIA\YT YD\SDILKGN

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
238	977	2	740	DQDYKYDSTSDSNFLNPPRGWDHTAPGHRTFETKDQPEYDST DGEGDWLSLWSVCSVTCGNGNQKRTTRSCGYACTATESRTCDRPN CPGIEDTFRTAATEVSLLAGSEEFNATKLFVVDTDSCERWMSK KSEFLKMYMHKVMNDLPSCPCSYPTVEAVYSTADIFDRIKRKDF RWKDASGPKEKLEIYKPTARYCIRSMLSLESTTLAAQHCCYGD NMQLITRKGAGTPNLISTEFS AELHYKVDV
239	978	2	612	ESEENGESAMDSTVAKEGTVPLVAAGPCDDEGIVTSTGAKEE DEEGEDVVTSTGRGNEIGHASTCTGLGEESEGVLICESAEGDS QIGTVVEHVEAEAGAAIMNANENNVDMSGTEKGSKDTDICSS AKGIVESSVTSAVSGKDEVTPVPGGCEGPM TSAASDQSDSQLE KVEDTTISTGLVGGSYDVLVSGEVPECEVAH
240	979	79	361	VCIICLIFSYYSFDSALQSAKSSLGGNDELSATFLEMKGHFYM YAGSLLLKMGQHGNNVQWRALSELALCYLIAFQVSLPLGAID ISRSLDVF
241	980	2	681	QHPSQEKQVLTSPSRKQKLNRYRSHHDQMICKCLSLSISYS ATIGGLTTIIGTSTSLIFLEHFNNQYPASEVNVNFGTWF LFSFP ISLIMLVSWFWMHWLFLGCNFKETCSLSK KKKTKREQLSEKR IQEYEEKLGDISYPEMVTGFFFILMTVLWFTREP GFVPGWDSF FEKKGVRTDATVSVFLGFLFLIPAKKPCFGKKN DGENQEHSL GTEPIITWKDF
242	981	1	491	LEREGDKGTPVLRGFSSVSGSWSRRMPFLLLITCLFITGTSVS PVALDPCSAYISLNEPWRNTD HQLDDESQGPPLCDNHVNGEYH FTGMAGDAMPTFCIPENHCGTHAPVWLN GSHPLEGDGIVQRQA CASFNGNCCLWNTTVEVKACPGGYVYRLTKPSV
243	982	1	983	CGRTMSDIRHSLLRDALSAAKEVLYHLDIYFSSQLQSAPLPI VDKGPVELLEEFVQVPKERSAQP KRLNSLQELQLEIMCNYF QEQTKDSVRQIIFSSLSFPQGNKADDSRMSLLGKLVSM AVAVC RIPVLECAASWLQRTPVVYCVRLAKALVDDYCCLVPGS IQTLK QIFASAPRFCCQFTSVTALYDLSSDDLIPMDLLEMIVTWIF EDRRLILITFLNTPIAANLP IGFLELTPLVGLIRWCVKAPLAY KRKKKPPLSNGHVS NKVTKDPGVGM DRD SHLLYSKHLHLSVLQV LMTLQLHLTEKNLYGPPGADPLRPHG
244	983	32	362	SACSTGPELPGRATRS LTRPANQKGC DGRLYYDGCAMIAMNG SVFAQGSQFSLDDVEVLTATLDLEDVRSYRAEISSRNLA VSAP VDTCVGCSSKTKVAPFVRAWRP
245	984	158	398	APLSRLCFPPQVLVNEG GGFDRASGSFVAPVRGVYSFRFHVVKV YNRQTVQVTSALAPIPGSGG WGGRRGAQLTSGWTLH
246	985	2	707	PHIIGAEDDDFGTEHEQINGQCSCFQSI ELLKSRPAHLAVFLR HVVSQFDPATLLCYLSDLYKHTNSKETRRIFLEFHQFFLDRS AHLKVSVPDEMSADLEKRRPELIPEDLHRHYIQTMQERVHPEV QRHLEDFRQKRSMGLT LAESELTKLDAERDKORLTLEKERTCA EQIVAKIEEVLMTAQAVEEDKSSTMQYVILMYMKHLGVKVKEP RNLEHKRGRIGFLPKIKQSM

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
247	986	18	441	SPGTGRGPGPSTSFVCLPTPQCPFIDDFILALHRKIKNEPVVFP EGPEISEELKDLILKMLDKNPETRIGVPDIKLPVWTKNGEEP LPSEEEHCVVVEVTEEEVKNSVRLIPSWTTVILVKSMRLKRSF GNPFEPQARMA
248	987	3	732	HASGIKIDKTS DGP KLF L TEED QKRL HD FEE QCV EMY FNE KDD KFHSGSEERIRVT FERVEQMCIQI KEV GDRVNYIKRSLQSLDS QIGHLQDLSAL TVDTL KTLTAQKASEASKVHNEITRELSISKH LAQNLIDDGPV RPSVWKKHGVVNTLSSSLPQGDLESNNPFHCN ILMKDDKDPQCNI FGQDLPVPQRKEFNFP EAGSSGALFP SA VSPPELRQRLHGV ELLKIFNKKQKKRA
249	988	3	468	CCRWIDCFALYDQEE LVRHIEKVHIDQRKGEDFTCFWAGCPR RYKPFNARYKLLIHM RVHSGEKP NKCTFEGCEKAFSRL ENLKI HLRSHTGEKPYLCQHPGCQKAFSNSSDRAKHQ RTHLDTKPYAC QIPGCTKRYTDPSSLRKHVKAHSSK
250	989	356	553	LPLLWTLSDFGG TMDQSGMEIPVTLIIKAPNQKYS DQTISCFL NWTVGK LKTHLSNVYPSKPVSV
251	990	1	895	AGTRMCVVA AAEELVCGA \ RGLWRRTRRPRFVLMNKMDLNL HYRFLNWRRI REIREVRAF RYQERFKHILVDGDTLSYHGNSG EVGCYVASRPLTKDSNYFEVSI VDSGVRGTIAVGLVPQYSLD HQPGWLPDSVAYHADDGKLYNGRAKGRQFGSKCNSGDRIGCGI EPVSDVQTAQIFFTKNGKRVGSTIMPMSPDGLFPVAVGMHSLG EEVRLHLNAELGREDDSVMMVDSYEDEWGR LHDVRVCGTLL EY LGK GKSIVDVGLA QARHPLSTRSHYFEVEIVDPGEKCYIA
252	991	51	674	QQAE EHLAAYSVSDSDSGKDPSMECCRATPGTLLLFLAFLLL SSRTARSEEDRDGLWDAGPWSECSRTC GGGASYS LRCLSSK SCEGRNIRYRTCSNVDCPPEAGDFRAQQCSAHNDVKHHGQFY E WLPVSNPDNPNCSLKQCAKGTTLVVELAPKVL DGT RCTYESLD MCISGLCQVSADLFSFNLSRGFQC LCVNGLHSLTL
253	992	2	554	RLLRQELVVLCHLHHP SLISLLAAGIRPRMLVMELASKGSLDR LLQQDKASL TRTLQHRIALHVADGLRYLHSAMI IYRDLKPHNV LLFTLYPNAAI IAKIADYGIAQYCCRMGIKTSEGT PGFRAPEV ARGNVIYNQADVYSFGLLLYDILT TGGRIVEGLKFPNEFDEL EIQGKLPDPVKE
254	993	3	437	KASNSTHEFRIGLPEGWESEK KAVIPLGIGPPLTLICLGVLGG ILYGRKGFQTAHFY LKDS P SPKVISTPPPIFPISKEVGP I P IKHFPKHVANLHASRGFTEKFETLKKFYQEGQ SCTVDLGITAN SSNHPDNRHRNRS LI
255	994	3	445	SFPDR TASLVLLSVPVQAGMQQRGLAIVALAVCAALHASPAI LPIASSCCTEVSHHISRLLERVMCRIQRADGDCDLAAVILH VKRRR ICVSPHNHTVKQWMKVQA AKKNGKGNVCHRKKHHGKR N SNRAHQKHETYGHKTPY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
256	995	2	737	FEQPGNPGDPRVRTPPPWP GPHFFALIPSSPKVEVPATPSSRRDP IAPTATLLSKKTPATLAPKEALIPPAMTVPSPKKTPAIPTPKE APATPSSKEASSPPAVTPSTYKGAPSPKELLIPPAVTSPPSKE APTPPAVTPPSPEKGPATPAPKGTPTSPVTPSSLKDSPTSPA SVTCKMGATVPQASKGLPAKKGPTALKEVLVAPAPESTPIITA PTRKGPQTKKSSATSPPICPDPSAKNGSKG
257	996	79	3	FFLKIQGLGWARWLTPVIPVLWEAE
258	997	307	475	AGFGYGLPISRLYAKYFQGDNLNLYSLSGYGTDAIIYLKVSLEF NSKILFLKPLLLL
259	998	26	622	WMRAPMLQKQAPRMDTPPPEERLEKQNEKLNQEEETEFKEL DGLREALANLRGLSEEERSEKAMLRSRIEEQSQLICILKRRSD EALERCQILELLNAELEEKMMQEAELKAQGEYSRKLERFMT LAANHELMRFKDEYKSENIKLREENEKLRLENNLSFSQALKD BEAKVLQLTVRCEALTGELETLKERC
260	999	2	241	DPGASHASVQVQVLKEQLFAGRMPSPPFRSCALMGMCGRSADN LSCPSPLNVMEPVSVFFPLKSLGKGMIOHFRHIVSLV
261	1000	1	620	VTTTTHSVGRGHELQLLNEELRNIELECONIMOAHRLQKVTDQ YGD IWLHDGGFRNYNTSIDMQRGKLD DIMEHPEKSDKSSSA YNTAESCRSTPLTVDRSPDSSLPRVINLTNKNLRSTMAATQS SSGQSSKESTTKAKTTEQGCSAESKEKVLGSKLPDQEKAVS EHIPYLSPHYSSSYRYANI PAHARHYQSYMQLIQ
262	1001	3	420	VWGCLATVSTHKKIQGLPFGNCLPVSDGPFNNSTGIPFFYMTA KDPVVADLMKNPMASLMLPESEGEFCRKNIVDPEDPRCVQLTL TGQMIAVSPEEVEFAKQAMFSRHPGMRKWPRQYEWFFMKMRIE HIWLQKWYG
263	1002	43	441	QAANMAVARVDAALPPGEGSVVNWSGQGLQKLGPNLPCEADIH TLILDKNQIIKLENLEKCKRLIQLSVANNRLVRMMGVAKLTLL RVLNLEPHNSIGCVEGLKELVHLEWLNLAGNLIAMEQINSCTA LQHL
264	1003	3	834	FRAAVGAVPEGAWKDTAQLHKSEEAKRVLRYLFGQORYIWIIE TQQAFYQVSLLDHGRSCDDVHRSRHGLSLQDQMERKAIYGNV ISIPVKSYPQLLVDEAFSIALWLADHYWYALCIFLISSISIC LSLYKTRKQSQTLRDMVKLSMRVCVCRPGGEBEWDSSSELVPG DCLVLSQEGGLMPCDAALVAGECMVNDSSLTGESIPVLKTALP EGLGPYCAETHRRHTLFCGTLILHARAYVGPVHLAVVTRTGM REAGLERDPGSAPLKRWS
265	1004	2	670	FVGGGLHLHLCLLLCFMLPEDAAMAVLTASNHVSNTVNYNIT VERMNRMQGLRVSTVPAVLSPNATLALTAGVLVDSAVEVAFLW TFGDGEQALHQFPYPYNESFPVPDPSVAQVLVEHNVHTHYAAP GEYVLTVLASNAFENRTQQVLI RSGRVP IVSLECVSCKAQAVY EVSRSYVYLEGRCLNCSSGSKRGRWAARTFSNKTLLVLDDETTT STGSASM

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
266	1005	2	1093	PEFLGRLFRGKAATLHVHSDQKPLHDGALGSQQNLVRMKEALR ASTMDVTVVLPSGLEKRSVLNGSHAMMDLLVELCLQNHLP SHALEIRSSSETQQPLSFKPNTLIGTLNVHTVFLKEKVPPEEKV KVP GPPKVPEKSVRLVVNYLRTQKAVVRVVSPEVPLQNLPI CAKCEVSPPEHVLLRDNIAGEEELSKSLNELGIKELYAWDNRR ETFRKSSSLGNDETDKEKKKFLGFVKVNRKRSNSKGLTTPNS PSMHS RSLTLGPSLSLGSISGVSVKSEMKKRRAPPPPGSGPP VQDKAS EKVSLGSQIDLQKKRRAPAPPPPPPPPSPLIPNRTE DKEEN RKSTMVYCCASFPQAKRF
267	1006	686	400	VQWHNLHSLQPLPAGFK*FLCFSLPSSWDYRCAPLP/APFFF YFLFLVELGFHHIG*AGLELTSTDLPASAS/ESAGITGMSHRA RPMDFLLKIL
268	1007	1	453	GRRFRPPSDEEREPEPWTQLRLSGHLKPLHYNLMLTAFMENF TFSGEVNVETIACRNATRYVVLHASRVAVEKVLAEADRAFGAVP VAGFFLYPQTQVLVVVLRNRTLDAQRNYNLKIIYNALIENELLG FFRSSYVLHGERRFLGVTQFSP
269	1008	333	526	KELDPFYNS*RKIKYLRIYLTKEVKDLYKENYKTLLEITDDT N/KKHIPSSWTGRINTVKMTIL
270	1009	699	882	VPHPLQAIHEQMNCKEYQEDLALRAQNDAARRPSEMFKVRLA QGRGLASLSSGIQSGVG
271	1010	16	148	RWNSLTCVVLTFLGHRLKRFVLPKLRFLKPKQGHPRLLLWFK R
272	1011	1	659	YGEFVTYQGVAVTRSRKEGIAHNYKNETEWANIDTVMAWFTE EDLDLVTLYFGEPEPSTGHRYGPESPERREMVRQVDRVTGYLRE SIARNHLTDRLNLIITSDHGMTTVDKRAGDLVEFHKFPNFTFR DIEFELLDYGNMGMLLPKEGRLEKVDALKDAHPKLVYKKEA FPEAFHYANNPRVTPLLMYSDLGYVIHGVSRLLEAPPAGPSP GSGS
273	1012	146	413	RIPLLRLRSSTYRSKGFVTVKHSHGSGWTGFGGEDLATIPKGL NTYFLVNIATIFESKNFFLPGIKWNGILGLSYATLAKPSSSLE TFF
274	1013	3	251	IKSYSGPNGRSCQIWQRLRWGSRELLGWKLSHSFSTCPFQFP DIVEFCEAMANAGKTVIVAALDGTFRQKVRRLIQVSWD
275	1014	326	651	YCFDFDLH*CIHRDVKPENILITKHSVIKLCDFGFARLLTGP SDYYTDYVATRWYRSPPELPGDQY\GPPV\DVW\AIGCVSAE \LLSGKCLWPGKS/DMLDQLYLIRK
276	1015	224	435	RGWALDWIGADLSLHLQEEVETEVAWEECGHVLLSLCYSSQQG GLLVGVLRCAHLAMPDANGYSDPFVRL
277	1016	2	429	GGILAMEYAPGGTLAEFIQKRCNSLLEETILHFFVQILLALH HVHTHLILHRDLKTQNILDKHRMVVKIGDFGISKILSSKSKA YTVVGTPCYISPELCEGKPYNQKSDI WALGCVLYELASLKRAF EAANLPALVLKIM

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
278	1017	1	262	VQCGGIHQVSGAVVVSGLLQGMGMLLGSPPGHVFPFCGPLVLP SLVVAGLSAHREVAQFCFTHWGLLALLYVSPERRGMVPSGGVWG D
279	1018	1	480	PRMTGSTHASAPSYGGSCRNNLFYREETYTPKAETDEMNEVET APIPEENHVWLQPRVMPPTKPKKTSAVNYMTQVVRCDTKMKDR CIGSTCNRYQCPAGCLNHKAKIFGSLFYESFASICRAAIHYGI LDDKGGLVDIRNGKVPFFVKSERHGVQSLR
280	1019	271	792	VPQNIICAFFCVPCRFASTIPFWGLTLHLQHLGNNVFLQTLF GAVTLLANCVAPWALNHMSRRLSQMLLMFLLATCLLAIIFVPO EMQTLRVVLTATLGVAASLGITCSTAQENELIPSIIRGRATGI TGNFANIGGALASLVMIISIYSRPLPWIIYGVFAILSGLVLL LP
281	1020	2	679	VLVSRDHMKSAQQFFQLVGGASAECDTIPGRQCMASCFLLKQ FDDVLIYLNSEFKSHFYNDIIFNFNYAQAKAATGNTSEGEAFL LIQSEKMKNDYIYLSWLARGYIMNKKPRLAWELYLKMETSSES FSLQLLIANDCYKMGQFYSAKAFDVLERLDPNPEYWEKGRGA CVGIFQMI IAGREPKETLREVLHLLRSTGNTQVEYIMIRIMKKW AKENRVSILK
282	1021	3	359	LKVSDELVQQYQIKNQCLSASIASDAEQEPKIDPYAFVEGDEEF LFPDKKDRNSEREAGKHKVREITVHQRTVDFVALHIVTLL LPQLSHFFCLR IERVIIYLEKPIFARLRWLMF
283	1022	3	538	GVERNLPSSEYLLLSYNRIVKLAPEDLANLTALRVLDVGGNC RRCDHAPNPCMECPRHFPQLHPDTFSLSRLEGLVLDKSSLSW LNASWFRGLGNLRVLDLSENFLYKCIKTAKAFQGLTQLRKLNL SFNYQKRVSFAHLVSGPPFLRGSGLRPLKGAGTWHGNLSFPLH FEWGKT
284	1023	3	442	ILFAALIWSSFDENIEASAGGGGSSIDAVMVDGAVVEQYKR MQSQESSAKRSDEQRKMKEQAAEELREKQAAEQERLQLEKE RLAAEQEKKQAEAAKQAEKQKQAEAAKAAADAKAKAABAD AKAAEEAAKAAADAKK
285	1024	1	119	AMEIVHEPRDLERYMREAVKVSNDSPVLLDRFLNDAIEC
286	1025	67	227	MLSPGYDYGVCVEFSLLEDAIGCMEANQVALYFGQMMLEGYI FLYMGREGFK
287	1026	2	1101	PRVRSSGGQEDPASQWARPRFTQPSKMRRRVIARPVGSSVRL KCVASGHPRPDI TWKDDQALTRPEAAEPRKKWTLSLKNLRP EDSGKYTCRVSNRAGAINATYKVDVIQRTSRKPVLTGTHPVNT TVDFGGTTSFQCKVRSVDPVPIQWLKRVEYGAEGRHNSIDVG GQKRVVLPDGDVWSRDPGSYLNKLLITRARQDDAGMYICLGAN TMGYSFRSAFLTIVLDPKPPGPPVASSSATSLPWPVVIGIPA GAVF ILGTL LLLWLCQAQKPC TPAPAPPLP GHRPPGTARDRSG DKDLPSLAALSAGPGVGLCEEHGSPAAPQHLLGPGPVAGPKLY PKLYT\DI PHHTHTHTPHPPAN
288	1027	3	96	NFHFTGKCLFMSGLSEVQLTHMDDHTLPGY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
289	1028	95	407	SPRKRKTRHSTNPPLECHVGVWMSRDHGPPTSSVSTSNASPS EGAPLAGSYGCTPHSFQPKFQHPSEHELLKENGFTQQVYHKYRRR CLSERKRLGIGQSQEMNT
290	1029	1	359	PGSGGSAGGRDGSAYQGALLPREQFAAPLGRPVGTSYSATYPA YVSPDVAQSWTAGPFDGSVLHGLPGRRPTFVSDFLFEEFPGEGR ECVNCGALSTPLWRRDGTGHYLCNACGLYHKMN
291	1030	2	513	PDHRHGALWWWYSCGVLPVTVSRNEGDERNQVLTLYLWIRQEW TDAYLRWDPNAYGGLDAIRIPSSLVWRPDIIVLNKYCLS/AAP PLSYPSLDLPLAVGV**SPLPTT*PGCHAALAEAFPQDPSKLP TQPLHGTPTLGYPRPAQAERLLGTYCVVQGRCLNHKGLSRAHF
292	1031	1	595	YALTGALVIVTGMVMGNIADYFNLVSSMSNTFTFLNAGILIS IFLNAWLMEIVPLKTQLRFGFLMLVAVAGLMFSSHLSLAFSAA MFILGVVSGITMSIGTFLVTQMYEGRQGRSRLFTDSFFSMAG MIFPMIAAFLARSIEWYVYACIGLVVVAIFILTFGCEFPAL CSHATKLGTAASSYPSLDVVQLRTLNA
293	1032	71	479	MAKVLKTEHYDRYPHMFSGGQRQRIAIARGMLDPPDVIAD PVSALDVSVRAQVNLNMLMDLQQLGLSYVFI SHDLSVVEHIAD EVMVMYLGRCVEKGTQDI FNNPRHPYTQALLSATPRLNPDDR RERIKLSX*
294	1033	2	427	SATLERVLNHPDETQARRLMTLEDIVSGYSNVLISLADSQGKT VYHSPGAPDIREFTRDAIPDKDAQGGEVYLLSGPTMMMPGHGH GHMEHSNWRMINLPVGPLVDGKPIYTYLIALSIDFHLHYINDL MNKLIMTASVII
295	1034	3	342	VLAYPGIKVSTAEARAILPAQYRRQDCIAHGRHLAGFIHACYS RQPELAAKLMKDVIAEPIRERLLPGFRQARQVAEIGAVASGI SGSGPTLFALCDKPEAQRVADWLK
296	1035	2	279	GQQQRVALARALILKPKVLLFDEPLSNLDANLRRSMRDKIREL QKQFDITSLYVTHDQSEAFVSDTVLVMNKGHIMQIGSPQDLR VRRLNW
297	1036	3	157	AVHYLERVRIAEHAHKFPGQISGGQQQRVAIARSLCMKPKIML FDEPTSAL
298	1037	1	217	APYDAENYFDYDNLNNGPSLQHWFGVDSLGRDIFSRVLVGAQI SLAAGVFVAFIGAAIGTLLGLLAGYEGW
299	1038	3	570	VFCLTIADLDPIDELVDFPIVYASALNGIAGLDHEDMAEDMTP YQAIVDHVPAPDVLDPGPFQMQISQLDYNYSYVGVIGIGRIKRG KVKPNQVVTIIDSEGKTRNAKVGKVLGHLGLERIEIDLAEAGD IVAITGLGELNISDTVCDTQNVREALPALSVDEPTVSMFFCVNT SPFCGKEGKFVTSRQI
300	1039	1	366	QGTRAESQSSKDKTRLAFAGLKFQDYGSIDYGRNYGVAYDIG AWTDVLPFEGGDTWTQTDVFMQQRATGVATYRNNDFGLVDGL NFAAQYQGNDRSDFDNYTEGNHGHGFGFSATYEG
301	1040	3	201	DTYSVSIPLGATINMAGAAITITVLTAAVNTLGI PVDLPTAL LLSVVASL CACGASGVAGGSL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
302	1041	1	140	ANAQQGLPSGITLKLNNLVDKGLVDRLYAASSSGVPVNLVVRTCS
303	1042	2	442	ARMTLIPGTHLENIHNIWVNGVGTNSAPFWRMLLNSFVMAFSITLGKITVSMLSAFAIWFRFPLRNLFFWMIFFITLMLPVEVRIFFTVEVIANLQMLDSYAGLTLPLMASATATFLFRKLNMSGPDKVVPAAIRISGYGPRVRKQ
304	1043	2	403	CAKCLRDADECPSGAFERIGRDISLDALEREVMKDDIFFRTSGGGVTLSSGGEVLMQAEFATRFLQRLRLWGVSCAIETAGDAPASKLLPLAKLCDEVLFDLKIMDATQARDVVKMNLPRVLENLRLLVSEGVN
305	1044	1	346	YLLLFVCFVMSLLVGLVYKFTAERAGKQSLDDLMNSSLYLMRSELREIPPHDWGKTLKEMDLNLSFDLVEPLSKYHLDDISMHLRGGEIVALDDQYTFLQRI PRSHYVLA VG
306	1045	1	207	VELFLSDEGDDVVI EVADQGGCVPESLRDKIFEQGVSTRADEPGEHGIGLYLIASVYTRCGGVITLEDN
307	1046	3	213	DAI IAPDANALPAAQAENLKNKVAIVGFSTPNVMRPYVERGTVKEFGLWDVVQQKISVYVADALQ
308	1047	1	129	YIVVTGKTHCGTPLTTVTG DATQSGYLT LNLPEMWEVSGYNRV
309	1048	271	46	XEGVEPDINASKTRQQ LNDVAGKMKI IEARLSALTNNQTKSLKLNPVALPKVASQLLDELGYSL LARRADLQSAHX*
310	1049	16	253	ENIAEEYATKRYRSNVINWGMLPLQMAEVPTFEVGDYIYIPGIKAALDNP GTTFKGYVIHEDAPVTEITLYMESQEQART
311	1050	2	299	LQTEIGSMVYAVKPGDGSAREQAASCQRVIGGLANIAEEYATKRYRSNVINWGMLPLQMAEVPTFEVGDYIYILGFKA AKYSPGTAFTVYAI SSGYPRI
312	1051	1	344	TLEDLMLALDGEQHLQQVSEKVLADNVLIAPGSVKPDATFWSALI QDRYNVMT CIEKDACV LVEQDLNSDGQAERILFAFNDDRVIYGFDS DRKEWDALDMSLLPNEITKEK
313	1052	2	630	ESNSRCRKMPGERCRGGPARLSLLLDLPT RPLPHPRQVIDFGSASIFSEVRYVKEPYIQSRFYRAPEILLGLPFCEKVDVWSLGCVMDELHLGWPLYPGNNEYDQVRYICETQGLPKPHLLHAACKAHFFFRNPHPD AANPWQLKSSADYLAETKVRPLERRKYMLKSLDQIETVNGG SVASRLTFPDREALAEHADL KSMVEL/MKRL L
314	1053	1	302	RLVKRVECRQCGKAGR NQSTLKT HMRSH TGEKPYECDHCGKAFSIGSNLNVHRR IHTGEKPYECLVCGEAFSDHSSLRSHVKTHRGEKLFVSSVWKRLQ
315	1054	1318	730	CGPGFSL SFFFLRWSF\ALVAQAGVQWHD LGSLOPPAPGFKRFSLSLLSRWDYRHAHARLI FVFLVEMGFLHVGQAGLELPTSGDPPTSASQSARITGVTTPLGTFFFLLRWSFALVAQAGGQCLDLGSLQLPPPGFKRLVCHFQTPQKHRCSCQAPGDCLQESFVMTGCVLRTVSESVQRANAGAGAETVQGL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
316	1055	2486	1429	MGNAAAARKGSEQESVKEFLAKAKEDFLKKWESPAQNTAHLDO FERIKTLGTGSFGRVMLVKHKE TGNHYAMKILD*QKVGKLLKQI EHTLNEKRILQAVNFPFLVKLEFSFKDNSNLYMVMMEYVPGGEM FSHLRRIGRFSEPHARFYAAQIVLTFEYLHSLDLIYRDLKPEN LLIDQQGYIQVTDGFAKRVKGRWTWLCGTPEYLAPEIILSKG YNKAVDWWALGVLIYEMAAGYPPFFADQPIQIYEKIVSGKVRF PSHFSSDLKDLLRNLQVDLTKRFGNLKNGVNDIKNHKWFATT DWIAIYQRKVEAPFIPKFKGPGDTS\NFDDYEEEEIRV\SINE KFG\KEFSEF
317	1056	867	461	SSSRSSHGDSPPHSQTPCDTNRGLDTKH*/DSQSIEEKDSSQS E*NRIERKEVERILQTNSDYM*HWSN*PENILPKKFFSKHQK CTATLSMRNTSIM/KKEGLF*AQFPSSLLSHLPAVGLGIYTG HLTTSTSTF
318	1057	544	784	TFHSSLEKNILQPCR*RRACLPLLL*PSVPLLAPQYFSDLR NSIVNSQPPEKQQAMHLCFENLMEGIERNLLTKNRDR
319	1058	1606	228	GTSGVQQEISRLTNEENLDLKELEKLEKNERKLLKQLKIYMKK AQDLEAAQALAQSERKRHELNRQVTVQRKEKDFQGMLEYHKED EALLIRNLVTDLKPQMLSGTVPCLPAYILYMCIRHA\DYTNDD LKVHSLTSTINGIKKVLKHNDDFEMTSFWLSNTC\RLLHCL KOYSGDEGFMNTAKQN\EHCLKNFDLTEYRQV\L\SDLSIQ IYQQLIKIAEGLVQPMIVSAMLEN*SIQGLSGVKPTGSKHSS SMADEDNSYRLEAIRQMNAFHTVMCDQGLDPEIILQVFKQLF YMINAVTLNDLLLRKDVCSWSTGMQLRYNISQLEEWLRGRNLH QSGAVQTMPELIQAAQLLQKKTQEDAEAI CSLCTSLSTQOI VKILNLYTPLNEFEERVTVAFIRTIQAQLQERNDPQQLLLDAK HMFVPLFPFNPSSTLMDSIHIPACLNLLEFLNEV
320	1059	3	250	HEENTILKAAEVQVPPK*VVTPEAKAFI*RCLAYQKEDCIDAQ QLACDP\YLLHYIQKLVFVSSPAGAAIASTFGVSNSSCSN
321	1060	1332	500	GTTDEIMTRWARVSTTYNKRPLPATSWEDMKKGSFEGTSQNL KRKQLEANRLSLKNDAPQAKHKKKKKEYLNEDVNGFMEYLR QNSQMVHNGQIIATDSEEVREEIAVALKKDSRREGRRLLKQAA KKNAMVCFHCRKPGHGIADCPAALENQDMGTGICYRCGSTEHE ITRCKAKVDPALGEPFPAKCFVCGEMGHLRSRCPDNPGLYAD GGGCKLCSVEHLKDKCPESQNSERMVTVGRWAKGMSADYEEI LDVPPKPKPKTKIPKVVNF
322	1061	384	102	DHVRKSLKLNRAENIVNIFKCNVVS L PNLPAFGQAQWLTTPVIP ALWEAEVGGG*QGEIETILANAVK/SPFLLKIQKKKISRWW AP/VSPRYSGG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
323	1062	1	777	SDAWADAWARSLSVSPSSYPELHTEVPLSVLILGLLVVFTLSV CFGAGLVFVFLKRRKGVPSVPRNTNLDVSSFQLOQGSYNTET HDKTDGHVYNYIPPPVVQMCQNPIYMAGREGRPSSLLPKPGKE FQLLGNLEEKKEEPATPAYTISATELLEKQATPREPELLYQNI AE/PSQGS/TAQA*STITFVPYKGFAPSYESRRQNQDRIN KTVLYGTPRKC FVGQSKPNHPLLQAKPQSEPDYLEVLEKQTAI SQL
324	1063	1	1496	ALCHIAVGQQMNLHWHKIGLVVILASTVVAMSAVAQLWEDEW EVLLISLQGTAPFLHVGAAVMTLSWIVAGQFARAERTSSQV TILCTFFTTFVAFYLAFLTITSSPCIMEKKDLGPKPALIGHRGA PMLAPEHTLMSFRKALEQKLYGLQADITISLDGVPFLMHD'TTL RRTTNVEEEFPELARRPASMLNWTTLQRLNAGQWFLKTDPFWT ASSLSPSDHREAQNSICSLAELLELAKGNATLLNLRDPPRE HPYRSSFINVTLEAVLHSGFPQHVMWLP SRQRPLVRKVA PGF QQTSGSKEAVASLRRGHIQRLNLRYTQVSRQELRDYASWNLSV NLYTVNAPWLFSLWCAGVPSVTS DNSHTLSQVPSPLWIMPPD EYCLMWVTADLVSF TLIVGIFVLQKWRLGGIRSYNPEQIMLSA AVRRTSRDVSIMKEKLIFSEISDGVEVSDVLSVCS DNSYDTYA NSTATPVGPRGGGSHTKTLIERSGR
325	1064	1899	776	NSADYGDGPDSSDADPDSGTEEGVLD FSDPFSTEVKPRILLMG LRRSGKSSIQKVV FHKMSPNETLFLESTNKICREDVSNSSFVN FQIWDFFPGQIDFFDPTFDYEMIFRGTGALIFVIDSQDDYMEAL ARLHLTVTRAYKVNTDINFEVFIHKVDGLSDDHKIETQORDIHQ RANDDLADAGLEKIHLSFYLTSIYDHSIFEAFSKVVQKLI PQL PTLENLLNIFISNSGIEKAFLEDVVS KIYIATDSTPVD MQTYE LCCDMIDVVIDISCIYGLKEDGAGTPYDKESTAI IKLNNTTVL YLKEVTKFLALVCFVREESFERKGLIDYNFHC FRKAIHEVFEV RMKVVKSRKVQNR LQKKRATPNGTPRVLL
326	1065	1181	346	RTRGRDPGAGFRRTANKRCCRRLIGCGWPLRS DWPLVSKM LSKGLKRRKEEEEEKEPLAVDSWWLDPGHAAVAQAPP AVASS LFDLSVLKHLHSLQOSEPDLRHLV LVVNTLRRIQASMAPAAL PPVPSPPAAPS VADNLLASDAALSASMALLEDSLHIEGLSQ APQPLADEGPPGRSIGGAAPSLGALDLLGPATGCLLDDGLEGL FEDIDTSMYDNELWAPASEGLKPGPEDGPGKEEAPELDEAELD YLMDVLVGTQALERPPGPGR

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
327	1066	1844	337	LQEVKARRNTLHKEKDHLVNDYEQNMKLLQTKYDADINLLKQE HALSASKASSMIEELEEONVCQLKQQLQESELQRKQQLRDQENK FQMEKSHLKHIEYKKAHDLQSELDKGEKEDTQKKIHKFEEALKW KKWRQI*LDPN/LLREKQSKEFLWQLEDIRQRYEQQIVELKLE HEQEKTHLLQQHNAEKDSLVRDHEREIENLEKQLRAANMEHEN QIQEFKKRDAQVIADMEAQVHKLREELINVNSQRKQQLVELGL LREEEKQRATREHEIVVNKLKAESEKMKIELKKTAAETEMTL EKANSKQIEKEYTQKLAKSSQIIAELQTTISSLKEENSQQQ LAERRLQDVRQKFEDEKKQLIRDNDQAIKVLQDELENRSNQV RCAEKKLQHKELSESQEQITYIRQYETKLKGLMPASLROELED TISSLSQVNFQKRASILQEE/RDYISRQKVQPISR*LHERM QRMRI SRLCCGTSSSRFEDLDIVNCEISGIF
328	1067	1149	238	VINLVYLISSPRELKPVDKESSEVVMKFPDGFEPSPPIQLD EVDIFYDYPKHVIFSRLSVSADLESRICVVGENGAGKSTMLKLL LGDLAPVVRGIRHAHRNLKIGYFSQHHV\EQL\DLNVQCLWELA GHASFPG\RPEEY\RHQLGFGMGISGEL\AMRPLCQPVLGAR KKPWFPAQMDYCPAPTFYIL\DEPTN\HLGHGRAIEALGPCL QTISGVGVILVSH* SALSRLVCRE\LWVC*G\GGVTRVERKD FDQYRALLOGTVSAREGFPLGPPRLKDSPRDMGLVSQTPWGHG VGYPLPGRG
329	1068	26	674	CSAVEVKMAARTAFGAVCRRLWQGLGNFVNTSKGNTAKNGGL LLSTNMKWVQFSNLHVDVPKDLTKPVVTISDEPDILYKRLSVL VKGHDKAVLDSYEFVAVLAAKELGISIKVHEPPRKIERFTLLQ SVHIYKKHRVQYEMRTLYRCLELEHLTGSTADVLEYIQRNLP EGVAMEVTKFCFFIFL\TQLEQLPEHIKEPIWETLSEEKEESK S
330	1069	2105	1283	DFWDTAGQERFQSMHASYYHKTHACIMVFDVQRKVTHRNLSW YTELREFRPEIPIVANKIDGGAIPAPGC*QFTGDLPSYISS SIPRAGNLQ*LVLPPITRYNPWLIVACILPTL*RSQLSRPAIFP RHRSLTELFLGPVSQSSLPPIPLSGMKASSGPPLQTFPPSLDR QTNVLPVSLY\ADINVTQKSFNFAKKFSLPLYFVSAADGTNVVK LFNDAIRLAVSYKQNSQDFMDEIFQELNFSLEQEEEDVPDQE QSSSIETPSEEVASPHS
331	1070	1	1109	GATPLGSGVGGRTGKMDAATLTDTLRFAEFEDFPETSEPVWIL GRKYSIFTEKDEILSDVASRLWFTYRKNFPAIGGTGPTSDTGW GCMLRRCQMIFAQALVCRHLGRDWRWTQRKRQPD SYFVSNF IDRKDSYYSIHQIAQMGVGEKSGIGQWYGPNTVAQVLKCLAVF DTWSSLAVHIAMDNTVVMEEIRRLCRTSVPCAGATAFPADSDR HCNFGFPAGAEVTNRPSWRPLVLLIPLRLGLTDINEAYVETLK HCFM\MPQSLGVIGGKPN SAH\YFIG*VG\EELIYLDPHTTQP AVEPTDGCPIPDES FHCQHPPCRMSIAELDPSIAVVRGGHLS T QAFGAECCLGMTRKTFGFLRFFFSMLG
332	1071	39	284	ALCVVPFNTFHN\DFLLLDKEGTLDPVMDSFSTHWTITGPADM FFS\FRQHYKNFKSHGTNPSKSVWAHATCQSCAFPNNLW

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
333	1072	2	1484	TRLAIEFGTRDPCAQAPCEQQCEPGGPQGYSCHCRLGFRPAEDD PHRCVDTDECQIAGVCQQMCVNVVGGFECYCSEGHLEADGIS CSPAGAMGAQASQDLGDELLDDGEDEDEDEAWKAFNGGWTEM PGILWMEPTQPPDFALAYRPSFPEDREPQIPYPEPTWPPPLSA PRVPYHSSVLSVTRPVVVSATHPTLPSAHQPPVPIPATHPALSR DHQIPVIAANYPDLPAYQPGILSVSHSAQPPAHQPPMISTKY PELFPAHQSPMFPDTRVAGTQTTHLPGIPPNHAPLVTTLGAQ LPPQAPDALVLRTOATQLPIIPTAQPSLTTTTSRSPVSPAHOIS VPAATQPAALPTLLPSQSPNTQTSPISTPHSKAPQIPREDG PSPKLALWLPSPAPTAAPTALGEAGLAEHSQRDDRLLVALLV PTCVFLVLLALGIVYCTRCGPHAPNKRIITDCYRWVIHAGSKS PTEPMPPRGSLSLTVGQTCRTSV
334	1073	1	1406	LRVRRRPHLPAPPALRARRSDRRSSRAPAAFPPRPPHASAPAG PAMAQAVWSRLGRILWLACLWPAPAGVAAGLYELNLTDDSPA TTGAVVTISASLVAKDNGSLALPADAHLYRFHWIHTPLVLTGK MEKGLSSTIRVVGHVPGFEPVSVWVTAADCWMCQPVARGFVVL PITEFLVGLDVTQNTSLPWSSYLTKTVLKVSFLLDHPSNFL KTAFLYSWDFDGTQMVTEDEVVYNYNYSIIGTFVTKLKVVAAE WEEVEPDATRAVKQKTGDFSASLKLQETLRGIQVGLGPTLIQTF QKMTVTLNFLGSPPLTVCWRLKPECLPLEEGECHPVSVASTAY NLTHTRDPGDYCFISIRAENIISKTHQYHKIQVWPSRIQPAVF AFPCATLITVMLAFIMYMLRNATQQKDMVENPEPPSGVRCCC QMCCGPFLETPSEYLEIVRENHGLLPLPLYKSVKTYTV
335	1074	1	866	VVEFAFQLSSSVCLTVSFGWQLGTVSSCLSRDWFLLKGNLLII IVSVLIIPLALMKHLGGLYGLYTSGLSLTCLMLFFLVSVIYKKFQ LGCAIGHNETAMESEALVGLPSQGLNNSCEAQMFTVDSQMSYT VPIMAFVCHPEVLPITYELCRPSKRRMQAVANVSIAMFCM YGLTATFGYLTFFYSSVKAEMLMYSQKDPLILCVRLAVLLA\V TLTVPVVLFPIRRALQQLLFPGKAFSWPRHVAIALIILLVNVN LVICVPTIRDFGVIGSTSAFSLIFILPSCI
336	1075	3	825	GAGSKSSMMQMLHLESFYEK\PPPGLIKEDDTKPEDCIPDVP NEHAREFLAHTPTKGLWMPLEKEVKVKH/CTFHVIAS*FLGDG KFI PKATRLKDVVWSN*FTCLFWDLTFIHDCIFF*NWSLMNK NENIY*FFISLR*NTLILQKYFPFSLLLGWHCKWYGHRTGYK ECPFFIKDNQKLQQFRVAHEDFMYDIIRDNKQHEKNVRIQQLK QLLEDSTSGEDRSSSSSSSEGKEKHKKKKKKKEKHKRKRKEK KKRKHKSSKSNESDSE

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
337	1076	3	2451	ETAGAAENMLGSLCLCPGSGSVLLDPCTGSTTSETTSEASV EVLPSDSEAPDLKQEERLQELESCSLGSTSDDDTVREVSSRP STPGLSVVSGISATSEDI PNKIEDLRSECSDFGGKDSVTS MDEITHDFLYILQPKQHFQHIEAADMRIQLSSSAHQLTSPPS QSESLAMFDPLSSHEGASAVVRPKVHYARPSHPDPPILEG AVGGNEARLPNFGSPMF*LP AEMEAFKQRHS/YTPERLVRSS S\DIVSSVRRPMSDPSWNRRL\GNEERELPPAAAIGATSLVAA PHSSSSSPSKDSSRGETEERKDSDEKSDRNRPPWRRKRFVSAM PKAPIFRKKEKQEKDKDDLGPDRFSTLTDDPSRLSAQQA EDILDKYRNAIKRTSPSDGAMANYESTEVMGDGESAHDS PRDEALQNISADDLPDSASQAHPQDSAFSYRDAKKLRLALCSADS VAFPVLT\HSTRNGLPDHTDPEDNEIVCF LKVQIAEA INLQDKNLMAQLQETMRCVCRFDNRTCRKLLASIAEDYRKR APYIAYLTRCROGLQTTQAHLERLQRVLRDKEVANRYFTT VCVRLLESKEKKIREFIQDFQKLTAAADKTAQVEDFLQFLY GAMAQDVIWQNASEEQLQDAQLAIERSVMNRIFKLAFYPNQD GDILRDQVLHEHIQRLSKVVTANHRALQIPEVYLREAPWPSA QSEIRTI SAYKTPRDKVQCILRMCSSTIMNLLSLANEDSV PGGADDFVPVLFVLIKANPPCLLSTVQYISSFYASCLS GEEASYWWMQFTA AVEFIKTIDDRK
338	1077	536	1305	WPMSLARGHGDTAASTAAPLSEEGEVTSGLQALAVEDTGGPSA SAGKAEDEGGEGREETEREGSGGEEAQGEVPSAGGEEPAEEDS EDWCVPCSDEEVELPADGQPWMPPPSEIQRLYELLAHGTLEL QAEILPRRPPTPEAQSEERSDEEPEAKEEEEEKPHMPTEFDF DDEPVTPKDSLIDRRRTPGSSARSQKREARLDKVLSDMKRHK LEEQILRTGRDLFSLDSEDPSPASPPLRSGSSLFPRQRKY
339	1078	2	1771	LGRGTFGQVV*CWKRGTNEIVA I KILKNHPSYARQGQIEVSIL ARLSTESADDYNFVFRAYECFQHKNHTCLVFEMLEQNLYDFLKQ NKFSPLPLKYIRPVLQVATALMKLKSGLIHADLKPENIMLV DPSRQPYRVKVIDFGSASHVSKAVCSTYLSRYRAPEIILGL PFCEAIDMWSLGCVIAELFLGWPLYPGASEYDQI/RYSISQ TQGLPAEYLLSAGTKTTRFFNRDTSPPYLWRLKTPDDHEAETG IKSKEARKYIFNCLDDMAQVNMTTDLEGSMDLVEKAVRREFIDLL KKMLSIDSVKRFSVPGSLNHPFVTMSLFLDFPHSTHVKS CFQNM EICKRRVNMVDTVNQSKTPFI THVAPSTSTNLMTF FNQLTTVHNQPSAASMAAVAQRSMLQGTGTAQICARPD PFQALIVCPPGFQGLQASPSKHAGYSVRMENA VPIVTQAPGAQPLQIQPGLLAQQAWPSGTQ ILLPPAWQQLTG VATHTSVQHA AVIPETMAGTQ QLADWRNTHAHGSHYNPIMQQPALLTGHVTL PAAQPLNVGVAVVMRQPTSTTSRKSQHL YCGRARVSKIAR

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
340	1079	2	2721	EFAICRYPLGMSGGOIPDEDITASSQWSESTAAKYGRILDSEEG DGAWCPEIPVEPDDLKEFLQIDLHTLHFITLVGTQGRHAGGHG IEFAPMYKINYSRDGTRWISWRNRHGKQVLDGNSNPYDIFLKD LEPPIVARFVRFIPVTDHSMNVCMRVELYGCVWLDGLVSYNAP AGQQFVLPGGSIIYLNDVYDGA VYSMTEGLGQLTDGVSGLD DFTQTHEYHVWPGYDYVWGRNESATNGYIEIMFEFDRIRNFTT MKVHCNNMFAKGVKIFKEVQCYFRSEASEWEPNAISFPLVLDD VNPSARFVTVPLHHRMASAIKCQYHFADTWMMFSEITFQSDAA MYNNSEALPTSPMAPTTYDPMLKVDDSNTRILIGCLVAIFIL LAIIVIIILWRQFWQKMLEKASRRMLDDEMTVLSLSLPSDSSMFN NNRSSSPSEQGSNSTYDRIFPLRPDYQEPSRLIRKLEPFAPGE EESGCSGVVKPVQPSGPEGVPHYAEADIVNLQGVTTGNTYSVP AVTMDLLSGKRCGCGREFPPGKLLTFKEKLGEGQFGEVHLCV EGMEKFKDKDFALDVSANQPVLVAVKMLRADANKNARNDFLKE IKIMSRLKDPNIHLLSVCITDDPLCMI TEYMENGDNLNQLFSR HEPPNSSSSDVRTVSYTNLKFMA TQIASGMKYLSSLNFVHRDL ATRNCLVGKNYTIKIADFGMSRNLVSGDYRIQGRAVLP IRWM SWESILLGKFTTASDVWAFG\VTLWE\TFTFCQRKGPYS\QLS \DETG Y* RNTGEFFPRPKGGQTYLPSTSPFVPDSCVIKMLLSC WRDRTKNRPSFQEIHLLLLLQGD ERCCQCLAMFLRLRS LQDL PLTHAYATPSGHLMKLRDRGLFALPSFPGHPHSLPLTHIYFFF FTLKN
341	1080	916	3	CSASPLRPGLLAPDLLYLPGAGQPRRPEAEPGQKPVVPTLYVT EAEAHSPALPGLSGPQPKWVEVEETIEVRVKKMGPGVSPTE VPRSSGHLFTLPGATPGGDPNSNNSNNKLLAQEAWAQTAMV GVREPLVFRVDARGSDWAASGMGSLEEEGTMEEEAGEEGEDG DAFVTEESQDTHSLGDRDPKILTHNGRMLTLADLEDYVPGE TFHCGGPGGAPDDPPCEVSVIQREIGEPTVG\SLCCSAWGMH WVPEALSASLGLSPMGR\HRDPRSVALRAPPSSCGRPRLGLW AVLPG
342	1081	862	444	QGLAAEFLOQVPAVTRAYTAACVLTAAVQLELLSPFQLYFNPH LVFRKQFQAPFLPWALMGFSLLLGNSILVDLLGIAVGHIIYFLE DVFPNQPGGKRLQTPGFLGLQSSKAPAGSSSLTIWTQSQGGP GTAGELAAPS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
343	1082	3658	337	EKNALEPTVYFGMGV*APQVPRFQQRITGYQYYLQLRKDIWEE GIPCTLEQPIHLAQLAVQAI FGDQFDQYESQDFLQKFALFPVGV LQDEKVLBEATQKVALLLHQKYRGLTAPDAEMLYMQEVERMDGY GEESYPAKDSQGS DISIGACLEGIFVKHKNGRHPVVFWRWDIA NMSHNKSFFALELANKEETIQFQTEDMETAKYIWRLCVARHKF YRLNQCNLQQTQTVTVNPIRRRSSSRMSLPKPKQPYVMPPPP\QL HYNGHYTEPYASSQDNLFVFNQEG\YQGQFQTSLNRAQIDFNG RIR\NASVYSAHSTNSLNNPQPYLQSPMSNPSITGSDVMRP DYLPSHRHSAVIPPYRPTPDYETVMKQLNRGLVHAERQSHSL RNLNIGSSYAYSRAALVYSQPEIREHAQLPSPAHAHCPRFSL YSFHSPSPYPYPAERRFVVGAVSVPELTNAQLQAQDYPSPNIM RTQVYRPPPPYPPRPANSTPDLRHLIYISSNPDITRRVHH SVQTFQEDSLPVAHSLQEVSEPLTAARHAQLHKRNSIEVAGLS HGLEGLRLKERTLSASAAEV\APRAVSVGSQP\SVFTERTQRE GPPEAEGLRYGHKKSLSDATMLIHSSEEEDEDFEESGARAP PARAREPRPGLAQDPPGCPRVLLAGPLHILEPKAHVPDAEKRM MDSSPVRTTAEARQRPWRDGLLMPMSSES DLTTSGRYRARRDSL KKRPVSDLLSGKKNIVEGLPELGGMKKTRVDAKKIGPLKLAAL NGLSLSRVPLPDEGKEVATRATNDERCKILEQRLEQGMVFTEY ERILKKRLVDGECSTARLPENAERNRFQDVLPHYDDVRVELVPT KENNTGYINASHIKVSVSGIEWDYIATQGPLQNTQDFWQMVW EQGIAI IAMVTAEEEGGREKSFYWPRLGSRHNTVTVYGRFKIT TRFRDTSGCYATTGLKMKHLLTGQERTVWHLQYTDWPEHGCP DLKGFLSYLEEIQSVRRHTNSTSDPQSPNPPLLVHCSAGVGR GVVILSEIMIACLEHNEVLDIPRVLDMLR\QQRNMLVQTLQCY TFVYRVLIQVPEKAPRLILSSPQFPYGAQSCEAFTA
344	1083	6	304	RKKQKLAEE*VELSKLADLKDAEAVQKFFLEET*I\GEEILAK GVDHLTNPSAVCGQPQWLLQVLQQTLPPLVIMLLTKPLPVNQ RLVSAG/SLAKDDVE
345	1084	1255	635	SFCLHEFGWLGS SPQSDHPV PALLGLGAFVHHSLLQVHSSPGA GPVSF LFLGES CSPVDEPRCVPSCAFGLSCFP LLNSAALERG LFFFVVF EFLBSGSCQVARAGVRD/RDRGSLQPPPPGLKQFCL SLPSRWDRHPPPLRVP*FVFVFLVELGFHHVAQAGLKLTLTSL DPPAPASHSAGITGVSQRDQPVFLRWASCSELVG
346	1085	116	415	EGFPGRSLSGGLCCRLRRRFPIDGYRPRRRRRWSCCPSGVRPV RRMSQKSWIESTLTKRECVYIIPSSKDPHRCLPGCQICQQLVR RGFTV LARMVSI S
347	1086	918	760	QNSTCLTAQTHSLLQHQPQLTLLDQYIREQREKDSVMSANG KPD PDTVPDS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
348	1087	1	750	LNPWKNALQDFCLPFLRITSLLQHHLFGEDLPSCQEEEEFSVL ASCLGLLPTFYQTEHPFISASCLDWPVPAFDIITHWCFEIKSF TERHAEQ GKALLIQESKWLP HLLQLPENYNTIFQYYHRKTC VCTKVPK DPAVCLVCGTFVCLKGLCKQ QSYCECVLHSONCGA GTGIFLLINASVITIRGHRFCLWGSVYLDAGGEEDRDLRRGK PLYICKERYKVLEQQWISHTFDHINKRWGPHYNGL
349	1088	3	1374	KGQLVNLLPEENFPWCGGSQGPRLRTCIVLCSQAGPRSRGWQ SLSFDGGAFHLKGTGELTRALLVLRCAWPPLVTHGLLQAWS RRLGSRLSGAFLRASVYGGQFVAGETA EVKGC VQQLRTL P LLA VPT EEE PDSAAKSGEAWYEGNLGAMLRCDLSRGLLEPP SLAEASLMQLKVTALTSTRCKELASWVRRPGASLELSPERLA EAMDSGQNLQVSLNAEQNHRLRASLSRLHRVAQYARAQHVRL LVDAEYTS LNPALSLLVAALAVRWNSPGE GGPVWVNTYQACLK DTFERLGRDAEAAHRAGLAFGVKLVRGAYL DKERAVACL\HG\ MEDPPTQADYEATS\QSYS\RCELEMLTHVARHGPMCHLMVAS HNEESVRQATK\GQAGYVVYKSI PYGSLEEVIPYLIRRAQENR SVLQGARREQELLSQKLWRRLLPGCRRIPH
350	1089	1036	306	VVEFGEMSTARAPEGLRWFLYVHPDLQLNKQLIQRVESLGFK ALVITLDT PVCNRRHDIRNQLRRNLTLTDLQSPKGNAI PYF QMTPISTSLCWNDSLWFSITRLPIILKGI LTKEDAELAVKHN VQGIIVSNHGGRQLDEVLASIDALTEVGAAE*GNMKYLLDAGV RTGNDVQKALALGAKCIFLGRPI LWGLACKGEHGVEVLNILT NEFHTSMA\LTGCRSVAEINRNLVQFSRL
351	1090	1229	957	FFLRWSFTL\LPRLE/CQWNLNLSLQPPPPGFK*SSCLRLSS WGLQVPTSMGL*FFCIFSRREGISPCWPGWSQTPKVIHLRPPR VLRLQA
352	1091	1145	365	LLCFVHTALQSFQGELYEPHVVIATVFLVVLGICK*RASWRK KVTLVVK*S/LKICFTKYGSCYHPGEKSSSWLFN*RMVNDCLA TSCSNRSFVIQQIPSSNLFMVVVDSSCLCESVAPITMAPIEIR YILLCAGPLTTTETS KGYQW*GNLGEKY*RRKITSFPLLERES S*ESCHCQILTSEMQRKQSL ETCLNYSQHNESLKCERLKAQ KIRRRPESCHGFHPEENARECGGAPSLQAQTVLLLLPLLLMLF SR
353	1092	1140	790	VPSPTHDPKPAEAPMPA*PAPPGPASPGGALEPPAAARAGGSP TAVRSILT KERRPEGGYKAVWFGEDIGTEADVVLNAPTLDVD GASDSGSGDEGEGAGRGGGYPDAPGGDDSYI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
354	1093	3	2293	LISLAGPTDDIQSTGQPQVHALNILRALFRDTRLGENIIPYVAD GAKAAILGFTSPVWAVRNSSTLLFSALITRIFGVKRAKDEHSK TNRMTGREFFSRFPPELYPFLKQLETVANVTVSDMGEPNRRHPS MFLLLLVLERLYASPMDDGTSSALSMGPFVVPFIMRCGHSVPVYHS REMAARALVPFVMIDHIPNTIRTLSTLPSCDQCFRQNHIGH TLLQVFHLVQAYSDSKHGTNSDFQHELTDTITVCTKAKLWLAKR QNPCLVTRAVYIDILFLLTCCLNRSKADNQPVLSESLGFWEVEVR GIISGSELTGFPWAFKVPGLPQYLQSLTRLALAAVWAAAAS GERETNVPISFSQLESAPFEVRSITLEALLEKFLAAASGLGE KGVPPLLCNMGEKFLLLAMKENHPECFCIKILKILHCMDPGEWL PQTEHCVHLTPKEFLIWTMDIASNERSEIQSVALRLASKVISH HMQTCVENRELAELKQWVQLVILSCEDHLPTESRLAVVEVL TSTTPLFLTNPHPILELQDTLALWKCVLTLQSEEQAVRDAAT ETVTTAMSQENTCQSTEFQFCQVDASIALALALAVLDCDLLQW DQLAPGLPILLGWLLGESDDLACVESMHQVEEDYLFKAQEVN FWAETLIFVKYLCKHLFCLLSKSGWRPPSPEMLCHLQRMVSEQ C\HLLSQFRELPPAAEFVKTVEFTRLRIQEERTLACLRLALAF LEGKEGEDTLVLSVWDSYAESRQLTLRTEAAC
355	1094	25	1265	HAFRPIALQRGVSVFRGCSNQYAESRRLQGESGSRFAHLMESL LQHLDRFSELLAVSSTTYVSTWDPATVRRALQWARYLRIHRR FGRHGPIRTALERRLHNQWRQEGGFRGVPVGLANFQALGHCD VLLSLRLLLENRALGDAARYHLVQQLFPFGPVRDADEETLQESL ARLARRRSAVHMLRFNGYRENPNLQEDSLMKTQAEALLERLQE VGKAEAEERPARFLSSLWERLPQNNFLKVIALLQPLSRRPQ EELEPGIHKSPGEGSQVLVHLLGNSEVFAAFCRALPAGLLTL VTSRHPALSPVYLGLLTDWGQRLHYDLQKGIWVGTESQDVPWE ELHNRFOQLCQAPPPLKDKVLTALCTCKAQDGFEEPGLSIWT DLLLALRSGAFKRQVGLSAGLSSV
356	1095	3	1027	SHLIQHQRITHT*E*AHECNECGKAFSQTSLIQHHKMRKEKS YECNEYEGSFSHSSDLILQQEVLTRQKAFDCDVWEKNSSQRAH LVQHQS IHTKE/K/PHECNEDGKIF/NQIQ/ LIQHRLVHTRE K\YVCTACGKAFSSAIAQHQI IHTREKPECEDE*RKGISVK LLIDSC/RIYTSEKSYKCI ECGKFFMLLVFSYLSHIWR IHMGI KFHCCNECEKAISQRNYLV*YQIHAMQDYKCN/EACMCVRRF SHNPTLIQHQRITHT*ENLFGCSK/C/GRSFNRSLSLCHIRIS I/RRQEFDVTQMEKLDTTFQA/STQHRNNGEKIVDYLFMILLI HSPNLFHCTKI
357	1096	2638	2867	AVTLTAKICSFTEPSETMSPAGTNNRHAALRAVTLPVKVC SFTPEPARSRTHQKEETPNTSEHQKEQTPEAPP

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
358	1097	4747	4550	<p>MAYSWQTDPNPNESHKQYEHQEFLLFVNQPHSSSQVSLGFDQI VDEISGKIPHYESEIDENTFFVPTAPKWDSTGHSLNEAHQISL NEFTSKSRELSWHQVSKAPAIGFSPSVLPKPKQNTNKECSWGSP IGKHGADDSRFSILAPSFTSLDKINLEKELENNHNHYHIGFE SSIPPTNSFSDFMPKEENKRSGHVNI VEPSLMLLKGSLQPG MWESTWQKNIESIGCSIQLVEVPQSSNTSLASFCNKVKIRER YHAADVNFNSGKIWSTTTAFPYQLFSKTKFNIHIFIDNSTQPL HFMPCANYLVKDLIAETLHFCTNDQLLPKDHILSVWGSEEFLO NDHCLGSHKMFQKDKSVIQLHLQKSREAPGKLSRKHEEDHSQF YLNQLLEFMHIWKVSRQCLLTLIRKYDFHLKYLKLTQENVYNI IEEVKIKCSVLGCVETKQITDAVNELSLILQRKGENFYQSSSET SAKGLIEKVTTELSTSIYQLINVYCNSFYADFQPVNVRPCTSY LNPGLPSHLSFTVYAAHNI PETWVHRINFPLEIKSLPRESMLT VKLFGIACATNANLLAWTCLPLFPKEKSLGSMFLSMTLQSE PPVEMITPGVWDVVSQSPVTLQIDFPATGW EYMKPDSSENRSN LEEPLKECIKHIALRSQKQTPLLLSEKKRYLWFYFCNNEN CSLPLVLGSAPGWDERTVSEMHTILRRWTF SQPLEALGLLTSS FPDQEIRKVAVQQLDNLLNDELLEYLPQLVQAVKFEWNLESPL VQLLLHRSLSIQVAHRLYWLLKNARNEAYFKSWYQKLLAALQ FCAGKALNDEFSKEQKLIKILGDIGERVKSASDHQRQEVLEKKE IGRLEEFFQDVNTCHLPLNPAICIKGIDHDACS YFTSNALPLK ITFINANLMGKNISIIFKAGDDLQDMLVLQLIQVMDNIWLQE GLDMQMI IYRCLSTGKDQRLVQMPDAVTLAKIHRHSGLIGPL KENTIKKWFQSQHNHLKADYEKALRNFFYSCAGWCVVTFILGVC DRHNDNIMLTKSGHMFHIDFGKFLGHAQTFGGIKRDRAPFI FT SEM\ EYFITEGG\KNPQHFQDFV\ELCCRAYNI IRKHSQLLL\ NLL\EMMLYAG\LPESGI\QDLKYVYNNLRPQD TDLEATSHF TKKIKESLECFPVKLNLIHTLAQMSAISP AKSTSQTFFQESC LLSTTRSIERATILGFSKSSNLYLIQVTHSNNETSLTEKSFE QFSKLHSQLOKQFASLTLP EFPHWWHL PFTNSDHRFRDLNHY MEQILNVSHEVTNSDCVLSFFLSEAGQQTVESSPVYLGEKFP DKKPKVQLVISYEDVKLTI LVKHMKNIHLPDGSAPSAHVEFYL LPYPSEVRRRKT KSVPKCTDPTYNEIVVYDEVTELOGHVLM LI VKSKTVFVGAINIRLCSVPLDKEKWYPLGNSII* PLLL FYTSN FMQSVLH</p>
359	1098	679	346	<p>FFLRWSLDSVTQAGVQSHDLSSLQPPPPGFKQSSLFGLPSSWE *RWVPPCANFFVFLVETGFRHVQAGLELLT SNDLPVSACQS AGITGVTTVPQRKSMILYEVTICYP</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
360	1099	2	1601	<p>FVREIRGPAVPRLLTSAEDRHRHGPHAHSPPELQRTGRDYSLDYL PFRLWVGIVVATFCLVLVATEASVLVRYFTRFTEEGFCALISL IFIYDAVGKMLNLTHTYPIQKPGSSAYGCLCQYPGGGNESQW IRTTRPKDRDDIVSMDLGLINASLLPPPECTRQGGHPRGPGCHT VPDIAFFSLLLFLTSFFAMALKCVKTSRFFPSVVRKGLSDFS SVLAILLGCGLDAFLGLATPKLMVVPREFKPTLPGRGWLVSPFG ANPWWWSVAAALPALLLSILIFMDQQITAVILNRMEYRLQKGA GFHLDLFWVAVLMLLTSALGLPWWVSATVISLAHMDSLRRER ACAPGERPNFLGIREQRLTGLVVFILTGASIFLAPVLKFI PMP VLYGIFLYMGVAALSSIQTNRVKLLL\MPAKHQPDLLLLRHV PLTRVHLFTAISFA\CLGLLW\IIKSTPAAIIFPLMLLGLVGV RKALERVFSPOELLWDELMPPEERSIPEKGLEPEHSFSGSDS EDSELMYQPKAPEINISVN*LE*EFVREIRGPAVPRLLTSAEDR HRHGPHAHSPPELQRTGRDYSLDYLPFRLWVGIVVATFCLVLVA TEASVLVRYFTRFTEEGFCALISLIFIYDAVGKMLNLTHTYPI QKPGSSAYGCLCQYPGGGNESQWIRTRPKDRDDIVSMDLGLI NASLLPPPECTRQGGHPRGPGCHTVPDIAFFSLLLFLTSFFFA MALKCVKTSRFFPSVVRKGLSDFS SVLAILLGCGLDAFLGLAT PKLMVVPREFKPTLPGRGWLVSPFGANPWWWSVAAALPALLLSI LIFMDQQITAVILNRMEYRLQKAGGFHLDLFCVAVLMLLTSAL GLPWWVSATVISLAHMDSLRRERACAPGERPNFLGIREQRLT GLVVFILTGASIFLAPVLKFI PMPVLYGIFLYMGVAALSSIQT TNRVKLLLDASKTPARPATLAACASDQGPPLHSHQLCPVWGCF GIIKSTPAAIIFPLMLLGLVGVVKALERVFSPOELLWDELMP PEERSIPEKGLEPEHSFSGSDSESELMYQPKAPEINISVN</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
361	1100	1	2636	<p>MGLKARRAAGAAGGGGGGGGGGAANPAGGDAAAAGDEERKV GLAPGDVEQVTLALGAGADKDGTLLEGGGRDEGQRRTPOGIG LLAKTPLSRPVKRNNAKYRRIQTLIYDALERPRGWALLYH\AL VFLIVLG\CLILAVL\TTFKEYETVSGDWLLELTFIIFGA EFALRIWAAGCCCRYKGRGLKFKARKPLCMLDIFVLIASVPV VAVGNQGNVLA TSLRSLRFLQILRMLRDGPGEGGTWKLIG\SA ICAHSKELITAWYIGFLTLILSFLVYLVEKDVPEVDAQGEEM KEEFETYADALWGLITLATIGYDKTPKTWEGRLIAATFSLI GVSFFALPAGILGSLALKVQEQHRQKHFEKRRKPAELIQAA WRYATNPNRIDL VATWRFYESVVSFPFFRKEQLEAASSQKLG LLDVRVLSNPRGSNTKGKLF TPLNVDAIEESPSKEPKPVGLNN KERFR TAFRMKAYAFWQSS EDAGTGD PMAEDRGYGNDFPIEDM IPTLKA A I RAVRILQFRLYKKKFKETLRPYDVKD VIEQYSAGH LDMLSRIKYLQTRIDMIFTPGPPSTPKHKKSQKGS AFTFPSQQ SPRNEPYV\ARPST\SEI\EDQRH*WGKFVKS LKGQV\QGLGR KLDFLVDMHMQHMERLQVQVTEYYP TKG TSSPAEAEKKEDNRY SDLKTIICNYSETGPPEPPYSFHQVTIDKVS PYGFFAHDPVNL PRGGPSSGKVQATPPSSATTYVERPTVLPILTL LDSRV S CHSQ ADLQGPYS DRISPRQRSITRSDT PLSLMSV NHEELERSPSG FSI SQDRDDYVFGPNGGSSWMREKRYLAEGETD TDTDPF T PSG SMP\LSSTGDG ISDSVWTPSNKPI</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide(A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
362	1101	1	5433	<p>RTRGIIIEFDPKYTAFEVEEDVGLIMIPVVRLLHGTGYVTADFISQSSASPGG VDYILHGSTVTFQHQNLSPFINISI IDNNESEFEPEIEILLTGATGGAVLGRH LVSRI I IAKSDS PFGVIRFLNQSKI SIANPNSTMILSLVLERTGGLLGEIQVN WETVGPNSQEALLPQNRDIADPVSGLFYFGEQEGGVRTI I LTIYPHEIEVEE TFI I KHLVKGAEKLD SRKDVTLTI QEFDPNGVQVQFAPETLSKKTYSSEPLA LEGPLLI TFFVRRVKGTFGEIMVWELSEFDIT ED FLSTSGFFT IADGESEA SPDVHLLPDEVPEIEEDYVIQLVSVEGGAELDEKSI TWFSVYANDDPHGVA LYSDRQSLILIGQNLIRSIQINITRLAGTFGDVAVGLRISSDHKEQIVTENAE RQLVVKDGTATYKVDVVP IKNQVFLSLGNSFTLQLVTVMLVGGRFYGMPTILQE AKSAVLPVSEKAANSQVGFESTAFQLMNI TAGTSHVMSRRGTYGALSVAWTT GYAPGLEI PEFIVVGNMPTLGLSLSFSGHQQRKGVFLWTFPS PGWPEAFVHL SGVQSSAPGGAQLRSGFIVAEIEPMGVFQFSTSSRNI IVSEDTQMIRLHVQRL FGFHSDLIKVSYQT TAGSAKPLEDFEPVQNGELFFQKQTEVD FEIT I INDQL SEIEEFFYINLTSVEIRGLQKFDVNWSPRLNLD FSVAVIT I LNDL LAGMDI S FPETTAVAVDTTLIPVETESTYLSKTT I LQPTNVVAIVTEATGVSALP EKLVTLHGTPAVSEKPDVATVTANVSIHGTFSLGPSIVYIEEMKNGTFNTAE VLI RRTGGFTGNVSI TVKTFGERCAQMEPNALPFRGIYGI SNLTWAVEEEDFE EQTLT L I FLDGERERKVSQI LDDDEPEGQEFFYVFLTNPQGAQIVGKDDT GFAAFAMV I I TGSDLHNGI IGFSEESQSGLELREGAVMRRHLI VTRQPNRAF EDVKVFWRVTLNKT VVVLQKDG VNLMEELQSVSGTTCTMGQTKCF I SIELKP EKVPQVEVYFFVELYEATAGAA INNSARFAQIKILESEDSQSLVYF SVGSRLA VAHKKATLISLQVARDSGTGLMMSVNFSTQELRSAETIGRTI I SPAISGKDFV ITEGTLVFEFGQRSTVLDVILTPETGSLNSFPKRQIVLFDPKGGARIDKVG TANITLVSDADSAI INGLADQLHQPVND D I LNRVLHT ISMKVATENTDEQLSA MMHLIEKITTEGKI QAFSVASRTLFYELCSL INPKRKTGRGFSHFAELTENF AFSLTNTVTCGSPGEKSKTILDSCPYLSI LALHWYPPQINGHKFEGKEGDYIR I PERLLDVQDAEIMAGKSTCKLVQFTEYSSQWF I SGNLPTLKNKLVLSVK GQSSQLLNDNEVLYRI YAAEPRI I PQTSLCLLWNQAAASWLSDSQPKVIEE TADYVECACLHMSVYAVYARTDNLSSYNEAFFTSGFICISGLCLAVLSHIFCA RYSMFAAKLLTHMMAASLGTOILFLASAYASPQLAEECSAMA AVTHYLYLCQ FSWMLIQSVNFWYVLMNDEHTERRYL L FLLSWGLPAFVVILLIVLKG IYH QSMSQIYGLIHGDLCFIPNVYAALFTAALVPLTCLVVVVFVFIHAYQVKPQWK AYDDVFRGRTNAAEIP LILYLFALISVTLWGLHMA YRHFVMLVLFVIFNSL QLL\YPLFYLL* DQSSAS PGGVDYILHGSTVTFQHQNLSPFINISI IDN ESEFEPEIEILLTGATGGAVLGRHLVSR I I IAKSDS PFGVIRFLNQSKI SIAN PNSTMILSLVLERTGGLLGEIQVNWETVGPNSQEALLPQNRDIADPVSGLFYF GEGEGGVRTI I LTIYPHEIEVEE TFI I KHLVKGAEKLD SRKDVTLTI QEF GDPNGVQVQFAPETLSKKTYSSEPLALEGPLLI TFFVRRVKGTFGEIMVWELSE EFDIT ED FLSTSGFFT IADGESEASFDVHLLPDEVPEIEEDYVIQLVSVEGGA ELDLEKSI TWFSVYANDDPHGVAFLYSDRQSLILIGQNLIRSIQINITRLAGTF GDVAVGLRISSDHKEQIVTENAE RQLVVKDGTATYKVDVVP IKNQVFLSLGNS FTLQLVTVMLVGGRFYGMPTILQEAKSAVLPVSEKAANSQVGFESTAFQLMNI TAGTSHVMSRRGTYGALSVAWTTGYAPGLEI PEFIVVGNMPTLGLSLSFSGH EQRKGVFLWTFPS PGWPEAFVHLSGVQSSAPGGAQLRSGFIVAEIEPMGVFQ FSTSSRNI IVSEDTQMIRLHVQRLFGFHSDLIKVSYQT TAGSAKPLEDFEPVQ NGELFPQKQTEVD FEIT I INDQSEIEEFFYINLTSVEIRGLQKFDVNWSPR I LNDL FSVAVIT I LNDL LAGMDI SFPETTAVAVDTTLIPVETESTYLSK TTTTLQPTNVVAIVTEATGVSALPEKLVTLHGTPAVSEKPDVATVTANVSIHG TFSLGPSIVYIEEMKNGTFNTAEVLI RRTGGFTGNVSI TVKTFGERCAQMEP NALPFRGIYGI SNLTWAVEEEDFEQTLT L I FLDGERERKVSQI LDDDEPEG QEFFYVFLTNPQGAQIVGKDDTGFAAFAMV I TGSDLHNGI IGFSEESQSG LELREGAVMRRHLI VTRQPNRAFEDVKVFWRVTLNKT VVVLQKDG VNLMEEL QSVSGTTCTMGQTKCF I SIELKPEKVPQVEVYFFVELYEATAGAA INNSARF AQIKILESEDSQSLVYF SVGSR LAVAHKKATLISLQVARDSGTGLMMSVNFST QELRSAETIGRTI I SPAISGKDFVITEGTLVFEFGQRSTVLDVILTPETGSLN SFPKRQIVLFDPKGGARIDKVG TANI TLVSDADSAI INGLADQLHQPVND D I LNRVLHT ISMKVATENTDEQLSMMHLIEKITTEGKI QAFSVASRTLFYEL CSLINPKRKTGRGFSHFAELTENFAFSLTNTVTCGSPGEKSKTILDSCPYLSI LALHWYPPQINGHKFEGKEGDYIR I PERLLDVQDAEIMAGKSTCKLVQFTEYS SQQWF I SGNLPTLKNKLVLSVKGQSSQLLNDNEVLYRI YAAEPRI I PQT LCLLWNQAAASWLSDSQPKVIEETADYVECACLHMSVYAVYARTDNLSSYNE AFFTSGFICISGLCLAVLSHIFCARYSMFAAKLLTHMMAASLGTOILFLASAY ASPQLAEECSAMA AVTHYLYLCQFSWMLIQSVNFWYVLMNDEHTERRYL L F FLLSWGLPAFVVILLIVLKG IYHQSMSQIYGLIHGDLCFIPNVYAALFTAAL VPLTCLVVVVFVFIHAYQVKPQWKAYDDVFRGRTNAAEIP LILYLFALISVTL LWGLHMA YRHFVMLVLFVIFNSLQLLVPSVLLFTSMRSTFFSFHTGTLTSRE KKSTFVLTCLLSPDSKGLGVLCLNTEWAFQVH</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
363	1102	2	2855	AAGATMERDGCAGGGSRGEGGRAPREGPAGNGRDRGRSHAAE APGDPQAAAASLLAPMDVGEPELEKAAARATAKDPNTYKVLVSLV LSVCVLTTILGCI FGLKPSCAKEVKSCKGRCFERTFG\NCRCD AACVELG\NCCLGLPGGTCTI\EP\EHIW\TCNKFRCG\EKRLT RSLCACSDCKD\RGDCLPSNLQFLCVQGE\KSWGRKNPCESH LMEP\QCP\AGFETPSLPLLI F/SLDGFRAEYLHTWGGLLPI SKLKKCGTYTKNMRPVYPTKTFPNHYSIVTGLYPESHGI INNK MYDPKMNASFSILKSKEKFNPEWYKGEPIWVTAKYQGLKSGTFF WPGSDVEINGIFPDIYKMYNGSVPFEEIILAVLQWLQPKDER PHFYTYLLEPDSSGHSYGPVSSEVIKALQRVDGMVGMMDGL KELNLHRCILNLLI L I SDHGMEQGSCKKYIYLNKYLGPVKNIKVI YGPAAARLRPSDVPDKYYSFNIEGIARNLSCREPNQHFKPYLKH FLPKRLHFAKSDRIEPLTFYLDPQWLALNPSERKYCGSGFHG SDNVFSNMQALFVGYGPGFKHGIEADTFENIEVYNLMCDLLNL TPAPNNGTHGSLNHLKKNPVYTPKHPKEVHPLVQCPFTRNPRD NLGCSCNPSILPIEDFQTQFNLTVAEEKI IKHETLPYGRPRVL QKENTICLLSQHQFMSGYSQDILMPLWTSYTVDRNDSFSTEDF SNCLYQDFRIPLSPVHKCSFYKNNTKVSYGFLSPPQLNKNSSG IYSEALLTTNIVPMYQSFQVIWRYFHDTLRLKYAERNGVNVV SGPVDFDYDG\RCDSL\ENLRQRRVHPVTQENFWIPNSTSF Y/VVLTSC\KDSQTPHLC\ENL\DTLGFPPFLHRDWINSETC \VHG\KHDSSW\VEEFVKCLHRA\RITGC*GTSGLSIFYQQRK EPVSDILKLTHTLPTFSQED
364	1103	657	1	TVPPPPGGPSPAPLHPKRSPTSTGEAELKEERLPGRKASCSTA GSGSRGLPPL\SPMVSSAHNPNKAEIPERRKDSTSTPNLPPS MMTRRNTYVCTERPGAERPSLLPNGKENS SGTFRVPPASPSH SLAPPSEGRSRLARGSTIRSTFHGGQVRDRRAGGWGWFNKHA LQRAPRNAGAPSLMPGHRTVLI NYGGGQDLKNWETCLAAPNK HRR
365	1104	1	1313	HTLHSSPTSEAEFVSRSLSTQNYFRSLPRGTSNMTYGTFNFL GGRIMIPNTGISLLIPPDAIPRGKIYEIYLT LHKPEDVRLPLA GCQTLSPIVSCGPPG\VLLTRPVILG\MDHCG\EPSDWS\ S LRLKKQSCEGSWEDVLHLGEEAPSHLYCQLEASACYVFTEQL SRVALVGEALSVAARKRLKLLLPAPVACTSLEYNILVYCLHDT HDALNVVVQLEKQLQGQLIQEPLVLHFKDSYHNLRLSIHDVPS SLWKSLLVSYQEI PFYHIWNGTQRYLHCTFTLERVSPSTSDL ACKLWVWQVEGDGQSFSINFNITKDTRFAELLALESEAGVPAL VGPSAFKIPFLIRQKI ISSLDPPCRRGADWRTLAQKHLHDSHL SFFASKPSPTAMILNLWEARHFPNGNLSQLAAAVAGTGPAGRW LLSQCEAEC
366	1105	1	343	GSAAGVQQQQRRHQGKVTVKYDRKELRKRLVLEEWIVEQL GQLYGCEEEEMPEVEIDIDDLFDAYSDEQRASKLQEALVDCYK PTEFIKELLSRIRGMRKLS P\POKKS V

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
367	1106	2	1398	IMLDGRVRLWTPVISALWEAEMEDVIARMQDEKNGIPRTVKS FLSKIPSVFSGSDIVQWLIKNLTIEDPVEALHLGLTMAAHGYF FPISDHVLTLDKDDGTFYRFQTPYFWPSNCWEPENTDYAVYLCK RTMQNKARLELADYEAESLRLQRAFARKWEFIFMQAEAQAKV DKKRDKIERKILDSQERAFWDVHRPVPVPGCVNTTEVDIKKSSRM RNPBKTRKSVYGLQNDIRSHSPHTPTPETKPPTEDELQOQIK YWQIQDRHRLKMSKVADSLSYTEQYLEYDPFLLPDPSPNPW LSDDTTFWELEASKEPSQQRVWRWGFMDKDPVGREQFLK FLESEFSENLRFWLAVEDLKKRPIKEVPSRVQEIWQEFAPG APSAINLDSKSYDKTTQNVKEPGRYTFEDAQEHYKLMKSDSY PRFIRSSAQELLQAKK\KGKSLTSKRLTSLAQS
368	1107	1	461	GTRDYPRIVNHLDHTYVVTAPQAFMMFQYFVKVVPVYMKVDGE VLTNNQIYVTRHEKAAYVLMGDQGLPGVFILYELSPMMVNLTE IHTFFSLFTIVGA\TIGGMFFEHFVINYLTHKWGLGFYFKNE NSLQGGHRTLYGVNFFMYWSLRGGS
369	1108	2	1522	SVWWNSQRQFVVRWAGCAGPCGRAVFLAFGLGLGLIEEKQAES RRAVSACQEIQAIFTOKSKPGPDPDTRRLQGRLEEYLIGQS IGKGSAAVYEATMPTLPQNLEVTKSTGLLPGRGPGTSAPGEG QERAPGAPAFPLAIKMMWNI SAGSSSEAILNTMSQELVPASRV ALAGEYGAVTYRKS KRGPQLAPHPNIIRVLRRAFTSSVPLLP ALVDYDPVLP SRLHPEGLGHGRTLFLVMKNYPCTLRQYLCVNT PSRPLAAMMLLQLEGV DHLVQOGIAHRDLKSDNITVELDPDG CPWLVIADFGCLADES IGLQLPFSSWYVDRGGNGCLMAPEVS TARPGPRAVIDYSKADAWAVGAIAYEIFGLVNPFFYQGKAHLE SRSYQEAQLPALPESVPPDVRQLVRALLQREASKRPSARVAAN VLHLSLWGEHILALKNLKLDKMGVWLLQQAATLLANRLTEKC CVETKMKMLFLANLE CETLCQAALLLCSWRAAL
370	1109	105	1252	RPLRLAELPDHCYRMNSSPAGTPSPQPSRANGNINLGPSANP NAQPTDFDFLKVIGKNGYGVLLAKRKS DGAFYAVKVLQKKS I LKKKEQSHIMAERSVLLKNVRHPFLVGLRYSFQTPEKLYFVLD YVNGGELFFHLQRERRFLEPRARFYAAEVASAIGYLHSLNIY RDLKPENILLDCQGHVLTDFGLCKEGVEPEDTTSTFCGTPEY LAPEVL\RKEPYDRAVDWWCLGAVLYEMLHGLPPFYSQDVSQM YENILHQPLQIPGGRTVAACDLLQSLHDKDQRQLGSKADFL E IKNHVFFSPINWDDLYHKRLTPPFNPNVTGPADLKHFDPEFTQ EAVSKSIGCTPDTVASSSGASSAFLGFSYAPEDDDILD

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
371	1110	3	1608	RPQTLKGHQEKIRQRQSI LPPPGPAPIPFQHRGGDSPEAKNR VGPQVPLSEPGFRRRESQEEPRAVLAQKIEKETQILNCALDDI EWFVARLQKAAEAFKQLNQRKKGKKGKAPAEGLVTLRARPP \SEGEFIDCFQKIKLAINLLAKLQKHIONPSAAELVHFLFGPL DLIVNTCSGPD IARSVSCPLLSRDAVDFLRGHLVPKEMSLWES LGESWMRPRSEWPREPQVPLVVPKFSHGWEPVVDVLEAPWEV EGLASAPIEEVSPVSRQSI RNSQKHSPTSEPTPPGDALPPVSS PHTHRGYQPTPAMAKYVKILYDFTARNANELSVLKDEVLEVLE DGRQWWKLRSRSGQAGYVPCNILGEARPEADAGAPFEQAGQKYW GPASPTHKLPSPFPGNKDELMQHMDEVNDELIRKISNIRAQPO RHFRVERSQPVSQPLTYESGPDEVRAWLEAKAFSPRIVENLGI LTGPQLFSLNKEELKVKCGEGRVRYVSQLTMQKAFLEKQOQSGS ELEELMNKPFHSMNQRRGEDS
372	1111	3	1046	AWHEGLVSSPAIGAYLSASYGDSLVLVATVVALLDICFILVA VPESLPEKMRPVSWGAI SWKQADPFASLKKVGDSTVLL\IC ITVCLSYLPEAG\QYSSFF\LYLR\QVIGFG\SVKIAAFIAMV GILSIVAQTAFLSILMRSLGNKNTVLLGLGFQMLQLAWYGFSG QAWMMWAAGTVAAMSSITFPAISALVSRNAESDQQGVAQGIIT GIRGLCNGLGPALYGFIFYMFHVELTELGPKLNSNNVPLQAV IPGPPFLFGACIVLMSFLAALFIPEYSKASGVQKHSNSSSSGSL TNTPERGSDEDEIPELLQDSSIWELSSFEPEGNQCTEL*TRQKV GFCIRHL
373	1112	1	1950	MAAGLATWLPFARAAAVGWLPLAQQLPPAPGVKASRGDEVLV VNVSGRRFETWKNTLDRYPDTLLGSSEKEFFYDADSGEYFFDR DPDMFRHVLNFYRTGRLHCPRQECIQAFDEELAFYGLVPELVG DCCLEEYRDRKKEAERLAEDEEAEQAGDGPALPAGSSLRQRL WRAFENPHTSTAALVFYVVTGFFIAVSVIANVVETIPCRGSAR RSSREQPCGERFPQAFFCMDTACVLI FTGEYLLRLFAAPSRCR FLRSVMSLIDVVALPYIIGLLVPKNDDVSGAFVTLRVFRVFR IFKFSRHSQGLRILGYTLKSCASELGFLLFSLTMAIIIFATVM FYAEKGTNKTNFTSIPAAFWYTIIVTMTTLGYGDMVPSTIAGKI FGSICSLSGVLVIALPVPVIVSNFSRIYHQNRADKRAQQKV RLARIRLAKSGTTNAFLQYKQNGGLEDSGSSEBQAVCVNRNSA FEQQHHLLHCLEKTTCHEFTDELTFSEALGAVSPGGRTSRST SVSSQPVGPGSLLSSCCPRAKRRIRLANSTASVSRG\SMQE LDMLAGL\RRSHAP\QSRSSL\NAKPHDSLDCDSG\DFVAA IISIPTPANTPDESQSSPPGGGGRAGSTLRNSSLGTCLFPE TVKISSL
374	1113	4	664	GWGKPFKDWTTGGQDTGGEPALLVGAGEGRAPRLNCPGQIRS PGPGLS IYDNWIRYFNRSSPVYGLVP/RSKTSARIYPTYHTA FDTFDYVDKFLDPGEGDKGHPETRTGEAED*ALALSPCCR\F SSHQAVARTAGSVILRLSDSFFLPLKVS DYSETLRSFLQAAQQ DLGALLEQHSISLGPLVTAVEKFEAEAAALGQRISTLQKGS PD PLQVRML

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
375	1114	1	1147	GIRGGGSLASGGPGPHASLSQRLRLYLADSWNQCDLVALTCF LLGVGCRLLTPGLYHLGRTVLCIDFMVFTVRLHLHIFTVKNQKLG KIVIVSKMMKDVFFFLFFLGVWLVAYGVAATEGLLRPRSDFPS ILRRVFYRYPYLQIFGQIQEDMDVALMEHSNCSSEPGFWAHP GAQAGTCVSYANWLVVLLLVIFLLVANILLVNLIIAMFSYTF GKVQGNSDLYWKAQRYRLIREFHSPALAPPFIVISHLRLLLR QLCRRRSPQPSSPALEHFRVYLSKEAERKLLTWESVHKENFL LARADKRESDSERLKRTSQKVDLALKQLGHIREYEQRLKLVLE REVQQCSRVLGWVAEALSRSALLPPGGPPPPDLPGSKD
376	1115	3	329	LIKLCCKSAKSCENDLEMGMNSKFKKTRYQAGMRNSENLTAN NTLSKPTRY/QGELKEIKQDISSLRVLEEKSOATGELADLI QQLSEKFGKNLNKDHRLRVNKGKDI
377	1116	1	2043	LPLLHAGFNRRFMENSSIACYNELIQIEHGEVRSQFKLRACN SVFTALDHCHAEIETSDDHVIQYVNPFAFERMMGYHKGELLGK ELADLPKSDKNRADLLDTINTCIKKGKEWQGVYARRKSGDSI QQHVKITPVIGQGGKIRHFVSLKCLCCTDNNKQIHKIHRDSG DNSQTEPHSFRYKNRRKESIDVKSISRRGSDAPSLQNRYP SMARIHSMTIEAPITKVINIINAAQENSPVTVAEALDRVLEILRT TELYSPQLGKDEDPHTSDLVGGMLTDGLRRLSGNEYVFTKNV HQSHSLAMPITINDVPPCISQLLDNEESWDFNIFELEAITHK RPLVYLGLKVFSRFGVCEFLNCSETTLRAWFQVIEANYHSSNA YHNSTHAADV LHATAFFLGKERVKGSLDQLDEVAALIAATVHD VDHPGRNTSFL\CNAGSELAVLYNDT\AV\LESHHTALAFQ\L TVKDTK\CNIFKNID/RGNHYRTLQAIIDMVLATEMTKHFH VNKFVNSINKPMAAEIEGSDCECNPAGKNFPENQILIKRMMIK CADVANPCRPLDLCIEWAGRISEEYFAQTDEEKROGLPVVMPV FDRNTCSIPKSQISFIDYFITDMFDAWDAFAHLPALMQHLADN YKHWKTLDDLKCKSLRLPSDRLKPSHRGGLLTDKGHCESQ

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
378	1117	1	3585	<p>AFLSKVEEDYPSEELLEDENAINAKRSKEKNPGNQGRQFDVN LQVPDRAVLGTIHPDPEIEESKQETSMILDSEKTSETAAKGVN TGGREPNTMVEKERPLADKKAQRPFERSDFSDSIKIQTPELGE VFQNKSDYLNKNDNPEEHLKTSGLAGEPEGELSKEDHENTEKY MGTESQGSAAAEPEDDSFHWTPTSVPEPGHSDKREDDLLIISF FKEQQSLQRFQKYFNVHELEALLQEMSSKLSAQQESLPYNME KVLDKVFRASESILSIAEKMLDTRVAENRDLGMNENNI FEEA AVLDDIQDLIYFVRYKHSTAETATLVMAPPLEEGLGGAMEEM QPLHEDNFSREKTAELNVQVPEEPHTLDQRVIGDTHASEVSQK PNTEKDLDPGPVTTEDTPMDAIDANKQPETAEEPASVTPLEN AILLIYSFMFYLTKSLVATLPDDVQPGPDFYGLPWKPVFITAF LGIASFALFLWRTVLVVKDRVYQVTEQQISEKLTIMKENTEL VQKLSNYEQKIKESKKHVQETRKQNMILSDEAIKYDKIKITLE KNQEIILDDTAKNLRVMLESEREQNVKNQDLISENKSIEKLD VISMNASEFSEVQIALNEAKLSEKVKSECHRVQEEENARLKKK KEQLQQEIEDWSKLHAELSEQIKSFEKSQKDLEVALTHKDDNI NALTNCITQLNLECESESEGQNKGGNDSDELANGEVGGDRNE KMKNQIKQMMDVSRQTATISVVEEDLKLQLKL\RASVSTKC\ NLEDQVKKLEDDRNSLQAAKAGLEDECKTLRQKVEILNELYQQ KEMALQKKLSQEEYERQERHRLSAADEKAVSAAEEVKTYKRR IEEMEDELQKTERSFKNQIATHEKKAHENWLKARAAERATAEE KREANLRHKLKLDLTQKMAMLQEEPVIKPMGPKPNTQNP GPLSQNGSFGPSVSGGECSPPLTVEPPVRPLSATLNRRDMPR SEFGSLDGPLPHPRWSAEASGKPSPSDPGSGTATMNSSSRGS SPTRVLDEGKVNMAPKGGPPFPVPLMSTPMGGPVPPP PPQLCGPFGPRPLPPFPFGPMRPPGLREFAPGVPPGRDLPL HPRGFLPGHAPFRPLGSLGPREYFIPGTRLPPPTHGPPQYPPP PAVRDLPSGSRDEPPASQSTSQCDCSQALKQSP</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
379	1118	3	2946	<p>MAADSEPESEVFEITDFTTASEWERFISKVEEVLNDWKLIGNS LGKPLEKGI FTSGTWEEKSDEISFADFKFSVTHHYLVQESTDK EGKDELLEDVVPQSMQDLLGMNDFPPRAHCLVRWYGLREFVV IAPAAHSDAVLSESKCNLLSSVSIALGNTGCQVPLFVQIHK WRRMYVGECQPGVVRTDFEMVHLRKPVPNQYTHLSGLLDIFKSK IGCPLTPLPPVSAIRFTYVLQDWQQYFWPQQPPDIDALVGGGE VGGLEFGKLPFGACEDPISELHLATTW\PHLTEGIIVDNDVYS DLDPIQAPHWSVRVRKAENPQCLLGDVTEFFFKICRRKESTDE ILGRSAFEEEGKETADITHALSKLTEPASVPIHKLSVSNMVHT AKKKIRKHRGVEESPLNNDVLTNTILLFLFPDAVSEKPLDGTTS TDNNNPPSESEDYNLYNQFKSAPSDSLTYKLALCLCMINFYHG GLKGVHLWQEFVLEMRFWRENNFLIPGLASGPPDLRCCLLHQ KLQMLNCCIERKKARDEGKKTASADVTNIYPGDAGKAGDQVLP DNLKETDKEKGEVGSWDSWSDSEEEFFECLSDTEELKGNQGE SGKKGGPKEMANLRPEGRLYQH GKLLHNGEPLYIPVTQEP PMTEDLLEEQSEVLA KLGTSAEGAHLRARMQSACLLSDMESFK AANPGCSLEDFVRWYSPRDYIEEEVIDEKGNVVLKGELSARMK IPSNMWVEAWETAKPI PARRQRRLFDDTREA EKVLHYLAIQKP ADLARHLLPCVIHAAVLKVKKEESLENISSVKKI IKQI ISHSS KVLHFPNPEDKLEEIIHQITNVEAL IARARSLKAKFGTEKCE QEEEKEDLERFVSCLEQPEVLVTGAGRGHAGRI IHKLFVNAQ RAAAMTPPEELKRMGSPERRQNSVDFPPPAGREFILRRTTV PRPAPYSKALPQRMYSVLTKEDFRLAGAFSSDTSFF</p>
380	1119	2333	670	<p>SPTRTGDRSVSLIVFLTEGKPTVGETHTLKI LNNTREAAARGOV CIFTIGIGNDVDFRLLLEKLSLENCGLTRRVHEEEDAGSOLIGF YDEIRTPLLSDIRIDYPPSSVVQATKTLFPNYFNGSEII IAGK LVDRKLDHLHVEVTASNSKKFII LKTDVPVRPQKAGKDVGTGSP RPPGDGEGDTNHIERLWSYLTTKELLSSWLQSDDEPEKERLRQ RAQALAVSYRFLTPFTSMKLRGPVPRMDGLEEAHGMSAAMGPE PVVQSVRGAGTQPGPLLKPKYQPRIKISKTSVDGDPHFVDFP LSRLTVCFNIDGQPGDILRLVSDHRDSGVTVNGELIGAPAPPN GHKKQRTYLRITITILINKPERSYLEITPSRVILDGGDRLVLP NQSVVVGSWGLEVSVSANANVTVTIQGSIAFVILIHLYKKPAP FORHHLGFYIANSEGLSSNCHGLLGQFLNQDARLTEDPAGPSQ NLTHPLLLQVGEPEAVLTVKGHQVPVWVKQRKIYNGEEQIDC WFA RNAAKLIDGEYKDY LASHPFDTGMTLGQGM SREL</p>
381	1120	102	426	<p>VPLESLSCSHADNWKQELTKFISPDQLPVEFGGTMTPDGNPK CLTKINYGGEVPKSYLCKQVRLQYEHTRS VGRGSSLQVENEI LFPGCVLRCEVLQHLQPGSF</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
382	1121	3	3726	PAAPEHTDPSEPRGSVSCCSLLRGLSSGWSSPLLPAVPCNPNK AIFTVDAKTTEILVANDKACGLLGYSSQDLIGQKLTQFFLRSD SDVVEALSEEHMEDGHAAVVFGTVVDIISRSGEKIPVSVWMK RMRQERRLCCVVVLEPVERVSTWVAFQSDGTVTSCDSLFAHLH GYVSGEDVAGQHI TDLIPSVQLPPSGQHIPKNLKIQRSVGRAR DGTTFPLSLKLSQPSSEEATTGEAAPVSGYRASVWVFCITISG LITLLPDGTIHGINHSFALTTFGYGKTELLGKNITFLIPGFYS YMDLAYNSSLQLPDLASCLDVGNESGGERTLDPWQGDPAEG GQDPRINVLAGGHVVRDEIRKLMESQDIFTGTQTELIAGGQ LLSCLSPQPAPGVDNVPEGSLPVHGEQALPKDQQTALGREEP VAIESPGQDLLGESRSEPVDVKPFASCEDSEAPVPAEDGGSDA GMCGLCQKAQLERMVSGSPGSDLWAGA AVAKPQAKGQLAGGS LLMHCPCYGSEWGLWWRSDLAPSPGMAGLSFGTPTLDEPWL GVENDREELQTC LIKEQLSOLS LAGALDVPHAEVLPTECQAVT APVSSCDLGGRDLCGGCTGSSSACYALATDLPGGLEAVEAQEV DVNSFSWNLKELFFSDQTDQTS SANCSCATSELRETPSLAVGS DPDVGS LQEQGSCVLDRELLLLTGTCVDLGGQRRFRESVGH DPTEPLEVCLVSSSEHYAASDRES PGHVPSTLDAGPEDTCPSAE EPRLNVQVTSTPVI VMRGAAGLQREIQEGAYSGSCYHRDGLRL SIQFEVRRVELQGP TPLFCCWLVKDLLHSQRDSAARTLFLAS LPGSTHSTAELTGPSLVEVLRARPWFEPPKAVELEGLAACE GEYSQKYSTMSPLGSGAFGFVWTAVDKEKNKEVVVKFIKKEKV LEDCWI EDPKLGKVTLEIAILSRVEHANI I KVLDI FENQGGFFQ LVMEKHGSGLDLFAFIDRHRPLDEPLASYIFRQVRAG\QSRIV SAVGYLRLKDI IHRDIKDENIVIAEDFTIKLIDFGSAAYLERG KLFYTFCGTIEYCAPEVLMGNPYRGP ELEMWSLGVTLTYLVFE ENPFCELEETVEAAIHPPYLVSKEMLSLVSGLLQPVPERR TTL EKLVTDPWVTQPVN LADYTWEVFRV NKPESGVL SAA SLEMGN RSLSDVAQAQELCGGPV PGEAPNGQGCLHPGDPRL LTS
383	1122	177	1365	PGTSAATCRFLSPPVISLSFTGLCISDLVAVNGVWILVETFM LKGGNFFSKHVPWSYLVFLTIYGVELFLKVAGLGPVEYLSGSW NLFDFSVTVFAFLGLLALALNMEPFYFIVVLRPLQLLRLFKLK ERYRNVLDTMFELLPRMASLGLTLLIFYYSFAIVGMEFFCGIV FPNCNTSTVADAYRWRNHTVGNRTVVEEGYYLNNFDNII LNS FVTLFELTVVNNWYI IMEGVTSQTS HWSRLYFMTFYIVTMVVM TIIVAFILEAFVFRMYSRKNQDSEVDGGITLEKEISKEELVA VLELYREARGASSDVTRLLETLSQMER YQQHSMVFLGRRSRTK SDLSLKMYYQEEIQEWYEEHAREQEQQRQLSSSAAPAAQQPPGS RQRSQTVT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
384	1123	1	986	LAGVGTQAPRRPGGEMAAGQNGHEEWVGSAYLFFVSSLDKVV LSDAYAHPPQKVAVYRALQAALAESGGS PDVLQMLKIHRSDPQ LIVQLRFGCRQPCGRFLRAYREGALRAALQRSLAAALAQHSVP LQL\DLRAGAERLEALLADEERCLSCILAQQPDRLRDEELAE EDALRNLIKCGSGARGGDGEVASAPLQPPVPSLSEVKPPPPPP AQTFLFQGPVVNRPLSLKDQQTFAFSVGLKWRKVRSLQRGC RALRDPALDSLAYEYEREGLYEQAFQLLRRFVQAEGRRTLQR LVEALEENELTSLAEDLLGLTDPNGGLA
385	1124	2409	399	SSKPKLKKRFSLSRVSGRSVRGSVIRGILQWRGTVDPPSSAGPLE TSSGPPVLGGNSNSNSGGAGTVGRGLVSDGTSPGERWTRHFE RLRLSRGGGALKDGAGMVQREELLSFMGAEAAADPAGVGRGG GVAGPPSGGGQPQWQKCRLLLRSEGEAGGGSRLEFFVPPKAS RERLSIPCSSITDVRTTTALEMPDRENTFVVKVEGSEYIMET VDAQHVKAWSDIQECLSPGPCPATS PRPMTLPLAPGTSFLTR ENTDSLELSCLNHSESLPSQDLLLLGPSESNDRLSQGAYGGLSD RPSASISPSSASIAASHFDSMELLPELPPRIPIEAGPPAGTV HPLSAPYPPLDTPETATGSFLFQG\EPEGGEDQPLSGYPWFH GMLSRLKAAQLVLTGGTGSHGVLVLRQSETRRGEYVLTFFNFG KAKHLRLSLNEEGQCRVQHLWFQSI FDMLEHFRVHPIPLESGG SSDVVLVSYVPSQRQQGEQSR SAGEEVPVHPRSEGSRLGAM RGCAREMDATPNASCTLMPFGASDC\EPTTSHDPPQPPEPPSW TDFPQPGE\EASR\APGSGGQAAAAAKERQEKEKAGG\GGV PEE\LVPVV*LVPVGELEGHPRQAQEAQRLGPGGDAGVPP\ MVQLQOSPLGG\DGEEGGHPR\AI\NNQYSFV
386	1125	2204	1042	FRAPVGTAAARSPQVVIIRRLPPGLTKEQLEQLRPLPAHDYFEE FAADLSLYPHLYSRAYINFRNPDDILLFRDRFDGYIFLDSKDP EYKKFLETYCVBEEKTSANPETLLGEMEAKTRELIARRTPLL EYIKNRKLEKQRIREEKREERRRRELEKKRLREEEKRREEE RCKKKETDKQKIAEKEVRIKLLKKPEKGEEPTTEKPKERGEE IDTGGGKQESCAPGAVVKARPMEGSLEEPQETSHSGSDKEHRD VERSQEQESEAQRVHVDGRRHRAHHEPERLSRRSEDEQRWGK GPGQDRGKKSQDSGAPGEMERLGRAQRCDSPAPRKERLAN KDRPALQLYDPGARFRARECGGNRRICKAEGSGTGPEKREEAE
387	1126	176	800	GVWGVCSVGLLQVGSQRAQAWRAWSPMETPLTGTFLWPHIPQG LFFDSSYGFYPGQVLIGPAKIFSSVQWLSGVKPVLSTKSKFRV VVEEVQVVELKVTWITKSFPCGGTDSVSP/PSVITQENLGRV KRLGCFDHAQR/HAWGALSVCLPSQGRASQDCLGMSRKKLRPG GGLYQGEGEAPVEEAGCADHVMLPRHPVFPGFHGRPR

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
388	1127	1	2017	FRDSSPCSAFEFHCLSGECIHSSWRCDGGPDCKDKSDEENCAV ATCRPDEFQCSGDGNCIHGSRQCDREYDCKQMSDEVGCNVNLTLC EGPNKFKCHSGECITLDKVCNMARDCRDWSDEPIKECGTNECL DNNGGC SHVCNDLKI GYECLCPDGFQ LVAQRRCEDIDECQDPD TCSQLCVNLEGGYKCQCEEGFQ LDPHTKACKAVGSIAYLFFTN RHEVRKMTLDRSEYTS LI PNLNRNVVALDTEVASNRIYWSDSLQ RMI CSTQLDRAHGVSS YDTVISRDI QAPDGLAVDWIHSNIYWT DSVLGT VSVADTKGVKRKTLFRENGSKPRAI VVDEPVHGFMYWT DWGTPAKIKKGG LNVDIYSLVTENIQWPNGITL DLLSGRLYW VDSKLHS ISSIDVNGGNRKT ILEDEKRLAHPFSLAVFEDKVF TDI INEAI F SANRLTGS DVNLLAENLLS PEDMVL FHNLTQPRG VNW CERTT LSNGGCQYLCLPAPQ INPHS PKFT CACPDGMLLAR DMR SCLTEG \ EAAVATQETSTVRLKVS STAVRTQHTTTRPVPD TSRLPGATPGLTTVEI VTM SHQALGDVAG \ RGN \ EKKPSSVRA LSI VLP IV \ LLVFLCLGV FLLWKNWRLKNINS INFDPNVYQKT TEDEVHICHNQDGYSYPSRQMVSLLEDDVA
389	1128	2299	1148	RIPGLGPPGSPPPPPHVRGMPGCPGCGMAGPRLFLFTALAL ELLGRAGGSQPALRSRGTATACRLDNKESESWGALLSGERLDT WICSLGSLMVGLSGVFLLVIPLEMGTMLRSEAGAWRLKQLL SFALGGLGNVFLHLLPEAWAYTCSASPGGEGQSLQQQQQLGL WVIAGILTFLALEKMF LDSKEEGTSQAPNKDPTAAAAALNGGH CLAQPAEPLGAVVRS IKVSGYLNLLANTIDNFTHLAVAAS FLVSKKIGLLTTMAILLHEI PHEVGFALLRAGFDRWSAACL QLSTALGGLL GAGFAICTQSPKGV EETAAWVLPFTSGGFLYIA LVNVLPD LLEEDPWRSLQQLLLLCAGIVVMVLSL FVD
390	1129	1	523	GKVSAGQAGADRTLRRAP EPRFSQEPTGNSAYPQLRPFLDPQG RDLKPSALVPPTRSHTGRRPWLHTQPLPGPQGRAWGPTC/TPA CVDRVLESEEGRREYLAFPTSKSSGQKGRKELKGNRRIDYM LHAEGLCPDWKAEVEEFSFITQLSGLTDHLPVAMRLMVSSGE EEA
391	1130	1459	765	PCGGIRLSASEAATLFGYLVVPAGGGGTF LGGFFV NKLRLRGS AVIKFCLFCTVVSLLGILVFSLHCPSPVMAGVTASYGGSLLPE GHLNLTAPCNAACSCQPEHYPVCGSDGLMYFSLCHAGCPAAT ETNV DGQKVS GAAAYRCPPLDPGKGPPLPLVIGAI VGLPRC TETVAVSLRIFPLVLAM \ HCREMHFNLS EKAPPSGFHIRCNFL YIPQQHSCTNGNSTMCP
392	1131	1668	962	LLRKVGAPGGARGVIRLLDWFERP DGFLLVLERPEPA \ QD \ LF DFITERGALDEPLARRF \ FAQVLA AVRHC HSCGVVHRDIKDN LLVDLRS GELKLI DFGSGALLKOTVYTD FGDTRVYSPPEWIRY HRYHGRSATVWSLGVLLYDMVCGDIPFEQDEEILRGRLLFRRR VSPECQQLIRWCLSLRPSERPSLDQIAAHPWMLGADGGAPESC DLRLCTLDPPDDVASTTSSSESL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
393	1132	3	817	GKNSQKASPV DDEQLSVCLSGFLDEV MKKYGS LVP LSEKEVLG RLKDVFNEDFSNRKPFINREITNYRARHQKCNFRI FYNKHM LD MDDLATLDGQNWLN DQVINMYGELIMDAVPDKVHFNSFFHRQ LVTKGYNGVKRWTKKV DLFKKSLLLIPIHLEVHWSLITVTL SN RIISFYDSQGIHFKFCVENIRKYL L TEAREKNR\LN LQGWQTA VTKCIPQQKNDSDCGV FVLQYCKCLAL\KQPFQFSQEDMPVR KRIYKELCECR LMD
394	1133	1252	628	PPGG*QGSAAKHR/FP/KGYRHPALEARLGRRTVQEARALLR CRRAGISAPV VFFVDYASNCLYMEIEG SVTVRDIQSTMETE K\TPQGLSNLAKTIGQVLARMHDEDLIHGDLTTSNMLLKP PLE QLNIVLIDFGLSFI SALPEDKGV DLYVLEKAFLSTHPNTETVF EAF LKSYSTSSKKARPVLK LKLEDEVRLRGKKRSMVG
395	1134	2	1595	RACVFRPEDMMQGEAHP SASLIDRTIKMRKETEARKV LLA WGL LNVSMAGMIYTEM TGKLIS SYYNVTY WPLWYIELALASL FSLN ALFDFWRYFKYTVAPTSLV VSPGQQTL LGLKTAVVQ TTPPHDL AATQIP PAPPSPSIQGSVLSYS P SRSPSTSPKFTTSCMTGYS PQLQGLSSGSGSYSPGVTYSPVSGYNKLASFSPSPSPYPTT VGPV ESSGLRSRYRSSPTVYNSPTDKEDYMTDLR TLDTFLRSE EEKQHRVKLGSPDSTSPSSSPTFWNYSRSMGDY AQT LKKFQYQ LACRSQAPCANKDEADLSSKQAEEVWARVAMNRQLLDHMDSW TAKFRNWINETILVPLVQEI ESVSTQMRMGCP ELQIGEASIT SLKQAALVKAPLIPTLNTIVQYLDLTPNQEYLFERIKELS QGG CMSSFRWNRGGDFKGRKWD TDLPTDSAIIMHV FCTYLD SRLPP HPKYPDGKTF TSQHFVQTPNKPDVTNENVFCIYQSAINP PHYE LIYQRHVYI PAKGQK
396	1135	16	1542	SSAVEFINRNNSV VQVLLAAGADPNLGDDFSSVYKTAKEQGIH SLEVLITREDDFNNRLN NRASFKGCTALHYAVLADDYRTVKEL LDGGANPLQRNEMGHTPLDYAREGEVMKLLRTSEAKYQEKQRK REAEERRRFPLEQRLKEHIIGQESAIATVGAAIRRKENGWYDE EHPLVFLFLGSSGIGKTELAKQTAKYMHKDAKGFIRLDMSEF QERHEVAKFIGSPPGYVGH EGGQLTKKLKQCPNAVVLDFEVD KAHPDVLTIMLQLFDEGR L TDGKGK TIDCKDAIFIMTSNVASD EIAQHALQLRQEAL EMSRNRI AENLGDVQISDKITISKNFKEN VIRPILKAHFRRDEF LGRINEIVYFLPFCHSELIQLVNKE LNF WAKRAKQRHNITLLWDREVADVLVDGYNVHYGARS IKHEVERR VGNQLAAAYEQDLLP\GGCTLRITVEDSDKQLLKSPELSPQA EKRLPKLRLEIIDKDSKTRRLDIRAPLHPEKVCNTI
397	1136	1848	1602	SSCDRERHGLGMMSGS F ILCALVTRWSPQASSVPLAVYESK TRKSYRSQRDRDGKDRSQMG LSLLVETRKL LLSANQG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
398	1137	1497	717	HTPMA/FFL/SFLSTSET/VYTFVILPKMLINLLSVARTISFN CCALQMFFFLGFAITNCLLLGVMGYDRYAAICHPLHYPTLMSW QVCGKLAACAIGGFLASLTVVNLVFSLPFCSTNKVNHYPFDI SAVILLACTNTDVGVFVIFICGVLVLPVFLFICVSYFCILRT ILKIPSAEGRRKAFSTCASHLSVVI VHYGCASFITYLRPTANYV SNKDRLVTVTYTIVTPLLNPVYSLRNKDVQLAIRKVLGKKGS LKLYN
399	1138	2	1185	RPPAATRYPREKLKSMTSRDNYKAGSREAA\AAAAAVAAAAA AAAAAEPYPVSGAKRKYLEDSDPERSDYEEQQLQEEEEARKVK SGIRQMRLFSQDECAKIEARIDEVVSRAEKGLYNEHTVDRAPL RNKYFFGEGYTYGAQLQKRGPGQERLYPPGDVDEIPEWVHQLV IQKLVEHRVIEPEGFVNSAVINDYQPGGCIVSHVDPIHIFERPI VSVSFFSDSALCFGCKPQFKPIRVSEPVLSLPVRRGSVTVLSG YAADEITHCIRPQDIKERRAVIILRKTRLDAPRLETKSLSSSV LPPSYASDRLSGNDRDPALKPKRSHRKADPDAHRPRIEMDK EENRRSVLLPTHRRRGFSSENYWRKSYESEDCEAAGSPAR KVKMRRH
400	1139	60	1699	VTWHFYFCSDHKNHYIIPQADRSRQKCMSQSLDLSLAKAA KKLQALSNRLFELAMDVYDEVDRRENDVWLATQNHSTLVT ERSAVPFLPVNPEYSATRNQGRQKLARFNAREFATLIIDILSE AKRRQOGKSLSSPTDNLELSLRSQSDLDQHDYDSVASDEDTD QEPLRSTGATRSNRARSMDSSDLSDGAVT\LQEYLELKKALAT SEAKVQQLMKVNSSLSDEL\RRLQREHFAP I \IHKLQAE NLQL RQPPGPVPTPPLPSERAETPMAPGGSTHRRDRQAFSMYEPGS ALKPFGPPGDEL'TRLQPFHSTELEDDAIYSVHVPAGLYRIR KGVASAVPFTPSSPLLSCSQEGSRHTSKLSRHGSGADSDYEN TQSGDPLLGLGKRFLELGKEEDFHPELES LDGDLDPGLPSTE DVILKTEQVTKNIQELLRAAQEFKHDSFVPCSEKIHLAVTEMA SLFPKRPALPEVRSLLRLLNASAYRLQSECRKTVPPPEPGAPVD FQLLTQQVIQCAVDIAKAAQLVTITTREKKQ

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
401	1140	1	1863	RYLSYSGSPKRFPLVDVLQYALEFASSKPVCTSPVDDIDASSP PSGSIPSQTLPTSTTEQQGALSSELPTSPSSVAAISSRSVVIHK PFTQSRIPDLPMPAPRHITTEELSVELESLHRWRTEIENDT RDLQESISRIRHTIELMYSKSMIQVPYRLHAVLVHEGQANAG HYWAYIFDHRRESRWKYNDAVTKSSWEELVRDSFGYRNASA YCLMYINDKAQFLIQEEN/K/ETGQPLVGIETLPPDLRDFVE EDNQRFEKELEEWDAQLAQKALQEKLLASQKLRESESVTTAQ AAGDPKYLEQPSRSDFSKHLKEETIQIITKASHEHEDKSPETV LQSAIKLEYARLVKLAQEDTPPETDYRLHHVVVYFIQNQAPKK IIEKTLLEQFGDRNLSFDERCHNIMKVAQAKLEMIPPEVNLE EYEEWHQDYRKFRRETTMYLITIGLENFQRESYIDSLFLICAYQ NKEKLLSKGLYRGHDEELISHYRRECLLKLNEQAELFESGED REVNNGLIIMNEFIVPFLPLLVDMEEKDILAVEDMRNRWCS YLGQEMEPHLQEKLTDFLPKLLDCSMEIKSFHEPPKLPSTH ELCERFARIMLSLRTPADGR
402	1141	1	465	AQVYVRMDSFDEDLARPSGLLAQERKLCRDLVHSNKKEQEFRS IFQHIQSAQSQRSPSELFQHM\VPVHVHVKHHFGSSGMTLH ERFT\KYLKRG\TEQEAANKKSPEIHRRIDISPSTFRKHGLA HDEMKSREPGYKDGHSKNELQRVNFY
403	1142	2	369	TYTFCFSLMI\ILLTIIQGLILEAFGELRDQLDQVKEDMETKC FICGIGNDYFDTVPHGFETHLQEHNLANYLFFMLYLINKDET EHTGQESYVWKMYQERCWEFFPAGDCFRKQYEDQLN
404	1143	3115	557	FRRKGGGPKDFGAGLKYSRHEKVNGLEEGVEFLPVNNVKKV EKHGPRWVLAAVLIGLLVLLGIGFLVWHLQYRDVVRQKVF NGYMRITNENFVDAYENSNSTEFVSLASKVKDALKLLYSGVPF LGPYHKESAVTAFSEGSVIAYWSEFSIPQHLVEEAERVMAEE RVVMLPPRARSLKSFVVTSVVAFPTDSKTQRTQDNSCSFGLH ARGVELMRFTTPGFPSYPAHARCQWALRGDADSVLSLTFRS FDLASCDERGRHLV\TVYNT\LSPMEPHA\LVQLCGTYPPSYN LTFHS\S\QNVLLITLITNTERRHPG\FEATFFQLPRMSSCGG RLRKAQGTFNSPYPGHYPPNIDCTWNIQVNNQHVKVRFKFF YLLEPGVPAGTCPKDYVEINGEKYCGERSQFVVTNSNKITVR FHSQSYTDTGFLAEYLSYDSSDPCPGQFTCRTRGRCIRKELRC DGWADCTDHSDELNCS CDAGHQFTCKNKFCPLFWVCDLNDK GDNSDEQGCSCP\AQTFRCNKGKLSKSKQCCNGKDDCGDGSDE ASCPKVNVVTCTKHTYRCLNGLCLSKGNPECDGKEDCSDGSD KDCDCGLRSFTRQARVVGTDADAEGEWPWQVSLHALGQGHICG ASLISPNWLVSAAHCYIDDRGFRYSPTQWTAFLGLHDQSQRS APGVQERRLKRIISHPPFNDFDYDIALLELEKPAEYSSMVR PICLPDASHVFPAGKAIWVTGWGHTQYGGTGALILQKGEIRVI NQTTCCENLLPQQITPRMCMVGFSLGGVDSQGDSSGGLSSVEA DGRIFQAGVVSWDGCAQRNKPGVYTRLPLFRDWIKENTGV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
405	1144	1	424	RHEEDLGNLWENTRFTDCSFFVRGQEFKAHKSVLAARSPVFNA MFEHEMEESSKKNRVEINDLDPEVFKEMMRFIYTGRAPNLDKMA DNLLAAADKYALERLKVMEKALCSNLSVENVADTLVLADLHS \AEQLKAQAIDFINRCSVLRQLGCKDKGNWNSNQATDIMETSG GKSMIQSHPHLVAEAFRALASAQGPQFGIPRKRKQS*NLGNL WENTRFTDCSFFVRGQEFKAHKSVLAARSPVFNAMFEHEMEESS KKNRVEINDLDPEVFKEMMRFIYTGRAPNLDKMDNLLAAADK YALERLKVMEKALCSNLSVENVADTLVLADLHSGRTVESTSH RLY
406	1145	1	1021	QRGGIPGKFQEDSGSVDWALGPFWGI FQADFGCMRFYLSAQTSDPVLRM*WGSPISHPTSLCPGGGAGQTTGSLCLGQQCCPLSCPNIIPSRHKRWRL*AALVAGSRGSC TLR*RTPLPVTRNLP R/CHLHLHPTGDLRVHVHQHCLLHGHPVPGAALLQCGGCDLRG EAAGLLFLGHACLRGSVNLRRDQWLPV\PYSRLCFSGAREGHL PSLLAMIVHRCTPI PALLVC\PIKVNLIPVAYLVFWAPLLV FSFISEHMVCGVGVII ILTGVP IFFLGVFWRSKPKCVHRLTES MTHWQELCFVVYPQDAPEEEENGPCPPSLLPATDKPSKPQ
407	1146	2	1280	AAALVAEYLLALLEDHRHLPVGCVSFQNISSNVLEESAISDDIL SPDEEGFCSGKHFTLGLVGLLEQAAGYFTMGGLYEAVNEVYK NLIPILEAHRDYKLAAVHGKLEAFKIMHQSSGWERVFGTY FRVGFYGAHFGLDDEQEFVYKEPSITKLAEISHRLEEFYTERF GDDVVEI IKDSNPVDKSKLDSQKAYIQITYVEPYFDTYELKDR VTYFDRNYGLR TFLFCTPFTPDGRAHGELPEQHKKRTLLSDH AFPYIKTRIRVCHREETVLT P\VEVAIEDMQKKTRELAFA TEQ DPPDAKMLQMV LQGSVGP TVNQGP LEVAQVFLAEIPEDPKLFR HHNKLR LCFKDF*KKCEDALRKNKALIGPDQKEYHRELE RNY CRLREALQPLL TQRLPQLMAPTPPGLRNSLNRSFRKADL
408	1147	55	651	GEGQQWQSTPLSPLQPTVADFLNLAWWTSAAAW*VLSGRWVEK VLPGREGSEEK*GMASSADHLHSAPRALQ\SLFQQLLYGLIY HSWFQAGR*GFGGASSPGPQSELRR LHGEGGVYD*GRPETLP GSVGGAEALWALADPAEAGSPETRESSCVMKQTQYYFGSVNA SYNAIIDCGNCSRCWQWGGTRGQGRNL
409	1148	1855	904	VAGIPACFDN/FTEALAE TACRQMGYSSKPTFRAVEIGPDQDL DVVEITENSQELRMRNSSG PCLSGSLVSLHCLACGESLKTPRV VGGEEASVDSWPWQVSIQYDKQHVCGGS ILDPHWVLTAAHCFR KHTDVFNWKVRAGSDKLGSPSLAVAKIIIEFNPMYPKDNDI ALMKLQFPLTFSGTVRPICLPFFDEELTPATPLWIIGWGFTKQ NGGKMSDILLQASVQVIDSTRCNADDAYQGEVTEKMM CAGIPE GGVDTCQGD SGGPLMYQSDQWHVVGIVSWG YCGGPGSTPGVYT KVSAYLNWIYNVWKAEL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
410	1149	3	964	TISTVRWNSRIGMVLGVAIQKRAV\ PGLY\ AFEEAYARADKEA PRPCHKGSWCSSNQLCRECQAFMAHTMPKLLKAFSMTSSAYNAYR AVYAVAHGLHQLLGCASGACSRGRVYPWQLLEQIHKVHFLHLK DTVAFNDRDPLSSYNI IAWDWNGPKWFTFTVLGSSWTWSPVQLN INETKIQWHGKDNQVPKSVCSDDCLEGHQRVVTGFHHCFCVCV PCGAGTFLNKS / SYLGKDLPENYNEAKCVTFSLLFNFVSWIAF FTTASVYDGKYLPAANMMAGLSSLSGSGGGYFLPKCYVILCRP DLNSTEHFQASIQDYTRRCGST
411	1150	2	1378	VARGAFHPKMGPSFSPKPGSERLSFVSAKQSTGQDTEAELQD ATLALHGLTVEDEGNYTCEFATFPKGSVRGMTWLRVIAKPKNQ AEAQKVTFSQDPTTVALCISKEGRPPARISWLSSLDWEAKETQ VSGTLAGTVTVTSRFTLVPSGRADGVTVTCKVEHESFEEPALI PVTLSVRYPPPEVSI SGYDDNWYLGRDATLSCDVRSNFPEPTGY DWSTTSGTFPTS AVAQGSQLVIIHAVDSLNTTFVCTVTNAVGM GRAEQVIFVRETPNTAGAGATGGIIGGI IAAI IATADA\ TGIL ICRQQRKEQTLQAEDEDEDLEGPPSYKPPTPKAKLEAQEMPSQ LFTLGASEHSPKTPYFDAGASCTEQEMPRYHELPTLEERSGP LHPGATSLGSPIPVPPGPPAVEDVSLDLEDEEGEEEEVLDKI NPIYDALSYSSPSDSYQKGFVMSRAMYV
412	1151	1	1828	GTRLREDKNHNMYVAGCTEVEVKSTEEAFVFWRGQKRRRIAN THLNRESSRSHSVFNKLVQAPLDADGDNVLQEKEQITISQLS LVDLAGSERTNRTRAEGNRLREAGNINQSLMTRLR CMDVLREN QMYGTNKMVPYRDSKLTHLFKNYFDGEGKVRMIVCVNPKAEDY EENLQVMRFAEVTQEVEVARPVDKAICGLTPGRRYRNQPRGP\ IGNEPLVTDVVLSQSPPLPSC EILDINDEQTLPRLI EALEKRH NLRQMMIDEFNKQSNAFKALLQEFDNAVLSKENHMQGLNEKE KMISGQKLEIERLEKKNKTLEYKIEILEKTTTIYEEDKRNLQQ ELETQNKLQRQFSDKRRLEARLQGMVTEETMKWEKECERRVA AKQLEMQNKLVWVDEKLLKQKAI VTEPKTEKPERPSRERDREK VTQRSVSPSPVPLLFQPDQNA PPIRLRHRRSRSAGDRWVDHKP ASNMQTETVMQPHVPHAITVSVANEKALAKCEKYMLTHQELAS DGEIETKLIKGD IYKTRGGGQSVQFTDIETLKQESPNGSRKRR SSTVAPAQPDGAESEWTDVETRCSVAVEMRAGSOLGPGYQHHA QPKRKKP
413	1152	1	336	PFSSSSVSSKGSDFPGLDLPFGSGSFNSAEGFADFSQMS / RKG STPVSQSGADFPPEAPDFQPLGADSGDFQSKKGFDPFSGK DFVPSSAAKPSKASASGFADFTSVS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
414	1153	1	1334	MSLMVVSMAVGLFLVQRAGPHMGGQDKPFLSAWPSAVVPRGG HVTLRCHYRHRFNFMLYKEDRIHIPIFHGRIFQESFNMSPT TAHAGNYTCRGSHPHSPTGWSAPSNPVVIMVTGNHRKPSLLAH PGPLVKSGERVILQCWSDIMFEHFFLHKEGISKDPSRLVQGQIH DGVSKANFSIGPMMQDLAGTYRCYGSVTHSPYQLSAPSDPLDI VITGLYEKPSLSAQPGPTVLAGESVTLSCSSRSSYDMYHLSRE GEAHERRFSAGPKVNGTFQADFPLGPATHGGTYRCFGSFRDSP YEWSNSSDPLLVSVTGNPSNSWSPTEPSSETGNPRHLHLVIG TSVVIILFILLFFLLHRWCSN\KKNAAVMDQESAGNRTANSE DSDEQDPQEVITYTQLNHCVFTRKQITRPSQRPKTPPTDIIVYT ELPNAESRSKVVSCP
415	1154	1	1570	MSLRVHTLPTLLGAVVRPGCRELLCLLMTVTVGPGASGVCPT ACICATDIVSCTNKNLSKVPGNLFRLIKRLDLSYNRIGLLDSE WIPVSFAKLNLTLLRHNNITSISTGSFSTTPNLKCLDLSNKL KT\VKNAVFQELKVLEVLVLLYNNHISYLDPSAFGGLSQLQKLY LSGNFLTQFPMDLVGRFKLAELMFLDVSYNRIPSPMPHHINL VPGKQLRGIYLGHPFVCD\CSLVSLLVFWYRRHFSSVMDFKN DYTCRLWSDSRHSRQVLLQDSFMNCSDSIINGSFRALGFIE AQVGERLMVHCDSKTGNANTDFIWVGPDRNRLLEPDKEMENFV FHNGSLVIESPRFEDAGVYSCIAMNKQRLLNETVDVTINVSF TVSRSHAHEAFNTAFTTLAACVASIVLVLLYLYLTPCPCCKCT KRQKNMLHQSNHSSILSPGPASDASADERKAGAGKRVVFLEP LKDTAAGQNGKVRLFPSEAVIAEGILKSTRGKSDSDSVNSVFS DTPFVAST
416	1155	2	1928	ASDFIRSLDHCYLSLEGVFSHKFDFELQDVSSVNEDEVLLTTG LLCKYTAQRFKPKYKFFHKSFOEYTAGRRLSSLLTSHEPEEVT KNGYLQKMSISDITSTYSLLRYTCGSSVEATRAVMKHLAA VYQHGCLLGLSIAKRPLWRQESLQSVKNTTEQEILKAININSF VECGIHLQESTSKSALSQEFEAFFQGSLSYINSGNIPDYLF FFEHLPCASALDFIKLGFYGGAMASWEKAAEDTGGIHMEEAP ETYIPSRVSLFFNWKQEFRTLEVTLRDFSCLNKQDIRYLGI FSSATSLRLQIKRCAGVAGSLSLVLSTCKNIYSIMVEASPLTI EDERHITSVTNLKTLSDIHLQNRQLPGGLTDSLGNLKNLTKLI MDNIKMNEDAIKLAEGLNKMKMCLFHLTHLSDIGEGMDYIV KSLSEPCDLEEIQLVSCCLSANAVKILAQNHLNVLKLSILD SENYLEKDGNEALHELIDRMNVLEQLTALMLPWGCDVQGSLS LLKHLEVPQLVKLGLKNWRLTDEIRILGAFFGKNPLKNFQQ LNLAGNRVSSDGWLAFMGVFENLKQLVFFDFSTKEFLPDPALV RKLSQVLKSLTFLQEARLVGWQFDDDDLSVITGAFKLVTA
417	1156	342	718	ASDRKVAMTCDFWFRMTLDQHASCEVGTERRERQAG\GLVMF DPSGFPTGEKVLQDDEFTCDLFRFLQLLCEGHNSGL*VPGTSD DTKA*IMFSSQ**QEPVSSNYASF*RQOIILEHGSALGSG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
418	1157	1	135	ETHIVGETAAFLCPRLRLRRGGKDGSPKPGFLASVIPVDRRP GE*DITHIVGETAAFLCPRLRLRRGGKDGSPKPGFLASVIPVD RRPGE
419	1158	173	943	SKFI FYVDSQSMIFFFQTPTRHKVLIMEFCPCGSLYTVLEEPS NAYGLPESEFLIVLRDVVGGMHLRENGIVHRDIKPGNIMRVI GEDGQSVYKLTDFGAARELEDDEQFVSLYGTEEYLHPDMYERA VLRKDHQ\KKGAT\VDLW\SIGVTFYQKPTGS\LAI*HPFE GASVRNKASDGKIIITGKLLGAI\S\GVQKSKNG\PI\DWEW EDMPVSCSPSSGVLRVPNLPPVLA\NILESRSRKKCWGF*PSF LQEN
420	1159	987	500	GSTISCERSLRSLWTAHWALPEMDSRIPYDDYPVVFLPAYENP PAWI PPHERVHHPDYNNELTQFLPRTITLKKPPGAQLGFNIRG GKASQLGIFISKVIPDS DAHRAGLQEGDQVLAVNDVDFQDIEH SKAVEILKTAREISMRVRFPPYNYHRQKERTVH
421	1160	3	890	HEQVSALHRRRIKAVEVAAMCGVNIICFQEAWTMPFAFCTREK LPWTEFAESAEDGPTTRFCQKLAKNHDVVVSPILERDSEHGD VLWNTAVVISNSGAVLGKTRKNHPRVGFDFNESTYMEGNLGH PVFQTQFGR IAVNICYGRHPLNWL MY SINGAEIIFNPSATIG ALSESLWPIEARNAAIANHCFTCAINRVGTEHFPNEFTSGDGK KAHQDFGYFYGSSYVAAPDSRTPGLSRSRDGLLVAKLDLNL CQQVNDVWNFKMTGRYEMYARELAEAVKSNYSPTIVKE

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
422	1161	5214	352	<p>MAKSGGCGAGAGVGGNGALTWVNNAAKKEESETANKNDSSKK LSVERVYQKKTQLEHILLRPDITYIGSVEPLTQFMWVYDEDVGM NCREVTFVPGLYKIFDEILVNAADNKQRDKNMTICKVSI DPES NIISIWNGKGI PVVEHKVEKVYVPALIFGQLLTSSNYDDDEK KVTGGRNGYGAKLCNIFSTKFTVETACKEYKHSFKQTMWNMM KTSEAKIKHFDGEDYTCITFPDLSKFKMEKLDKDIVALMTRR AYDLAGSCRGVKVMFNGKKLPVNGFRSYVDLYVKDKLDETGVA LKVIHELANERWDVCLTLESEKGFQQISFVNSIATTKGGRHVYD VVDQVVGKLEIVVKKKNKAGVSVKPFQVKNHVWFINCLIENP TFDSTKENMTLQPKSFGSKCQLSEKFFKAASNCGIVESILNW VKFKAQTQLNKKCSSVKYSKIKGIPKLDANDAGGKHSLECTL ILTEGDSAKSLAVSGLVIGRDRYGVFPLRGKILNVREASHKQ IMENAEINNIKIVGLQYKKS YDDAQSLKTLRYGKIMIMTDQD QDGSHIKGLLINF IHNNWPSLLKHGFLEEFITP IVKASKNKQE LSFYSIPEFDEWKKHIENQKAWKIKYYKGLGTSTAKEAKEYFA DMRHRILFRYAGPEDDAITLAFSKKIDDRKEWLTNFMEDR RQRRLHGLPEQFLYGTATKHLTYNDFINKELILFNSDNERSI PSLVDGFKPGQRKVLFTCFKRNDKREVKVAQLAGSVAEMSA HGEQALMNTIVNLAQNFVGSNNINLLQPIGQFGLRHGGKDA SPRYIFTMLSTLARLLFPAVDDNLLKFLYDDNQRVEPEWYIPI IPMVLINGAEGIGTGWACKLPNYDAREIVNNVRRMLDGLD MLPNYKNFKGTIQELGQNYAVSGEIFVVDNRNTEITELPVRT WTQVYKEQVLEPMLNGTDKTPALISDYKEYHTDTTVKFFVMT EEKLAQEAAGLHKVFKLQTTLCNSMVLFDHMGCLKKYETVQ DILKEFFDLRLSYGLRKEWLVGMLGAEFTKLNQARFILEKI QGKITI*NRSKDLIQMLVQRGYESDPVKAWKEAQEKAEEDE TQNQHDDSSDSGTPSGPDFNYILNMSLWSLTKEKVEELIKQR DAKGREVNDLKRKSPSDLWKEDLAAFVEELDKVESQEREDVLA GMSGKAIKGVGKPKVKKLQLEETMPSPYGRRIIPEITAMKAD ASKLLKKKGDLDTA AVKVEFDEEFGAPVEGAGEEALTPSV PINKGPKPKREKKEPGTRVRKTPTSSGKPSAKKVKRNPWSD ESSESLEETEPPVVI PRDSSLRRAAAERPKYTFDFSEEDDD ADDDDDDNDLEELKVKASPI TNDGEDEFVPSDGLDKDEYTF PGKSKATPEKSLHDKKSQDFGNLFSFPSYSQKSEDDSAKFDSN EEDSASVFSFSGLKQTDKVP SKTVAACKGKPSSDTVPKPKRA PKQKKVVEAVNSDSEFGIPKKTTPKGKGRGAKKRKASGSE NEGDPNPGRKTSTTSKKPKKTSFDQSDVDIFPSDFPTEPPS LPRTGRARKEVKYFAESDEEEDDVFAMFN</p>
423	1162	1	219	<p>KGCLAASFNCIFLYTGELYPTMIR*VEA*WENDSLFLGKIDILL CTGQTPELNQHVPSPKAPPNTHHCKAHS</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
424	1163	1454	446	ENSFECKDCGKAFSRGYQLSHHQIHTGEKPYECKECKKAFRW GNQLTQHOKIHTGEKPYECKDCGKAFRWGSSSLVIHKRIHTGEK PYECKDCGKAFRRGDELTOHQRFTGEKDYECKDCGKTFSRVY KLIQHKRIHSGEKPYECKDCGKAFICGSSLIQHKRIHTGEKPY ECQECGKAFTRVNYLTQHOKIHTGEKPHECKECKKAFRWGSSSL VKHERIHTGEKPYKCTECGKAFNCGYHLTQHERIHTGETPYKC KECGKAFIYGSSSLVKHERIHTGVKPYGCTECGKSFSGHQLTQ HQKTHSGAKSYECKECKKACNHLNHLREHQRIHNS
425	1164	826	407	HQYLLDLYPLHVMTILLKSHFFTMLKRPVGGSSSFASLPFYHQ ILLRKNQMKRKKTOQDLTHINWTLQAVSIQTCIWLQKKPSSYF HQLPNQVL*PENSGPESCLYDLAAVVVHHGSG
426	1165	464	29	XLDPDTLPAVATLLMDVMFYNGVKDPMATGDDCGHIRFFSFS LIEGYISLVMVQTOQRFPNLLFTSASGELWKMVRIGGQPLG FGPVWESGPTGPTSPILPVTSPSSSHRQAASQVTTTKQGQWLC LKRPSARSPDHTACLG*
427	1166	649	901	EAPLTSVCFSLERRFGSSSNTTSFGTLASQNAPTFGSLSQOTS GFGTQSSGFGSGTGGFSFGSNNS*VSPFLSLTLIKSIK
428	1167	3	340	EEPQGSPIVWVLAGSLTSVSCFLPFQRMRIKPHQGGYIGEMSF LQHHKGECPQKD*ARQENPCGPCSEKRRKHLGQDPKTKCSC KNTDSRCKARPLELNERTCRCDKPRR
429	1168	355	1312	TLWAGPGLCPQSHSSSSVPAPWEPHVERALRTDRNQQRPLLS ASWAPAPARPLELTSPVLLPKSRAIPAARDPS*AGIFCLLEMA GGQASVVIIGSAGVLGCRWGSSGKSHSLSPSRKGNLHLLSQEP QTTVVHNATDGIKGSTESCNTTTEDEDLKVRKQEI IKITEQLI EAINNGDFEAYTKICDPGLTSFEPEALGNLVEGMDFKFYFEN REWVRAADILLPAPLPLCLCLLLTFSSQLPTFPLFDLRAALLL CMLVPLCPDGCRAPLKALLSSKCHSFCSCFVAVPVTTIKLT YFLPGAVAYACNPNTLGG
430	1169	439	728	ERAGAGGAAACRAGTRSGATSRTPWPLHRQLSMMLLAQSNPQ LFALMGTRAGIARELERVEQQSRLEQLSAAELQSRNQGHADW LQAYRARLQ
431	1170	3	440	NGTLFIMVMIKDLVSDYKE*WL*RKPLPW*EALLLRDCFFF* VTENGADPNPYVKTYLLPDNHKTSKRKTKISRKTRNPTFNEML VYSGYSKETLRQRELQLSVLSAESLRENFFLGGVTLPLKDFNL SKETVKWYQLTAATYL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
432	1171	433	1824	LHRIMQLAVVVSQVLENGSSVLVCLLEEGWDITAQVTSLVQLLS DPFYRTLEGFQMLVEKEWLSFGHKFSQRSSLTLNCQSGFAPV FLQFLDCVHQVHNQYPTFEFENLYLKFLLAFHYVSNRKFTEFL DSDYERLEHGTLEFDDKGEKHAKKGVCIWECIDRMHKRSPIFFN YLYSPLEIEALKPNVNVSSLKKWDYYIEETLSTGSPSYDWMMLT PKHFPSSESDSLAGEAGPQRSRRRTVWPCYDDVSCTQPDALTSLF SEIEKLEHKLNQAPEKWQLWERVTVDLKEEPRTDRSQRHLSR SPGIVSTNLPSYQKRSLHLPLDSSMGEEQNSSI SPSNGVERRA ATLYSQYTSKNDENRSFEGTLYKRGALLKGWKPRWFVLDVTKH QLRYDSDGEDTSCKGHIDLAEVEMVI PAGPSMGAPKHTSDKAF FDLKTSKRVYNFCAQDQSAQQWMDKIQSCISDA
433	1172	1714	946	EVEGPRRVSPAPETLGMEEVVRPSVFVVDGQTDIPFTRLGRS HRRQSCSVARVGLLLLLLLMGAGLAVQGWFLQLHWRLGEMVT RLPDGPAGSWEQLIQERRSHEVNPAAHLTGANSLSLTGSGGPLL WETQLGLAFLRGLSYHDGALVVTKAGYYYIYSKVQLGGVGCPL GLASTITHGLYKRTPRYPEELELLVSQQSPCGRATSSSRVWWD SSFLGGVVHLEAGEEVVVRVLDLRLVRLRDGTRSIFYGAFMV
434	1173	16	367	QSAELGPRRREGSRRPSCTKASKPWRRRRPGGPTSGLG*GPLSP GPYQCRPSLPAQLYPQSLMAAATLRTPQTQVSAASSRPHTPSPT HVLKPSVRGACSSPRCPGSGTLRRRSWVGPF
435	1174	27	1139	LWNPPLSRHAAHRQWPGPTAPRGLGHKVKGRGASPAAMWSCSW FNGTGLVEELPACQDLQLGLSLLSLLGLVGVVGLCYNALLV LANLHASKASMTMPDVYFVNMAVAGLVLSALAPVHLLGPPSSRW ALWSVGGEVHVALQIPFNVSSLVAMYSTALLSLDHYIERALPR TYMASVYNTRHVCGFVWGGALLTSFSSLLFYICSHVSTRALEC AKMQNAEADATLVFIGYVVPALATLYALVLLSRVRREDTPLD RDTGRLEPSAHRLLVATVCTQFGLWTPHYLILLGHTVIISRGK PVDAYLGLLHFVKDFSKLLAFSSSFVTPLLYRYMNQSFPSKL QRLMKKLP CGDRHCS PDHMGVQQVLA
436	1175	322	756	SESEFTLMPSLPTTNCVHSLQMI PPLSPAPNQELVLGLCYMS YLAFLYMTDFCCLYFSTVYAPSFKYICVHTDTHICVCVCIYL SSVSKSSAEADGVLQPRRH PASLLIVFATSISESSLLIFSFQ KTEAKLIVFAVSLAAK
437	1176	2	153	FFFLRQSLTSLPRLECSGATSASPSAGITGMSHHSQPIVNF LR ACIPISK
438	1177	1	692	RQHAEERGRNPKTGLTLERVGPESSPYLLRRHRQROGEGEHY HSCVQLAPTRGLEES/GHGPL/SLAGGPRVGGV/AAAATEAPR MEWKVKVRSDGTRYVAKRPVRDRLLKARALKIREERSGMTTDD DAVSEMKGRYWSKEERKQHLIRAREQRKRREFMMQSRLECLR EQQNGDSKPELNI IALSHRKTMKRKNKKILDNWTIQEMLAHG ARSADGKRVYNPLLSVTTV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
439	1178	2	616	SDRGCSAAAGRMTAVGVQAQRPLGQRQPRRSFFESFIRTLII TCVALAVVLSVSICDGHWLLAEDRLFGLWHFCTTTNQSVPIC FRDLGQAHVPGLAVMGLVRSV GALAVVAAIFGLEFLMVSQLC EDKHSQCKWVMGSILLLVSVLSSGGLLGFVILLRNQVTLIGF TLMFWCEFTASEFLLFLNAISGLHINSITHPWE
440	1179	2	540	QILPNLYLGSARDSANLES LAKLGIRYILNVTNPNLNFPEKNG DFHYKQIPISDHWSQNL SRFFPEAIEFIDEALSQNCGLVHCL AGVSRSVTVTVAYLMQKLHLSLNDAYDLV KRKSNISPNFNF GQLLDFERSLRLEERHSQEQSGGQASAA SNPPSFFTPTSDG AFELAPT
441	1180	940	463	RKSLHENKLRLOEKVEVLEAKKEELETENQVLRNQNVPFEDY TRLQKRLKDIQRHNEFRSLILVPMPTASINPVSFQSSAMG SKHGTTISSYAGGTT SKGTLSTSQKTRRTGNNTKKTTRGTWI FRMMFLENRQIKRGEVGD SVKLDILT CGI
442	1181	1	986	GRPGAGASELFP SVTTDL SVSKQNA CLTCVDFVTVHVMGF IGPGALSTSCIPYPLSHGPGSVKAEMLHMY SQK DPLILCVRLA VLLAVTLTVPVVLFP IRRALQQLLFP GKAFSWPRHVAIALILL VLVNVLVICVPTIRDFGVIGSTSAPSLIFILPSIFYLRIVPS EVEPFLSWPKIQALCFGVLGVLFMAVSLGFMFANWATGQSRMS GH*SGPAGPGCAHAHGGVRAAP*GPSCTCGGGWFP*TWLSE AGDSRGCRLAHFPP PQGQAWIMALIPTTPWEEEEEEEEEEEE EEEEEEEEEARSWWSLCPAQSSLPPPG
443	1182	460	27	INELRYHLEESRDKNVLLCLEERDWD PGLAIIDNMQSINQSK KTVFVLTKKYAKSWNFKTAFYLALQRLMDENMDVIFILLEPV LQHSQYLRQRICKSSILQWPDNPKAEGLEFWQTLRNVLTEN DSRYNNMYVDSIKQY
444	1183	1682	230	DDPIKTSWTPPRYVLSMSEERHERVRK KYHILVEGDGIPPIK SFKEMKFPAAILRGLKKG IHHPTPIQIQIPTILSGRDMIGI AFTGSGKTLVFTLPVIMFCLEQEKRLPFSKREGPYGLIICPSR ELARQTHGILEYYCRLLQEDSSPLLR CALCIGGMSVKEQMETI RHGVHMMVATPGR LMDLLQK KMVSLDICRYLALDEADMIDMG FEGDIRTIFSYFKGQRQTLLFSATMPKKIQNFAKSALVKPVTI NVGRAGAASLDV IQEVEYVKEEAKMVYLLECLQKTPPPVLIFA EKKADVDAIHEYLLKGV EAVAIHGGKQDEERTKAIEAFREGK KDVLVATDVASKGLDFPAIQHVINYDMPEEIEINYVHRIGRTGR SGNTGIATTFINKACDESVM DLKALLLEAKQKVPV LQVLHC GDESMLDIGGERGCAFCGGLGHRITDCPKLEAMQTKQVSNIGR KDYLAHSSMDF
445	1184	1	375	IETTQPS EDTNANSQDNSMQPETSSQQQLLSP TLSDRGGSRQD AADAGKPKQKFGQWRLPSAPKPISHSVSSVNLRFGGRTTMKSV VCKMNPMTDAASC GSEVKKWTRQLTVESEDES GDDLDDI
446	1185	2	223	NDRFSACYFTLKLKEAAVRQREALK KLTKN IATDSYISVNL RD VYARSIMEMLR LKGRERASTRS SGGDDFWF

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
447	1186	2	1031	FTVFILGITIRPLVEFLDVKRSNKKQQA VSEBIYCR LFDHVKT GIEDVCGHWGHNFWRDKFKKFDDKYLRLKLLIRENQPKSSIVSL YKLEIKHAIEMAETGMISTVPTFASLND CREEKIRKVTSSSET DEIRELLSRNLYQIRQRTLSYNRHSLTADT SERQAKEILIRRR HSLRESIRKSSLNREHRASTSTSRYL SLPKNTKLPEKLQKRR TISIADGNSSSDADAGTTVLNLQPRARRFLPEQFSKKS PQSY KMEWKNEVDVDSGRDMPSTPPTPHSREKGTQTSGLLQQLLSK DQSGSEREDSLTEGI PPKPPPRLVWRASEPGSRKARFGSEKP
448	1187	3	444	HEEASGLSVVMGKQMEPLHAVPPAATLILSLLVAVFTECTSN VATTTFLFLPIFASMSRSIGLNPLYIMLPCTLSASFAMLPVAT PPNAIVFTYGH LKVADMVKTGVIMNIIGVFCVFLAVNTWGRAI FDLDHFDPWANVTHIET
449	1188	3	125	HELENNWLOHEKAPTEEGK KELLALSANP SLLERHCAYL
450	1189	1	188	GNI IYMYMQPGARSSQDQGF LTLFYNI VTPLLNPLIYTLRNR EVKGALGRLLL GKRELGKE
451	1190	10	1879	PLEQRSNCRVDPVRVTHMASDTSSLVQSHTYKKREPADV PYQ TGQLHPAIRVADLLQHI TQMKCAEGYGFKEEYESFFEGQSAPW DSAKK DENRMKNRYGNI IAYDHSRVRLQTIEGDTNSDIYINGNY IDGYHRPNHYIATQGP MQETIYDFWRMVWHEHTASIIMVTNLV EVGRVKCKKYWDDTEIYKDIKVTLIETELLA EYVIRTFAVEK RGVHEIREIRQFHFTGWPDHGVPYHATGLLGFVRQVKS KSPPS AGPLVVHCSAGAGRTGCFIVIDIMLMAEREGVVDIYNCVREL RSRRVMNVQTEEQYVFIHDAILEACLCGDTSPASQVRSLYYD MNKLDPQTNSSQIKEEFRTLNMVTPTLRVEDCSIALLPRNHEK NRCMDILPPDRCLPFLITIDGESSNYINAALMDSYKQPSAFIV TQHPLPNTVKDFWRLVLDYHCTSVVMLNDVDP AQLCPQYWPEN GVHRHGPIQVEFVSADLEEDIISRI FRIYNAARPDG YRMVQQ FQFLGWPMYRDTPVSKRSFLKLI RQVDKWQEEYNGGEGRTVVH CLNGGGRSGTFCAISIVCEMLRHQRTVDVFHAVKTLRNNKPNM VDLLDQYKFCYEVALEYLNSG
452	1191	603	342	PLTYNKKYTPWWDALGWLLALSSMVCIPAWSLYRLGTLKGP FRERIRQLMCPAEDLPQRNPAGPSAPATPRTSLLRLTELES HC
453	1192	120	449	TLSESGALFSLGPPPLSLKSSSAPRPYSTLRDCLEHFAELFDL GFPNPLAERIIFETHQIHFANCSLGQPTFS DPPPEDVLLAMI IA PICLIPFLITLVVWRSKDSEAQA
454	1193	1838	1066	CEEREQEKDDVDVALLPTIVEKVILPKLTVIAENMWDPFSTTQ TSRMVGITLKLINGYPSVVAENKNTQVYLKALLRMRRTLDD DVFMPLYPKNVLENKNSGPYLEFFORQFWSSVKLLGNFLQWYGI FSNKTQELSIDGLLNRYILMAFQNSEYGD DSIKKAQNVINCF PKQWFMNLKGERTISQLENFCRYLVHLADTIYRNSIGCS DVEK RNARENIKQIVKLLASVRLDHAMSVASDHNVKEFKSLIEGK

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
455	1194	112	1361	TPFCFLCSLVFRSRVWAEPCLDAAKEEYNGVIEEFLATGEKL FGPYVWGRYDLEFMPPSFPFGGMENPCLTFVTPCLLAGDRSLA DVI IHEISHSWFGNLVTNANWGEFWLNEGFTMYAQRRISTILF GAAATCLEAATGRALLRQHMDITGEENPLNKLKRVKIEPGVDDP DTYNETPYEKGFVSYLAHLVGDQDQFDSFLKAYVHEFKFRS ILADDFLDIFYLEYPPELKKKRVDIIPGFEFDRWLNTPGWPPYL PDLSPGDSLMKPAEELAQLWAAEELDMKAI EAVAI SPWKTYQL VYFLDKILQKSP LPPGNVKKLGDTPSISNARNAELRLRWQI VLKNDHQEDFWKVEFLHNQKQKYTLPLYHAMGGSEVAQTL AKETFASTASQLHSNVVNYVQQIVAPKGS
456	1195	1	889	CASGSSGWRPVLWAGAF TMSAELDYTTETPDQPCWSQKNSPS PGGKEAETROPV VILLGWGGCKDKNLAKYSAIYHKRGCTVIRY TAPWHMVFFSES LGIPSLRVLAQKLELLELFDYEIEKEP L LFHV FSNGGVMLYRYVLELLQTRRFCLRVVGTIFDSAPGDSNLVGA LRALAAILERRAAMLRL LLLVAFALVVVLFHVLLAPITALFHT HFYDRLQDAGSRWPELYLYSRADEVVLARDIERMVEARLARV LARSVDFVSSAHVSHLRDYPTYTSLCVD FMR \NWVRC
457	1196	2	295	PRVRDLR PSTGVRDRKGDKPWKESGGSVEAPRMGFTHPPGHLS GCQSSLASGETGTGSADPPGGPRPGLTRRAPVKDTPGRAPAAD AAPAGPSSCLG
458	1197	1299	682	QGRTSCIGLYTYQRRICKYRDQYNWFFLARPTTF AI IENLKYF LLKKDPSQPFYLGHTIKSGDLEYVGMEGGIVLSVESMKRLNSL LNIPEKCP EQGMIWKISEDKQLAVCLKYAGVFAENAEDADGK DVFNKSVGLS I KEAMTYHPNQVVEGCCSDMAVTFNGLTPNQM HVMYGVYRLRAFG \HIFNDALVFLPPNGSDND
459	1198	779	61	HEGKPTRGRGRGGSLS TRGRGSEVPDSAHLAPTPLFSESGCCG LRSRFLTDCKMEEGNLGGLIKMVHLLVLSGAWGMQMWVTFVS GFLFRSLPRHTFGLVQSKLFPFYFHISMGCAF INLCILASQH AWAQLTFWEASQLYLLFSLTLATVNARWLEPRTTAAMWALQT VEKERGLGGEVPGSHQGPDPYRQLREKDPKYSALRQNF FRYHG LSSLNLCVLSNGLCLA \ALPWK
460	1199	517	815	KQLDKQLRADPSGSLPPLPPSPPPLEAGGRPPEVP / PRGPSA VPSFPSVSGDWGGPVEAG / EGGQQGRGRARARPCSLPPLLPPS PVCRLSGRAPLGCDG
461	1200	1	583	RNQLSSQKSVPWVPIKSLPLWAI VVAHFSYNWTFYTL L TLLP TYMKEILRFNVQENGFLSSLPYLGSWLCMILSGQAADNLRAKW NFSTLCVRRIFSLIGMIGPAVFLVAAGFIGDYSLAVAF LTIS TTLGGFCSSGFS INHLDIAPSYAGILLGITNT FATIPGMVGPV IAKSLTPDMGISLHRPGWSAVA
462	1201	25	383	GPSGTTTHASAHSHPGSPRGSLSRHPSSQLAGPGVEGGEGTQK PRDYIILAILSCFCPMWPVNIVAFAYAVMSRNSLQQGDVDGAQ RLGRVAKLLSIVALVGGVLI I IASCVINLGVYK
463	1202	573	372	SLFLSFPPLSFKMTLINDAMRNKARLSITGSTGENGRVMTPEFP KAVHAVPVVSPGMGMNVSVDLS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
464	1203	2018	491	DDVPPPAPDLVDVPPGLRRPGPGTLYDVP RRERVLPPPEVADGGV VDSGVYAVPPPAEREAPAEGKRLSASSTGSTRSSQSASSLEVA GPGREPLELEVAVEALARLQQGVSA TVAHLLDLAGSAGATGSW RSPSEPQEPLVQDLQA AVAAVQSAVHELLEFARS AVGNAAHTS DRALHAKLSRQLQK MEDVHQTLVAHGQALDAGRGGSGATLEDL DRLVACSRVPEDAKQLASFLHGNASLLFRRTKATAPGPEGGG TLHPNPTDKTSSIQSRPLPSPPKFTSQDSPDQYENSEGGWME DYDYVHLQGKEEFKTKELLEKGSITRQGKSQLELQQLKQFE RLEQEVSRPIDHDLANWTPAQPLAPGRTGG LGPSDRQLLLFYL EQCEANLTTLNAVDAFFTAVATNQPKIFVAHSKFVILSAHK LVFIGDTLSRQAKAADVRSQVTHYSNLLCDLLRGI VATKAAA LQYPSPSAAQDMVERVKELGHSTQQFRRVLGQLAAA
465	1204	299	189	EMEEPQKSYVNTMDLERDEPLKSTGPGQISVSEFSCHCCYDILV NPTTLNCGHSFCRHCLALW WASSKKTECPECREKWE GFKVSI LLRDAIEKLPDAIRLRFEDIQONNDIVQSLAAFQKYGNDQIP LAPNTGRANQQMGGGFFSGVLTALTGVAVVLLVYHWSRESEH DLLVHKAVAKWTAEEVVLWLEQLGPWASLYRERFLSERVNGRL LLTLTEEFESKTPYTIENS SHRRAILMELERVKALGVKPPQNL WEYKAVNPGRSLLFLYALKSSPRLSLLYLYLFDYTDTF LPFITH TICPLQEDSSGEDIVTKLLDLKEPTWKQWREFLVKYSFLPYQL IAEFAWDWLEVHYWTSRFLIINAMLLSVLELFSFWRIWSRSEL K*VGFRFLRLGVAALGSVEVAGLRGVVKGERPLLYGHGAGARF PHSVLLLPVAKPLPLPLPRGLC
466	1205	2	242	EKARMIYEDYISILSPKEVSLDSRVREVINRNLLDPNPHMYED AQLQIYTLMHRDSFPRFLNSQIYKSFVESTAGSSSES
467	1206	2	619	LYYSQDEESKIMISDFGLSKMEGKGDVMS TACGTPGYVAPEVL AQKPYSKAVDCWSIGVIAYILLCGYPPFYDENDSKLFEQILKA EYEFDSPYWDDISDSAKDFIRNLMEKDPNKRYTCEQAARHPWI AGDTALNKNIHESVSAQIRKNFAKSKWRQAFNATAVVRHMRKL HLGSSSLDSSNASVSSLSLASQKDCASGTFHAL
468	1207	1	352	RTRGGAVSFEDFIKGLSILLRGTVQEKLNWAFNLYDINKDGYI TKEEMLDIMKAIYDMMGKCTYPVLKEDAPRQH VETFFQKMDKN KDGVVTFIDEFIESCQKDENIMRSMQLFENVI
469	1208	3	1015	PRSP EHTPAWHEGRSLGPI MASMADRNMKLFSGRVVPAQGEE TFENWLTQVNGVLPDWNMSEEEKLRLMKTLRGPAREVMRVLQ ATNPNLSVADFLRAMKLVFGESESVTAHGKFFNTLQAQGEKA SLYVIRLEVQLQNAIQAGI IAEKDANRTRIQQLLGGELS RDL RLRLKDFLRMYANEQERLPNFLELIKMVREEDWDDAFIKRKR PKRSESMVERAVSPVAFQGSPPPIVIGSADCNVIEIDTLDSD EDVILVESQDPPLPSWGAPPLRDRARPQDEV LVIDSPHNSRAQ FPSTSGSGYKNGPGEMRRARKRKH TIRCSYCGEE
470	1209	1543	1351	SVACTVPLRSMSDDPDQDFDKEPDS DSTKHSTPSNSSNPSGPPS PNSPHRSQPLEGLEQPACDT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
471	1210	3	952	YSAVEFAERGGSSGDELREDDPEVKKRGRKGRGRGPPSSSD SEPEAELEEREAKKSAKKPOSSSTEPARKPGQKEKRVRPPEEKQQ AKPVKVERTRKRSEGFSMDRKVEKKKEPSVEEKLQKLHSEIKF ALKVDSPDVKRCLNALEELGTLQVTSQILQKNVDVATLKKIR RYKANKDVMKAAEVYTRLKSRLVLPKI EAVQKVNKAGMEKEK AEEKLAGEELAGEEAPQEKAEKPKSTDL SAPVNGEATSQKGES AEDKEHEEGRDSEEGPRCGSSEDLHDSVREGPDLDRPGSDRQE RERARGDSEALDEES
472	1211	5204	2901	LAELSSLSVLRSLSHNSISHIAEGAFKGLRSLRVLDDLHNEISG TIEDTSGAFSGLDLSKLTFLGNKIKSVAKRAFSGLEGLEHLN LGGNAIRSVQFADFVKMKNLKEHLISSDSFLCDCQLKWLPPWL IGRMLQAFVTATCAHPESLKGQSIFSVPPESFVCDLKPQII TQPETTMAMVGKDIRFTCSAASSSSPMTFAWKDNEVLNAD MENFVHVHAQDGEVMEYTTILHLRQVTFGHEGRYQCVITNHFG STYSHKARLTVNVLPSFTKTPHDITIRTTTARLECAATGHPN PQIAWQKGGTDFPAARERRMHVMPDDDVFFITDVKIDDAGVY SCTAQNSAGSISANATLTVLETPSLVVPLEDRVSVGETVALQ CKATGNPPRITWFKGDRPLSLTERHHLTPDNQLLVQNVVAE DAGRYTCEMSNTLGTERRAHSQSLVLPAAAGCRKDGTTVGI FTIA VVSSIVLTSLVVWCIIYQTRKKSEYSVTNTDETVPVPPDVPSY LSSQGTLSDRQETVVRTEGGPQANGHIESNGVCPRDASHFPEP DTHSVACRQPKLCAGSAYHKKPWKAMEKAEGTPGPHKMEHGGR VVCSDCNTEVDCYSRGQAFHPQPVS RDSAQPSAPNGPEPGGSD QEHSPPHQCSRTAAGSCPECQGSLYPSNHRMLTAVKKKPMAS LDGKGDSSWTLARLYHPDSTELQPASSLTSGPSERAEQYLLV SNGHLPKACDASPESTPLTGQLPGKQRVPLLLAPKS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
473	1212	2	2466	AAAGAARRVSVRCGRSGPGPGRGAAGLSPADIALASEEQGASC VRAPERKLRMLKLLWQAKMSSIQDWGEEVEEGAVYHVTLLKRVQI QQAANKGARWLGVGEDQLPPGHTVVSQYETCKIRTIKAGTLEKL VENLLTAFGDNDFTYISIFLSTYRGFASTKEVLELLLDYGNL TSPNCEEDGSQSSSESKMVIRNAIASILRAWLDQCAEDFREPP HFPCLQKLLDYLTRMMPGSDPERRAQNLEQFQKQEVETDNGL PNTISFSLEEEEELEGGESAFTCFSEDLVAEQLTMDAQLFK KVVPHHCLGCIWSRRDKKENKHLAPTIRATISQFNTLTKCVVS TILGGKELKTQRAKIIKWINIAHECRLKFNSSLRAIVSAL QSNSIYRLKKTWAAVPRDRMLMFEELSDIFSDHNNHLTSRELL MKEGTSKFANLDSVKENQKRTQRRLLQLQKDMGVMQGTVPYLG TFLTDLTMDLTALQDYIEGGLINFKRRREFEVIAQIKLLQSA CNSYCMTPDQKFIQWFQRQQLLTEESYALSCEIEAADASTT SPKPWKSMVKRLNLLFLGADMITSPPTKEQPKSTASGSSGES MDSVSVSSCESNHSEABEGYITPMDTPDEPQKLSSESSYCSS IHSMDTNFLQGMSSLINPLSSPPSCNNNPKIHKRSVSVTSITS TVLPPVYNQONEDTCIIRISVEDNNGNMYKSI MLTSQDKTPAV IQRAMLKHNLDSDPAEYELVQVISEDKELVIPDSANVFYAMN SQVNFDFILRKKNSMEEQVKLRSRSTSLTLPR TAKRGCWSNRHS KITL
474	1213	1	867	AREKMDSCIEAFGTTKQKRALNTRRMNRVGNESLNRAVAKAAE TIIDTKGVTALVSDAIHNDLQDDSLYLPCCYDDAAKPEDVYKF EDLLSPA EYEALQSPSEAFRNV TSEEILKMIENSHCTFVIEA LKSLPSDVESRDRQARCIWFLDTLIKFRAHRVVKRKSALGPGV PHIINTKLLKHFTCLTYNNGRLRNLISDSMKAKITAYVILAL HIHDFQIDLTVLQRDLKLEKRMMEIAKAMRLKISKRRVSVAA GSEEDHKLGTLSLPLPPAQTSDRLAKRRKIT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
475	1214	2	2621	LSLFGSRALGRSGARAMAKAKKVGARRKASGAPAGARGGPAKA NSNPFVEVKVNRQKFQILGRKTRHDVGLPGVSRARALRKRQTTL LKEYKERDKSNVFRDKRFGEYNSNMSPEEKMMKRFALRQQRHH EKKS IYNLNEDEELTHYGQSLADIEKHNDIVSDSDAEDRGTLL SGELTAAHFGGGGGLLHKKTQQEGEREKPKSRKELIEELIAK SKQEKRRERQAQREDALELTEKLDQDWKEIQTLLSHKTPKSEN DKKEKPKPDAYDMMVRELGFEMKAQPSNRMKTEABLAKEEQEH LRKLEAERLRRLGKDEDEENVKPKHMSADDLNDGFVLDKDDR RLLSYKDGKMNVEEDVQEEQSKEASDPESNEEEGDSGGEDTE ESDSPDSHLDLESNVESEENEKPAKEQRQTPGKGLISGKERA GKATRDELPTFFAAPESYEELRSLLLGRSMEEQLLVVERIQKC NHPSLAEGNKAKLEKLFGLFLEYVGDLATDDPPDLTVIDKLVV HLYHLCQMPFESASDAIKFVLRDAMHEMEEIETKGRAALPGL DVLIYLIKITGLLFPTSDFWHPVTPALVCLSQLLTKCPILSLQ DVVKGLFVCCLEFLEYVALSQRFIPELINFLLGILYIATFNKAS QGSTLVHPPFRALGKNSSELLVVSAREDVATWQSSLSLRWASRL RAPSTSTEANHIRLSCLAVGLALLKRCVLMYGSLSFHAIMGPL RALLTDHLADC SHPQELQELCQSTLTEMESQQLCRPLTCEKS KPVPLKLFTPRLVKVLEFGRKQGSSEKQERKRLIHKHKREFK GAVREIRKDNQFLARMQLSEIMERDAERKRKVKQLFNSLATQE GEWKALKRKKFKK
476	1215	3	961	LTKQEDCCGSIGTAWGQSKCHKCPQLQYTGVPKPGPVRGEVGA DCPQGYKRLNSTHCQDINECAMPGVCRHGDCLNPNPGSYRCVCP PGHSLGPSRTQC IADKPEEKSLCFRLVSPHQHPLTTRLTR QLCCSVGKAWGARCQRCPTDGTAAFKEICPAGKGYHILTSHQ TLTIQGESDFSLFLHPDGPPKQQLPESPSQAPPPEDTEEERG VTTDSPVSEERSVQQSHPTATTTTPARPYPELISRPSPTMRWF LPDLPPSRSAVEIAPTQVTETDECRLNQNICGHGECVPGPPDY SCHCNPGYRSHPQHRYCV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
477	1216	3652	1207	MAGGHCGSFPAAGSGEIVQLNVGGTRFSTSRQTLMWIPDSF FSSLLSGRISTLRDETGAI FIDRDPAAFAPILNFLRTKELDLR GVSINVLRHEAEFYGITPLVRRLLLCEELERSSCGSVLFHGYL PPPGIPSRKINNTVRSADSRNGLNSTEGEARGNGTQPVLSTGT EETVRLGFPVDPKVLIVAGHHNWIVAAYAHFAVWYRIKESSE WQQVFTSPYLDWTIERVALNAKVVGGPHGDKDKMVAVASESSI ILWSVQGGSGSEIGVFSLGVVDALFFIGNQLVATSHTGKVG VWNAVTOHQVQDVVPI TSYDTAGSFLLLGCNNGSIYYIDMQK FPLRMKDNLLVTELYHDPNDAITALSIVLTPKTSVSGNWIE IAYGTSSGAVRVIVQHPETVGGSPQLFQFTVHRSPTVKIMLS EKHLVSCADNNHVRTWTVTRFRGMISTQPGSTPLASFKILSL EETESHGSYSSGNDIGPFGERDDQQVFIQKVPI TNKLFVRLS STGKRICEIQAVDCTTISSTGRECEGSSRMGSRPRRYLFTGH TNGSIQMWDLTTAMDMVNKSEDKDVGGPTEEBLLKLLDQCDLS TSRCATPNISPATSVVQHSRLRESNSSLQLQHHD'THEAATYG SMRPYRESPLLARARTESFHSYRDFQITINLNRNVERAVPENG NLGPIQAEVKGATGECNISERKSPGVEIKSLRELDGLEVHKI AEGFSESKRSEDENENKIEFRKKGGFEGGGFLGRKKVPLYLA SSPSTSDGGTDSPTASPSPTKTTPSPRHKSDSSGQEYSL
478	1217	1	1379	RRPTRPILTDELFRKTIQLPHLKTLLILNGNKLETLSLVSFCAN NTPLEHLDSLQNLLOHKNDENCWPETVVNMNLSYNKLSDSVF RCLPKSIQILDNNNQIQTVPKETIHLMALRELNIAFNFLTDL PGCSHFSLVNLNEMNFILSPSLDFVQSCQEVKTLNAGRNP RCTCELKNFIQLETYSEVMVWSDSYTCEYPLNLRGTRLKDV HLHELSCNTALLIVTIVVIMLVGLAVAFCCCLHFDLPWYLRML GQCTQTWHRVRKTTQEQLKRNVRFHAFISYSEHDSLWVKNELI PNLEKEDGSLICLYESYFDPGKISENIVSFIKSYKSI FVL SPNFVQNEWCHYEFYFAHNLPHENS DHILILLEPIPFYCIP TRYHKLKALLEKKAYLEWPKDRRKCGLFWANLRAAINVNLAT REMYELQTFTELNEESRGSTISLMRTDCL
479	1218	1	1099	PTRPPTRPPTRELLTPSWTSTGRMWSHLNRLLFWSIFSSVTCR KAVLDCEAMKTNEFPSPCLDSKTKVVMKGQNVSMFCSHKNSL QITYSLFRKTHLGTQDGKGEPAIFNLSITEAHESGPYKCKAQ VTSCSKYSRDFSFTIVDPVTSPVLNIMVIQTETDRHITLHCLS VNGSLPINYTFENHVAISPASKYDREPAEFNLTKKNPGE EYRCEAKNRLPNYATYSHPVTMPSTGGDSCPFCLKLLPLGLL LLVVIILILAFWVLPKYKTRKAMRNVPRDRGDTAMEVGIYAN ILEKQAKEESVPEVGSRPCVSTAQDEAKHSQELQYATPVFQEV APREQEACDSYKSGYVYSELNF
480	1219	1	293	FFFFEERTGSHSVGHPMEYSGVSMHCSLNLGSSNSPSSA SQDARTTGACQHAQLIGFFFF\ VETASPVQVTHAG/LKHLVSRN PSAVTSQSARIKT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
481	1220	1	727	NREGARKIQNKWLRPSRSHRTPESVSPERYSYGTSSSSSKRTE GSCRRRRQSSSSANSOQQQWETGSPPTKRQRRSRGRPSGGAKR RRRGAPAAPQQQSEPARPSSSEGKVTCDIRLRVRAEYCEHGPAL EQGVASRRPQALARQLDVFQATAVLRSRDLGSVVCIDIKFSEL SYLDAFWGDYLSGALLQALRGVFLTEALREAVGREAVRLLVSV DEADYEAGRRRLMLMEEEGRRPTEAS
482	1221	1	1321	APNTAELRICRVNKNCGSVRGGDEIFLLCDKVQKDDIEVRFVL NDWEAKGIFSQADVHRQVAIVFKTPPYCKAITEPVTVMQLRR PSDQEVSESMDFRYLPDEKDTYGNKAKKQKTTLLFQKLCQDHV ETGFRHVDQDGLELLTSGDPPTLASQSAGITVNFPERPRPGLL GSIGEGRYFKKEPNLFSHDAVVREMPGTGVSSQAESYYPSPGPI SSGLSHASMAPLPSSSWSSVAHPTPRSGNTNPLSSFSTRTLP SNSQGI PPFLRIPVGNLDNASNACIYNNADDIVGMEASSMP DLYGISDPNMLSNCSVNMMTTSSDSMGETDNPRLLSMNLENPS CNSVLDPRDLRQLHQMSSSSMSAGANSNTTVFVSQSDAFEGSD FSCADNSMINESGSPSNSTNPNSHGFVQDSQYSGIGSMQNEQLS DSFPYEFFQV
483	1222	1	1311	RRLSLLDLQLGPLGRDPPQECSTFSPTDSGEEPGQLSPGVQFQ RRQNQRRFSMEDVSKRLSLPMDIRLPQEFLQKLQMESPDLPKP LSRMSRRASLSDIGFGKLETYVKLDKLGEGTYATVFKGRSKLT ENLVALKEIRLEHEEGAPCTAIREVSLKLNKXANIVTLHDLI HTDRSLTLVFEYLDSDLKQYLDHCGNLM SMHNVKIFMFQLLRG LAYCHHRKILHRDLKPQNLINERGELKLADFLARAKSVPTK TYSNEVVTWYRPPDVLLGSTEYSTPIDMWGVGCIHYEMATGR PLFPGSTVKEELHKINRLLGTPTEETWPGVTAFAEFRTYSFPC YLPQPLINHAPRLDTDGIHLSSLLLYESKSRMSAEALSHSY FRSLGERVHQLEDTASIFSLKEIQKDPGYRGLAFQPPGRGK NRRQSIF
484	1223	807	356	CTPHGSSSSWKIPLWPRHMSPLHSCLPVGTSTSSGPLAVPRDC FHLCCCLWGQLLLISCPLACGQGRVAGGQQHVPGQALGTLSP VSLLTWAGPSLDWPHPGSLVTPRCPIPLPAVPLVKGLGGWPPT RPSRAAPVSGPWDQLPYFPGL
485	1224	1199	370	LISPVWGNIQRSRVSPLFPVGLVGGIWARGPLLALLASFNII SVLNAECYLKQILHPTSHFTVSETPPLSGNDTDSLSCDSGSSA TSTPCVSRVLVTGHHLWASKNGRHVLGLIEDYEALLKQISQGR LLAEMDIQTQEAPSSSQELGTGKPHAPLSKFVSSVSTAKLT LEAYRRLKLLWRVSLPEDGQCPLHCEQIGEMKAEVTKLHKKL FEQEKKLQNTMKLLQLSKRQEKVIFDQLVVTHKILRKARGNLE LRPGGAHPGTCSPSRPGS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
486	1225	2469	1660	LGLFCILPIDTLCAVLERDTLSIRESRLFGAVVRWAEAEQCRQQLPVTFGNKQKVLGKALSLIRFPLMTIEEFAAGPAQSGILSDREVVNLFHFVFNPKPRVEYIDRPRCCLRGKECCINRFQQVESRWGYSGTSDRIRFTVNRRIISIVGFGLYGSIHGPTDYQVNIQIIEYEKKQTLGQNDTGFSCDGTANTFRVMFKEPIEILPNVCYTACATLKGPDSDHYGTRGLKVKVHETPAASKTVFFFFSSPGNNNGTSEIDGQIPEIIFYT
487	1226	1193	372	SVVWNSEVKDWMQKRRRGLRNSRATAGDIAHYRDYVVKKGLGHNFVSGAVVTAVEWGTDPDSSCGAQDSSPLFQVSGFLTRNQAQQPFSLWARNVVLATGTFDSPARLGIPEALPFIHHELSALEAATRVGAVTPASDPVLIIGAGLSAADAVLYARHYNIPVIHAFRAVDDPGLVFNQLPKMLYPEYHKVHQMREQSILSPSPYEGYRSLPRHQLLCKEKDCQAVFQDLEGVEKVFVGSVLVVLIGSHPDLSFLPGAG\LTLQWILTSR
488	1227	756	1016	KLRPFIIFSNSQLWLHSYEGAELEKTFIKGSWATFWVKVASCWACVLLYLGLLLAPLCWPPTQKPQPLILRRRRHRIISPDKYPPV
489	1228	1	747	QLIHLSHGYQIHWTDYNVGTGRPEFGTRAHKSLAGAELKTLKDFVTVLAKLFPGRPPVKKLLEMLQEWLASLPLDRIPYNAVLVNNKMRISGIFLTNHIKWVGCQGSRSELRGYPCSLWKLFTLTV EASTHPDALVGTGFEDDPQAVLQTMRRYVHTFFGCEKCEGHEEEMAKESMDSVKTDPDQAILWLWKKHNMVNGRLAGEKPLGMGGSARAEGGPGPGTARTARLPWGLSLSFAASCHPLC
490	1229	4797	2398	HGGATFINAFVTTTPMCCPSRSSMLTGKYVHNHNVYTNNECSSPSWQAMHEPRTFAVYLNNTGYRTAFFGKYLNEYNGSYIIPGWR EWLGLIKNSRFYNYTVCRNGIKEKHGFDYAKDYFTDLITNESI NYFKMSKRMYPHRPVMVISHAEPHGPEDSAPQFSKLYPNASQ HITPSYNYAPNMDKHWINQYTGPMPLPIHMEFTNILQRKRLQTLMSVDDSVRLYNMLVETGELENTYIIYTADHGYYHIGQFGLVKG KSMFYDFDIRVPPFFIRGPSVEPGSIVPQIVLNIDLAPTILDIA GLDTPPDVDGKSVLKLDPKPGNRFRNTKAKIWRDFTLVER GKFLRKKBESSKNIQQSNHLPKYERVKELCQARYQTACEQPG QKWQCIEDTSGKLR IHKCKGPSDLLTVRQSTRNLYARGFHDKD KECSCRESGYRASRSQRKSQRQFLRNQGTPKYKPRFVHTRQTR SLSVEFEGEIYDINLEEEELQVLQPRNIAKRHDEGHKGPRLD QASSGNGRGRMLADSSNAVGPPTTVRVTHKCFILPNDSIHCER ELYQSARAWDKHAYIDEEIEALQDKIKNLREVRGHLKRRKPE ECSCSKQSYNKEKGVKKQEKLSHLHPFKEAAQEVDSKQLQF KENNRKRKKEKRRQRKGECSLPGLTCFTHDNNHWQTAPF WNLGSFACTSSNNNTYWCRLRTVNETHFLFCFEFATGFLEYFD MNTDPYQLTNTVHTVERGILNQLHVQLMELRSCQGYKQCNPRP KNLDVGNKDGGSYDLHRGQLWDGWEG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
491	1230	2480	385	<p>HLLIAQELADRVGEGRACWSLGNAYVSMGRPAQALTFAKKHLQ ISQEIHDRHGLTARMNVAQLQLVLGRLTSPAASEKPDLAGYE AQGARPKRTQRLSAETWDLRLPLEREQNGDSSHSGDWRGFSR DSLPLPVRSRKYQEGPDAERRPREGSHSPLDSADVRVHVPTS IPRAPSSDEECFFDLLTKFQSSRMDDQRCPLDDGQAGAAEATA APTLEDRIAQPSMTASPQTEEFFDLIASSQSRRLLDDQASVGS LPGLRITHSNAGHLRGHGEPQEPGDDFFNMLIKYQSSRIDQR CPPPDLVLRGPTMPDEDFFSLIQRVQAKRMDEQRVDLAGGPGA GRRPARAPAAVPAWCELRPCAHRQAHPAPTGRSRSHSHSVL PRPLPRTGTGHAAPRPPRPRATGSGQAARGGRACFHPGLAPMA LSFLPSAPAAGRTPGSACRPRPGAVRLPHPLPQALPVLPCEPAK CETLLSPSPSPKVSLSRLLGPPRTGPCSVPELVLGWPCDRHA PPLQLRPGAGLPPSLSPHSPARGQQPQKAPQTTTHGRPGCSGSP EVPPAESQGPAGASTGAGPISKAEGMAGHELHRHSKTPSQEKGO GLVLGMLTGSKSSAQSGWEVAPGSVTLTQVGGWSVEAGEASLS STLQTPHMRTPLLPPAGDDITALSMGRGLTGHQVRDPRTRGRT CWSLRWAPGA</p>
492	1231	3	398	<p>NSAADLAIIFALWGLKPVVYLLASSFLGLGLHPISGHFVAEHYM FLKGHETYSYGPLNWIITFNVGYHVEHDFPSIPGYNLPLVRK IAPFYDHLPOHHSWVKVLWDFVVFEDSLGPYARVKRVYRLAKD GL</p>
493	1232	1	214	<p>QESGFSCCKGPGQNVAVTRAHPDSQGRRRRPERGARGGQVFYNS EYGELSEPSEEDHCSPSARVTFFTDINSY</p>
494	1233	3	443	<p>VIVHARPIRTRASKYYIPEAVYGLPAYPAYAGGGFVLSGATL HRLAGACAQVELFPIDDVFLGMCLQRLRLTPEPHPAFRTFGIP QPSAAPHLSTFDPCFYRELVVVHGLSAADIWLMWRLHLHGPHGP ACAHPQVVAAGPFQWDS</p>
495	1234	1	897	<p>MASAACSMDDPIDSFELLDLDFDRQDGIILRHVELGEGWGHVKDQ VLPNPDSDDFLSSILGSGDSLPSPLWSPGSDSGISEDLPDSD PQDTPRSGPATSPAGCHPAQPGKGPCLSYHPGNSCSTTTTGP VIQQQHHLGASYLLRPGAGHCQELVLTDEKLLAKEGITLPT QLPLTKYEERVLKIRKIRNKQSAQESRKKKEYIDGLETRS CCCPLPSSSSPPSALLAPT KPRALGTLRLYECSPELCTTMLPP AWLLMLCQAPRPQDPDRLTQPEKSLQEAPGQTGASRTPRT</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
496	1235	4235	940	ARGRRSRPVWAASWGGRGRPAARRRPRGLAATMGFELDRFDGD VDPDLKCALCHKVLEDPLTTPCGHVFCAGCVLPVWVQEGSCPA RCRGRLSAKELNHVLPKRLILKLDIKCAYATRGCRVVKLQQ LPEHLERCDFAPARCRHAGCGVLLRRDVEAHMRDADARPVG RCQEGCGLPLTHGEQRAGGHCCARALRAHNGALQARLGALHKA LKKEALRAGKREKSLVAQLAAQLELQMTALRYQKKFTEYSAR LDSL SRCVAAPPGGKGEETKSLTLVLRDSSGLGFNIIGGRPS VDNHDGSSSEGI FVSKIVDSGPAAKEGGLQIHDR IIEVNGRDL SRATHDQAVEAFKTAKEPIVQVLRRTPRTKMFTPPSESQVLD TGTQTDITFEHIMALTKMSSPSPVLDPYLLPEEHPSAHEYD PNDYIGDIHQEMDREEL EEFVDLYRMNSQDKLGLTVCYRTDD EDDIGIYISEIDPNSIAAKDGRIREGDR I IQINGIEVQNREEA VALLTSEENKNFSLLIARAELQLEDEGWMDDDRNDFLDDLHMDM LEEQHHQAMQFTASVLQKKHDEGGTDTATILSNQHEKDSG VGRTDESTRNDESSEQENNGDDATASNPLAGQRKLTCSQDTL GSGDL PFSNKSFISPECTGAAYLGI PVDECERFRELLELKCQV KSATPYGLYPSGFLDAGKSDPESVDKELELLNEELRSIELEC LSIVRAHKMQQLKEQYRESWMLHNSGFRNYNTSIDVRRHELSD ITELPEKSDKDSSAYNTGESCRSTPLTLEISPDNSLRRAAEG ISCPSSSEGAVGTTEAYGPASKNLLSITEDPEVGTPTYSPLKE LDPNQPLESKERRASDGSRSPTPSQLGSAYLPSYHSPYKHA HIPAHAQHYQSYMQLIQKSAVEYAQSOMSLVSMCKDLSSPTP SEPRMEWKVIRSDGTRYITKRPVDRLLRERALKIREERSGM TTDDDAVSEMKGGRYWSKEERKQHLVKAKEQRRRREFMMQSRL DCLKEQQAADDRKEMNILEL SHKMMKKRNKKIFDNWMTIQEL LTHGTKSPDGTRVNSFLSVTTV
497	1236	2	157	FFFLVEMGFCHVGQGLTLIGSSNLPASASKSAGITGVSHCAR PDFKSCVE
498	1237	1	211	LAGRKVL L FVSGYVVGWGPITWLLMSEVLPLRARGVASGLCVL ASWLTAFLVTKSFLPGGVSVQPQAPGP
499	1238	2	345	FWAPGPPGVGAAGDASTRSLRESCPSPPGRLRRTTAPWSSQ ARAAAPAPSSSCRPGDGASSPRDLPWRPWKILRRTPLSGDVEL SQVHPDQRILRRFILSRTCGNTIPGMAE
500	1239	1	523	MRRFLSKVYSFPMRKLILFLVFPVVRQTPQHFKNQFPALHWE HELGLAFTKNRMNYTNKFL LIPESGDYFIYSQVTFRGM TSECS EIRQAGRPNKPDSTVVTITKVTD SYPEPTQLLMGTSVCEVGS NWFQPIYLGAMFSLQEGDKLMVNVSDISLVDYTKEDKTFPGAF LL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
501	1240	2	1277	FVWDEVAQRSGCEERWLVIDRKVYNISEFTRRHPPGSSRVISHY AGQDATDPFVAFHINKGLVKKYMNSSLIGELSPEQSPFEPTKN KELTDEFRELRAATVERMGLMKANHVFFLLYLLHILLDGAAWL TLWVFGTSFLPFLLCVLLSAVQAQAGWLQHDGHLVSTSK WNHLLHHFVIGHLKGAPASWNNHMHFQHHAKPNCFRKDPDINM HPFFALGKILSVELGKQKKYMPYNHQHYFFLIGPPALLPL YFQWYIFYFVIQRKKWVDLAWMITFYVRFLLTYVPLGLKAFGLFFIVRPLESNWFVWVTQMNIIPMHIDHNRMDWVSTQLQAT CNVHKSANFNDWFSGHLNFQIEHHLFPTMPRHNYHKVAPLVQSL CAKHGIEYQSKPLLSAFADIHSLKESGQLWLDAYLHQ
502	1241	999	540	QCGGIPYNTTQFLMNDRDPEPNLDVPHGISHPGSSGESEAGD SDGRGRAHGEFQRKDFSETYERFHTESLQGRSKQELVRDYLEL EKRLSQAEETRRLOQLQACTGQQSCRQVEELAAEVQRLRTEN QRLRQENQMWNREGCRCDEEPT
503	1242	1448	875	SPERSLSVGREKAMEVPPAPRSFLCRALCLFPRVFAAEAVT ADSEVLEERQKRLPYVPEPYYPESGWDRLRELFQGD\VTGSLF RINVGRLGLVAGGIIGALLGTPVGGLLMAFQKYSGETVQERKQ KDRKALHELKLEEWKGRLOVTEHLPEKIESSLOEDEPENDAKK IEALLNLFRNPSVIDKQDKD
504	1243	149	1293	RSLGLAVTEMVPPVVRTMGQKQLQRLRLDVGREICRQYPLFCFL LLCLSAASLLNRYIHILMIFWSFVAGVVTFYCSLGPDSLLPN IFFTIKYKPKQLGLQELFPQGHSCAVCGKVKCRHRPSLLEN YQPWLDLKISSKVDASLSEVLELVLENFVYPWRDVTDDSFV DELRITLRFASVLIRRIHKVDIPSIITKLLKAAMKHIEVIV KARQKVKNTEFLOQAALAEYGPHELHVALRSRDELHYLRKLTE LLFPYILPKATDCRSLTLLIREILSGSVFLPSLDFLADPTV NHLLIIFIDDSPEKATEPASPLVPFLQKFAEPRNKKPSVLKL ELKQIREQQDLLFRFMNFKQEGAVHVLHVLFDCCGI
505	1244	2	1116	QSLAEVLQQLGASSELQAVLSYIFPTYGVTPNHSASFMSHALLV NHYMKGGFYPRGVTSEIAFHTIPVIQRAGGAVLTKATVQSVLL DSAGKACGVSVKKGHELVNIYCPVVSNAGLNTYEHLLPGNA RCLPGVKQQLGTVRPLGGMSTVVICLRGTKEDLHLPSTNYVYV YDTDMQAMERYVSMPREAAEHIPLFFAFPSAKDPTWEDRF PGRSTMIMLIPAYEWFEEWQAEKLGK\RGSDYETFKNSFVEA SMSVVLKLFPPQLEGKVESVTAGSPLTNQFYL\AAPRGACYGAD HDLGRHLPCVMASLRAQSPINLYLTGQDIFTGCLVGLQAL LCSSTILKRNLYSDLKNLDSRIRAQKKKN
506	1245	1759	873	RPQETRVLQVSCGRAHSLVLTDRGVFSMGNNSYGQCRKVVVE NEIYSESHRVHRMQDFDQVQVQVACQDHSFLFLTKGEVYSCG WGADGQTLGHYNTSSPTKLGGLAGVNVIQVATYGDCCCLAV SADGGLFGWGNSEYLQLASVTDSTQVNVPRCLHFSVGVKVRQA ACGGTGCAVLNAGEGHVFWGYLGLGKGNLVEAVPEMIPPTL FGLTEFNPEIQVSRIRCGLSHFAALTNKGELFVWGKNIRGCLG IGRLEQYFPWRVTMPGEPVDVACGVDMVTLAKSFI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
507	1246	520	2	LPPFEWLMIVVLSLAAAFAAFMAKCRMVLSRRYFCSHFVMSA SRARIRSSFRTSSRRAGALYSGMLAGWPFPCFCWVLSASSSL SSQVRSLSRISCSRFSHADCSWVRACCSFSTFSTYACFSRNSSS SLMTLAWALLKAWSRISMCLRWSSLAVRTAANSISNFSFSFKN
508	1247	1	1083	MQAVRATASQSLSCARAPREPTQHALRAHWFPAAAVQPSPHS GVAAAAGTWSSAFRGEHPLVSSGLLLGVREQSFRLLRSKAGTH MYLEHTSHCPHDDDTAMDTPLPFRPPLLAVERTQQRPLWAPS LELPKPMQPLPAGAFLEEVAEETPAQTESEPKVLDPEEDLLC IAKTFSYLRESGWYWSITASEARQHLQKMEGETFLVRDSTHP SYLFTLSVKTRGPTNVRIEYADSSFRLDNCLSRPRILAFPD VVSLVQHYVASCTADTRSDSPDPAPTALPMPKEDAPSDPALP APPPATAVHLKLVQPFVRRSSARSLOHLCLRLVINRLVADVDC PLPRRMADYLRQYPPQL
509	1248	2	841	FVDIFQRWKECRGKSPAQAELS YLNKAKWLEMYGVMHVVRGR DGCEYSLGLTPTGILIFEGANKIGLFFWPKITKMDFKSKLTL VVVEDDDQGREQEHTFVFRLDARTCKHLWKC AVEHHAFFRLR TPGNSKSNRSDFIRLGSFRFRSGRTEYQATHGSRLRRTSTFER KPSKRYPSRRHSTFKASNPIVIAAQLCSKTNPVHNYQPYHPN IHPSQPRWHPSPNVRPSFQDDRS HWKASASGDDSHFDYVHDQ NQKNLGGMQSMMYRDKLMTAL
510	1249	2	763	GGIRLIQKLTWRSRQQDRENCAMKGKHKDECHNFIVFVPRND EMVFVCGINAFNPMCRYRVSIFYVICFF*STFLPSLICC*S* NLSAQ*FVLSLVQ*KNKDRILQMEF*YK*NSIAFKRAR*IDM TLAIYFSFV\LSL*YDGEIISGLARCFDARQTNGALFADGK LYSATVADFLASDAVIYRSMGDGSLRTIKYDSKWIKE/PHFL YAIK/Y/GNYVYFSFREIVAT**LG/KA VDS/RVARYEQLVG PTV
511	1250	1555	629	ARALARERESESARADDVTLGVSAILAVDRGGNLGSA\DGWAY IDVEVRRPWAFVGPGRSSGNGSTAYGLVGSRWLSPFHTGG AVSLPRRPRGPGV LGVARPCLRCVLRPE\HYEPGSHYSGFAG RDASRAVFTGDCSEAGLVDDVSDLSAAEMTLHNWLSFYEKNY VCVGRVTGRFYGEDGLPTPALTQVEAITRGLANKLQLQEKQ TFPPCNAEWSSARGSRWLWCSQKSGGVS RDWIGVPRKLYKPGAK EPRCVCVTRTGPSPGQMPDNPPHRNRGDL DHPNLA EYTGCPPL AITCSFPL
512	1251	1100	798	YFIICRDGVLLFCPGWSQTPGAQAILLHWATQ NAGMTDMSHSA QPIYLFYILIRTRSHYVAQAGQLLDSNDS PNVASQNVGITGMS HHAWLKIVLYFCII

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
513	1252	3	1395	PAARPPSLVRLSPSPPKPRARARAPQSVPEAAPLVARGSSPPA RPAPAMVRRRAPPYRSGAGGPLGGRGRPPRPLVVRVRSRSWP ASPRGPQPPR\IRARSAPPMEGARVFGALGPIGPSSPGLTLGG LAVSEHRLSNKLLAWSGVLEWQEKRRPYSDSTAKLKRTPCQA YVNOGENLETDQWPQKLI MQLI PQQLLTLGPLFRNSQLAQFH FTNRDCDSLKGLCRIMGNGFAGCMLFPHISPCEVRVLMMLLYSS KKKIFMGLIPYDQSGFVSAIRQVITTRKQAVGPGGVNSGPVQI VNNKFLAWSGVMWQEPPEPNSRSKRWLP SHVYVNOGEILRT EQWPRKLYMQLI PQQLLTLVPLFRNSRLVQFHFTKDETLKS LCRIMDNFAGCVHFSYKASCEIRVLMMLLYSSEKKIFIGLIPH DQGNFVNGIRRVIANQQQVLQRNLEQEQQQRGMGG
514	1253	320	964	GRPALGREAPPQAGLSSTFPPCSETCTMGPHSILRTVHCRPTK TPPEPSAEPHPLSLLTSSNTSLAGTSLGRDLTPGGGKPPSGQT PRNPESPRHRLGSPRGRRLASPTPTGSGRSGPASRGQRRLSC AAQDPTSEGASVGAMEAGLGPPTAAPRGVVSEAAESLGGTLSW GAWGRPPAGPSGLAGRRSRREALRPDRKEASVMMAAVSAIQP
515	1254	704	107	PGVPTHGWPRSRVLTTRVGRSGSGKMAAAVVLAAGLRAARRAV AATGVRGGQVRGAAGVTDGNEVAKAQQATPGGAAPTIFSRILD KSLPADILYEDQQCLVFRDVAQAPVHFLVIPKKPIPRISQAE EEDQQ/LTYVPPLSL*LLGHLLLVAKQTAKAEGLDGGRVRLVIN DGKLGAAQSVYHLHIHVLGGRQLQWPPG
516	1255	2299	924	VPNYLPSVSSAIGGEVPPQRYVWRFCIGLHSAFRFLVAFAYWNH YLSCTSPCSCYRPLCRLNFGLNVVENLALLVLTYSSEDF/T WVPG*GRSGEVFPEGTGLPLPHSDLPTSWCGHSLQCGSQSSFP PAIHENAFIVFIASSLGHMLLTCILWRLTKKHTVSQE\DGLSL AGAPRQPRRSRTSVLRI RVMVRWELSSNGNPGRGVGLGLGL GNKLRVVGQNLGL*HCVVWVWETGE*KRWRLQMGIE*GVASRR Q*VRNSVRGLVCHNSSAPPMYMGFFSPTVFGGGVGG*LVHTFI LHPPEVEAAGIPLLLGPSLEQRQGREHIVVILAAPACAPFHDR *WEPREIRPSP*ELGLRGEPTLSYPASCRVIRQPI*DRKSYS WKQRLF I INFISFFSALAVYFRHNMYCEAGVYTI FAILEYTVV LTNMAFHMTAWWDFGNKELLI TSQPPEKRF
517	1256	3	254	IDLLEIRNGPRSHESFQEMD LNDWKL SKDEVKAYLKKEFEKH GAVVNESHHDALVEDIFDKEDDKDGFISAREFTYKHDEL
518	1257	2	611	PRVRGRVKGEGAAAKPRSLRRFQLLSWSVCGGNKDPWVQELM SCLDLKECGHAYSGIVAHQKHLPTSPPI SQASEGASSDIHTP AQMLLSTLQSTQRPTLPVGSLS SDKELTRPNETT IHTAGHSLA AGPEAGENQKQPEKNAGPTARTSATVPVLCCLAIIFILTAALS YVLCRRRQSPQSSPDLPVHYIPVAPDSNT
519	1258	1002	418	LIISNFLKAKQKPGSTPNLQQKKSQARLAPDIVSASQYRKFE FQTGILYELLHQPNPFVRAQLRERDYRQEDLPPALSLYS PGLQQLAHLLEADPIKRIRIGEAKRVLQCLLWGPRLVQVQ GTSEALCGTLHNWIDMKRALMMMKFAEKAVDRRRGVELEDWL CCQYLASAEPGALLQSLKLLQLL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
520	1259	2	2019	KRGLIVVMAHEMIGTQIVTERGVALLESGETEVLVLLIDSRPFVE YNTSHILEAININCSKLMKRLQQDKVLI TELIQHS AKHKVDI DCSQKVVVYDQSSQDVASLS SDCFLT VLLGKLEKSFNSVHLLA GGFAEFSRCFPGLCEGKSTLVPTCISQPCLPVANIGPTRILPN LYLGCQRDVLNKMELMQQNGIGYVLNASNTCPKPDFIPESHFLR VPVNDSFCEKILPWLDKSVDFIEKAKASNGCVLVHCLAGISRS ATIAIAYIMKRMDMSLDEAYRFVKEKRPTISP NFNFLGQLLDY EKKIKNQTGASGPKSKLKLHLLEKPNPVPVAVSEGGQKSETPL SPPCADSATSEAGQRPVHPASVPSVPSVQPSLLEDSPLVQAL SGLHLSADRLED SNLKRFSLDIKSVSYSASMAASLHGFSSS EDAL EYYPSTTLDGTNKL CQFSPVQEL/CGADSRNQS* *GG Q/PSPRSCRPPGLQ TARASDCIRSEPAAVAPRPGFYLHCIEV GAWRTITTPASFSAFPP\PAAPHEVCWPGP*GLA\PDILAPQT STPSLTSSWYFATESSHFYSASAIYGGSASYSAYS CSQLPTCG DQVYSVRRRQKPSDRADSRRSWHEESPFEKQFKRRSCQMEFGE SIMSENRSREELGKVGSSSFGSMEIIEVS
521	1260	20	803	ASSSKRVS RQKMLQLWKLVL LCGVLTGTSESLLDNLGNDLSNV VDKLEPVLHEGLETVDNTLKGILEKLVLDLGV LQSSAWQLAK QKAQEA EKLNNVISKLLPTNTDIFGLKISNSLILDVKAEPID DGKGLNLSFPVTANVTEAGPIIDQIIN\LRASLDLLTAVTIET DPQTHHPVAGLGE CARDPTSISLCLLDKHSQIINKFVNSVINT LKSTVSSLLQKEICPLIRIFIHSLDVNVIQQVVDNPQHKTLQ TLI
522	1261	1246	411	CSLRRPRSAEPDADHVPLLGLLRQLRAARQPGAMRPGQPA SPQRLRGLLLLLLQLPAPSSASEIPK GKQKAQLRQREVVDLY NGMCLQGPAGVGRDGS PGANGIPGTPGIPGRDGFKGEKGECL RESFEESWTPNYKQCSWSSLNYGIDLGKIAECTFTKMRNSAL RVLFSGSLRLKCRNACCQRWYFTFNGAEC SGPLPIEAI IYLDQ GSPENSTINIHR TSSVEGLCEGIGAGLVDAI WVGTCSDYPK GDASTGWNSVSRI IIEELPK
523	1262	2009	921	MHSAMLGTRVNL SVSDFWRVMMRVCWLVRQDSRHQRIRLPHLE AVVIGRGPETKITDKKCSRQVQLKAE CNKGYVKVQVGNPT SIDSVVIGKDQEVKLQPGQVLHMVNELYPYIVEFE EEAKNPGL ETHRKRKRS GNSDSIERDAAQEA EAGTGLEPGS NSGQCSVPLK KGKDAPIK KESLGHWSQGLKISMQDPKMQVYKDEQVVVIKDY PKARYHWLVLPWTSISSLKAVAR\EHLELLKHMHTVGEKVIVD FAGSSKLRFR LGYHAIPSMHVHLHVISQDFDSPCLKNKHHWN SFNTEYFLESQAVIEMVQEAGRVTVRDGMPELLKPLRCHECQ QLLPSIPQLKEHLRKHWTQ

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
524	1263	2067	198	<p>DMSDTSESGAGLTRFQAEASEKDSSSMQTLTLLTVTQNVVEVPET PKASKALEVSEDEVKVS KASGVSKATEVSKTPEAREAPATQASS TTQLTDTQVLAENKSLAADTKKQADPQAVTMPATETKKVSH VADTKVNTKAQETEAPSPQAPADEPEPEPESAAAQSQENQMDTRPK VKAKKARKVKHLDGEEDGSSDQSQASGTTGGRRVSKALMASMA RRASRGP IAFWARRASRTRLACFGPGEPLLPWRSP \ KARRQR GFAVRVAKFQ \ SSQEPEAPPW \ DVALLOGRAN \ DLVKYLLAK DQTKIPIKRS \ DMLKDI IKEYTDVYPEII \ ERAGYSLE \ KVFG IQLKEIDKNDHLYILLSTLEPTDAGILGTTKDSPKLGLLMVLL S I I F \ MNGNRS \ SEAVIWEVLR / RSLGLRLGIHHS \ LLGDVK \ KLITDEV \ VKQKYL \ DYARVPHSNP \ EYEFFWG \ LRSYYEDQ QR * KSFKFAK \ VQK \ KDPK \ EWAAQSPGKAR / ERMEAD \ LK AAS * GSPWKPRLRAEIKARMGIGLSENAAGPCNWDEADIGPW AKARIQAGAEAKAKAQESGASSTGASTSTNNSASASASTSGGF SAGASLTATLTFGLFAGLGGAGASTSGSSGACGFSYK</p>
525	1264	1	1397	<p>ARPPVCTGSTMSTLVVSMACVGFLLQGAWPLMGGQDKPFLSA RPSTVVPRGGHVALQCHYRRGFNFNFMFLYKEDRSHVPIFHGRIF QESFIMGVPTPAHAGTYRCRGRPHSLTGWSAPSNPLVIMVTG NHRKPSLLAHPGPLLKSGETVILQCWSDIMFEHFFLHKEGISK DPSRLVGQIHDGVSKANFSGIPMMLALAGTYRCYGSVTHTPYQ LSAPSDPLDIVVTGPYEKPSLSAQPGPKVQAGESVTLSCSSRS SYDMYHLSREGGAHERRLPAVRKVNRTFQADFPGLPATHGGTY RCFGSRHSPYEWSDPSDPLLVSVTGNPSSSWSPTEPSSKSG NLRHLHLILIGTSVVKIPFTILLFLLHRWCSNKK \ NAAVMDQE PAGNR \ VNSEDSDQDHQEVSY * LEHCVFTQRK I TRPSQRPK TPPTDTSMYIELPNAEPRSKVVF CPRAPQSGLEGIF</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
526	1265	6657	988	<p>LHNLREYFSGLIYTYSGLFCVVVNPYKHLPIYSEKIVDMYKG KKRHEMPPHIYAIADTAYRSMQLDREDQSILCTGESGAGKTEN TKKVIQYLAVVASSHKGKDTSTGELEKQLLOANPILFAFGN AKTVKNDNSSRFGKFRINFVDVTGYIVGANIETVLLKESRAIR QARDERTFHI FYMIAGAKEKMRSDLLLEGFNNTFFLSNGFVP IPAAQDDEMFOETVEAMAIMGFSEEEQLSILKVSSVLQLGNI VFKKERNTDQASMPDNTAAQKVCHLMGINVTDFTRSILTPRIK VGRDVVKAQTKEQADFAVEALAKATYERLFRWILTRVNKALD KTHRQGSFLGILDIAGFEIFEVNSFEQLCINYNTEKLOQLFN HTMFIL\EQEEYQREGIEWNFIDFGLDLQPCIELIERPNNPPG VLALLDEECWFPKATDKSFVEKLCTEQGSHPKFQPKQDKDT EFSIIHYAGKVDYNASAWLTKNMDPLNDNVTSLNASSDKFVA DLWKDVRIVGLDQMAKMTESLPSASKTKKGMFRTVQQLYKE QLGKLMTLRNTTPNFVRCIIPNHEKRSKGLDAFLVLEQLRCN GVLEGIRICRQGFNRIVFQEFRQRYEILAANAIPKGFMDGKQ ACILMIKALELDPNLYRIGQSKIIFRTGVLAHLEERDLKITD VIMAFQAMCRGYLARKAFKRQQQLTAMKVIQRNCAAYIKLRN WQWCRLF*TKV*PILQVTRQE*EMQAKEDELQTKRQKAENE LKELEQKHSQLTTEKNLLQEQLQAETELYAEAEEMRVRLAACK QELEEILHEMEARLEEEEDRGQQLQAERKKMAQQMLDLEEQL EEEAARQKLEKVTAEAKIKKLEDEILVMDDQNNKLSKERKL LEERISDLTTLNLAEEEEKAKNLTKLKNKHESMISELEVRLLKE EKSROELEKLRKLEGDASDFHEQIADLQAQIAELKMQLAKKE EELQAALARLDDEIAQKNNALKKIRELEGHISDLQEDLDSERA ARNKAEQKRD LGEELEALKTELEDTLDSSTATQQLRAKREQE VTVLKR\ALNEETRSHAEQVQEMRQKHAQAVQSLTEQLEQ*K RAKANLDKNKQ*TEKENTD\LAGELRVLGQA\KQVEVHRMCKL QAQVQELQSKCS DGERARAELNDKVHK\LQNEVESVTG\MLNE AEGKAIKLAKDVASLSSQL\QDTQELLQEE SRQKLNVT\SLR \QLEEEERNSLQDQLEEMEAKQNLERHISTLNIQLSDSKKLLQ DFASTVEALEEGKRFQKEIENLTQQYEEKAAAYDKLEKTKNR LQQELDDLVDLNDNRQLVSNLEKKQRKFDQLLAEKNISSKY ADERDRVEAEAREKETKALSL\ARALEEALEAKEELERTNKML KA\EMGRPGSASKD\DVQELSHDL\EKSK\RALGDPRL EEMK T\QLEELGRTELASPRRDA\KLRLEVNMQAPSRASFER\DLQA RTEQNE\ESRR\HLQRQLHEYTELEDERKQORALAAA AKIKLG WDPVRTLDL*ADSAIKGRGGKAIKQLRKLQAQMKDFQRELEDA \RASRDEIF\ATA\KENEKKAKSLEA\DLMLQLE\DLAAEEG RKQ\ADLE\KEELAEEL\ASSLSGRNALQDEKRRLEARIAQLE EELEEEQGNMEAMSDRVRKATQQAELSNE LATERSTAQKNES ARQQLERQNKELRSKLEHEMEGAVKSKFKSTIAALEAKIAQLEE QVEQEAREKQAATKSLKQKDKKLLKEILLQVEDERKMAEQYKEQ AEKGNARVKQLKRQLEEAEEESQRINANRRKIQRELDEATESN EAMGREVNALKSKLRRGNETSFVPSRRSGRRVIENADGSEEB TDTRDADFNGTKASE</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
527	1266	1	775	KLHFAKSLNSELS CSTREAMQDEDGYITLNIKTRKPALVSVGP ASSSWWRVMA LILLILCVGMV VGLVALGIWSVMQRNYLQDENE NRTGTLQQLAKRFCQYVVKQSELKGT FKGHKCSPCDTNWRYYG DSCYGFRRHNL TWEEKQYCTDMNATLLKIDNRNIVEYIKAR\ THLIRWVGLSRQKSNEVVKWEDGSVI SENMFEFLEDGKGNMNC AYFHNGKMHTFCENKHYL\MCE\RKAGHDPRTQLPLMPKRW TG
528	1267	1053	424	NQGLRDVGLCRTCLVNKIFASSILGKSHHSHSVSINQGHNA PW KAAGS\LPLKAAAYC\QGFSPCDCLKYG\SWDEKDLMPQPDTH KGSVLRWISKRGKPLAVEMEEGHCL\CLPLGTECLGVKP\IVH LFNSEMG EK\RPVAG\ARHVGSSAALLFFTPLRCLGGEKHKSG LRRARPGIVPSLELNYDIDSFAHMF/SVDLLLIITLLSYYPF C
529	1268	1435	1560	MWWR LAPTQAIWRAAGCCMRFSRRRSTCCCLASCIFLLYKIVR GDQPAAKRRQRRRAAPSAPPQAARLHPPP KLRFDGVDQDPAP YSWAINGKVDVTQR PANFLRGRGPETLSDWESQFTFKYHHV GKLLKEGEEPTVYSDEE EEPKDESARKND*
530	1269	705	166	GPRMAKFLSQDQINEYKECFSLYDKQQRGKIKATDLMVAMRCL GASPTPGEVQRHLQTHGIDNGELDFSTFLTIMHMQLKQEDPK KEILLAMLVDKKEKGYVMASDLRSKLTSLGEKLT HKEV\DDL FRE\ADIEPNGVKYDEFIHKI/TLLPGRDLLKEENGRASPGP ENLEQLIFL
531	1270	25	1396	ADPHTTVIRFFPAASATKRVLPVLRVSSPRTWNPVNPESPRI PAPRLPKRMSGAPTAGAALMLCAATAVLLSAQGGPVQSKSPRF ASWDEMNVLAHGLLQLGQGLREHAERTRSQLSALERRLSACGS ACQGTEGSTDLPLAPESRVDPEVLHSLQTQLKAQNSRIQQLFH KVAQQQRHLEKQHLRIQHLSQFGLLDHKHLDHEVAKPARRKR LPEMAQPVDPAHNVSRHLRHLPRDCQELFQVGERQSGLFEIQPQ GSPFFLVNCKMTSDGGWTVIQRRHDGSVDFNRPWEAYKAGFGD PHGEFWLGLEKVHSITGDRNSRLAVQLRDWDGNAELLQFSVHL GGEDTAYS LQLTAPVAGQLGATTVP P SGLSVPFSTWDQDHLR RDKNCAKSLSGW WFGTCSHNSLNGQYFRSIPQORQKLKGI F WKTWRGRYYPLQATTMLIQPMAAEAAS
532	1271	1276	90	ALDFGDS CQWPRPQDTMKQLPVLEPGDKPRKATWYTLTVPGDS PCARVGHSCSYLPPVGNAKRGKVFIVGGANPNRSFSDVHTMDL GKHQWDLDTCKGLLPRYEHASFI PSCTPDRIWVFGGANQSGNR NCLQVLNPETRTWTTPEVTSPPPSPTFHTSSAAIGNQLYVFG GGERGAQPVDTKLHVFDANTLTWSQPETLGNPPSPRHGHVMV AAGTKLFIHGGLAGDRFYDDLHCIDISDMKWQKLNPTGAA\PA GCAS/HTPAVAMGK\HVYI\FGGMT PAGAPGTQCTQYHTEBQH WDPCLKF\DTPSYPPGTIGTHSHVVSFPW\PVT CASEKEDS\N SLTLNHEAEKEDSADKVM SHSGDSHEESQTATLLCLVFGGMNT EGEYDDCIVTVVD

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
533	1272	1169	639	GFSIGKATDRMDAFRKAKNRAVHHLHYIERYEDHTIFHDISLR FKRTHIKMKQPKGYGLRCHRAIITICRLIGIKDMYAKVSGSI NMLSLTQGLFRGLSRQETHQQLADKKGLHVVEIREECGPLPIV VASPRGPLRKDPEPEDEVDPVKLDWEDVKTAQGMKRSVWSNLK RAAT
534	1273	25	1396	ADPHTTVIRFFPAASATKRVLPVLRVSSPRTWNPVNPESPRI PAPRLPKRMSGAPTAGAALMLCAATAVLLSAQGGPVQSKSPRF ASWDEMNVLAHGLLQLGQGLREHAERTRSQLSALERRLSACGS ACQGTGEGSTDLPLAPESRVDPEVLHSLQTQLKAQNSRIQQLFH KVAQQQRHLEKQHLRIQHLQSQFGLLDHKHLDHEVAKPARRKR LPEMAQPVDPAHNVSRHLRLPRDCQELFQVGERQSGLFEIQPQ GSPFFLVNCKMTSDGGWTVIQRRHDGSDVDFNRPWEAYKAGFGD PHGEFWLGLKQVHSITGDRNSRLAVQLRDWDGNAELLQFVHL GGEDTAYSLLQLTAPVAGQLGATTVPVPSGLSVPFSTWDQDHLR RDKNCAKSLSGGWWFGTCSHSNLNGQYFRSIPQQRQKLLKKGIF WKTWRGRYYPLQATTMLIQPMAEAAAS
535	1274	23	1102	TLRSRPAGEAGYLGWDPDPEQAGEGALSRLPGAMAALMTPGTGAP PAPGDFSGEGSQGLPDPSPPEPKQLPELIRMKRDGGRLSEADIR GFVAAVVNGSAQGAQIGAWGGLGVDPDWEVSPRDFGSLGVR CPTTSTGPRVPHRCGLPPSRVPPHTRG\MLMAIRLRGMDELET SVLTQALAQSGQQLWPEAWRQQLVDKHSTGGVGDVSLVLA ALAACGCKVINHLLSRREP I PHMQQPVHPQAAPNLKPGPKPPR PYQGFSPPCSPAQFSPRSPAQLGPLWLQTRPLGAGKRSTDG IQTPFPLGPQTAPPREELRTSLPLPQALFPQGVPTSSPTDTS QPRKLPFHSLTSWAPL
536	1275	3	439	RALRELRERVTHGLAEAGRDREDVSTELYRALEAVRLQNSEGS CEPCPTSWLPPFGGSCYFVSPKTTWAEAQGHCADASAHLA/IV GGLGEQDFLSRDTSLEYWIGRRRAVQHLRQVGYSWVDGVPLS FR*/WEG/HPGETWGPQVRL
537	1276	1	564	RWPRSWPPRAGAARGAAEAAMVGALCGCWFRLLGGARPLIPLGP TVVQTSMSRSQVALLGLSLLLMLLLLVGLPGPPEQTSCLWGD NVTVLAGLTPGNSPIFYREVLPLNQAHRVEV\CCFMERPLTLT RGSSWAHCSYCHRATGPWPLTFQVLGTRHLQRRQAQRQGGQR CWSGRCGTWRYRMPWCW

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
538	1277	102	1549	QENQLEKKMKFLIFAFFGGVHLLSLCSCGKAI CKNGISKRTFEE I KEEIASCGDVAKAI INLAVYVGKAQNRSYERLALLVDTVGPRL SGSKNLEKAIQIMYQNLQQDGLEKVHLEPVRI PHWERGEESAV MLEPRIHKIAILLGLGSSIGTPPEGITAEVLVVTSFDELQRRAS EARGKIVVYNQPYINYSRTVQYRTQGAVEAAKVGALASLIRSV ASFSIYSPHTGIQEQYQDGVPKIPTACITVEDAEMMSRMASHGI KIVIQLKMGAKTYPDTDSFNTVAEITGSKYPEQVVLVSGHLLDS WDVGGAMDDGGGAFISWEALSLIKDLGLRPKRTLRLVLWTAE EQGGVGAFOYYQLHKVNI SNYSLVMESDAGTFLPTGLQFTGSE KARAIMEEVMSLLQPLNITQVLSHGEGTDINFWIQAGVPGASL LDDLYKYFFFHSHSGDTMTVHGIQTQMNV\AAAV\WAVVSYV\ VADMEEMPLRS
539	1278	2438	1148	TKPRKRRHQPASQRQRPWSSDSTGDL LARGKRKEENKGS DRV SLAPPSLRPMMQCSEARQGP ELRAAKWLHFQALARRR LQGL SCMSRPALKLRSWPLTVLYYLLPFGALRPLSRV GWRPVSRVAL YKSVPTRLLSRAWGR LNQVELPHWLRRPVSYLIWTFGVNMKE AAVEDLHHYRNLS EFRRLKPKQARPVCGLH SVISPDGRILN FGQVKNC EVEQVKGV TYLESFLGPRMCTEDLFP PPAASCDSF KNQLVTREGNELYHCVIYLAPGDYHCFHSP TDWTVSHRRHFPG SLMSVNP GMARWIKELFCHNERV VLTGDWKHGFFSLTAVGAT\ NWGSI RIYFDRDLHTNS PRHSKGSYND FSVTHNREGVPMRK GERLGEFN LGSTIVLIFEAPKDFNFQLKTGQKI\RFGEALGSL
540	1279	3	1911	LPERAFGPRTPRAPRRRRRLLLSPPPPPPPLDREPRAPGPW LCPSRAGTAQDPARIRERRGRVAGGAAGPAMELRARGWLLCA AAALVACARGDPASKRSRCGEVRQIYGAKGFSS\ DVPQAEIS GEHLR ICPQGYTCCTSEMEENLANRSHAELETALRDSSRVLQA MLATQLRSFDDHFQHL LNDSERTLQATFPGAFGELYTQ NARAF RDLYSELRLYYRGANLHLETLAEFWARLLERLFPKQLHPQLLL PDDYLDCLGKQAEALRPF\GEAP\RELRLRAT\RA\FVAAR\ S FVQGLGVAS\DVVRKVAQVPLG\PEC\SRAVIEAGSYC\ALHC VGVPGARPCPDYCRNV LKGCLANQADLDAEWRNLLDSMVLITD KFWGTSGVESVIGSVHTWLAEAINALQDNRDTLTAKVIQCGGN PKVNPQGP GPEEKRRRGK LAPRERPPSGTLEKLVSEAKAQLRD VQDFWISLPGTLCSEK MALSTASDDRCWNGMARGRYLPEVMGD GLANQINNPEVEVDITKPDMTIRQQIMQLKIMTNR LRSAYNGN DVDFQDASDDGSGSGDGLDDLCGRKVS RKSSSRTP LTHA LPGLSEQEQKTSAA SCPQPPTFLLPLLLFLALTVARPRWR
541	1280	590	189	ATELTRAGMEASALTKSA\VTSAKVVR\VASGS AVVLP LARI ATSCD*RVGGP/VQAVPMVL\SAMGLQLRAGIASSSIAAKMMS AAAIA\NGGGVSPGQPLWLLQLSLGATGL\ SGLTKFILG SIGS AIA\AVIARFY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
542	1281	41	1415	TNGRNLLHHWILGVCGMHPHQETLKKNRVVLAQQLLSELLE HLLLEKDIITLEMRELIQAKVGSFSONVELLNLLPKRGPQAFDA FCEALRETKQGHLEDMLLTTLSGLQHVLPPPLSCDYDLSLFPFV CESCPLYKKLRLSTDTVEHSLDNKDGVPVCLQVKPCTPEFYQTH FQLAYRLQSRPRGLALVLSNVHFTGEKELEFRSGGDVDHSTLV TLFKLLGYDVHVLCDOQAQEMQEKLNFAQLPAHRVTDSCIVA LLSHGVEGAIYGVGKLLQLQEVFQLFDNANCPSLQNKPKMFF IQACRGGGAIGSLGHL LFTAATASLAL\ETDRGVDQQDGKNHA GSPGCEESDAGKEKLPKMRLPTRSDMICGYACLKGTAMRNTK RGSWYIEALAQVFSERACDMHVADMLVKVNALIKDREGYAPGT EFHRCKEMSEYCSLTCRHL YLFPGHPPT
543	1282	862	275	VRGKEVMAALCRTRAVAAESHFLRVFLFRPFRGVGTESGSES GSSNAKEPKTRAGGFASALERHSELLQKVEPLQKGS PKNVESF ASMLRHSPLTQMGPADKLVIGRI FHI VENDL\YIDFGGKFHC VCRRPEVDGEKY\QKGTRVR\LRLLDLELTSRFLGATTD\TTV LEANAVLLGIQESKDSRSKEEHLEKYI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
544	1283	2	4503	IPGASPAPRRRAAPLRLGLRLASGWARAPGGVSPVPGPGMGDA PTMARAQALVLELTFQLCAPETETPEVGCTFEEGSDPAVPCEY SOAQYDDDFQWEQVRIHPGTRAPADLPHGSYLMVNTSQHAPGQR AHVIFQSLSENDTHCVQFSYFLYSRDGHSFGTLGVYVRVNGGP LGSAVWNMTGSHGRQWHQAEALAVSTFWPNEYQVLFREALISPDR RGYMGLDDILLLSYPCAKAPHFSRLGDVEVNAGQNASFQCMMA GRAAEAERFLLQRQSGALVPAAGVRHISHRRFLATFPLAAVSR AEQDLYRCVSQAPRGRGTSLNFAEFMV/KEPPTPIAPPQLLRA GPTYLIIQLNTNSIGDGPVIRKEIEYRMARGPWAEVHAVSLQ TYKLWHLDPDTEYEISVLLTRPGDGGTGRPGPLISRTKCAEP MRAPKGLFAEIQARQLTLQWEPLGYNVTRCHTYTVSLCYHYT LGSSHNQTI\RECVKTEQGVSRYSRYTMKNLLPYRNVHVRVLTNP EGRKEGKEVTFQDDEDVPSGIAAESLTFPLEMDIFLKWEEPQ EPNGLITQYEISYQSIESSDPAVNVGPRRTISKLRNETYHVF SNLHPGTTYLFSVRARTGKGFQAALTEITTNISAPSFYADM PPSLGESENTITVLLRPAQGRGAPISVYQVIVEEEEQGSRRLLR EPGGQDCFPVPLTFEALARGLVDFGAELAASSLPEAMPFTV GDNKTYRGFWNPPLEPRKAYLIYFQAASHLKGETRLNCIRIAR KAACKESKRPLEVSRSEEMGLILGICAGGLAVLILLGAIIV IIRKGRDHYAYSYPKPVNMTKATVNYRQEKTHMMSAVDRSFT DQSTLQEDERLGLSFMDFHGYSTRGDQRSGGVTEASSLLGGSP RRPCGRKGSFYHTGQLHPAVRVADLLQHINQMKTAEGYGFQOE YESFFEGWDATKKDKVKGSRQEPMPAYDRHRVKLHPMLGDPN ADYINANYIDIRINREGYHRSNHFIATQGPKEPMVYDFWRMVW QEHCSIVMITKLVVGRVKCSRYWPEDSDTYGDIKIMLVKTE TLAEYVVRTFALERRGYSARHEVRQFHFTAWPEHGVPHYATGL LAFIRRVKASTPPDAGPIVIHCSAGTGRGTCYIVLDVMLDMAE CEGVVDIYNCVKTLCSSRVNMIQTEEQYIFIHDAILEACLCE TTIPVSEFKATYKEMIRIDPQSNSSQLREEFQTLNSVTPPLDV EECSIALLPNRDKNRSMDVLPDRCLPFLISTDGDSSNNYINA ALTDSYTRSAAFIVTLHPLQSTTPDFWGLVVDYDGCSTIVMLNQ LNQNSAWPCLQYWPEPGRQQYGLMEVEFMSGTAEADLVARVF RVQNISRLQEGHLLVRHFQFLRWSAYRDTPDSSKKAFLHLLAEG DKWQAESGDGRTIVHCLNGGGRSGTFCA\CATVLEMIRCHNLV DVFFAAKTLRNYKPNMVEITMDQYHFCYDVALEYLEGLESR

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
545	1284	2443	1152	TKPKRRRHQPASQRQRPWSSDSTGDLLARGKGRKEENKGS DRV SLAPPSLRPPMCMQSEARQGPPELRAAKWLHFPQLALRRRLGQL SCMSRPALKLRSWPLTVLYYLLPFGALRPLSRVGRPVSRVAL YKSVPTRLLSRAWGRINQVELPHWLRRPVYSLYIWTFGVMKE AAVEDLHHYRNLSFFRRKLPQARPVCGLHLSVISP SDGRILN FGQVKNCVEVEQVKGVTYSLESFLGPRMCTEDLPFPPAASCDSF KNQLVTREGNELYHCVIYLAPGDYHCFHSPTDWTVSHRRHFP SLMSVNPGMARWIKELFCHNERVVLTDGDKHGFFSLTAVGAT\ NWGSIRIYFDRDLHTNSPRHSGSYNDPFSVTHTNREGVPMAL RGEHLG/QSFNLGSTIVLIFEAPKDFNFQLKTGQKIRFGEALG SL
546	1285	185	3057	AELGLFGSLRFSSLLHFPFRPRSPASACGPGEGRMERGLPLL AVLALVLPAGAFRNDKCGDTIKIESPGYLTSPGYPHSYHPE KCEWLIQAPDPYQRIMINFNPHFDLEDRDCKYDYVEVDFGENE NGHFRGKFCGKIAPPVVSSGPFLLIKFVSDYETHGAGFSIRY EIFKRGPECSQNYTTPSGVIKSPGFPEKYPNSLECTYI\FVAP KMSEIIL\DFESFDLEPDSNPPGGMFCRYDRLEIWDGFPDVG HIGRYCGKTPGRIRSSGILSMVFYTD SAIAKEGFSANYSVL QSSVSEDFKMEALGMESGEIHS DQITASSQYSTNWSAERSRL NYPENGWTPGEDSYREWIQVDLGLLRFVAVGTQGAISKETKK KYYVKTYKIDVSSNGEDWITIKEGNKPVLFGQNTNPTD VVVAV FPKPLITRFVRIK PATWETGISMRFVYGCKITDYP C SGM LGM VSGLISDSQITSSNQGDRNWPENIRLVTSRSGWALPPAPHSY INEWLQIDLGEEKIVRGI IQGGKHRENKVFMRKFKIGYSNNG SDWKIMDDSKRKA KSFEGNNYDTPELRTFPALSTRFIRIYP ERATHGGLGLRMELLGCEVEAPTAGPTTPNGNLVDECD DDQAN CHSGTGDDFQLTGGTTVLATEKPTVIDSTIQSEFPPTYGFNCEF GWGSHKTFCHWEHDNHVQLKWSVLTSKTGP IQDHTGDGNFIYS QADENQKGVARLVSPVYSQNSAHCMTFWYHMSGSHVGT LRV KLRYQKPEEYDQLVWMAIGHQGDHWKEGRVLLHKS LKLYQVIF EGEIGKGNLGGIAVDDISINNHSQEDCAKPADLDKKNPEIKI DETGSTPGYEGEGEDKNISRKPGNVLKTLEPILITIIAMSAL GVLLGAVCGVVLVYCACWHNGMSERNLSALENYNFELVDGVK LK KDKLNTQSTYSEA
547	1286	3	521	HEGSALTWASHYQERLNSEQSCLNEWTAMADLES LRPPSAEPG GSVCGGEGGLGGGEGRIMQWGA WWRGERAP*LRGSAPRSSEQEQ MEQAIRAELWKVLDVSDLESVTSKEIRQALELRGLPLQ/PVP *LHRQPDAAAGGTAGPSLPHLPPPLPGLRVERS KPGGAAEEQV GL
548	1287	1742	1200	MAALDLRAELDSLVLQLLGDLEELEGKRTVLNARVEEGWLSLA KARYAMGAKSVGPLQYASHMEPQVCLHASEAQEGLQKFKVVRA GVHAPPEVGP REAGLRRRKGPTKTPEPESSEAPQDPLNWF GIL VPHSLRQAQASFRDGLQLAADIASLQNRIDWGRSQRGLQEK L KQLEPGAA*

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
549	1288	1	649	HSDVGAATAVLP LLTAVLGVTVVTRRDTEGPGRAALVHLTGSP RQKVGTSGREGLPGLGASCAESELERETQEPFRSRGRCIFGAAR WRQVPLASQORPFLLSPGPRLHRMGLPVSWAPPALWVLGCCAL LLSLWALCTACRRPEDAVAPRKRARRQRARLQGSATAAEAVSA KLSRGPWGWPQGTDPSSPPVPTADPPLLQOVGHQTARAAP G
550	1289	433	632	LTGPGQRLAGTTEGPRRCRGSSQAPTPTWKLVDTRLCAAAPWL ASRAPGHYSQMLLVN*PCRKDWLVS KWMRTPVCGQSPAMTDRP RSEAGRDRRAKALPGLIPGSNPNLEACGHQALCSSSVASVQG PWPLLPNASSPPTPGQPQ
551	1290	102	612	KHRLCSLEQLMTLISAAREYEIEFIYAI SPGLDITFSNPKEVS TLKRKLDQVSQFGCRSFALLFDDIDHNMCAADKEVFSSFAHAQ VSITNEIYQYLGEPETFLFCPT/EYCI*WLYI*LVFLEYITYK GPWAPFSLHFPPPLVCKSRNFLLEDIFQDPKLEKF*ELINDN
552	1291	269	565	TSALTQGLERIPDQLGYLVLSEGA VLASSGDLENDEQAAS AIS ELVSTACGFR LHRGMNVVFKRLSVV FGEHTLLVTVSGQRFV V KRQNRGREPIDV
553	1292	660	233	AKRAERTSRLQGLQHPSPYPYPATLGVT PGQDRTLQ LQHQC PA GRKSRKKKSKATQLSPEDRVEDALPPSKAPSRTRRAKRDLPKR TATQRPEGTSLQODPEAPTVPKKGRRKGRQAASGHCRPRKVK A DIPSLEPEGTSAS
554	1293	590	323	RKSSWLGA VAHACNPSSLGGPGRQITRSGVRDQPGQYGETPSL LKIQTLAGRGGACL*SHILRRLRQKNRLNLGGRGCSELSRHC APA
555	1294	1	242	AWNSARGAVSPLWVPGCF TL SVTWIGAAPLILSRIVGGWECE KHSQPWQVLVASRGRAVCGGVLVHPQWVLTAAHCIRK
556	1295	1074	230	AEMADDLGDEWENQPTGAGSSPEASDGE GEGDTEVMQOETVP VVPSEKTKQPKCEFLIQPKERKENTTKTRKRRKKKITDVLAK SEPKPLPEDLQKLMKDYSSRRLVIELEELNLPDSCFLKAND LTHSLSSYLKEICPKWVKLRKNHSEKKSVMMLIICSSAVRALE LIRSMTAFRGDGKVIKLF AKHIKVQAQVKLLEKRVVHLGVGTP GRIKELVKQGGNLNLSPLKFLVFDWNWRDQKLRMMDIP EIRKE VFELLEMVLSLCKSES LKGLF
557	1296	929	289	RPGTAIWVVECEHGRPIA ESEGEGRGHSPPGPCSVAGFLRGR LGRNLEIMGSTWGS PGWVRLALCLTGLVLSLYALHVKAARARD RDYRALCDVGT AISCSRVFSSRWGRGFGLVEHVLGQDSILNQ S NSIFGCIFYTLQ LLLGCLRTRWASVLM LLSLVSLAGSVYLA W ILFFVLYDFCIVCITTYAINVSLMWLSFRKVQEPQ GKAKRH

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
558	1297	2	1063	ESPAPPAFRPAMAVALMPPPLLLLLLLASPPAASAPSARDPF APQLGDTQNCQLRCRDRDLGPQPSQAGLEGASESPYDRAVLIS ACERGCRLFSICRFVARSSKPNATQTECEAACVEAYVKEAEQQ ACSHGCWSQPAEPEPEQKRKVLLEAPSGALSLLDLFSTLCNDLV NSAQGFVSSWTYYLQTDNGKVVVFQTPQIVESLGFQGGRLQR VEVTWRGSHPEALEVHVDPVGPLDKVRKAKIRVKTSSKAKVES EEPQDNDFLSCMSRRSGLPRWILACCLFSLVLMWLWSCSTLV TAPGOHLKFQPLTLEQHKGFMMEPDWPLYPPPSHACEDSLPPY KLKLDLTKL
559	1298	2	485	FEELGTSLSAMRFLAATFLLLALSTAAQAEVQFKDCGSVDGV IKEVNVSPCPTQPCQLSKGQSYSVNVFTSNIQSKSSKAVVHG ILMGVPPVFPPIPEPDGCKSGINCPIQKDKTYSYLNKLPVKSEY PSIKLVVEWQLQDDKNQSLFCWEIPVQIVSHL
560	1299	1304	919	APETFRCVWRQLGLTFIAFTELQAKVIDTQQKVKLADIQIEQL NRTKKHAHLTDTEIMTLVDETNMYEGVGRMFIQSKEAHSQL LEKQKIAEEDIKELEQKKSYLERSVKEAEDNIREMLMARRAQ
561	1300	3	799	HSELLGTRVRDASSKIQGEYTLTLRKGNNKLSRVFHRDGHVY FSEPLTFCSVVDLINHYRHESLAQYNAKLDTRLLYPVSKYQQV RAGLGAREGSTWLAPGLSFLGRPDQAMHLPFRHVSP\DQIVK EDSVEAVGAQLKVYHQYQDKSREYDQLYEYTRTSQELQMKR TAIEAFNETIKIFEEQGOTQEKCSKEYLERFRREGN/QTKEMQ RILLNSERLKSRIA\EIHESPHRSWEQQLLVPRASDNKR/ID KPH* TSLKPD
562	1301	1772	301	AAAAAGRGRSSGRRRRRPGALFASLGVLGPRPPPGIPRTRA CSMGVGEPPREGPAQPGAPLPTFCWEQIRAHQDQPGDKWLVI ERRVYDISRWAQRHPGGSRLIGHGAEDATDAFRAFHQDLNFV RKFLQPLLIGELAPEEPSQDGPLNAQLVEDFRALHQAADMKL FDASPTFFAFLLGHILAMEVLAWLLIYLLGPGWVPSALAAFIL AISQAQSWCLQHDLGHASIFKKSWWNHVAQKFVMGQLKGFSAH WWNFRHFQHHAKPNI FHKDPDVTVAPVFLGESSVEYGGKKRR YLPYNQOHL YFFLIGPPLLTLVNFEEVENLAYMLVCMQWADLLW AASFYARFFLSYLPFYGVPGVLLFFVAVRVLESHWVWITQMN HIPKEIGHEKHRDWVSSQLAATCNVEPSLFTNWFSGHLNFQIE HHLFPRMHRHNSRVAPLVKSLCAKHGLSYEVKPFALTALVDIV RSLKKSGLIWLDAYLHQ
563	1302	424	93	KSRATRLRESAEMTGFLPPASRGTRRSCSRSRKRQTRRRRNP SSFVASCPTLLPFACVPGASPTTLAFPPVVLGTGPSTDGIPFAL SLQRVFPVLPSPQVASLPLGHSRG
564	1303	1	414	IQYRSDLELHSITMKKSGVLFLLGIILLVVLIGVQGTTPVVRKGR CSCISTNQGTIHLQSLKDLKQFAPSPSCEKIEI IATLKNVQGT CLNPDASADVKELIKKWEKQVSQKKKQKNGKKHQQKKVLRKRS QRSRQKKT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
565	1304	7	3007	IPGSTISCRGCCGKWPVQEADPPRAALRGRFPALLTRHCPSPR AEKEKRSLRRCGCRPLLVELAGPAGQAVEVLPHFESLGKQEKI PNKMSAFRNHCPLHDSVGEITKEDLIQKSLGTCQDCKVQGNL WACLENRCSYVCGGESQVDHSTIHSQETKHYLTVNLTTLRVNC YACSKFVFLDRKLGTPQPSLPHVRQPHQIQENSVDQFKIPSNNT LKTPPLVAVFDDLDIEADEEDELRRAGLTGLKNIGNTCYMNAAL QALSNCPLTQFFLDCGGLARTDKKPAICKSYLKLMTLWYKS REGSVVPTTLFQGIKTVNPTFRGYSQQDAQEFLRCLMDLLHEE LKEQVMEVEEDPQITTEETMEEDKSQSDVDFQSCESCNSDR AENENGRSFCFSEDNNETTMLIQDDENNSEMSKDWQKEKMCNKI NKNVSEGEFDDKDRDSISETVDLNNQETVKVQIHSRASEYITDV HSNLSTPQILPSNEGVMNRLSASPPKSGNLPGLAPPKKQAQ SASPKRKKQHKYRSVISDIFDGTIISVQCLTCDRVSVTLET FQDLSLPIPGKEDLAKLHSSSHPTSIVKAGSCGEAYAPQGWIA FFMEYVKRFVWSCVPSWFWGVPVTLQDCLAFFARDELKGDNM YSCEKCKLRNGVKFCKVQNFPEILCIHLKFRHELMFSTKIS THVSFPLEGLDLQPFLLAKDSPAQIVTYDLSVICHHGTASSGH YIAYCRNLLNWLWYFDDQSVTEVSESTVQNAEAYVLFYRKS EEAQKERRRISNLLNIMEPSLLQFYISRQWLNKFKTFAEPGPI SNNDFLCIHGGVPPRKAGYIEDLVLMQPNIWDNLYSRYGGGP AVNHLYICHTCQIEAEKIEKRRKTELEIFIRLNRAFQKEDSPA TFYCI SMQWFREWESFVKGKDGPPGPIDNTKIAVTKCGNVML RQGADSGQISEETWNFLQSIYGGGPEVILRPPVHVDPDILQA EEKIEVETRSL
566	1305	28	450	SPSAAGGLAWVSLALGSGSRGRDHSRGSVGTAMAGALVRKAAD YVRSKDFRDYLMSTHFWGFPVANWGLPIAINDMKKSPEIISGR MTFALCCYSLTFMRFAKVKVQPRNWLLFACHATNEVAQLIQGGR LIKHEMTKTASA
567	1306	133	1292	LGSRQAAGTMRGQSRLLGPARLCLRLLLLLGYRRRCPPLLRG LVQRWRYGKVCRLSLLYNSFGSDTAVDAAFEPVYWLVDNVIR WFGVVFVVLVIVLTGSIVAIAYL CVLPLILRTYSVPRLCWHFF YSHWNLILIVFHYQAITTPPGYPPQGRNDIATVSI CKKCIYP KPARTHCSICNRCVLKMDHHC PWLNNCVGHYNHRYFFSFCFF MTLGCVYCSYGSWDLFREAYAAIEKMKQLDKNKLQAVANQTYH QTPPTFSFRERMTHKSLVYLWFLCSSVALALGALTVWHAVLI SRGETS IERHINKKERRRLQAKGRVFRNPYNYGCLDNWKVFLG VDTGREHLTRVLLPSSHLPHGNGMSWEPPPVWTAHSASVMAV
568	1307	66	962	ATRRRAAEAGMAAVLQVERLSNRVVRVLGCNPGPMTLOGTNT YLVGTGPRRILIDTGEPAIPEYISCLKQALTEFNATAIQEI VVT HWRDHSGGIGDICKSINNDTTYCIKKLPRNPQREEIIGNGEO QYVYLKGDV IKTEGATLRVLYTPGHTDDHMALLEEENAFS GDCILGEGTTFVFDLYDMNSLKELLKIKADIYPGHGVPVIHN AEAKIQYI SHRNIREQQILTLFRENFEKSFVMELVKI IYKN TPENLHEMAKHNL LLLHLKLEKEGKIFSNTPDKKWAHL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
569	1308	96	1017	ELHRAGQVAGGARRSRRESMELERIVSAALLAFVQTHLPEADL SGLDEVIFSYVLGVLEDLGSPSGPSEENFDMEAFTEMMEAYVPG FAHIPRGTIGDMMQKLSGQLSDARNKENLQPOSSGVQGVPI S PEPLQRPEMLKEETRSSAAAAADTQDEATGAEELLPGVDVLL EVFPTCSVEQAQWVLAKARGDLEEAQMLVEGKEEGPAWEGP NQDLPRRLRGPQKDELKSFILQKYMVDSAEDQKIHRPMPAPKE APKKLIRYIDNQVVSTKGERFKDVRNPEAEEMKATYINLKPAR KYRFH
570	1309	3	526	FITGKGIIVAILRCLQFNETLTELRFHNQRHMLGHHAEEMETARL LKANNTLLKMGYHFELPGPRMVVTNLLTRNQDKQRQKRQEEQK QQQLKEQKLIAMLENGLGLPPGMWELLGGPKPDSRMQEFFQP PPRPPNPQNV PFSQRSEMMKKPSQAPKYRTDPPSFRVVKLR IQ
571	1310	3	1858	GGRAGTQCWRAGARLRGISPSPALPEAPGLCRVRAGLGGAL GRSPAGRRRRGPRVSSSPAPHRRVLCRCLLFLFFSCHDRRGD SQPYQALKYSSKSHPSGDRHEKMRDAGDPSPPNKMLRRSDS PENKYSdstGHSKAKNVHTRVRERDGGTSYSPQENSHNHSAL HSSNFTFFLIPSN*PQKTFRIAPYDS \ADDW/SLEHISSGE KYYYNCRTEVTSQWGKTPKSGLERGQRQKEANKMAVNSFPKDRD YRREVMQATATS GFASGKSTSGDKPVSHSCTTPSTSSASGLNP TSAPPTSASA \VPVSP \VPQ \SPIPPLLQDPNLLRQLL \PALE ATLLQNNNSNVDI \SINEVLTGDVTAQSLQTI IHKCLTAGPSV FKITSLISQAQQLSTQAQASNQSPMSLTS DASSPR \SYVSPRN KAHLKLNTPVIQTFGFSTPPVSSQPKVSTPVVKQGPVQSATQ QPVTADKQQGHEPVSPRSLQRSSSQSPSPGNHTSNSSNASN ATVVPQNSSARSTCSLTPALAAHFSENLIKHVQGW PADHA EKQ ASRLRBEAHNMGTIHMSEICTELKNLRS LVRVCEIQATLREQR ILFLRQQIKELEKLNQNSFMV
572	1311	2	1165	VAPECRGAYPFRAMMPGTALKAVLLAVLLVGLQATGRLLSGQ PVCRRGGTQRPCYKVIYFHDTSRRLNFEEAKEACRRDGGQLVSI ESEDEQKLI EKFIENLLPSDGFWIGLRRREEKQSNSTACQDL YAWTDGSI SQFRNWYVDEPSCGSEVCCVMYHQPSAPAGIGGPY MFQWNDRCNMKNNFICKYSDEKPAVPSREAEGETELTTPVL PEETQEEDAKKTFKESREAAALNLAYILIPSIPLLLL LVVTTVV CWVWICRKRKREQDPSTKKQHTIWPSPHQGNSPDLEVYVIR KQSEADLAETRPDLKNI SFRVCSGEATPDDMSCDYDNMAVNP S ESGFVTLVSVESGFVTNDIYEFSPDQMGRSKESGWVENEIYGY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
573	1312	3	1416	TEWGLSGSCPGCSPLEPGSRGRGAAAWRIILRCRRLPEPSFFLT QPNLAQSQPPAPVPVTDPSVTMHPAVFLSLPDLRCSLLLLVTW VFTPVTEITSLDTENIDEILNNADVALVNFYADWCRFSQMLH PIFEEASDVIKEEFPNENQVVFARVDCDQHS DIAQRVRSKYPTLKLFRNGMMMKREYRGQRSVKALADYIRQQKSDPIQEIRDLA EITTLDRSKRNIIGYFEQKSDNYRVFERVANILHDDCAFLSA FGDVSKPERYSGDNIYKPPGHSAPDMVYLGAMTNFDVTYNWI QDKCVPLVREITFENGEELTEEGLPFLILFHMKEDTESLEIFQ NEVARQLISEKGTINFLHADCDKFRHPLLHIQKTPADCPVIAI DSFRHMYVFGDFKDVLI PGKLGKQFVFDLHSGKLRHREFFHGDDP TDTAPGEQAQDVASSPPESSFQKLAPSEYRYTLLRDRDEL
574	1313	928	142	LTPSVGPVFPGRPTRPLASFPVPLHRC SAGSQPPGVPVEGLI RIYSMRFCPYSHRTRLVLKAKDIRHEVVNINLRNKPEWYYTKH PFGHIPVLETSQCQLIYESVIACEYLD DAYPGRKLFYDPYER ARQKMLLELFCKVPHLTKECLVALRCGRECTNLKAALRQEF SN LEEBILEYQNTTFFGGTCIS MIDYLLWPFERLDVYGILDVSH TPALRLWISAMKWDP TVCALLMDKSI PQGFLNLYFQNNPNAFD FGLC
575	1314	884	363	NTATNMTQPNAGTRKYSVPAISVHTSSSS FAYDREFLRTLPGF LIVAEIVLGLLVWTLIAGTEYFRVPAFGWVMFVAVFYWVLTVF FLIIYITMTYTRIPQVPWTTVGLCFNGSAFVLYLSAAVVDASS VSPERD SHNFNSWAASSFFAFLVTICYAGNTYFSFI AWRSR TI Q
576	1315	165	944	GLRDPFRRKRRLKPKQVKMSNYVNDMWP GSPQEKDSPSTSRSGG SSRLSSRSRSRFSRSSHRSRVSSRFSRSRSRSKRSRSRRR HQRKYRRYSRSYSRSRSRSRRYRERRYGFTRRYRSPSR YR SRSRSRSRGRSYCGRAYAIARGQRY YGFGRTVY PEEHSRWR DRSRTRSRSTPFRLSEKDRMELLEIAKTNAAKALGTTNIDL P ASLRTVPSAKETSRGIGVSSNGAKPEVSI LGLSEQNFQKANCQ I

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
577	1316	265	2300	AEGSTMDLTKMGMIQLQNPNHPTGLLCKANQMRLAGTLCDVVI MVDSQEFHAHRTVLACTSKMFEILFHRNSQHYTLDFLSPKTFQ QILEYAYTATLQAKAEDLDDLLYAAEILEIEYLEEQCLKMLET IQASDDNDTEATMADGGAEKKDRKARYLKNIFISKHSSEESG YASVAGQSLPGPMVDQSPSVSTSFGLSAMSPTKAAVDSLMTIG QSLQGTLPAGPEEPTLAGGGRHPGVAEVKTEMMQVDEVPS QDSPGAAESSISGGMGDKVEERGKEGPGTPTRSSVITSARELH YGREESAEQVPPAEAGQAPTGRPEHPAPPPEKHLGIYSVLPN HKADAVLSMPSSVTSGLHVQPALAVSMDFTYGGLLPQGFQOR ELFSKLGELAVGMKSESRTIGEQCSVCGVELPDNEAVEQHRKL HSGMKTGYGCELCGKRFLDSLRLRMHLLAHSAGAKAFVDCQGA QFSKEDALETHRQTHGTDMAVFCLLCGKRFQAQALQOHMEV HAGVRSYICSECNRTFFSHTALKRHLRSHTGDHPYECFCGSC FRDESTLTKSHKR IHTGEKPYECNGCGKFKSLKHQLETHYRVHT GEKPFECKLCHQRSRDYSAMIKHLRTHNGASPYQCTICTEYCP SLSSMQKHKMGHKPEEIPPDWRIEKTLYLYLCYV
578	1317	686	908	IWEAPTLIFFLAGGRALGHPPMQKGSQGCALPHPLPGASLPAQ PGPADHRGWECRIGGEASVFTHLFCPLPHSPT
579	1318	150	1204	ASGSPAPSSSSAMAAACGPGAAGYCLLLGLHLFLLTAGPALGW NDPDRMLLRDVKALTLHYDRYTTSRRLDPIQLKCVGGTAGCD SYTPKVIQCQNGWDGYDVQWECKTDLDIAYKFGKTVVSCGY ESSEDQYVLRGSCGLEYNLDYTELGLQKLKESGKQHGFAFSFD YYKWSSADSCNMSGLITIVVLLGIAFVVYKFLSDGQYSPPP YSEYPPFSHRYQRFNSAGPPPPGFKSEFTGPQNTGHGATSGF GSAFTGQQGYENSGPGFWTGLGTGGILGYLFGSNRAATPFSDS WYPPSYPPSYPGTWNRAYSPLHGGSGSYVSCNSDTKTRTASG YGGTRRR
580	1319	1208	276	GRCGAMAAGLARLLLLLGLSAGGPAPAGAAKMKVVEEPNAFGV NNPFLPQASRLQAKRDPSVSGPVHLFRLSGKCFSLVESTYKY EFCPFHNVTQHEQTFRWNAYSILGIWHEWIANNTFTGMWMR DGDACRSRSRQSKVELACGKSNRLAHVSEPSTCVYALTFFETPL VCHPHALLVYPTLPEALQRQWDQVEQDLADELITPQGHEKLLR TLFEDAGYLKTPENEPTQLEGGPDSLGFETLENCRAKAKELS KEIKRLKGLLTQHGI PYTRPTETS NLEHLGHETPRAKSPEQLR GDPGLRGLS
581	1320	1074	132	NSFWSVLFLVQEEETEVARCNAQHRLRQSRDPSKPDPSFRSQPID SSISFAGSDIQPLFSFASVDGTQVGEAEWAGPWAEATLLPGP GNRWPPRAGLSGNWLEEDGDWPSLPEVVGFSERELFRDALGA GCRILLICEMQLTHQLDLFPECRVTLFLFKDVKNAGDLRRKAM EGTIDGSLINPTVIVDPFQILVAANKAVHLYKLGKMKTRTLST EIIIFNLSPNNNISEALKKFGISANDTSLIVYIEEGEKQINQE YLISQVEGHQVSLKNLPEIMNITEVKKIYKLSQEEISIGTLLD AIIICRMSTKDV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
582	1321	5021	7694	<p>QRSWAGPGAGPEAGTRPPARGRRRQPGNVDPRRRAPQLRSQM VAMARATTATGNRLWPGLLIMLGSLCHRSPCGGLSTHIEIGH ALEFLQLHNGRVNYRELLLEHQDAYQAGIVFPDCFYPSICKGG KFHDVSESTHWTPLFNASVHYIRENYPLPWEKDTKLVAFPLFG ITSHMAADVSWHSLGLEQGFRLTMGAIDFHGSYSEAHSAAGDFG GDVLSQFEFNFNYLARRWYVPVKDLLGIYEKLYGRKVIITENVI VDCSHIQFLEMYGEMLAVSKLYPTYSTKSPFLVEQFQEYFLGG LDDMAFWSTNIYHLTI FMLENGTSDCNLPENPLFIACGGQQNH TQGSKMQKNDFHRNLTTSLTESVDRNINYTERGVFFSVNSWTP DSMSFIYKALERNIRTMFIGGSQLSQKHVSSPLASYFLSFPYA RLGWAMTSADLNQDGHGDLVVGAPGYSRPGHIHIGRVLYIYGN DLGLPPVDLDDKEAHRILEGFQPSGRFGSALAVLDFNVGVP DLAVGAPSVGSEQLTYKAVYVYFGSKQGGMSSSPNITISCQD IYCNLGTLLAADVNGDSEPDLVIGSPFAPGGKQKGVIAAFY SGPSSLSDKEKLNVEANWTVRGEEDFSWFGYSLHGVTVDNRTL LLVGSPTWKNASRLGHLLHIRDEKKS LGRVYGYFPNPGQSWFT ISGDKAMGKLGTSLSGSHVLMNGTLKQVLLVGAPTYDDVSKVA FLTVTLHQGGATRMVALTSDAQPLLLSTFSGDRRFRSFGVLFH LSDLDDDGLDEI IMAAPLR IADVTSGLIGGEDGRVYVYNGKET TLGDMTGKCKSWITPCPEEKAQYVLISPEASSRFGSSLITVRS KAKNQVVAIAGRSSLGARLSGALHVYSLGSD</p>
583	1322	1	357	<p>SLRNSARGLKMAASAARGAAALRRSINQPVAFVRRIPWTAASS QLKEHFAQFGHVRRCILPFDKETGFHRGLGWVQFSSEGLRNA LQQENHIIDGVKVQVHTRRPKLPQTSDDDEKDF</p>
584	1323	1205	433	<p>GSSNIHSASTHGFWFSSPSTLKRQKQAIRFQKIRROMEAPG APRRTLWEAMEQIRYLHEEFPEWSVPRLAEGFDVSTDVIRR VLKSKFLPTLEQKLKQDQKVLKAGLAHSLQHLRSGSNTSKLL PAGHSVSGSLLMPGHEASSKDPNHSTALKVIESDTHRTNTPRR RKGRNKEIQDLEESFVPVAAPLGHPRELQKYSSESSEPRGTGS GALPSGQKLEELKAEEDPNFSSKVVQGRGFEFFDSNGNFLYRI</p>
585	1324	134	954	<p>ETRVKTSLELLRTQLEPTGTGVTGNTIMTSQVPVNETIIVLPSNV INFSAQEKPEPTNQGDLSLKKHLHAEIKVIGTIQILCGMMVLS LGIILASASFSPNFTQVTSLLNSAYPFIFGFFFIISGSLSIA TEKRLTKLLVHSSLVGSILSALSALVGFIIILSVKQATLNPASL QCELDKNNIPTRSYVSYFYHDSLYTTDCYTAKASLAGTSLML ICTLLEFCLAVLTAVLRWKQAYSDFPGSVLFLPHSYIGNSGMS SKMTHDCGYEELLTS</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
586	1325	106	1537	EMVGMWKVIVSLVLLMPGCDGLFRSLYRSVSMPPKGDGSGQP LFLTPTYIEAGKIQKRELSLVGPPGLNMKSYAGFLTIVNKTYN SNLFFWFFPAQIQPEDAPVVLWLQGGPGSSMFGLFVEHGYPV VTSNMTLRDRDFPWTTLTSMLYIDNPVGTGFSFTDDTHGYAVN EDDVARDLYSALIQQFFQIFPEYKNDFYVTGESYAGKYVPAIA HLIHSLNPVREVKINLNGIAIGDGYSDPESIGGYAEFLYQIG LLDEKQKKYFQKQCHECIEHIRKQNWFEAFEILDKLLDGLDTS DPSYFQNVGTCSNYNFLRCTEPEDQLYVVKFSLPEVQRQAIH VGNQTFNDGTIVEKYLREDTVQSVKPLTEIMNMYKVLINYGQ LDIIVAAALTERSLMGMDWKGSSQYKKAEEKVWKIFKSDSEVA GYIRQAGDFHQVIIRGGGHILPYDQPLRAFDMINRFIYKGGWD PYVG
587	1326	883	541	RDERAKVPFRSTEG\GRRRRRRMEAVVVFVSLDCCALIFLSV YFIITLSDLECDYINARSCCSKLNKWIPELIGHTIVTVLLLM SLHWFIFLLNLPVATWNIYRYIMVPSGNMGVDFPTEIHNRGQL KSHMKEAMIKLGFHLLCFMYLYSMILALIND
588	1327	1126	732	QSPGHGAPCQLSSSHSRNRLSPMARATLSAAPS NPRLLRVA LLLLLLVAASRAAGAPLATELRCQCLQTLQIHLKNIQSVKV KSPGPHCAQTEVIATLKNQKACLNPASPMVKKIEKMLKNGK SN
589	1328	197	330	HPLSLVFLALNTGKKEKSHPGGGGERPGLAGQGE PDHPAGARDG R
590	1329	1	1575	CTPVARSMATTATCTRFDDYQLFEELGKGAFSVVRRRCVKKTS TOEYAAKIINTKKSARDHQKLEREARICRLKHPNIVRLHDS ISEEGFHLYVFDLVTGGELFEDIVAREYYSEADASHCIHQILE SVNHIHQHDIVHRDLKPENLLLASKCKGAAVKLADFGLAIEVQ GEQQAWFGFAGTPGYLSPVLRKDPYKPVDIWACGVILYILL VGYPFWDEDQHKLYQKIKAGAYDFPSPEWDTVTPEAKNLINQ MLTINPAKRITADQALKHPWVCQRSTVASMMHRQETVECLRKF NARRKLGAILTTMLVSRNFSAAKSLLNKKS DGGVVKPQSNNKN SLVSPAQEPAPLQTAMEPQTTVVHNATDGIKSTESCNTTTED EDLKVRKQEI IKITEQLIRAINNGDFEAYTRKICDPGLTSFEPE ALGNLVEGMDFFHKFYFENLLSKNSKPIHTTILNPHVHVIGEDA ACIAYIRLTQYIDGQGRPRTSQSEETRVWHRDGGKWLNVHYHC SGAPAAPLQ
591	1330	17	636	NRRTVKMLLELSEEHKEHLAFLPQVDSAVVAEFGRIAVEFLRR GANPKIYEGAARKLNVSSDTVQHGEGLTYLLTESKLMISEL DFQDSVFLVGFSEELNKLQLYLDNRKEIRTI LSEL\APSLP SYHNLEWRLDVQLASRSLRQKPAVTIKLHLNQNQGDHNTKVL QTDPATLLHLVQOLEQALEMKTNHCRVRVRIK
592	1331	1	237	GTSTYLAHRVA\RAWELAQFIHHTSKKADVVLACGDSIVHPED LICCPITGRSCLCDVHLLSLLARLGRGYAVSLTNL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
593	1332	2506	1684	RGCGSCGYKPSAGPAWRPRPPFAVSPLRHPEPAKVLFSFSSCPL PALGRTGPRSARAQSLTMASLFKKKTVDVVIKEQNRELRTGTO RAIIRDRAALEKQEKQLELEIKKMAKIGNKEACKVLAKQLVHL RKQKTRTFVAVSSKVTSMSTQTKVMNSQMKMAGAMSTTAKTMOA VNKMDPQKTLQTMQNFQKENMKMEMTEEMINDTLDDIFDGS DEESQDIVNQVLDEIGIEISGKMAKAPSAARSLPSASTSKAT ISDEEIERQLKALGVD
594	1333	905	432	STDGNGAERLFAELRKMNARGLGSELKDSIPVTELSASGPFES HDLLRKGFS CVKNELLP SHPLELSEKNFQLNQDKMNFSTLRNI QGLFAPLKLQMEFKAVQQVQRLPFLSSSNLSLDVLRGNDETIG FEDI LN D P S Q S E V M G E P H L M V E Y K L G L L
595	1334	111	117	RNMKLYVAVLTLAIFLMTLWLPESLSCNKALCASDVSCKLIQ ELCQCRPGEGNCSCCKEMLCLGALWDECCDVGMCNPRNYS TPPTSKSTVEELHEPIPSLFRALTEGDTQLNWNIVSFPVAEEL SHHENLVSFLETVNQPHQNVSVPSNNVHAPYSSDK/E*LPTV DFPHSAPSCGLSM*SIIFFEET
596	1335	817	278	VGGVPTWLEGCGSGNPSPRSGGGPGARLTLPALQMTVHNLVLF DRNGVCLHYSEWHRKQAGIPKEEYKLMYGMFLSIRSFVSKM SPLDMKDGFLAFQTSRYKLHYETPTGKIVVMNTDLGVGPIRD VLHHIYSALYVELVVKNPCLPLGQTVQSELFRSLDSYVRS L P F F S A R A G
597	1336	171	881	PGLSQEPGSGMETVVIVAIGVLATIFLASFAALVLCRQRYCR PRDLLQRYDSKPIVDLIGAMETQSEPSELELDDVVITNPHIEA ILENEDWIEDASGLMSHCIAILKICHTLTKLVAMTMGSGAKM KTSASVSDIIVVAKRISPRVDDVVKSMYPPPLDPKLLDARTAL LLSVSHLVTRNACHLTGGLDWIDQSLSAEEHLEVLREAA L A S E P D K G L P G P E G F L Q E S A I
598	1337	1078	594	VGMELPAVNLKVILLGHWLLTTWGCIVFSGSYAWANFTILALG VWAVAQRSDAISMFLGGLLATIFLDIVHISIFYPRVSLTDT GRFGVGMALISLLLKPLSCCFVYHMYRERGGELLVHTGFLGSS QDRSAYQTIDSAEAPADPFAVPEGRSQDARGY
599	1338	717	116	PASRPLLGPDGTSVANI FKGLVILPEMSLVIRNLQRVIPIRRA PLRSKIEIVRRILGVQKFDLGIICVDNKNIQHINRIYDRNVP TDVLSFPFHEHLKAGEFPQDFPDDYNLGDIFLGVVEYIFHQCK ENEDYNDVLTVTATHGLCHLLGFTHGTEAEWQQMFQKEKAVLD ELGRRTGTRLQPLTPGPLPEGAEGRVVF
600	1339	1	804	LRNALDVLHREVPRVLVNLVDFLNPTIMRQVFLGNPKCPVQQ A/MLEPLGSKTETLDLRAEMPITCPTQNEPFLRTPRNSNYTYP IKPAIENWGSDFLCTEWKASNSVPTSVHQLRPADIKVVAALGD SLTTAVGARPNSSDLPTSWRGLSWSIGGDGNLETHHTLNLIL KKFNPYLLGFSTSTWEGTAGLNVAEAGARARDMPAQAWDLVER MKNSPDINLEKDWKLVTLFIGGNDLCHYCENPEAHLATEYVQH IQQALDILSE

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
601	1340	1	860	VVEFLWSRRPSGSSDPRRRPASKQMMEEERANLMHMMKLSIK VLLQSALSLSGRSLDADHAPLQQFFVMEHCLKHGLKVKSFIG QNKSFPGPLELVEKLCPEASDIATSVRNLPKLTAVGRRAWL YLALMOKKLADYLVKVLIDNKHLLSEFYEPALMEEEGMVI LLVGLNVLDANL\CLKGEDLDSQVGVIDFSLYLKDVQDLGGK EHERITDVLQKNYVEELNRHLSCTVGDLOTKIDGLEKTNL QERVSAATDRICSLQEEQQQLREQNELIR
602	1341	60	762	KPEGARRVQFVMGLFGKTQEKPPKELVNEWSLKIRKEMRVDR QIRDIQREEEKVKRSVKDAAKGQKDVCIVLAKEMIRSRKAVS KLYASKAHMNSVLMGMKNQLAVLRVAGSLQKSTEVKAMQSLV KIPEIQATMRELSKEMMKAGIEEMLEDTFESMDDQEEEMEEA EMEIDRILFEITAGALGKAPSKVTDALPEPEPPGAMAASEDEE EEEEALEAMQSRLATLRS
603	1342	3	456	RWNSIMELALLCGLVVMAGVPIPIQGGILNLNKMVKQVTGKMPI LSYWPYGCHCGLGGRGPKDATDWCCQTHDCCYDHLKTQGGCI YKDYRYNFSQGNIHCSDKGSWCEQQLCACDKEVAFCLKRNL TYQKRLRFYWRPHCRGQTPGC
604	1343	249	632	KTVAEEASVGNPEGAFMKMLQARKQHMSTELTIESEAPSDSSG INLSGFSGEQLDTNDES DVSSALSYILPYLSLRNLGAESILLP FTEQLFSNVQDGDRLLSILKNNRKSQSSLLGNKFKNKIF
605	1344	2	382	LPLTLLLAAPFAHLLPPGHQSPCWHPPALSPGTLGPLSWA MANSGLQLLGYFLALGGWVGIIASTALPQWKQSSYAGDASIQ LSKVFVLESEWGGDSLGLPRDCGWSCLLHSAVRSEKGFWS
606	1345	2	987	DPRVREPPELLQPPPLPRLVILKMAPLDDLKVEIARLCKYLP ENDLKRLCDYVCDLLEESNVQPVSTPVTVCGDHGHQFYDLCE LFRGTGGQVPDNYIFMGDFVDRGYYSLETFTYLLALKAKWDR ITLLRGNHESRQITQVYGFYDECQTKYGNANAWRYCTKVFDML TVAALIDEQILCVHGGLSPDIKTLQIRTIERNQEI PHKGAF DLVWSDPEDVDTWAI SPRGAGWLFGAKVTNEFVHINNKLICR AHQLVHEGYKFMFDEKLVTVWSAPNYCYRCGNIASIMVFKD VNTREP KLFRAVPDSERVI PPRTTTPYFL
607	1346	10	768	SFAGAAARPSTPPASGRGAAPGRPGPSPMDLRAGDSWGM LACLCTVLWHLEPAVPALNRTGDPGPGPSIQKTYDLTRYL EHQLRSLA GTYLNYLGPFFNEPDPNPRLGAETLPRATV DLEWVRSNDKRLTQNYEAYSHLLCYLRGLNRQAATAEL RRSLAHFCTSLQGLLGS IAGVMAALGYPLPQPLPGTE PTWTPGPAHSDFLQKMDDFWL LKELQTLWRS AKDFNRLKKKMPPAAAVTLHLGAHGF
608	1347	114	700	IKISLKKRSMGSGCFFLWGLLALLGLALVISLIFNISHYV EKQRQDKMYSYSSDHTRVDEYI EDTP IYGNLDDMI SEPMDEN CYEQMKARPEKSVNKMQEATPSAQATNET QMCYASLDHSVKGK RRPKRQNTHFSKDKGDEQL HAIDASVSKTTLVDSFSPESQAV EENIHDDP IRLFLIRAKREPIN

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
609	1348	2	807	VEFHPQARARAGARAPSMGVLLTQRTLLSLVLALLFPPSMASMAA IGSCSKEYRVLLGQLQKQTDLMQDTSRLLDPYIRIQGLDVPKL REHCRERPGAFPSEETLRGLGRRCFLQTLNATLGCVLHRLADL EQRLPKAQDLERSGLNIEDLEKIQMARPNILGLRNNIYCMQQL LDNSDTAEPTKAGRGASQPPTPTPASDAFQRKLEGCRFLHGYP RFMHSVGRVFSKWGESPNRSRRHSPHQALRKGVRRTPRSRKGG RLMTRGQLPR
610	1349	2	418	DFPGRFRRLVWLLVLRLPWRVPGQLDPTTGRRFSEHKLCADDE CSMLMYRGEALEDFTGPDRCRFVNFKKGDPVYVYKLAGWPEV WAGSVGRTFGYFPKDLIQVVHEYTKKEELQVPTNETDFVCFDGG RDDFHNYNV
611	1350	823	115	SPLGKEGQEEVVRVKIKDLNEHIVCCLCAGYFVDATTITECLHT FCKSCIVKYLQTSKYCPMCNIKIHTQPLLNKLDVRVMDIVY KLVPGLQDSEEKRIREFYQSRGLDRVTQPTGEEPALSNLGLPF SSFDHSAHYRYDEQLNLCLERLSSGKDKNKSVLQNKYVRCV VRAEVRHLRRVLRHMLNLPQHVQLLFDNEVLPDEMTMKQIWL SRWFGKPSPLLLQYSVKEKRR
612	1351	9	545	LWWYSAHAADVAMMDVFGVGFPSKVPWKKMSAELENOYCPSR WVRLGAEALRTYSQIGIEATTRARATRKSLLHVPYGDGEGE KVDIYFPDESSEATTRARATRKSLLHVPYGDGEGEKVDIYFPD ESSEALPFFLFFHGGYWQSGRHPGPHGRPGDPQRCVCEAVSK QQAFSW
613	1352	49	902	GVRMASRGRRPEHGGPPELFYDETEARKYVRNSRMIDIQTRMA GRALELLYLLENKPCYLLDIGCGTGLSGSYLSDEGHYWGGLDI SPAMLDEAVDREIEGDLGDMGQGIPIPKPGTDFDGCISISAVQ WLCNANKKSENPAKRLYCFASLFSVLVRGSRVAVLQLYPENSE QLELITQATKAGFSGGMVVDYPNSAKAKKPYLCLFSGPSTFI PEGLSENQDEVEPRESVFTNERFPLRMSRRGMVRKSRVAVLEK KERHRRQGREVRPDTQYTGRKRKPRF
614	1353	1960	871	TLICRMAGCGEIDHSINMLPTNRKANESCSNTAPSLTVPECAI CLQTCVHPVSLPCKHVFCYLCVKGASWLGKRCALCRQEIPEDF LDKPTLLSPEELKAASRGNGEYAWYEGRNGWQYDERTSREL EDAFSGKKNTEMLIAGFLYVADLENMVQYRRNEHGRRRKIKR DIIDIPKGVAGLRLDCDANTVNLARESSADGADSVSAQSGAS VQPLVSSVREPLTSVDGQLTSPATPSPDASTSLEDSFAHLQSG DNTAERSHRGEGEEDHESPSSGRVPAPDTSIEETESDASSDSE DVS AVVAQHSLTQQRLLVSNANQTVPDRSDRSRGTDRSVAGGGT VSVSVRSRRPDGQCTVTEV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
615	1354	5653	4549	GATPLGSLVGGRTGKMDAATLTYPDTLRFAEFEDFPETSEPVWIL GRKYSIFTEKDEILSDVASRLWFYRKNFPAIGGTGPTSDTGW GCMLRCGQMIFAQALVCRHLGRDWRWTQRKRQPDYSFVNLNAF IDRKDSYYSIHQIAQMGVGEKSGIQWYGPNTVAQVLKKLAVF DTWSSLAVHIAMDNTVVMEEIRRLCRTSVPCAGATAFPADSDR HCNGFPAGAEVTNRPSWRPLVLLIPLRLGLTDINEAYVETLK HCFMMPQSLGVIGGKPNSEAHYFIGVGEELIYLDPHTTQPAVE PTDGCIFPDESFCQHPPCRMSIAELDPSIAVVRGGHLSQAF GAECCLGMTRKTFGFLRFFFSMLG
616	1355	416	65	PTTSNRAITLTAWPKIPFLGICEAKNPRSENMRLATILEVACH HLGSGPPPSWELWEQPPGNSSRYIEFLNKHTYIKGTLRVYTK KFCMLVIKSFESKSCVCVYDFDSKSSVNVTV
617	1356	2	382	PRVFRLLHVTSIRSAWILCGIWIWILIMASSIMLLDSGSEQNG SVTSCLELNLKYIAKLOTVNYIALVVGCLLPFFTLISICYLLII RVLLKVEVPESGLRVSHRKALTTIIITLIIFFLCFLPYHT
618	1357	3	672	GRHWLGS AOLTDGGSARKPKMAVPAALILRESPSMKRAVSLIN AIDTGRFPRLLTRILQKLHLKAESSFSEEEEEKLAQAFSLEKQ DLHLVLETISFILEQAVYHNVKPAALQQQLENIHLRQDKAEAF VNTWSSMGQETVEKFRQRILAPCKLETVGWQLNLQMAHSAQAK LKSPQAVLQLGVNNEDESKSLEKVLVEFSHKELDFDYNKLETIQ AQLDSL T
619	1358	557	208	EASSAKTKRKEEKGPKAKMKMLVLFVTIGLTL LLGVQAMPANR LSCYRKILKDHNCHNLP EGVADLTQIDVNVQDHFWDGKGCEMI CYCNFSELLCCPKDVFFGPKISFVIPCNNQ
620	1359	335	1735	KMAEAVFHAPKRRVYETYESPLPIPFQDGHGPKLKEFKIFRA EMINNNVIVRNAEDIEQLYGKGYFGKGLSRSRPSFTISDPKL VAKWKDMKTNMPIITSKRYQHSVEWAAELMRRQGDDESTVRR I LKDYTKPLEHPPVKRNEEAQVHDKLNSGMVSNMEGTAGGERPS VVNGDSGKSGGVGDPREPLGCLQEGSGCHPTTESFEKSVREDA SPLPHVCCCKQDALILQRGLHHEDGSGHIGLLHPGDRGPDHEY VLVEEAECAMSEREAAPNEELVQRNRLICRRNPYRIFEYLQLS LEEAFFLVYALGCLSIYYEKEPLTIVKLWKAFTVVQPTFRTTY MAYHYFRSKGWVPKVGKLYGTDLLLYRKGPPFYHASYSVIL VDDHFEGLRRLRPLSWKSLAALSRSVSVNVSKEMLMLCYLIKPSTM TDKEMESPECMKRIKVQEVILSRWVSSRERSDQDDL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
621	1360	5693	4435	RDIWTMNLQRYWGEIPISSSQTNRSSFDLLPREFRLVEVHDPPLHQPSANKPKPPTMLDIPSEPCSLTIHTIQLIQHNRRRLNLIA TAQAQNOQQTEGVKTESESEPLPSCPGSPPLPDDLLPLDCKNPN APFQIRHSDPESDFYRGKGEVTELSWHSCRQLLYQAVATILA HAGFDCANESVLETLTDVAHEYCLKFTKLLRFAVDREARLGQT PFPDVMQVFHEVGIGSVLSLQKFWQHR IKDYHSYMLQISKQL SEEYERIVNPEKATEDAKPVKIKEEPVSDITFPVSEELEADLA SGDQSLPMGVLGAQSERFPSNLEVEASPQASSAEVNASPLWNL AHVKMEPQESEEGNVSGHGVLSGDVFEPEMSGMSEAGIPQSPD DSDSSYGSHSTDLSMGSSPVFNQRCKKMRKI
622	1361	15	678	REQILFIEIRD TAKGGETE QPPSLSPLHGGRMPEMGEIQSLA RETQSHRGRRGWDATWVTRCRESLNRGGAGAGKRAGALAHHV FLALIEPNLAEREASEEEVKACSDETVVADLLVKVVYVLGAIL KIFLREGNVLNQHSMDIEKYSEHYQHDHSPGAEDDAAGGQLR PTAQERRHKEGSRGSPRCKRARKAVGESPGCPRPRVRPRVRPR
623	1362	1080	835	GTRGCCREGTAYAKAYQFMASHLSLGKPVSTGSI PRFNKALFN KQAKCKPNHYSFIGLSMLS PENFSGCKYSWVFPSETKGF
624	1363	872	441	GAQGVVVGIGEVGRVQAPRVSLLSQGVPRGGTGEAVKEEGRG SSLHPPPLPPQGLGEYAAQCQSHAFMKGVFTFVTGTGMAFGLQMF IQRKFPYPLQWLLVAVVAGSVVSYGVTRVESEKCNLWLFLE TGQLPKDRSTDQRS
625	1364	1	585	GTSELLCIQRWNWGPAPPPRGLALAPTLQLLVEMGSAKSVPV TPARPPPHNKHARVADPRSPSAGILRTPIQVESSPQPLPAG EQLEGLKHAQSDPRSPLGKN*GHGWQVGGSDLGSPQPLPPS ASHL/YSSRASRCSQPPCLSLPWFGVRRSSPANTYHVPVTSLCP SPALHYTALQAGIISTSQARAPR
626	1365	36	381	PLLLPRFIDIPCLLCYLTQVTPDDMYAKAFLIKPNTAITGTDR RKL\RADETTDFP\TLGTDQIYELLPKDELNIVKSNNAHKRDA *TAYVSGENHILSEP*KNLYPAVNTLSSYP
627	1366	763	1003	SRQPPPLTMVFLLEFLFLVFFPGCVNQLLSYPWQGGTSLW SSLSFHWLLPQEDSSRLSIFPLRAGSPQPAQAPQRI
628	1367	296	1199	KSREQSSLFAADAERSWGGKSCCLLRWRVFGKASHFPRLPLP GEERPETKERAWKMEQTWTRDYFAEDDGEMVPRTSHTA/ASVS LTAFLSDTKDRGPPVQSQIWRSGEKVPFVQTYSLRAFEKPPQV QTQALRDFEKHLNDLKKNFSLKLLIYFLEERMQQKYEASRED IYKRNTTELKVEVESLKRELQDKKQHLDKTWADVENLNSQNEAE LRRQFEERQQEMEHVYELLENKMQLLQEESSLAKNEARMAAL VEAKECNLELSEKLGVTKNWEDVPGDQVKPDQYTEALAQRD K

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
629	1368	191	1116	TRRRGTTWRSRPRRRASTRPSTRPRGVASWPWETAGTATTGPGPSARTRRRAARRRRSRPRRAHGGLSQPAGWQSLLSFTILFLAWLAGFSSRLFAVIRFESIIEFDPWFNVRSTHHLASHGFYEFLNWFERAWYPLGRIVGGTVYPGLMITAGLIHWILNTLNTIVHIRDVCVFLAPTFSGLTISISTFLLTRELWNQAGALLAACFIAIVPGYISRSVAGSFDNEGIAIFALQFTYYLWVKSVKTGSVFWTMCCLSYFYMVSAWGGYVFIINLIPLHAFVLVLM/Q/RYSKRVYI*YSTFYIVG
630	1369	852	214	RRLIVVLSDAFLSRAWCSHSF/RVGPARGWVGPSVAPTPLTVP PRREGLCRLELTRRPIFITFEGQRDPAPALRLLRQHRHLV TLLLRPGSVTPSSDFWKEVQLALPRKVRYPVEGDPQTQLQD DKDPMILIRGRVPEGRALDSEVDPDPEGDLGVRGPVFGEPSAP PHTSGVSLGESRSSEVDVSDLGSRNYSARTDFYCLVSKDDM
631	1370	246	1091	LSHEGWRRGREGERINSSVASLAPLCILPDLPSNMHLARLVGS CSLLLLLGGALSGWAASDDPIEKVIEGINRGLSNAEVEVGKALD GINSGITHAGREVEKVFNGLSNMGSHTGKELDKGVQGLNHGMD KVAHEINHIGIQAGKEAEKLGHGVNNAAGQAGKEADKAVQGFH TGVHQAGKEAEKLGQGVNHAADQAGKEVEKLGQGAHHAAGQAG KELQNAHNGVNQASKEANQLLNGNHQSGSSSHQGGATTTPLAS GASVNTPFINLPALWRSVANIMP
632	1371	3150	2792	SASGGLGMTVEGPEGSEREHRPPEKPPRPPRPLHLSDRSFRRK KDSVESHPTWVDDTRIDADAIVEKIVQSQDFTDGSNTEDSNLR LFVSRDGSATLSGIQLATRVSSEGVEPVVIESH
633	1372	667	993	ERSGWPPQEGTVTAQGPLFWERLSGAVTVSSGYKADMWPSFPQ \VRVGSFLFGILFFSFGSSSLPPGLPPPASLLCCAVQWGARAL FLPCLKERALGMEMRNNTLSFRQ
634	1373	636	2	SSSNLRLSFLINENILGKCFRSGPSCAGPRISPLAAQYECPRP SLLIMASVPKTNKIEPRYSIIPSCGI\RRLGPALNTLIF\QS KRFGRG\HSAKSIEGAPRGKGRGRAVARLAADRPPAPKIQLR AF*LQQL*YTLLELELPRLLAPDLPSNGSSSLKDLKWTSHNYRA SKESCIVIF\VTTSPGREWVICALAAFLGCGS\LSQAPSPES
635	1374	61	519	LRIINTYFCFKFLIVNYIHGTTKARKPHVLGESLISAMSRQEP KMFVLLYVTSFAICASGQPRGNQLKGENYSPRYICSIPGLPGP PGPPGANGSPGPHGRIGLPRDGRDGRKGEKGEKGTAGLRGKT GPLGLAGEKGDQGETGKKGPIGPE
636	1375	129	579	FASAMLGSRVDRPKLSVAPSVVLEEDQVLVSPAVDLEAGCRLR DFTEKIMNVKGVILSMLVSTVIIVFWEFINSTEKGSFLWIYH SKNPEVDDSSAQKGGWFLSWFNNGIHNYYQQGEEDIDKEKGREE TKGRKMTQOSFGYGTGLIQT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
637	1376	127	1376	GSHRFSLASPLDPEVGPYCDTPTMRTLFLNLLWLALACSPVHTT LSKSDAKKAASKTLLEKSQFSDKPVQDRGLVVDLKAESVLE HRSYCSAKARDRHAFAGDVLGYVTPWNHSHGYDVTKVFSGKFTQI SPVWLQKRRGREMFVETGLHDVDQGWRAVRKHAKGLHIVPR LLFEDWTYDDFRNVLDSEDEIEELSKTVVQVAKNQHFDFVVE VWNQLLSQKRVGLIHMLTHLAEALHQARLLALLVIPPATPGT DQLGMFTHKEFEQLAPVLDGFSLMTYDYSTAHPQGNAPLSWV RACVQVLDPKSKWRSKILLGLNFYGM DYATSKDAREPVVGARY IOTLKDHRPRMVWDSQVSEHFFFEYKKSRSRGRHVVFYPTLKSLO VRLELARELGVGVSIWELGQGLDYFYDLL
638	1377	998	48	GREGTGWGFAMSEVTRSLLRWGWASFRRGADFDSWGQVLEAID EYQILARHLQKEAQAQHNNSEFTEEQKKTIGKIATCLELRSAA LQSTQSQEEFKLEDLKKLEPILKNILTYNKEFPFDVQPVPLRR ILAPGEEENLEFEDEEEGGAGAGSPDSFPARVPGTLLPRLPS EPGMTLLTIRIEKIGLKDAGQCINPYITVSVKDLNGIDLTPVQ DTPVASRKEDTYVHFVNDIELQKHVEKLTGAAIFFEFKHYKP KKRFTSTKCFAMMEMDEIKLGPVIVELYKKPTDFKRKQLQLLT KKPLYLHLHQTLHKE
639	1378	1298	1569	GSITSEPSLDSLQPLPPGFKRFSCLSLPSSWDYRRPPGLAYF CIFSRDEVSPCWPGCSPSPDLMIRLPRPPSVGITGVSHRAWPT IDNF
640	1379	196	1197	KMPVPWFLLSLALGRSPVLSLERLVGPQDATHCSPGLSCLRW DSDILCLPGDIVPAPGPVLAPTHLQTELVLRCQKETDCDCLR VAVHLAVHGHWEPEDEEKFGGAADSGVEEPRNASLQAQVVL FQAYPTARCVLLEVPVPAALVQFGQSVGSVVYDCFEAALGSEV RIWSYTPRVEKELNHTQQLPDCRGLEVWNSIPSCWALPWLNV SADGDNVHLVNLVSEEQHFGLSLYWNQVQGGPPKPRWHKLNLRP PPSQVHSHCRP\CLCK\DAVPYQRGSLKRTHPKQKIGGGTSA FLVSLTLASSSSLSPTSFLYLFRHLDRRSLP
641	1380	756	1110	LRLWNRNQMMHNIIVKELIVTFFLGITVVQMLISVTGLKGVEA QNGSESEVFGKYETLVFYWPSLLCLAFLLGRFLHMFVKALRV HLGWELQVEEKSVEVHQGEHVKQLLRIPRP
642	1381	631	1278	KVNRKLRKKGKISHDKRKRKSRKAIGSDTSDIVHIWCPEGMKT SDIKELNIVLPEFEKTHLEHQORIESKVCAAIATFYVNVKEQ FIKMLKESQMLTNLKRKNAMISDIEKKRQRMIEVQDELLRLE PQLKQLQTKYDELKERKSSLRNAAYFLSNLKQLYQDYSDVQAQ EPNVKETYDSSSLPALLFKARTLLGAESHLRNINHOLEKLLDQ G
643	1382	1167	755	VVAMEEPPVREEE*EEGEEDEERDEVGPEGALGKSPFQLTAE DVYDISYLLGRELMAIGSDPRVTQLQFKVVRVLEMLEALVNEG SLALEELKMERDHLRKEVEGLRRQSPPASGEWPDSTKRRPRRK KRRKCCGY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
644	1383	1	271	PRNDHRLTQSRDDSSSKTRAFVLPFRFLPAHAGVTSEERTAMKR EGGAAHLCDSDLPESQQQDGNHAPNFSSHGSCRRRQRRRHDKA LHAR
645	1384	1	499	THASEKSRATMSSWSRQRPKSPGGIQPHVSRTLFLLLLLAASA WGVTLSPKDCQVFRSDHGSSISCQPPAEIPGYLPADTVHLAVE FFNLTHLPANLLQGASKLQELHLSSNGLESLSPEFLRPVQPQR VLDLTRNALTGLPPGLFQASATLDTLVLKENQLEVLE
646	1385	178	675	ERPRIMDLAGLLKSQLCHLVFCYVFIASGLIINTIQLFLLLL WPINKQLFRKINCRLSYCISSQLVMLLEWWSGTECTIFTDPPRA YLKYGKENAIVVLNHF\EI\DFLCGWSLSERFGLLGVSQKCI PPCLTHFFGSAPPLVFLLLVIQNLQKNQOSFYLMKWS
647	1386	630	1499	MIVFGWAVFLASRSLGQGLLLTLEEHIAHFLGTGGAATTMGNS CICRDDSSTDDSVDTQQQQAENSAVPTADTRSQRDPVRPPRR GRGPHEPRRKQNVLDGLVLDLAVIRTLVDNDQEPYSMITLH EMAETDEGWLDVVQSLIRVIPLDPLGPAVITLLLDECP LPTK DALQKLT EILNLNGEVACQDSSHPAKHRNTSAVLGCLAELKLAG PASIGLLSPGILEYLLQCLLQSHPTVMFLALIALEKFAQTSN KLTISESSISDRL\VTLESW\ANDPDYLRQVG
648	1387	1	962	RFGTRGLAKSGVVMALCALTRALRSLNAPPTVAAPAPSLF PAAQMNNGLLQPPSALMLLPCRPVLT SVALNANFVSWKSRTK YTITPVKMRKSGGRDHTGRIRVHGIGGGHKQRYRMIDFLRFRP EETKSGPFEEKVIQVRYDPCRSADIALVAGGSRRKRWIATENM QAGDTILNSNHIGRMAVAAREGDAHPLGALPVGTLINNVESEP GRGAQYIRAAGTCGVLLRKVNGTAIQLP SKRQMQVLET CVAT VGRVSNVDHNKRVIGKAGRNRWLGKRPNSGRWHRKGGWAGRKI RPLPPMKS YVKLPSASAQS
649	1388	291	714	PVQGARCWLDARRNVRVFGVCCGCGIHGYWAEPCGGCGAMEG LRSSVELDPELTPGKLDEEMVGLPPHDASPVTFHSLDGKTVV CPHFMLLLGLLLLLLTLVSRNQLCVRGERQLAETLHSQVKEKS QLIGKKTDCRD
650	1389	874	2220	GARGRPLAETWPFLTAPVLPGLQITEPTMAEKGDCIASVYGY DLGGRFVDFQPLGFGVNLVLSAVDSRACRKYAVKIALSDAR SMKHALREIKIIRRLDHDNIVKVEVGLGPKGTDLQGELFKFSV AYIVQYMETDLARLLEQGT LAEEHAKLFMYQLLRGLKYIHS NVLHRDLKPANIFISTEDLVLKI GDFGLARIVDQHYS\HKGYL SEGLVTKWYRSPRLLSPPNYTKAIDMWAAGCILAEMLTGRML FAGAHELEQMQLILETIPVIREDKDELLRVMPSFVSSSTWEVK RPLRKLLEPVNSEAIDFLEKILTFNPMDRDLTAEMGLQHPYMS YSCPEDEPTSQHPFRIEDEIDDIVLMAANQSQLSNWDTCSSRY PVSLSSDLEWRPDRCDASEVQRDPRAGSAPLAENVQVDPKID SHSSASACQAGRNGVSRVQ

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
651	1390	1	2451	MRTLGTCLATLAGLLLTAAGETFSGGCLFDEPYSTCGYSQSEG DDFNWEQVNTLTKPTSDPWWMPGSGFMLVNASGRPEQRAHLLL PQLKENDTHCIDFHYFVSSKSNPPGLLNVYVKVNNGLGNPI WNISGDPTRTWNRAELAISTFWPNFYQVIFEVITSGHQGYLAI DEVKVLGHPCTRTPHFLRIQNVEVNAGQFATFQCSAIGRTVAG DRLWLQGDIVRDAPLKEIKVTSSRRFIASFNVVNTTKRDAGKY RCMI\RTEGGVGISNYAEL\VVKEPPVPIAPPQLASVGATYLVW IQLNANSINGDGPVAREVEYCTASGSWDRQPV DSTSYKIGH LDPDTEYEISVLLTRPGEGETGSPGALRTRTKCADPMRGRK LEVVEVKSQRQITIRWEPFGYNVTRCHSYNLTVHYCYQVGGQEQ VREEVSWDTENSHPOHTITNLSPTYNVSVKLLIMNPEGRKESQ ELIVQTDDELPGAVPTESIQGSTFEEKIFLQWREPTQTYGVIT LYEITYKAVSSFDPEIDLNSQSGRVSKLGNETHFLFGLYPGT TYSFTIRASTAKGFGPPATNQFTTKISAPSMPAYELETPLNQT DNTVTVMLKPAHSRGAPVSVYQIVVEEERPRRTKKTTEILKCY PVPPIHFQNASLLNSQYYFAAEFPADSLQAAQPFITGDNKTYNG YWNTPLLPYKSYRIYFQAASRANGETKIDCVQVATKGAATPKP VPEPEKQTDHTVKIAGVIAGILLFVIFLGVVLMKKRLYKKG ASICSASGEASGSFQSWRKAKHKQACPMARAGARAGGCKLKL
652	1391	30	459	GIRQLQLSRASMAARKSWTALRLCATVVVLDMVCKGFVQDL DESFKENRNDIWL VHFYAPWCCHCKLEPIWNEAGLEMKSIG SPVKAGKMDATSYSSIASEFGVGRGYPTIKLALIRPLPSQQMFE HMKRHRVFPVYV
653	1392	168	1016	GLVIVISHFSPSPGLLPATQSPAMSDPITLNVGGKLYTTSLAT LTSFPDSMLGAMFSGKMPKTRDSQGNCFIDRDGKVFRIYILNFL RTSHLDLPEDFQEMGLLRREADFYQVQPLIEALQEKEVELSKA EKNAMLNITLNQRVQTVHFTVREAPQIYSLSSSSMEVFNANIF STSCLFLKLLGSKLFYCSNGNLSSITSHLQDPNHLTLDWVANV EGLPEEEYTKQNLKRLWVVPANKQINSFQVFVEVLKIALSDG FCIDSSHPHALDFMNNKIIRLIRY
654	1393	3	927	SCADNLVAASGGCWFVLGERRAGSLLSASVGTFFAMPGMVLFGR RWAIASDDLVPFGFFELVVRVLWVWIGILTLYLMHRGKLD CAGG ALLSSYLIVLMILLAVVICTVSAIMCVSMRGTICNPGPRKSMS KLLYIRLALFFPEMVWASLGAAWVADGVQCDRTVVNGIIATVV VSWIIAATVVSIIIVFDPLGGKMAPYSSAGPSHLDSDHSSQL LNGLKTAATSVMETRIKLLCCIGKDDHTRVAFSSTAELFSTY FSDTDLVPSDIAAGLALLHQQDNIRNNQ\DLPRWSAMPQ GAP RKL IWMQN
655	1394	1	716	FRAATAAAKNGGGGGGRAGAGDASGTRKKKGPGLATAYLVIIY NVVMTAGWLVIAGVLRAYLAKGSYHSLYSIEKPLKFFQTGA LLEILHCAIGIVPSSVVLTSFQVMSRVFLIWA VTHSVKEVQSE DSVL\FVIAWTITEIIRYSFYTFSLNHLPYLIKRAYTFLFIV LYPMGVSGELLTIYAALPFVRQAGLYSISLPNSTKKIFLISQV WWHMLAVSADAKAAEMPAVLKPGP

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
656	1395	72	766	MLTGVGCLVSSSELSVCVQCNSWEKSCVNSTIASECPSHANTSCI SSSASSSLETPVRLYQNMFCSAENCSEETHITAFTHVHSAEEH FHFVSQCCEGKECSNTSDALDPLKKNVSSNAECPACYESNGTS CRGKPKWCYEEEQCVFLVAELKNDIESKSLVLKGCNSVSNATC QFLSGENKTLGGVIFRKFEKANVNSLTPTSAPTTHSHVNGSKAS LYLLALASLLLRGLLP
657	1396	97	746	VPARRRAMEIGTEISRKIRSAIKGKLQELGAYVDEELPDYIMV MVANKKSQDQMTEDLSLFLGNNTIRFTVWLHGVLDKLRSVTTE PSSLLKSSDTNIFDSNVPSNKS NFRSGDERRHEAAVPL\AIPS ARPEKRSRVSTSSQESKTTNVRQTYDDGAATRLMSTV/KPLR EPAPSEDVIDIKPEPDDLIDEDLNRFVQEKPLSQKKPTVTLTYG SSR
658	1397	155	560	ASRVLAAVMGLPWGQPHLGLQMLLLALNWLRLPSLSLELVPTP QITAWDLEGKVTATTFSLQPRCVFDGLASASDTVWLVVAFSN ASRGFQNPETLADIPASPQLLTDGHYMTLPLSPDQLPCGDPMA GSGSAP
659	1398	416	539	NSLNNFFETESCCVAQAGVQWRDLGSLQAPPPGFKRFSCL
660	1399	281	736	KSLPLQKHPKPSQEDQGLGRGSLSGHSPLTLLTFLTSCALGD QQLLPPRTSGSLCQESMSEQSCOMSELRLLLLKGCRSGKSATG NAILGKHVFKSKFSDQTVIKMCQRESWVLRERKVVVIDTPDLF SSIACAEDKQRNIQHLELSAP
661	1400	2	974	FVETTVSVQSAESSDALSWRLPRALASVGPPEARSGAPVGGG RWQLSDRVEGGSPTLGLLGGSPSAQPGTGNVEAGIPSGRMLEP LPCWDAAKDLKEPQCPPGDRVGVQPNSRVWQGTMEKAGLAWT RGTGVQSEGTWESQRQSDALPSELLPQDQDKPFLRKACSPS NIPAVIITDMGTQEDGALEETQGS PRGNLPLRKLSSSASSTG FSSSYEDSEEDISSDPERTLDPNSAFLHTLDQKPRVVESRSV TQAGVQWHDIGSLQPLPP/WIQAIL/HASAFRIAGTTGACHHA RIIFGLVERGFHHVGDGLYLLIL
662	1401	232	3	KICSSYFLRIICILQKEAQEASNLVTS CDFFPSPAFYFVIYRLY NFKIHWPGAVAHTYSPSTLGGGRWVT*GREFM
663	1402	250	556	LILSLPLLYGHLKSYTFPSEHYLHLLQTFATFNKYLNVCVLIF IHHKPVVPAIQGTNVGGSLEPRRLRLQQAMIVPLHFGNGNRVR PCLKQQQQQQQQK
664	1403	1	373	RMETKPVITCLKTLLIYSFVFWITGVILLAAGVWGKLTGGSY ISLIAENSTYAPYVLIIVTGTIVAYPLV*FFFSYSSGFSYILA VRLIAGIALVYNYIPRSSRALVRLVLLRFLLSRHPS
665	1404	3	413	NAEHPGMDRDLQCQAKLAHAERDDMAACMKTVDQGAELS NEERNLLSDAHTNAV*ARRSSWMGA*RIEQKTEGADTQQQMAP DCREIFATELRDICCDDVLSLLEKLLIPNASHA*SLVYYLHMIG DYRYWL
666	1405	2	334	GGGFLGKMPRAQLADPWQMMAVESPSDCADNGQOIMDEPMGED EISPQTE*VSIKEVAVTHCVKEGHDKADPSQIELLRVLRLQGS LGVYLGKVKVSGSDAKQLYAMKVL T

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
667	1406	2	332	DAAGIRHEAHFGKLECLVQLVRAGA\SLFVSTTRYAQTTPA\HI AAFGGHPQCLVWLIQAGANINKPDCEGETPIHKAARSGSLECI SALVANGAHVDNPNKKGIRVLEWLFE
668	1407	242	1157	LLKLMFIAELGDYDLAEHSPELVSEFRFVPIQTEEMELAI FEK WKEYRGQTPAQAEETNYLNKAKWLEMYGVDMHVVKARDGNDYSL GLTPTGVLVFEFEGDTKIGLFFWPKITRLDFKKNKLTLLVVVEDDD QGKEQEHTFVFRLDHPKACKHLWKCAVEHHAFFRLRGPVQKSS HRSGFIRLGSFRFRYSKGTEYQTTKTNKARRSTSFERRPSKRY S RRTLQMKACATKPEELSVHNNVSTQSNQSQAQWMSALPVS P SISSAPVPEIENLPQSPGTDQHDRKWL SAASDCCQRGGNQW N TRAL
669	1408	278	1	ATAPGLFNFF*FLFQCREEHKKKNPEVVPVNF AEF SKKCSGRWK TMSSKEKFKFGEMAKADEVCYDREM KDYGPAGGKKKDPNAPK RPPSGF
670	1409	139	646	AEGLGSWAVWAGLGWAGRMEAGGATGALGVGSKLPSAFCFPG SSVAMD MFQKVEKIGEGTYGVVYKAKNRETGQLVALKKIRLDL *VLGRPLSYPPWAITTWALPDPFPLSWSRPLTPLGAAQQPLPV LSPVHCLLTSLCRGPDCGVWMT CQGAQVSIAGALVILWG
671	1410	3	442	LCVSVLCSFSYLQNGWTASDPVHGYWFR\AGDHVSRNIPVATN NPVRAVQEETDRDFHLLGDPQNKDCTLSIRD TRES DAGTYVFC VERGNMKWNYKYDQLSVNVTASQDLLSRYRLEVPE SVTVQEGL CVSVP/WQCPLPPLQLDCL
672	1411	84	836	QLQLCQNCTKRGECHCVPFDYIKTKKEKKRLSVLPPTRLMEA RFSPINQILPWCQRDLAISISK AINTQEAPVKEKHARRIILGT HHEKGAFTFWSYAIGLPLPSSILSWKFCVHLHKVLRDGHPNV LHDCQRYRSNIREIGDLWGLH DRYGQLVNVTYKLLLTKISFH LKHPQFPAGLEVTDDEVLEKAAGTDVNNM*VTLHGYMASSPRLP HSFLPRLTPRRPHGAVGLNESVALLVDAHAPDRG
673	1412	307	664	AAPHRMPRAPHFMPLLLLLLLLLSLPHTQAAFPQDPLPLLISDL QGTSPLSWLPSLEDDAVAA*LG LDFQRFLTLNRTLVAARDHV FSDLQAE EEGEGLVPNKYLTWRSQDVENCAVR*KLTNRTL LVAARDHVFSFDLQAE EEGEGLVPNKYLTWRSQDVENCAVR
674	1413	24	420	HLVPKTRGRGTPSGDQSPVLTLP*GDPPTILGPQTNQPK EHL TNFKSGKRSFHSLLQPLLLL LHP SIS PFLNFGSFPFLVETEET CFIHKLKT PALVTPDSLPLVFNHCGDACLI IHPHFRDVEFHHT GN

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
675	1414	1	1101	CCSTKNI SGDKACNLMI FDTRKTRARQPNCYLFFCPN E EACPLK PAKGLMSYRIITDFPSLTRNLPSQELPQEDSLLHGQFSQAVTP LAHHHTDYSKPTDISWRDTLSQKFGSSDHLEKLFKMD EASAQL LAYKEKGHSQSSQFSSDQEI AHLLPENVSALPATVAVASPH TT SATPKPATL\PTNASVTPSGTSQPQLA\TTAPPVTTVTSQPP TTLISTVFTRAAATLQAMATTAVLTTTFQAPTDSKGSLETIPF TEISNLT LNTGNVYNPTALSMSNVESSTMNKTASWEGREASPG SSSQGSVPENQYGLPF EKWLLIGSLLFGVLFVLVIGLVLLGRIL SESLRRKRYSRLDYLINGIYVDI
676	1415	178	621	IFAGSGVMRLKISLLKEPKHQELVSCV GWT TAEELYSCSDDHH IVKWNLLTSETTQIVKLPDDIYPIDFHWFPKSLGVKKQTHAES FVLTSSDGKPHLISKLGRVEKSVEAHCGAVLAGRWNYEGTALV TVGEDGQI* IWSKTGMLIS
677	1416	1258	944	ARATTKRHFI LLFLFFLRRC\LFLSPRMECNGAILAHCNLHLP GSSSSSASAS*VAGITDVRHHAQLILFVFLVETGFHRV GQAGL KLLTSGDLLTSASQSAGIIMGISHCAQPKKAF*TKTF
678	1417	876	1291	EAGSNDLAT*KTCGRARPSSRSRQFGSRVWNHRQGVRS SPGE GAGSRSPCRRRHRRKHRRNVQSP*RRRSRSCSRRSGRCSVALL GACPVAGHSRGKVVCRRAHAITQRRRCCGFDPMVHPKEHRG*R ERSRKWSRS
679	1418	262	539	ATAPGLFNFF*FLFQCREEHKKKNPEVPVNF AEF SKKCSGRWK TMSSEKFKFGEMAKADEVCYDREM KDYGPAGGKKKDPNAPK RPPSGF
680	1419	104	236	LTVNYVLVFSRDSGLRAIENLMQKKGKFDYILLETTGLADPGK K
681	1420	3	277	HEAALCRTRAVAAERHFLRVFLFRPFRGVGTESGSESGSSKA KEPRT P SSSYGTAQYRRWPIAQEYKHCTAHNDTGTL CSELEP WRRPQ
682	1421	3	576	EGSSQANTLRSRKENRNLLACLESHVLR*QFTESHLC SLMGD NPFQPKSNSKMAELFMECEEELEPWQKKVKEVEDDDDD EPIF VGEISSSKPAISNILNRVNPSSYSRGLKNGALSRGITAAFKPT SQHYTNPTSNPVPASPINFHPESRSSDSSVIGQPF SKPVSVK TIRPAQSIGCCLSISTV
683	1422	6	627	CFSLEDILNFFLQGF SAGLFAFYHDKDGNPLTSRFADGLPPFN YSLGLYQWSDKVVRKVERLWDVRDNKIVRHTVYLLVTPRVVEE ARKHFD CPVLEGMEL ENQGGVGT ELNHWEKRLLENEAMTGSHT QNRVLSRITLALMEDTGRQMLSPYCDTLRSNPLQLT CRQDQRA VAV\CNLQKFPKPLPQEYQYFDEL SGI PAEDLPYYG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
684	1423	1	1272	AARRRQLVSRRTAE \ YPRRRSSPSARPPDVPQQPKAAKS PSPVQGGKSPRLLCIEKVT\TDKDPKEEKEEEDDSALPQEVS IA ASRPSRGWRSSRTSVSRHRDTENTRSSRSKTGSLQLICKSEPN TDQLDYDVGEEHQSPGGISSEEEEEEMLISEEEIIPFKDDP RDETYKPHLERETPKPRKSGKVKEEKEKEIKVEVEVEVKEE ENETREDEEPPKRGRRRKDDKSPRLPKRRKPKPIQYVRCEME GCGTVLAHPRYLQHHIKYQHLLKKYVCPHPSCGRLFRLQKQL LRHAKHHTDQRDYICEYCARAFKSSHNLAVHRMIHTGKPLQC EICGFTCRQKASLNWHMKHDADSFYQFSCNICGKKFEKDSV VAHKAKSHPEVLIAEALANAGALITSTDILGTNPES
685	1424	56	526	MTANRLAESLLALSQQEELADLPKDYLSESEDEGDNDGERKH QKLELATSSLDGKNRRKLAERSEASLKVSEFNVSSSEGSKEKLV LADLLEPVKTSSSLATVKKQLSRVKS KKTVELPLNKEEIER.IH REVAFNKTAQVLSKWDPVVLKNRQAEQL*
686	1425	132	344	RIDFMFHSSAMVNSHRKPMFNIHRGFYCLTAILPQICICSQFS VPSSYHFTEDPGAFPVATNGERFPWQELRLPSVVIPLHYDLFV HPNLTSLDFVASEKIEVLVSNATQLIILHSKDLEITNATLQSE EDSRVYMKPGKELKVLSPAEHQIALLVPEKLTPHLKYYVAMDF QAKLGDGFEGFYKSTYRTLGGETRILAVTDFEPTQARMAFPFCF DEPLFKANFSIKIRRESRHIALSNMPKVKTIELEGGLEDHFE TTVKMSTYLVAYI /DL*FPLMGNDFLGRS
687	1426	3	678	RSKIPRS DPRVRTPAPAEAEQGKSQCPSGSTAQSWSAM DILVP LLQLLVLLLTLPPLMALLGCWQPLCKSYFPYLMAVLTPKSNR KMESKKRELF SQIKGLTGASGKVALLELGC GTGANFQFYPPGC RVTCLDPNPHFEKFLTKSMAENRHLQYERFVVAPEGDMRQLAD GSM DVVCTLVLCSVQSPRKVLQEVRRVLRPGGVLF FFEHVAE PYGSWAFMW
688	1427	240	641	RLQNSSLMDPKLGRMAASLLAVLLLLLLERGMFSSPSPPPALL EKVFQYIDLHQDEFVQTLKEWVAIESDSVQPVPRFQELFRMM AVAADTLQRLGARVASVDMGPQQLPDGQSLPIPPVILAE LGS D PTKG
689	1428	1	116	FFFEMESC SVTQAGVPWHDLSLQPPPPRFKRFSCLS
690	1429	75	511	DPKAQLPEPLRVLWTAHLVAMAPGSR TSLLLAFALLCLPWLQE AGAVQTVPLSRLFDHAMLQAHRAHQLAIDTYQEFETYIPKDQ KYSFLHDSQTSFCFSDSIPTSPNMEETQQKSNLELLRISLLLI ESWLEPVRIILMSIVPN

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
691	1430	2	1364	FVKLIKKHQAMEKEAKVMSNEEKKFQOHIQAQQKKBELNSFLE SQRKEYLKRKEQLKEELNENQSTPKKEKQEWLSKQKENIQHFQ AEEEEANLLRRQRQYLELECRRFKRRMLLGRHNLEQDLVREELN KRQTQKDLHAMLRRQHESMQELEFRHLNTIQKMRCELIRLQH QTELTNQLYKRRERELRRKHVMEVRQPKSLKSKELQIKKQ FQDTCKIQTRQYKALRNHLLLETPKSEHKAVLKRKKEEQTRKL AILAEQYDHSINEMLSTQALRLDEAQAECQVLKMQLQQELEL LNAYQSKIKMQAEAQHDRELRELEQVRSLRRALLEQKIEEEML ALQNERTERIRSLLEQAREIEAFDSESMRLGFSNMVLSNLS EAFSHSYPGASGWSHNPTGGPGPHWGHMGGPPQAWGHMPPQGG PQPWGHPS\GEMQ\GVPR/GSSMGVR
692	1431	50	504	LAHGSFGVSDFPAPAAAPAHTLTSFSGSLSPQFRKPLGRAPAM PLVRYRKVVILGYRCVGKTSLAHQFVEGEFSEGYDPTVENTYS KIVTLGKDFHLHLVDTAGQDEYSILPYSFIIGVHGYVLVYSV TSLHSFQVIESLYQKLHEGHGK
693	1432	130	1671	SSPSRELCFYGFWIIASSWWSRWVGSGLPGILPSPARGRTFAS VSRLPPPWSAGITLTPFLICQSGSVCPGLGAGFGVRSFHPVA RSVAVLLPLAPAAAQDSTQASTPGSPLSPTAYERFALLTPTW KAETTCRLRATHGCRNPTLVQLDQYENHGLVDPDGAVCNSLPYA SWFESFCQFTHYRCSNHVYAKRVLCSQPVSILSPNTLKEIEA SAEVSPTTMTSPISPHTVTERQTFQPWPERLSNNVEELLQSS LSLGGQEQAPEHKQEQGVEHRQEPQEHKQEEGQKQEEQEEEQ EEEGKQEEGQGTKEGREAVSQLQTDSEPKFHSESLSNPSSFA PRVREVESTPMIMENIQELIRSAQEIDEMNEIYDENS YWRNQN PGSLLQLPHTEALLVLCYSIVENTCIIPTAKAWYMEEIILG FGKSVCDLSLRRHMSTCALCDFCSLKLEQCHSEASLQRQCDT SHKTPFVSPLLASQSLSIGNQVGSPESEGRFYGLDLYGGLHM
694	1433	517	578	VSWVPSKGDVEGARRPFTRLNTSLGPGLOEGRRTWLVPIPG AVLPGRQTQEQPRASPLY*PGAPPCQPQGLVAGPWAQ*AGLRSD GFGPWPW\RLVGTAGPREKKVQKSKCWHFRCPARRSGWAG RHASLLATGRPCSSAPSQQPLGTAGDSRQELLRPPLV*VNGAQ SSAAGDWGSSPRTAQALARPHRLGHHPAAVAPAARLRTOQSGHS PRGPLCRSPGSPRRMGTWRGPGAGHSHD
695	1434	249	632	KTVAEEASVGNPEGAFMKMLQARKQHMSTELTIESEAPSDSSG INLSGFGEQLDTNDSDVSSALS YILPYLSLRNLGAESILLP FTEQLFSNVQDGRLLSILKNNRKS PSQSLLGNKFKNKIF
696	1435	333	881	GECEMAAVVQNDLVFEFASNVMEDERQLGDPPIFFPAVIVEH VPGADILNSYAGLACVEEPNDMITESLIDVAEEEEIIDDDDDDI TLTVEASCHDGETIETIEAAEALLNMDSPGPMLDEKRINNNI FSSPEDDMVVAPVTHVSVTLTDGIPEVMETQQVQEKYADSPGAS SPEQPKRKKK

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
697	1436	3	466	HEASGVSRALLQSAPGTPATVGI SVGELWPFARCCSHSVYVRSL RGLSVSTHLLCFITYIMNPSMKQKQEIKENIKTSSVPRRTLK MIQPSASGSLVGRENELSAGLSKRKRHRNDHLTSTTSSPGVIVP ESSENKNLGGVTQESFDLMIKGMKK
698	1437	50	241	PLPARGKSTLPATFCSPSAPELASMSVVPNRSQTGWPRGVTO FGNKYIQQTKPLTLERTINL
699	1438	1	422	AEGEDVPPPLPTSSGDGWEKDLEEAELEAGGCDLETLRNI IQGRP LPADLRKAVWKIALNVAGKGDLSASWDGILDPEQNTIHKDCL QFIDQLSVPEEKAAELLLDIESVITFYCKSRNIKYSTLSWIH LLKPLVHLQLP
700	1439	161	413	ALPKFLTHGVKSNERVVVWLFPPSFRAATMVHMNVLPDALKSI NNAERRGKPOVLIRLCSKIIIWFLTMVKYGYIGKFEPTRP
701	1440	211	977	AMAQYGHPSPLGMAAREELYSKVTPRRNRQRPGTIKHGSALD VLLSMGFPRARAQKALASTGGRSVQAACDWLFSHVGDPFLDDP LPREYVLYLRPTGPLAQKLSDFWQQSKQICGKNKAHNI FPHIT LCQFFMCEDSKVDALGEALQTTVSRWRCKFSAPLPLELYTSSN FIGLFVKEDSAEVLKKAADFAAEAASKTEVHVPEPHKKQLHVT LAYHFQASHLPTLEKLAQNIDVKLGCDWVATIFSRDIRFA
702	1441	3	408	QTRPASPRTARESVLGVSQNMFSNLQSSKLFIFLKGKSLFSLLEAMI FALLPKPRKNVAGEIVLITGAGSGLGRLLALQFARLGSV LVLWDINKEGNEETCKMAREAGATRVHAYTCDCSQKEGVYRVA DQVKK
703	1442	708	244	MVARKGQKSPRFRVTCFLRLGRSTLLELEPAGRPCSGRTRHR ALHRRLVACVTVSSRRRKEAGRGRAESFIAVGMAAPSMKERQ VCVGARDEYWKCLDENLEDASQCKLRSSFESSCPQWIKYFD KRRDYLKFKFEKFEAGQFEPSETTAKS
704	1443	3	475	PAPAARSRELLKELRNGQMDTIVVFEDVVVDFLEEWALLNPA QRKLYRDVMLETFKHLASVDNEAQLKASGISQDTSGEKLSL KQKIEKFTRKNIWASLLGKNWEEHSVKDKHNTKERHLSRNPRV ERPCKSSKGNKRGRTRFRKTRNCNRHLRR
705	1444	276	437	CVCGFVFCFETKSCFVAQAGVQWHNLSSLQALPPGFKQFSCLS LLSSWHYRRV
706	1445	2	322	GTRLRRRREAVWFEVVMDFSRLLHMYSPPQCVPEPNTGYTYALS SSYSSDALDFETEHKLDPVFDSRPMRSLRLATTACTLGDGE AVGADSGTSSAVSLKNRAAR
707	1446	123	410	DTMQAVVPLNKMTAISPEPQTLASTEQNEVPRVVTSGEQEAIL RGNAADESFRQFRWFCYSEVAGPRKALSQWLWELCNQWLRPD IHTKE\QILE
708	1447	2	384	PICLFSRPTLRPSRSKVSLEIEGRGANMAARWRFVCSVTMVVA LLIVCDVPSASAQRKKEMVLSEKVSQMEWTNKRPFVIRMNGDK FRLLVKAPPRNYSVIVMFTALQLHRQCVVCKYELQLRFFKIK

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
709	1448	104	535	QMRVKDPTKALPEKAKRSKRPTVPHDEDSDDIAVGLTCQHVS HAISVNHVKRAIAENLWSVCSECLKERRFYDQQLVLTSDIWL LKCQFQCGKNSQHSLSLKHFKSSRTEPHCIIINLSTWIIWY EWDEKIFTPLNKKG
710	1449	116	479	AKERGEERQEGGGWLSGSRWPLVRSFVFPAPSSLILSMCLSP GIPEAAPDSPLTASAPTP*VMLLGDGTGVGKTCFLIQFKDGAFL SGTFIATVGI DFRVRLQALASSREPGLWLRHGGV
711	1450	2	232	FYPRSSADLPFQTTTCEFPQTSVMELAHSLLLNEEALAQITEAK RPVFI FEWLRFLDKVLAANKVWYCSFFPVALT
712	1451	105	393	MNMKQKSVMYQTKALLCKNFLKRWKRESLLEWGLSILLGLC IALFSSSMRNVPFGMAPQNLGRVDFKFNSSSLMVVYTPISNLT QQIMNKTAL
713	1452	2	525	SPQNGCPDVTGDSVIRVPLTLVHNLAGLTGLLHHCLSGPLP APSPPPAMSSSRKDLGASSEPLPVIIVGNGPSGICLSYLLS GYTPYTKPDAIHPHLLQRLTEAPGVSILDQDLDYLSEGLEG RSQSPVALLFDALLRPD TDFGGMKSVLTKHRKEHAIPHVVL GR
714	1453	2	1557	NRRTRAQRCQRGRSCGAREEEVEPGTARPPPAASAMDASLEKI ADPTLAEMGKNLKEAVKMLEDSQRRTEEENGKKLISGDIPGPL QGSQDMVSI LQLVQNLMHGDEDEEPQSPRIQNIQEQQHMALL GHS LGAYISTLDKEKLRKLTTRILSDTTLWLCRI FRYENG CAY FHEEEREGLAKICRLAIHSRYEDFVVDGFNVLYNKKPVIYLSA AARPGLGQYLCNQLGLPFPCLCRVPCNTVFGSQHQMDVAFLEK LIKDDIERGRLPLLLVANAGTAAVGHTDKIGRLKELCEQYGIW LHVEGVNATLALGYVSSSVLAAKCDMSMTMPGPWLGLPAVP AVTLYKHDDPALTLVAGLTSNKPTDKLRALPLWLSLQYGLDGLG FVERIKHACQLSQRLOESLKKVNYIKILVEDELSSPVVFRFF QELPGSDPVFKAVPVPNMTPSGVGRERHSCDALNRWLGEQLKQ LVPASGLTVMDLAEAGTCLRFSPLMTAAGKPLVDIPCFCSGA AG
715	1454	319	873	LCIMDTKEEKKERKQSYFARLKKKQAKQNAETASAVATRTH GKEDNNTVVLEPDKCNIAVEEYMTDEKKRKSQNLKEIRRT LKRYSIDDNQNKTHDKKEKMMVQKPHGTMEYTAGNQDTLNS IALKFNITPNKLVELNKLFTHTIVPGQVLFVPDANSPTSSTLRL SSSSPGATVSPSS
716	1455	60	681	SAGGDS CRAVPMLRFPTCFPSFRVVGEKQLPQEIIFLVWSPKR DLIALANTAGEVLLHRLASFHRVWSFPPNENTGKEVTCLAWRP DGKLLAFALADTKKIVLCDVEKPESLSHSFSVEAPVSCMHWMEV TVESSVLTSFYNAEDESLLLLPKLPTLPKNYSNTSKIIFSEENS DEIKLLGDVRLNIVLGGSSGFIELYAYGMFKI
717	1456	357	658	PRDPVTD RARAMPRRGLVAGPDLEYFORHYFTPAEVAQHNRPE DLWVSYLGRVYDLTSLAQEYKGNLLLP IVEVAGQDISHWFPD KTRDVS YAGTWD CG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
718	1457	2	481	RIPGRRFRAAFVLGSANVASSVRLRCSFPLSLGGPSPGPAASV ALGPAGPGRSLGRTPDTGDWEMDSVSFEDVAVAFTQEWALLD PSQKNLYRDVMQEI FRNLASVGNKSEDQNI QDDFKNPGRNLS HVVERLFEIKEGSQYGETFSQDSNLNLNKI
719	1458	6	469	SLSLSVSPFLRLSLGRVGGMAEEMESSLEASFSSSGAVSGAG FLPPARSRI FKI I VIGDSNVGKTCLTYRFCAGRFPDRTEATIG VDFRERAVEIDGERIKIQLWDTAGQERFRKSMVQHYRYRNVHAV VFVYDMTNMASFHLPSWIEECKQH
720	1459	82	490	RRPSPGSIVIMAAESDVLHFQFEQQGDVV LQKMNLLRQQNLF DVSIIYINDTEFQGHKVLAACTFMRDQFLLTQSKHVRITILQ SAEVGRKLLLS CYTGALEVKRKELLKYLTAASYLQMVHIAEKR TEAFVKF
721	1460	48	708	AEGLQSAAGIRIDTKAGPPEMLKPLWKA AVAPTWPSCMPRRP WDRQAGTLQVLGALAVLWLGVALICLLWQVPRPPTWGQVQPK DVPRSWEHGSSPAWEPLAEARQQRDSCQLVLVESIPQDLPSA AGSPSAQPLGQAWLQLLDTAQESVHVASYYSWLTGPDIGVND SSQLGEALLQKLQLLGRNISLAVATSSPTLARTSTDLOQLAA RGAH
722	1461	436	677	RKKKMLPFLGKLRTRRYTVSSKSCLVARIQLLNNEFVEFTL SVESTGQESLEAVAQRLELREVTYFSLWYYNKQNR
723	1462	45	569	LQPLSSWESASEVTRSPVSPEDVKQATSNFENLQKQLARKMKL PIFIADAFTARAFRGNPAAVCLLENELDEDMHQKIAREMNLSE TAFIRKLPHTDNFAQSSCFGLRWFTPASEVPLCGHATLASAAV LFHKIKNMNSTLTFVTLSGELRARRAEDGIVLDLPLYPAHPQD FHE*
724	1463	79	530	AADTMQSDDIVDTLGNKQFCSEFKIRTKTQSFRCRNEYSLTGLC NRSSCPLANSQYATIKKEKGQCYLYMKVIERAAFPRRLWERVR LSKNYEKALEQIDENLIYWPRFIRHKCKQRFTKITQYLIRIRK LTLKRQRKLVPLSKKVERREK
725	1464	2	261	FVERGLGDPALPTLMFEEPEWAEAPVAAGLGPVISRPPPAAS SQNKVSDSREQWELFQAARKRTLVDPSAVCIAGRDTCGTVKGES
726	1465	1	860	VVEFLWSRRPSGSSDPRRRPASKCQMMERANLMHMMKLSIK VLLQSALSLSGRSLDADHAPLQOFFVVMHCLKHGLKVKKSF QNKSFPGPLELVEKLCPEASDIATSVRNLPKLTAVGRGRAWL YLALMQKKLADYLKVLIDNKHLLSEFYEPALMMEEEGMVIVG LLVGLNVLDANL \ CLKGEDLDSQVGVIDFSLYLKDQVQDLGGK EHERITDVLQKNYVEELNRHLSCTVGD LQTKIDGLEKTNSKL QERVSAATDRICSLQEEQQQLREQNELIR
727	1466	69	452	GCYAPSPHLGGSLTPRFFPNGVFHRRLLPRRPPQPPSVSSAPT LRPLCAHFSGLKRLRVRKSAEVAPPRTEKGWGSAEPRHSRAP LGLQGLRMAASAQSVTFEDVAVTFTQEEWGQLDAAQRTLY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
728	1467	1	439	FRGSLSSPSSLRGRRLVTGQTSRPGTWCLYPGFCRSVACAMPC CShRScreDpGtSESremDfVVFEDVAVNFTQEEWTLDDISQK NLFREVMLETFRNLTSIGKKWSDQNIIEYEQNPRRSFRSLIEE KVNEIKEDSHCGETFTQ
729	1468	103	236	LNfANSAaFAVtMPQNEyIElHRKRYGFRldyHEKkRkKQsRE A
730	1469	213	809	SGDLSPAELMMLTIGDVIKQLIEAHEQGKIDLNKVKTKTAAK YGLSAQRLVDIIAAVPPQYRKVLMPLKAKPIRTASGIAVVA VMCKPHRCPHISFTGNICVYCPGGPDSDFEYSTQSYTYEPTS MRAIRARYDFFLQTRHRIEQKQLGHSVDKVEFIEMGGTFMAL PEEYRDYFIRNLHDALSGHTSNNIYE
731	1470	264	799	WESDVGEGLRPPPPPPGRRRTQEPARDAATVIFACPAALL ETLIAYGSSSPSFCkHRAARPLIFLLHRLTAETARCPICALE ARNPGRWIGASWPgMkTfPgKAAAGQRsRTGAGHGsvsvTMI KRKAHKKHRSRPTsQPRGNIVGCIiQHGWKdGDEPLTQWKGT VLDQLL
732	1471	2	763	RDLGVALEAFQWARAGDCGSGAGRAGGEGVDAGRrVPERQHRG RGGGGEpRRQRGRRQ\RSSsRRSGDGGDEVEGSGVGAGEG ETVQHfPLARPKSLMQKLQCSfQTSWLKDFPwLRYskDTGLMS CGWCQkTPADGGSVDLPpVGHdELSRGTRNyKkTLllRHhVST EHKLHEANAQeSEiPSEEGYCDfNSRPnENSyCYLLRQLNEQ RKKGILCDVSIvVSGKiFKAHKNiLVAGSRfFKTLyCFS
733	1472	82	523	SLRAAAAMADVTARSLOVEYKANSNLVLQADRSLIDRTRRDEP TGEVLSLVGKLEGTRMGDKAQRTKpQMqEERRAKRRKRDEDRH DINKMKGyTLlSEGIdeMVGiIYkPKTKETRETYEVLLSFIQA ALGDQPRDILCGADEVL
734	1473	536	110	CNSAESRMDVLFVAIFAVPLILGQYEDEERLGEDEYYQVVYY YTVTPSYDDfSADFTIDYSIFeSedRLNRLDKDITEAIETTIS LETARADHPKpVTVKpVTTEpQSP\DL\NDAVSS\LRSPiPL\ LLS\CAFVQVGMYFM
735	1474	2	557	FVRGPGEeQAPAFrKpAGAMGAQVRLPPGEPcREGyVLSLVC PNSSQAWCEITNVSQLLASpVLYTDLNYSINNLsISANVENKY SLYVGLVLAVSSsIFIGSSfILKkKGLLQlASKGfTRAGQGGH SYLKEWLWwVGLLSiLSWnAREKVDL*NITf*PQTsciFFtIT IEKSTfLSyFPTS
736	1475	127	401	ARGScPTRPRPANGrMAETKDAAQMLVTFKdVAVTFTReWRQ LDLAQRtLYREVMLEtCGLLVSLGHRVpKPELVHLLKHGQELW IVKRG
737	1476	311	790	YTMLRGtMTAWRGMRPEVTLACLlLATAGCFADLNEVPQVTVQ PASTVQKPGGTvILGCVVEPPRMNVtWRLNGKELNGSDDALGV LITHGTLVITALNNHTVGRyQCvARMPAGAVASVPATVTLASE SAPLPPCHGAVPPhLSHPEAPtIHAASCYS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
738	1477	2	421	WGRRRQLVSEAAARAQGDVPCSTMSEEEAAQIPRSSVWEQDQON VVQRVVALPLVRATCTAVCDVYSAAKDRHPLLGSACRLAENCV CGLTTRALDHAQPLLEHLQPQLATMNSLACRGLDKLEEKLPFL QQPSETVVTS
739	1478	256	1250	AKAFTMAESPGCCSVWARCLHCLYSCHWRKCPREERMQTSKDCDC IWFGLLFLTFLLSLSWLYIGLVLLNDLHNFNEFLFRRWGHMMD WSLAFLLVVISLLGTYASLLLVLALLLRLCRQPLHLHSLHKVLL LLIMLLVAAGLVGLDIQWQQRHSLRVSL/QDCR*L*TPAVRP *EESGEGHWRRRAHLTSSCPQATAPFLHIGAAAGIALLAWPVAD TFYRIHRREPKILLLLLLFFGVVLVIYLAFLCISSPCIMEPRDL PPKPGLVGHARGAPMLAPENTLMSLRKTAECGATVFETDVMVSS DGVPFLLMHDEHLSRTTNVASVFPTRITAHSS

WHAT IS CLAIMED IS:

1. An isolated polynucleotide comprising a nucleotide sequence selected from the group consisting of SEQ ID NO: 1-739, a mature protein coding portion of SEQ ID NO:1-739, an active domain of SEQ ID NO: 1-739, and complementary sequences thereof.
2. An isolated polynucleotide encoding a polypeptide with biological activity, wherein said polynucleotide hybridizes to the polynucleotide of claim 1 under stringent hybridization conditions.
3. An isolated polynucleotide encoding a polypeptide with biological activity, wherein said polynucleotide has greater than about 90% sequence identity with the polynucleotide of claim 1.
4. The polynucleotide of claim 1 wherein said polynucleotide is DNA.
5. An isolated polynucleotide of claim 1 wherein said polynucleotide comprises the complementary sequences.
6. A vector comprising the polynucleotide of claim 1.
7. An expression vector comprising the polynucleotide of claim 1.
8. A host cell genetically engineered to comprise the polynucleotide of claim 1.
9. A host cell genetically engineered to comprise the polynucleotide of claim 1 operatively associated with a regulatory sequence that modulates expression of the polynucleotide in the host cell.
10. An isolated polypeptide, wherein the polypeptide is selected from the group consisting of:

- (a) a polypeptide encoded by any one of the polynucleotides of claim 1; and
 - (b) a polypeptide encoded by a polynucleotide hybridizing under stringent conditions with any one of SEQ ID NO:1-739.
11. A composition comprising the polypeptide of claim 10 and a carrier.
12. An antibody directed against the polypeptide of claim 10.
13. A method for detecting the polynucleotide of claim 1 in a sample, comprising:
- a) contacting the sample with a compound that binds to and forms a complex with the polynucleotide of claim 1 for a period sufficient to form the complex; and
 - b) detecting the complex, so that if a complex is detected, the polynucleotide of claim 1 is detected.
14. A method for detecting the polynucleotide of claim 1 in a sample, comprising:
- a) contacting the sample under stringent hybridization conditions with nucleic acid primers that anneal to the polynucleotide of claim 1 under such conditions;
 - b) amplifying a product comprising at least a portion of the polynucleotide of claim 1; and
 - c) detecting said product and thereby the polynucleotide of claim 1 in the sample.
15. The method of claim 14, wherein the polynucleotide is an RNA molecule and the method further comprises reverse transcribing an annealed RNA molecule into a cDNA polynucleotide.
16. A method for detecting the polypeptide of claim 10 in a sample, comprising:

- a) contacting the sample with a compound that binds to and forms a complex with the polypeptide under conditions and for a period sufficient to form the complex; and
- b) detecting formation of the complex, so that if a complex formation is detected, the polypeptide of claim 10 is detected.

17. A method for identifying a compound that binds to the polypeptide of claim 10, comprising:

- a) contacting the compound with the polypeptide of claim 10 under conditions sufficient to form a polypeptide/compound complex; and
- b) detecting the complex, so that if the polypeptide/compound complex is detected, a compound that binds to the polypeptide of claim 10 is identified.

18. A method for identifying a compound that binds to the polypeptide of claim 10, comprising:

- a) contacting the compound with the polypeptide of claim 10, in a cell, under conditions sufficient to form a polypeptide/compound complex, wherein the complex drives expression of a reporter gene sequence in the cell; and
- b) detecting the complex by detecting reporter gene sequence expression, so that if the polypeptide/compound complex is detected, a compound that binds to the polypeptide of claim 10 is identified.

19. A method of producing the polypeptide of claim 10, comprising,

- a) culturing a host cell comprising a polynucleotide sequence selected from the group consisting of a polynucleotide sequence of SEQ ID NO: 1-739, a mature protein coding portion of SEQ ID NO: 1-739, an active domain of SEQ ID NO: 1-739, complementary sequences thereof and a polynucleotide sequence hybridizing under stringent conditions to SEQ ID NO: 1-739, under conditions sufficient to express the polypeptide in said cell; and
- b) isolating the polypeptide from the cell culture or cells of step (a).

20. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO: 740-1478, the mature protein portion thereof, or the active domain thereof.
21. The polypeptide of claim 20 wherein the polypeptide is provided on a polypeptide array.
22. A collection of polynucleotides, wherein the collection comprises the sequence information of at least one of SEQ ID NO: 1-739.
23. The collection of claim 22, wherein the collection is provided on a nucleic acid array.
24. The collection of claim 23, wherein the array detects full-matches to any one of the polynucleotides in the collection.
25. The collection of claim 23, wherein the array detects mismatches to any one of the polynucleotides in the collection.
26. The collection of claim 22, wherein the collection is provided in a computer-readable format.
27. A method of treatment comprising administering to a mammalian subject in need thereof a therapeutic amount of a composition comprising a polypeptide of claim 10 or 20 and a pharmaceutically acceptable carrier.
28. A method of treatment comprising administering to a mammalian subject in need thereof a therapeutic amount of a composition comprising an antibody that specifically binds to a polypeptide of claim 10 or 20 and a pharmaceutically acceptable carrier.

SEQUENCE LISTING

<110> Hyseq Inc
 <120> Novel Nucleic Acids and Polypeptides
 <130> 784PCT
 <140> To be assigned
 <150> US09/488,725
 <151> 2000-01-21
 <150> US09/552,317
 <151> 2000-04-25
 <160> 739
 <170> Pt_CT_1
 <210> 1
 <211> 556
 <212> DNA
 <213> Homo sapiens

<400> 1
 tttcgtgggc cggttgctaa gacttggcga agcgcgtgcgc ttgcgcccgg atccctcagg 60
 cggctgcagg cttcagcctg cgctgggttg tgaacacagag atgtcagaaa aggagaacaa 120
 cttcccgccca ctgcccaagt tcatccctgt gaagccctgc ttctaccaga acttctccga 180
 cgagatocca gtggagcacc aggtcctggt gaagaggatc taccggctgt ggatgtttta 240
 ctgcgccacc ctcggcgtca acctcattgc ctgcctggcc tgggtggatcg gcggaggctc 300
 ggggaccaac ttcggcctgg ccttcgtgtg gctgctcctg ttcacgcctt gcggctacgt 360
 gtgctgggtc cggcctgtct acaaggcctt ccgagccgac agctccttta atttcatggc 420
 gtttttcttc atctttcggg gccagtttg tcttgaccgt catccagcgg attggcttct 480
 ccggctgggg cgcgtgcggc tggctgtcgg caattggatt cttccagtac agcccggggc 540
 ctgcctggtt catgct 556

<210> 2
 <211> 837
 <212> DNA
 <213> Homo sapiens

<400> 2
 gagatgagtc ccagggagta cggagtcagc tctgagccga ggtcaccgca gaagggagct 60
 cggctcttcgg ccaggaccgg agcagttgga acaaagggaa tgtggaaatg aaagagagag 120
 ggagagagag gctggcagat gtaatgagac gcgggtgaag tgtacgcaga ctggcactcc 180
 cactcctccc ttctgctctc actgcagccc tgggtaactc gcaggctaac acaaacagct 240
 ttctcccgc agcctgcctt ctgtcactgt cactttcatg aattcaaagg caatttacca 300
 gtgatttctg ggtgctgggg ctgatatttt ttgtgcatat ttaagaatgt cttccaagca 360
 agccacctct ccatttgcct gtgcagctga tggagaggat gcaatgacct aggatttaac 420
 ctcaagggaa aaggaagagg gcagtgatca acatgtggcc tcccatctgc ctctgcacct 480
 cataatgcac acaaacctc actctgagga gctaccaaca cttgtcagta ccattcaaca 540

agatgctgac	tgggacagcg	ttctgtcatc	tcagcaaaga	atggaatcag	agaataataa	600
gttatgttcc	ctatattcct	tccgaaatac	ctctacctca	ccacataagc	ctgacgaagg	660
gagtcgggac	cgtgagataa	tgaccagtgt	tacttttggg	accccagagc	gccgcaaagg	720
gagtccttgc	gatgtggtgg	acacactgaa	acagaagaag	cttgaggaaa	tgactcggac	780
tgaacaagag	gattcctcct	gcatggaaaa	actactttca	aaagattgga	aggaaac	837

<210> 3
 <211> 1562
 <212> DNA
 <213> Homo sapiens

<400> 3						
cggaaccgta	ggaggggtac	ttaaccggac	ggcctaccag	gcctgtggcc	gtgcgcgga	60
agagcactgc	agatctcagg	atgatggggc	gcagccctgg	gtttgccatg	cagcacatcg	120
tgggtgtgct	ccacgtactg	gttcggaggg	gcctccttgg	aagggacctc	ttcatgacca	180
ggactctctg	cagcccaggc	ccaagccagc	cggagagaaa	aagacctgag	gaggtggccc	240
tggggctgca	ccaccgcctc	ccagcactgg	gaagagccct	ggggcacagc	attcagcaac	300
gagcagacctc	cacagccaag	acttgggtgg	acagatatga	agagtttggt	ggactcaacg	360
aggttcgaga	ggcccagggg	aaggtgacag	aggctgagaa	agtgttcacg	gtggctcgag	420
ggcttgtccg	agaggctcgg	gaggacttgg	aagttcacca	ggccaagctg	aaggagtgga	480
gggaccgctt	ggaccgtgtc	tccagggagg	acagtcagta	cttggaaactg	gctactctcg	540
agcacaggat	gctgcaggag	gagaagaggc	ttcgcacagc	ctatctgcgt	gcagaagact	600
ctgagcgaga	gaagttctcc	ctcttctctg	cagctgtgcg	gaaagtcacg	gagaaggagc	660
gcacaagggc	tgagaggacc	aagaactggt	ccctcattgg	ctcagtctcg	ggggccctga	720
ttgggtgtgg	tggctccacc	tatgtgaacc	gtgtgogact	acaggagctg	aaggctttac	780
tcctggaggc	gcagaagggg	cctgtgagtc	tccaagaggc	cattcgagaa	caggcgtcta	840
gctactcccc	ccagcagagg	gacctccaca	atctcatggt	ggacttgagg	ggcctggtac	900
atgtctctgg	gccagggcag	gactctgggt	cacaggcagg	tagtcccccg	accagagaca	960
gagatgtaga	tgtcccttca	gctgccttga	aagagcagct	tagtcattcc	aggcaagtc	1020
attcatgtct	agaaggctta	cgagagcagc	ttgatggcct	agaaaagact	tgtagccaaa	1080
tggctggggg	ggttcagctt	gtaaagtctg	cagcacaccc	aggcctgggt	gaaccagcag	1140
acggggctat	gcccagcttc	ttgctggagc	aggggagcat	gatcttggca	ctgtcagaca	1200
cggagcagag	actagaagcc	caagtcaaca	ggaacacccat	ctatagcacc	ctggtcacct	1260
gtgtgacatt	tgtggccaca	ctgcctgtgc	tctacatgct	attcaaagcc	agctaacccc	1320
tggcccctcc	tccagagggg	ctgaggcaat	agctgtgaa	gtggatttaa	gtagagaatc	1380
gtagcaatga	agcagacctt	tgggggcatg	tacaacctca	atctgaagga	gcagtatctg	1440
tggtgctcac	cagcaggcat	gcttctgctt	gtagacaagg	ttcatttaca	ttaattatca	1500
aaactttgtg	ctaattgtcca	attaaaaat	cctgagtttt	attattttaa	acaaaaaaaa	1560
aa						1562

<210> 4
 <211> 745
 <212> DNA
 <213> Homo sapiens

<400> 4						
aggccttggg	gctgggtctc	cgtgacagag	gcctggcttt	tctgtcaggg	cagggcctag	60
cccctgcccc	cataaaagag	gagacatagg	gggcttgggt	agataacctg	aaacctcccc	120

cctctgacc	cgcagccagg	ccccaggctg	gccgggagtg	gcccctcaca	ctggttctcc	180
ccactttctc	tgcctgtggc	atcgaaggcc	ccgggcacca	tggcccaggc	cctgggggag	240
gacctggtgc	agcctcccga	gctgcaggat	gactccagct	ccttggggtc	cgactcagag	300
ctcagcgggc	ctggcccata	tgcgccaggc	gaccgctatg	gattcattgg	gggcagctca	360
gcagagccag	ggccggggcca	cccacctgca	gacctcatcc	gccaacggga	gatgaagtgg	420
gtggagatga	cctcgcaactg	ggagaaaacc	atgtcccggc	ggtacaagaa	ggtaaagatg	480
cagtgcggga	aaggcatccc	gtctgccctg	cgcgcccgat	gctggcccct	gttgtgtggg	540
gcccattgtg	gccagaagaa	cagccctggc	acctatcagg	agctggcaga	ggcccctgga	600
gaccacagt	ggatggagac	cattggcagg	gacctgcaac	gtcaattccc	tctgcacgag	660
atgtttgtgt	cgcctcaagg	ccacggggcag	caggggctcc	tgcaggtgct	caaggcctac	720
accctgtatc	gaccggagca	aggct				745

<210> 5
 <211> 536
 <212> DNA
 <213> Homo sapiens

<400> 5						
acggaagctc	ggttgatggt	tctgcagaag	ttttcccct	tggtcgggtg	eggagctgct	60
gagcgcgata	gtagcagctc	cggcggcagc	aacattgact	acgaggaatg	gcggcggctg	120
ccgcaggacc	tgcagcatcc	cagaggtttt	tccagagctt	ctcagatgct	ctaactgacc	180
aggaccccc	ggcggcggtta	gaggtgggag	agccttttct	gcttccctca	ctcccggctg	240
accgcctcc	ttccagcacc	gcctgattag	gactcaggct	ctagtgatgc	tgcgtctcag	300
ccccagtatt	gagattctcg	gtctccttcc	tctctctcac	ggtagccgcg	ttacctcaga	360
ctcctgtctt	gccctttcca	cttcagact	cttgcatctc	tgaaagctct	gagaaaaact	420
tcctctatct	attgggagca	tggttggcat	ctgcagttgg	gctgaaagga	ttttttttt	480
ttaatgacta	aaaaagaaaa	ggggactctg	ggctcgatga	aaattaattt	tttctt	536

<210> 6
 <211> 780
 <212> DNA
 <213> Homo sapiens

<400> 6						
attttatcga	ctattccgct	agacgcctct	ttgcctttag	tgaactgcgg	ggacctggcc	60
tttgccggt	ggggccagcg	cagaaaagcc	tgggagatgc	gcgtccaggg	ccgcgagtgc	120
ggggaagctg	cgggaccgca	gagtcgcctc	ggcagccggg	agtcagggcg	ccggggcggt	180
aggcttcaga	tttacttcaa	tgttccta	gggtttgctt	cagaagtgct	caactgtctc	240
gccacctgag	gaaccgcatt	ttcatgtatt	tgtattggga	caagacgcgg	agtcgggtgt	300
gtaaagggcc	tgctttgagg	gaagaaagcc	cgcagcccag	gctcaaaactg	gaggattata	360
aggatcgcct	gaaaagtgga	gagcatctta	atccagacca	ggtggaagct	gtagagaaat	420
atgaagaagt	gctacataat	ttggaatttg	ccaaggagct	tcaaaaaacc	ttttctgggt	480
tgagcctaga	tctactaaaa	gcgcaaaa	aggcccagag	aagggagcac	atgctaaaac	540
ttgagcctga	gaagaaaaag	cttcgaacta	tacttcaagt	tcagtatgta	ttgcagaact	600
tgacacagga	gcactgtaca	aaagacttca	aaggggggtt	gaatgggtgca	gtgtatttgc	660
cttcaaaaaga	acttgactac	ctcattaagt	tttcaaaact	gacctgccct	gaaagaaatg	720
aaagtctgag	acaaacactt	gaaggatcta	ctgtctaaat	tgctgaactc	aggctatctt	780

<210> 7
 <211> 654
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(654)
 <223> n = a,t,c or g

<400> 7

ctccccgtct	cttccctggc	cttgccctct	ctctttctgc	cctgtagccg	cgggctcca	60
aatgaagctg	gaattcctcc	agcgcaaatt	ctggcgggca	acgcggcagt	gcagcactgt	120
ggatgggccc	tgcacacaga	gctgcgagga	cagtgatctg	gactgcttcg	tcatcgacaa	180
caacgggttc	attctgatct	ccaagaggtc	ccgagagacg	ggaagatttc	tgggggaggt	240
ggatggtgct	gtcctgacct	agctgctcag	catgggggtg	ttcagccaag	tgactatgta	300
tgactatcag	gccatgtgca	aaccctcgag	tcaccaccac	agtgcagccc	agcccctggt	360
cagcccaatt	tctgccttct	tgacggcgac	caggtggctg	ctgcaggagc	tggtgctggt	420
cctgctggag	tggagtgtct	gggctcctg	gtacgacaga	ggggccgagg	ccaaaagtgt	480
tcttccatca	ctcccacaaa	cacaagaagc	aggaccctgc	gcagccctgc	gacacggagt	540
accccgtggt	cgtgtaccag	cccggccatc	cgggaggcca	acggggattc	gtggagtgcg	600
ggcccttnc	agaaagggta	tttgttggtg	cangcagatt	ccnaacatta	aact	654

<210> 8
 <211> 469
 <212> DNA
 <213> Homo sapiens

<400> 8

tgccgtgggc	ggctggccca	gctggaggaa	gcggcggtgg	cggccacgat	gagtgcgggc	60
gacgcagtgt	gcaccggctg	gctcgttaag	tcgcccccg	agaggaagct	acagcgctac	120
gcctggcgca	agcgttggtt	tgtcctccgg	cgaggccgca	tgagcggcaa	ccccgatgtc	180
ttggagtact	acaggaacaa	gcactccagc	aagcccatcc	gggtgataga	cctcagcgag	240
tgtgcagtgt	ggaagcatgt	gggcccagc	tttgttcgga	aggaatttca	gaataatttc	300
gtgttcattg	tcaagactac	ttcccgtaca	ttctacctgg	tggccaaaac	tgagcaagaa	360
atgcagggtgt	gggtgcacag	catcagtcag	gtctgcaacc	ttggccacct	ggaggatggt	420
gcagcagatt	ccatggagag	cctctcttac	acgcgctcct	acctgcagc		469

<210> 9
 <211> 409
 <212> DNA
 <213> Homo sapiens

<220>

<221> misc_feature
 <222> (1)...(409)
 <223> n = a,t,c or g

<400> 9
 agaaaccnaa cagatctgtg gggcaggaaa atgtttcttt tccagctttc acagctctct 60
 gagaaggggc atgggtgggaa ttttagccga ttaataaaaa gctgcagcat gagacctgtg 120
 aatcccaccc tgctgcttcc tggatcctgc cacaccccat ccagcagcaa ccaagccagt 180
 ctcgcccctg actgggacag agtggctgag aggggctctg gagccagctg cctggatttg 240
 aatcccagct gtgccactta ccagctgtgt gactgtagga agctactctt tgtccgtgcg 300
 agactacgac cctcggcagg gagataccgt gaaacattac aagatccgga cccttgaaca 360
 aacggggcctt ctacatatcc cccccgaagc accttcagca ctctgcagg 409

<210> 10
 <211> 1145
 <212> DNA
 <213> Homo sapiens

<400> 10
 aaagattctg ttttgaatat agccagagga aaaaagtatg gagaaaaaac taagagagtg 60
 tcttctcgga aaaaaccagc cttgaagtgt cttctcagaa acaaccagca ttgaaggcta 120
 tctgtgacaa ggaagattct gttccgaata cggccacgga aaaaaaggat gaacaaatat 180
 ctgggacagt gtcttctcag aaacaaccag ccttgaagge tacaagtgac aagaaagatt 240
 ctgtttcgaa tatacccaca gaaataaagg atggacaaca atctggaaca gtgtcttctc 300
 agaaacaacc ggcctggaag gctacaagtg tcaagaaaga ttctgtttcg aatatagcca 360
 cagaaataaa ggatggacaa ataccgtggg acagtgtctt ctcagagaca accagccttg 420
 aaggcttaca ggtgatgaga aagattctgt ttcgaatata gccagagaaa taaaggatgg 480
 agaaaaatct gggacagtgt ctctcagaa acaatcggcc cagaaggtta tatttaaaaa 540
 gaaagtttct cttttgaata ttgccacaag aataacgggc ggttggaat ctggaacaga 600
 gtatcctgag aatctgccc ccttgaagge tacaattgaa aataaaaatt ctgttctgaa 660
 tacagccacc aaaatgaaag atgtacaaac atccacacca gaacaagact tagaaatggc 720
 atcagagggg gagcaaaaaga ggcttgaaga atatgaaaat aaccagccac aggtgaaaaa 780
 ccaatacat tctagggatg accttgatga cataattcag tcatctcaaa cagtctcaga 840
 ggacggtgac tcgctttgct gtaattgtaa gaatgtcata ttactcattg atcaacatga 900
 aatgaagtgt aaagattgtg ttcacctatt gaaaattaaa aagacatttt gtttatgtaa 960
 aagattaaca gaacttaag ataatcactg tgagcaactt agagtaaaaa ttcgaaaact 1020
 gaaaaataag gctagtgtac taaaaagag actatctgaa aaagaagaaa taaaatcgca 1080
 gttaaagcat gaaacacttg aattggaaaa agaactctgt agtttgagat ttgccataca 1140
 gcaag 1145

<210> 11
 <211> 890
 <212> DNA
 <213> Homo sapiens

```

<400> 11
gtagtccgct gcggtaccgg gccggacaat ctgggtcgac gatttcgagc tcgtcatgcg      60
caatgtggcg ctgcggcggg cggcagggcc tgtgtgtgct gaggcggctg agcggcggac      120
atgcacacca cagagcgtgg cgatggaaca gtaaccgggc ttgtgagagg gctctgcagt      180
ataaactagg agacaagatc catggattca ccgtaaacca ggtgacatct gttcccgagc      240
tgttcctgac tgcagtgaag ctcacccatg atgacacagg agccaggatg ttacacctgg      300
ccagagaaga cacgaataat ctgttcagcg tgcagttccg taccactccc atggacagta      360
ctgggtgttc tcacattctt gagcataccg tcctttgtgg gtctcagaaa tatccgtgca      420
gagacccttt cttcaaaatg ttgaaccggg ccctctccac gttcatgaac gccttcacag      480
ctagtgatta tactctgtat ccattttcca cacaaaatcc caaggacttt cagaatctcc      540
tctcggtgta tttggatgcc acctttttcc catgtttacg cgagctggat ttctggcagg      600
aaggatggcg gctggaacat gagaatccga gcgaccccca gacgcccttg gtctttaaag      660
gagtctcttt taatgagatg aaggagcgtt ttacagacaa tgagaggata ttctcccagc      720
accttcagaa cagactcttt cctgaccaca cgtactcagt ggtctccggg ggtgaccacc      780
tgtgcatccc ggagcttaca tgggagcagc ttaagcagtt tcatgccact cactatcacc      840
caagcaatgc taggttcttc acgtacggta attttccctt agaccagcat      890
    
```

```

<210> 12
<211> 982
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(982)
<223> n = a,t,c or g
    
```

```

<400> 12
tttcgtcaca cacgcacagc caccctgcc a ctgcagccgc catggatata agctaacaac      60
acacacccag gcgcgcgcgc gcgttcccac tgcaccacg caggagtggc ccccgcatc      120
cctaccctcc ttccccaccc ccaccacacc cgctaccag ctccggctact gctcgtctcg      180
gctgcgcgcg ccgcgcgcgc cgacgccacc accactgctt cctctgctgc ggggccacag      240
ccttgagtgt cattcaaggg acagcacaac ctcatccaag ctctcctacc tctgcccagc      300
cgtgcctctc atctcccca ttctctgtcc acactccatc caaagaagag ggaaagcacc      360
gaatagaggg gggcgaaggc aaagtctgct gttcttcccc ctgggcccc ttgctcctcc      420
atcctcattc tctcaccacc agcccccta accccaagga gcccaggaac tgaggcgact      480
cgccccactg ccatgtccaa aagcttga aagaaaagcc actggactag caaagtccat      540
gagagtgtca ttggcagga cccggagggc cagctgggt ttgaaactgaa ggggggcgc      600
gagaatggac agttccccta cctgggggag gtgaagccc gcaaggtggc ctatgagagc      660
ggcagcaaat tgggtgcgga ggagctgctg ctggaggtga acgagacccc cgtggcgggg      720
ctcaccatca gggcgtgct ggccgtgatc aaacctgca aggaccccct ccggctcaag      780
tgtgtcaagc aaggtgagag cagcggcttg ctcagtgtt tgccgggcgg tgggaccgct      840
cggggcgcag ggcaatgaaa ggggtggccg gcagtgtgaa ggggggtgtg tgcgcgatga      900
tgggggtggg gccagagagc acccgcagtg caagtgagtt tcgccgggga ttcgacgaaa      960
tcgtnncccg ggaattccgg ac
    
```

```

<210> 13
<211> 440
<212> DNA
<213> Homo sapiens
    
```

<400> 13
 ccgtgccgga attcccgcgt cgacgatttc gtggctaagg cgccaggcac gggcaccacc 60
 agggcgccca ggagccgccc gccgcccgca tggaccagct gtactgcca cggagcgcgt 120
 gccagtcctt tggtagaac tagtcacaca gacctcaacc tgatgcgtgg agacaaggaa 180
 atgcttttca gtgtgtccag aaagagaaaa tgcaggtgtc ttctgcggag gtgcgcatcg 240
 ggccccagag actgacgcag gacctattc aggttttgct gatctttgca aaggaagata 300
 gtcagagcga tggcttctgg tgggcctgag acagagctgg ttatagatgc aatattgctc 360
 ggactccaga gtcagccctt gaatgctttc ttgataagca tcatgaaatt attgtaattg 420
 atcatagaca aactcagaac 440

<210> 14
 <211> 581
 <212> DNA
 <213> Homo sapiens

<400> 14
 tttcgtttgg ccggtgcgg gcacctcctg gtctcgtgct tggggctgct gctgctgctg 60
 gcgcgctccg gcacccgggc gctgggtctg ctgccctgtg acgagtccaa gtgcgaggag 120
 cccaggaact gcccggggag catcgtgcag ggcgtctgag gctgctgcta cacgtgcgcc 180
 agccagagga acgagagctg cggcggcacc ttcgggattt acggaacctg cgaccggggg 240
 ctgcgtttgt tcatccgccc cccgctcaat ggcgactccc tcaccgagta cgaagcgggc 300
 gtttgcaag atgagaactg gactgatgac caactgcttg gttttaaac atgcaatgaa 360
 aaccttattg ctggctgcaa tataatcaat gggaaatgtg aatgtaacac cattcgaacc 420
 tgcagcaatc cctttgagtt tccaagtcag gatatgtgcc tttcagcttt aaagagaatt 480
 gaagaagaga agccagattg ctccaaggcc cgctgtgaag tccagttctc tccacgttgt 540
 cctgaagatt ctgttctgat cgagggttat gctcctcctg g 581

<210> 15
 <211> 693
 <212> DNA
 <213> Homo sapiens

<400> 15
 tttcgtatgg cggccaatgt gggatcgatg tttcaatatt ggaagcgtt tgatttacag 60
 cagctgcaga gagaactcga tgccaccgca acggtattgg cgaaccggca ggatgaaagt 120
 gagcagcca gaaagcggct taccgaacag agccgggagt tcaagaagaa cactccagag 180
 gtgaggcgcg tgaccatcgt gttcgttttg aagggatctt agaatgctgg tgcattgtca 240
 ggcgacgctc cgtgagcgtt tcattttcat cagatgaacg cacggccggc aaacaaccgg 300
 tttctttccc cagatgtctt cagccccatt tccagcagaa cgcatgccat cctgcaggct 360
 gtggggatgt ggaaattgat aggttgtctg gaaatatgaa agtcagagcc aattccagggt 420
 gcagatactg gacaagcttg gtctgtaaga acacgtgggc aggtgtgtgg gtgtctcaa 480
 cctcgagct cataccagac cctgtcccat gtcagttagc aagccaccaa agtccataag 540
 ggatcctgtg ggggtggaag tccgcggggc ctgcttccct gttgctggtg caggcggagt 600
 gtctgaaggc tgcacgcatc tgggcatagc agtgcgccta acgcttcttg taaaacagac 660

atttcgcctg ctaagccttt taaatgcttc tct

693

<210> 16
 <211> 562
 <212> DNA
 <213> Homo sapiens

<400> 16
 ttctcgtgaa agagagaaac caccgctgcg ggtgggtaga gaagcacttg ggcctcggg 60
 gaggggaccg cgcccgcctc atttcgcctc tgcagcactg ctggaccagg ttacaagatg 120
 ttcacctaag attgagacct agtgactaca ttctctacgg gaacaaataa atggtttttc 180
 atctcccgga gatacattac aaacaaatat ggtgctaaaa gaactcctta cctttctctg 240
 actacaatth atttgacat acttttgtat tgaagagagg tatacatact gaagctactt 300
 gctgtactat aggagactct gtctgttagg atcatggacc atcctagtag ggaaaaggat 360
 gaaagacaac ggacaactaa acccatggca caaaggagtg cacactgctc tcgaccatct 420
 ggctcctcat cgtcctctgg ggttcttatg gtgggaccca acttcagggt tggcaagaag 480
 ataggatgtg ggaacttcgg agagctcaga ttaggtgaag gtctcccaca ggtgtattac 540
 ttggaccat gtgggaaata ta 562

<210> 17
 <211> 899
 <212> DNA
 <213> Homo sapiens

<400> 17
 ttctcgtcgt ccccgccca accatggcgt cctccgcggc cggctgcgtg gtgatcgttg 60
 gcaggaagtc tgaacagca gttggagtgt agtgggtaag aggaaggact caggagtcag 120
 attgcttggc ttcactcat agatccataa cttatcacc ttgtggactt aattcctcca 180
 tgctcagtt tatcacttat gtaggcttaa ttctccatg cctcagtttc cctacatata 240
 aaatggaaat actaataaca cttatcttgt agggttgttg taaagattaa catagtggag 300
 tcattgggcg aagctgggcc atgctgtttg ccagtgagg cttccagggt aaactctatg 360
 acattgagca acagcagata aggaatgcc tggaaaacat cagggtgggcc agccggcgct 420
 ctccagaagg aatggaagt ggtctgtttc tctcagttgg tcttgtttgt catatcctca 480
 aggctatgag gatctgtgat gtcacatth cgtctgatgg ctactgcagt gcctctgagt 540
 tggtaaaggc caggcctaca gtggctggaa tgtgaattca cactggggaa gggctcccat 600
 gggggaggaa acgacccttc ttgctaagag gatctgcac aagcgtgagt gactttgcag 660
 gcttctccag ctgtttgcc cggggctgga gggctgggt ttctgtcttc catctagga 720
 ggaggaactc gcttccagca tgtgacagcc atagctcag gggcattaca gtttaagaac 780
 agaggtctcg cagcttgttt tgacctgtt atctagtaat ggtaggacct aaatgaaaac 840
 atcttgaatt ttagttagag gtttagcact catgtgagag gacagaactg gagctgttt 899

<210> 18
 <211> 519
 <212> DNA

<213> Homo sapiens

<400> 18

ggaattcccg	ggtcgacgat	ttcgtctccg	cccgcccgaa	gccgcgcca	ctgccagag	60
ccagagggat	ggtggtagtc	acggggcggg	agccagacag	ccgtcgtcag	gacggtgcca	120
tgtccagctc	tgacgccgaa	gacgactttc	tggagccggc	cacgccgacg	gccacgcagg	180
cggggcaecg	gctgcccctg	ctgccacagg	agtttctga	ggttggtccc	cttaacatcg	240
gaggggctca	cttcaactaca	cgctgttcca	cactgcggtg	ctacgaagac	accatgittg	300
cagccatggt	cagtgggcgg	cactacatcc	ccacggactc	cgagggccgg	tacttcatcg	360
accgagatgg	cacacacttt	ggagatgtgc	tgaatttct	gcgctcaggg	gacctcccac	420
ccagggagcg	tgttcgagct	gtgtacaaag	aggcccagta	ctatgccatc	gggcccctcc	480
tggagcagct	ggagaacatg	ccgccactga	aaggcgaga			519

<210> 19

<211> 460

<212> DNA

<213> Homo sapiens

<400> 19

ttcgtgcag	ggccagggc	tctctaggt	ctccggctga	gccgggttg	ggcccgggtt	60
gggcccggc	gggactctgg	agcattggga	tttgtagcgc	gccctctggg	tagggcgctg	120
tagcggagag	gcgtgcggga	tcgggatgtc	ggggctgctc	acggaccggg	agcagagagc	180
gcaggagccg	cggtaccccg	gcttcgtgct	ggggctggat	gtgggcagtt	ctgtgatccg	240
ctgccacgtc	tatgaccggg	cggcgcgggt	ctgcggctcc	agcgtgcaga	aggtagaaaa	300
tctttatcct	caaattggct	gggtagaaat	tgatcctgat	gttctttgga	ttcaatttgt	360
tgccgtaata	aaagaagcag	tcaaagctgc	aggaatacag	atgaatcaaa	ttgttggtct	420
tggcatttca	acacagagag	caacttttat	tacgtggaac			460

<210> 20

<211> 731

<212> DNA

<213> Homo sapiens

<400> 20

gagatcaagg	agggctcaga	agaggcgatg	tctgatctgt	cctccaggca	gcaaaggaaa	60
gggaggtgtg	ttcctggcag	aaggcacagc	ttgtactgag	gcctggcagc	agaacagagt	120
atgcaatttg	tgaagctgtg	gtgtggctgc	agtggagagt	tccaacaag	gctacgcaga	180
agaacccccct	tgactgaagc	aatggagggg	ggtccagctg	tctgctgcca	ggatcctcgg	240
gcagagctgg	tagaacgggt	ggcagccatc	gatgtgactc	acttggagga	ggcagatggt	300
ggcccagagc	ctactagaaa	cggtgtggac	ccccaccac	gggccagagc	tgccctctgt	360
atccctggca	gtacttcaag	actgctcca	gcccggcta	gcctctcagc	caggaagctt	420
tccctacagg	atgcggccagc	aggaagctat	ctggagcgc	aggctgggcc	ttatgccacg	480
gggctgcca	gccacatctc	ccccgggccc	tggcgaggc	ccaccatcga	gtcccaccac	540
gtggccatct	cagatgcaga	ggactgcgtg	cagctgaacc	agtacaagct	gcagagttag	600

attggcaagg gtgcctacgg tgtggtgagg ctggcctaca acgaaagtga agacagacac 660
 tatgcaatga aagtcctttc caaaaagaag ttactgaagc agtatggctt tccacgtcgc 720
 cctccccga a 731

<210> 21
 <211> 519
 <212> DNA
 <213> Homo sapiens

<400> 21
 tttcgtttat gggagccag taacactgtg gcctactatc tcttcggtgg tgccatctac 60
 atttttggga ctccgggaatt atgaggtaga ggtggaggcg gagccggatg tcagaggtec 120
 tgaaatagtc accatggggg aaaatgatcc gcctgctggt gaagccccct tctcattccg 180
 atcgcttttt ggccttgatg atttgaaaat aagtccgttt gcaccagatg cagatgctgt 240
 tgctgcacag atcctgtcac tgctgccatt gaagtttttt ccaatcatcg tcattgggat 300
 cattgcattg atattagcac tggccattgg tctgggcatc cacttcgact gctcagggaa 360
 gtacagatgt cgctcatcct ttaagtgtat cgagctgata gctcgatgtg acggagtctc 420
 ggattgcaaa gacggggagg acgagtaccg ctgtgtccgg gtgggtggtc agaatgccgc 480
 gctccaggtg ttcacagctg cttcgcggaa gaccatgtg 519

<210> 22
 <211> 544
 <212> DNA
 <213> Homo sapiens

<400> 22
 tttcgtgctg gaggttcgct agccgaagcg gctgcatctg gcgcccgcgc tgccccgcgt 60
 gctcggagcg gattctgccc gccgtccccg gagccctcgg cgcgccgctg agccccgcgat 120
 cacttcctcc ctgtgaccaa ccggcgctgc aggttagagc ctggcaatgc cgtttgggtg 180
 tgtgactctg ggcgacaaga agaactataa ccagccatcg gaggtgactg acagatatga 240
 tttgggacag gtcacaaaga ctgaggagtt ttgtgaaatc ttccgggcca aggacaagac 300
 gacaggcaag ctgcacacct gcaagaagtt ccagaagcgg gacggccgca aggtgcggaa 360
 agctgccaaag aacgagatag gcatcctcaa gatggtgaag catccaaca tcctacagct 420
 ggtggatgtg tttgtgacct gcaaggagta ctttatcttc ctggagctgt gagtgtgggt 480
 ctggggacct aaaattcccc agcggcccagg gctttcacct gtcccacct ctgcagctaa 540
 ggag 544

<210> 23
 <211> 749
 <212> DNA
 <213> Homo sapiens

<400> 23
 caacgtcgac gatttcgtgc ggggctgtgg ggagggcagc gactgacaga cggactccgg 60
 cggaatgggg ggtgtggctg ctccgccagg gtccccaggg tgggagagcg gctccgcggc 120
 caccgatgcc cggacccccct ctgtcttctg ctgacatgc tcttcctctc gtttcatgca 180
 ggctcttggg aaagctggtg ctgctgctgc ctgattcccc cgcacagacc ttgggaccgg 240
 ggccaacact ggcagctgga gatggcggac acgagatccg tgcacgagac taggtttgag 300
 gcggccgtga aggtgatcca gagtttgccg aagaatgggt cattccagcc aacaaatgaa 360
 atgatgctta aattttatag cttctataag caggcaactg aaggaccctg taaactttca 420
 aggcctggat tttgggatcc tattggaaga tataaatggg atgcttggag ttcactgggt 480
 gatatgacca aagaggaagc catgattgca tatgttgaag aatgaaaaa gattattgaa 540
 actatgccaa tgactgagaa agttgaagaa ttgctgcgtg tcataggtcc attttatgaa 600
 attgtcgagg acaaaaagag tggcaggagt tctgatataa cctcagatct tggtaatgtt 660
 ctcaactcta ctccaaacgc caaaaccgtt aatggtaaag ctgaaagcag tgacagtgga 720
 gccgagtctg aggaagaaga ggcgtgtgt 749

<210> 24
 <211> 556
 <212> DNA
 <213> Homo sapiens

<400> 24
 tttcgtgctt taaggggccc acggggcggg ggtcggggtc ctccggggat tcgagccggt 60
 gggctcgttg tgggcgccat ttctcggcgt ctaccgagga gccgccctt tctcagcctt 120
 gctcggctct tccccgctct ggtcggccgg gctgogccgt ccccagctca gtgacaaaaa 180
 tgctgagttt cttccgtaga acactagggc gtcggctctat gcgtaaacat gcagagaagg 240
 aacgactccg agaagcacia cgcgccgccca cacatattcc tgagctgga gattctaagt 300
 ccatcatcac gtgtcgggtg tcccttctgg atggactga tgttagtgtg gacttgccaa 360
 aaaaagccaa aggacaagag ttgtttgatc agattatgta ccacctggac ctgattgaaa 420
 gcgactattt tggctgaga tttatggatt cagcacaagt agcacattgg ttggatggta 480
 caaaaagcat caaaaagcaa gtaaaaattg gttcacccta ttgtctgcat cttcgagtta 540
 agttttatcc ctcaga 556

<210> 25
 <211> 422
 <212> DNA
 <213> Homo sapiens

<400> 25
 gtcggtgaga atccaggag aggagcggaa acagaagagg ggcagaagac cggggcactt 60
 gtgggttgca gagccccca gccatgttgg gagccaagcc acactggcta ccaggtoccc 120
 tacacagtcc cgggctgccc ttggttctgg tgcttctggc cctggggggcc ggtggggccc 180
 aggaggggtc agagcccgtc ctgctggagg gggagtgcct ggtggtctgt gagcctggcc 240
 gactgctgc agggggggccc gggggagcag cctggggaga ggcacccccct gggcgagtgg 300
 catttctgc ggtccgaagc caccaccatg agccagcagg ggaaaccggc aatggcacca 360
 gtggggccat ctacttcgac caggctctgg tgaacgaggg cgggtggcttt gaccggggcct 420
 ct 422

<210> 26
 <211> 506
 <212> DNA
 <213> Homo sapiens

<400> 26
 agaagatgtg aagtcgtatt atacagtaca tctaccacaa ttagaaaata tcaatagtgg 60
 tgaaaccaga acaatatctc actttcatta tactacttgg ccagatthttg gagtccctca 120
 atcaccagct tcattttctca atttcttggtt taaagtgaga gaatctggct ccttgaacct 180
 tgaccatgga cctgtgggtga tccaccgtag tgcaggcact ggacgctcca gcaccttctc 240
 tgtggtacac acttgtcttg ttttgatgga aaaaggagat gatattaaca ttaaacaagt 300
 gttactgaac ataagaaaat tccaaatggg tcttatctca gacccagat caactgagat 360
 tctcatacat ggctataaca gaaggagcaa aatgtgtaaa gggagattct agtatacaga 420
 aacgatggaa agaactttct aaggaagact cctcctgct tttgatcatt caccaacaa 480
 aataatgact gaaaaataca atagga 506

<210> 27
 <211> 850
 <212> DNA
 <213> Homo sapiens

<400> 27
 caggcctttg tgtaaggcca gaggaggatc acgggtgcca taaacctca cggggccaag 60
 ggctggtgtc ccggggctgg tgacttaaca ggcagagatg tggagaccag gtgcttgtgc 120
 ccgggacggg cctggctgcc atcctgagga cactgoccat gttccatgac gaggagcacg 180
 cccgagcccg cggcctctct gaggacaccc tgggtgctacc cccggccagc cgcaaccaga 240
 ggattctcta caccgtgctg gagtgccagc cctcttcga ctccagtgac atgaccatcg 300
 ctgagtgggt ttgccttgcc cagaccatca agaggcacta cgagcagtac cacggctttg 360
 tggatcatca cggcaccgac accatggcct ttgctgectc gatgctgtcc ttcattgtgg 420
 agaacctgca gaagactgtc atcctcactg gggcccaggt gccatccat gccctgtgga 480
 gcgaaggccg tgagaacctg ctgggggcac tgcctatggc tggccagtat gtgatcccag 540
 aggtctgcct tttcttccag aatcagctgt ttcggggcaa ccgggcaacc aaggtagacg 600
 ctcgagggtt cgcagctttc tgctccccga acctgctgcc tctggccaca gtgggtgctg 660
 acatcacaat caacagggag ctggtgcgga aggtggacgg gaaggctggg ctggtggtgc 720
 acagcagcat ggagcaggac gtgggcctgc tgcgcctcta cctgggatc cctgcgccc 780
 tggttcgggc cttcttgcag cctcccctga agggcgtggt catggagacc ttcggttcag 840
 ggaacggacc 850

<210> 28
 <211> 990
 <212> DNA
 <213> Homo sapiens

<400> 28
 tttttttttt ttacttgtaa tacgtatntt aatntttggt tcatatgagt ttaagtgttg 60
 tctaggtgac atcaaaatct aaggcaaaca gacttgacca tcttcagacc cactgcattc 120
 tcaagctgaa gtggtctgct catagtttgt gtgccagggt gctcatcagt attgatactg 180
 toccagaaca ggttgtaggt ataattcaga gactgtcctt tgcaaaggaa atgaccagca 240
 tttcaactgt atgtcttccct ggaagggtag attctgctat atcttctttg tctgcatcaa 300
 aagactcaag aggaatgtgg acacatttca tatcccattt gtagagtaaa gcttcaagtg 360
 accagtcaag actcctaact tgataagtag accacaattg gaccttggga ttcttgtgca 420
 tcaaaaaata tattgtagcc aaaatgtcct caaaatcttc tggttcaaag aacacatcag 480
 atgcaaggat aatatcttgt ggtggtagag ccagaagatc ccaagatata tgaccccatg 540
 ttagtcctac cacctgcaga tgtggcaggt tattcatttg gcagctttgc cgacagactt 600
 ccagacagtg aggcagttct gagctgtctg acagtattac ttctgacca catttggcag 660
 ccaaaattcc tggaaggctc actccagctc caatctgctg gacgtggacc tccaggacag 720
 ccccgctcggc ccccggaacc ggctcctccg agaatcgaaa gcgctgggcc cggacccctc 780
 gtctctcgaa atcgtgctcg cccagtaggg cgtcgttggg ccccgggcgg gcgggggacc 840
 gcggaaggct cggggctgcc agactgcgcg agcgggaagc cgcgggccac gtggccgtag 900
 cacctgacgg caagaagggg aaagcccaga tctggtgata accctgccgc gctagcgagc 960
 gaagaaagcc cggagcaagg cgaaagagac

<210> 29
 <211> 622
 <212> DNA
 <213> Homo sapiens

<400> 29
 tttttttttt ttgtgttgat aaagctttat ttataaacac actcacaggg ccagatttgg 60
 gccacgggcc atagttgcca gcccggcttt aactgctggg cctcacgtta gtctcactgc 120
 ctctgcagg gtgggcatgt ggggtgctgt ttcaccagc cccttctctc accccacaaa 180
 caccctggtg gctgtcctgg agcgcgacac actgggcatc cgtgaggtgc ggctgttcaa 240
 tgccgttgc cgctggctcc aggccgagtg tcagggcgag cagctgcagg tgacgccaga 300
 gaacaggcgg aaggttctgg gcaaggccct gggcctcatt cgcttcccgc tcatgaccat 360
 cgaggagtcc gctgcaggta acagagctcg ggctcagggg ctggtttggg aggggagtg 420
 cacacagtg ggcatctggg taccgaggat agtgcccccg agttcactgc ggaaagcctg 480
 gcagatgcct ggcatataca gataggaaga aacctggctt gtgaggacgc gtccacaggg 540
 ccatctgta gccccggccc ggctctgtcc ccaccgtgca cactgccaga ccccgcctct 600
 cgtgtctgtc cagctgtttt gg

<210> 30
 <211> 181
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(181)
 <223> n = a,t,c or g

<400> 30
 tttttttttt ttgagacgga gntgngctct gtnaccagg ntagagtgca atggcacgnt 60
 ctccggtcac tgcaagctct gcgtcctggg ttgacgccat tctcctgcct cagcctccc 120
 agtagctggg actacaggag cttcgccacc aattccagcc tgggggtggac agagtgataa 180
 g 181

<210> 31
 <211> 1956
 <212> DNA
 <213> Homo sapiens

<400> 31
 aaactccgaa cacatccaaa catcagaagg aacaaactcc agacacaccg cctttaagaa 60
 ctgttacgct caccgcgagg gtccacggct tcattctcca agtcagacca agaaccacc 120
 aattccggac acaaaaggcg tagcgtgcct cctgtgattg ttgaagagct gtggtgtgct 180
 gctgagtggc gtgtgtattc catgtgaggg gaagggtcca acagtctggg tcattcagac 240
 tgcagttccc caggacagac ccacgaagtc aagcatgcgg agtgcagcca agccctggaa 300
 cccagccatc agagcagggg gccacggccc agaccgggtg cggcctctgc ctgcagcctc 360
 ttccggcatg aagagttcta agtcttcaac ttcttggct tttgagtccc gactcagcag 420
 gctcaagagg gccagcagtg aggacacgct caacaagcca ggaagtaccg ctgcatcggg 480
 ggtggttcgc ctgagaaga cgcgccactgc cggagccatc tcggagctca cggagagccg 540
 cctgaggagc ggcacagggg cctttacaac aactaaacgg acaggcattc cagccccacg 600
 ggaattttca gtaactgtct caagagagag gtctgtgcca cgtggtccct ccaaccccag 660
 gaaatcagtg tccagtccaa ctctctccaa cactcccact cctacgaaac acctgaggac 720
 cccttccaca aagcccaagc aagagaatga aggtggagaa aaggctgcgc ttgagtccca 780
 agttccggaa cttttggcag aagccaaagc aaaagatagt gaaattaaca ggcttcgaag 840
 tgaactaaag aaatacaaag agaaaaggac tctgaacgct gaggggactg atgctttggg 900
 cccaaatgct gatggaacat cagtctcccc aggtgacacg gaacctatga taagagctct 960
 tgaggagaag aacaagaact ttcagaaaga gctttccgat ctagaggaag aaaaccgggt 1020
 cctgaaggag aaactgatct atcttgagca ctccccaaat tcagaagggg cagcaagtca 1080
 cactggcgac agcagctgcc caacatccat aactcaagag tcaagcttcg gaagcccaac 1140
 tggaaatcag ttgtccagtg acattgatga gtataaaaa aacatacatg gaaatgcatt 1200
 acggacatca ggctectcaa gttagcgtgt taccaaagct tctttgtcgc cagatgcttc 1260
 cgactttgag cacattacag cagagacacc ctcaaggccc ctgtcctcca ccagtaaccc 1320
 ctttaagagt tcaaagtgtt ctactgctgg gaggttcccca aacagcgtaa gtgaattgtc 1380
 cctggcttcc ctccagaga agatacaaaa gatggaagaa aaccaccata gactgcaga 1440
 agaactacag gctactctac aagaattatc agaccagcaa caaatggtac aggaattgac 1500
 agctgaaaat gagaagctgg tggatgaaaa gacgatttta gagacatcct ttcacagca 1560
 tcgagagagg gcagagcagc taagtcaaga aaatgagaag ctgatgaatc ttttacaaga 1620
 gcgagtaaag aatgaagagc ccaccactca ggaaggaaaa attattgaac tggagcagaa 1680
 gtgcacaggt attcttgaac agggccgctt tgaaagagag aagctactca acattcagca 1740
 gcagttgacc tgtagcttgc ggaagggttga ggaagaaaac caaggagctt tagaaatgat 1800
 taacgtctg aaggaagaaa atgaaaaact gaatgagttt ctagaactgg aacggcataa 1860
 taataacatg atggccaaaa ctttgggaaga gtgtagagtt accttgggaag ggctaaaaat 1920
 ggagaatgga tctttgaagt ctcttttga ggggtga 1956

<210> 32
 <211> 513
 <212> DNA

<213> Homo sapiens

<400> 32

ctcagcacca	caaggaagtg	cgggacccac	acgcgctcgg	aaagttcagc	atgcatgaag	60
tttggggaga	gctcggcgat	taacacagcg	acccgggcca	gcgcagggcg	agcgcagggc	120
gcgagagcgc	agggcggcgc	ggcgtcggtc	ccgggagcag	aacccggctt	tttcttgag	180
cgacgctgct	tctagtcgct	gatcccaaat	gcaccggctc	atctttgtct	acactctaat	240
ctgcgcaaac	ttttgcagct	gtcgggacac	ttctgcaacc	ccgcagagcg	catccatcaa	300
agctttgcgc	aacgccaacc	tcaggcgaga	tgagagcaat	cacctcacag	acttgtaccg	360
aagagatgag	accatccagg	tgaaaggaaa	cggctacgtg	cagagtccta	gattccccga	420
cagctacccc	aggaacctgc	tctgacatg	gcggttcac	tctcaggaga	atacacggat	480
acagctagtg	tttgacaatc	agtttgatt	aac			513

<210> 33

<211> 712

<212> DNA

<213> Homo sapiens

<400> 33

acagacatgg	ttccagctct	gtagaactga	gagaaagaat	aaacaagtca	cacattagcc	60
cttcaaaaag	atgaccgacc	tcttgagaag	tgttgtcacc	gtaattgatg	ttttctacaa	120
atacaccaa	caagatgggg	agtgtggcac	actgagcaag	ggtgaactaa	aggaacttct	180
ggagaaagag	cttcatccag	ttctgaagaa	cccagatgat	ccagacacag	tggatgtcat	240
catgcatatg	ctggatcgag	atcatgacag	aagattggac	tttactgagt	ttcttttgat	300
gatattcaag	ctgactatgg	cctgcaacaa	ggtcctcagc	aaagaatact	gcaaagcttc	360
agggctcaag	aagcataggc	gtggtcaccg	acaccaagaa	gaagaaagtg	aaacagaaga	420
ggatgaagag	gatacaccag	gacataaatc	aggttacaga	cattcaagtt	ggagtgaggg	480
agaggagcat	ggatatagtt	ctgggcactc	aaggggaact	gtgaaatgta	gacatgggctc	540
caactccagg	aggctaggaa	gacaaggtaa	tttatccagc	tctgggaacc	aagagggatc	600
tcagaaaaga	taccacaggt	ccagctgtgg	tcattcatgg	agtggtggca	aagacagaca	660
tggttccagc	tctgtagaac	tgagagaaag	aataaacaag	tcacacatta	aa	712

<210> 34

<211> 600

<212> DNA

<213> Homo sapiens

<400> 34

cagattttctc	aggtgagctc	agatagcaat	ccactgtggt	cctttatctc	cagcagatat	60
atatcaatat	cttgaagcag	ttttctactc	aatttagaag	aacttctggg	taaatttaca	120
attctttttt	ctctcccatg	cttgttggtt	ctcattcaaa	caagactggc	atagctactt	180
tatgagggta	ggctctccctg	aattttaagt	tccaaagatc	tctggacctg	atcatattga	240
ctttattccg	tgggatcaac	tcttcatggc	cagttcttcc	tctgtcactg	agttcttagt	300
gctgggcttc	tctagccttg	gggaattgca	gcttgcctc	tttgagctct	ttctctgctc	360

ctatttgatt	atcttgagtg	gaaacatcat	catcatctca	gtcattcatt	tggatcacag	420
cctccacaca	cccattgtact	tctttctagg	tattctttct	atctctgaa	tcttctacac	480
aactgttatt	ctgccaaga	tgcttatcaa	cttattctct	gtattcagga	cactctcctt	540
tgtgagttgt	gccacccaaa	tgttctacga	aatcgtcggc	ccgggaactc	aggaacggtc	600

<210> 35
 <211> 985
 <212> DNA
 <213> Homo sapiens

<400> 35						
tttcgtccta	ctgtccctgt	cctgoccttg	cagacatgtg	tcctgccctt	gcagacagcc	60
gcaggcaggc	agggaccacc	atgagcaacc	ccgtctctcc	tcctgagggg	cagcacagag	120
cctggaggag	gcctgagtgg	ggttgaggcc	tggggcgagc	tggggtggag	gggcactggc	180
tgccgggctc	cagggatctt	ctccccttcc	tgccccggag	ggtgctggca	caggggtggg	240
gctcactccc	actccgtaga	cacaatgata	agaggtcctg	ggtgtctggg	gaagctgggc	300
tgtgcgtgta	tcgctctacc	atgtgggggt	gcctgtgagt	gtgctggggc	gtctgcagtg	360
aaggcctcct	gagaccactc	cacggaaaca	ccgggaatcc	ctgcagctga	gcctgtctct	420
cacgggaccg	ggaagctgga	gagagcccca	accctgcccc	ctggggccga	gctcctgtct	480
cctgcagcag	tcccgtgccc	cacactctga	gtctgoccta	tccacagctg	ctgggcctct	540
ctgtggccac	catggtgact	cttacctact	tcggggccca	cttgctgtc	atccgccagag	600
cgtcctctga	gaagaaccgc	taccaggctg	tgaccaatg	ggggactcag	cagcgactta	660
tccaacatcc	agagagcggg	agcgagggcc	agagcctgct	ggggccactc	agggccttct	720
ctgcggggtt	gagcctggtg	ggcctcctga	ctctgggagc	cgtgctgagc	gctgcagcca	780
ccgtgagggg	ggcccagggc	ctcatggcag	ggggcttccct	gtgcttctcc	ctggcgctct	840
gcgcacaggt	gcaggtggtg	ttctggagac	tccacagccc	cacccagggtg	gaggacgcca	900
tgctggacac	ctacgacctg	gtatatgagc	aggcgatgaa	aggtacgtcc	cacgtccggc	960
ggcaggagct	ggcggccatc	cagga				985

<210> 36
 <211> 464
 <212> DNA
 <213> Homo sapiens

<400> 36						
ccgtatcggc	gtttatatac	tgaagataag	cctgatgagt	aacaggcttg	ctcgtcatac	60
tttcgtgagt	attggcgttg	tacaggcaag	tcgtaaaata	acagcctggc	tattcagagt	120
atgataaaaa	cagggggcaa	gggatggtgc	ttaatatgat	gtgtggctcg	cagctgtcgg	180
caatcagttt	gtgcctggcc	gtaacattcg	ctccactggt	caatgctcag	gccgatgagc	240
ctgaagtaat	ccctggcgac	agcccgggtg	ctgtcagtg	acagggcgag	gcaactgccc	300
aggcgcaagc	cacggcaata	atggcgggga	tccagccatt	gcctgaaggt	gcggcagaaa	360
aagcccgcac	gcaaatcgaa	tctcaattac	ccgcagggtta	caagccggtt	tatcttaacc	420
agcttcaact	ggtgtatgcc	gcacgcggtg	tttctctcag	cgctg		464

<210> 37
 <211> 429
 <212> DNA
 <213> Homo sapiens

<400> 37
 tcgcacaaga gctgctgatg tctatgtctt ttcgctcagc ggaaaatctc gaaacgtgag 60
 ttctcaacc gtgcggcgaa gtgcggtagg cgggatgtcg gcattagcgt tgtttgattt 120
 gctcaagcca aattatgcgc tggcgactca ggtagagttt accgaccogg aaattgttgc 180
 tgagtacatc acgtatcett cgccaaatgg tcacggcgag gtgcgggggtt atctggtgaa 240
 gcccgcaaag atgagcggca aaacgccagc cgtagtgggtg gtgcatgaga atcgtggact 300
 gaatccgatat atcgaagatg tggcacggcg agtggcggaag gcgggggtata tcgccctggc 360
 acctgacggc ttaagttccg ttggagggtta tccgggaaat gatataaagg tggatccgcg 420
 agcggcccc 429

<210> 38
 <211> 556
 <212> DNA
 <213> Homo sapiens

<400> 38
 gagaataacc tagacgttat tgacttgatg ccccgctcg gtaaggcgtt ggataccacg 60
 cagcgcggcg tgctgtttaa tgcagtaacc cgatggggca attaagttaa acagagacat 120
 ggcaattcct tgctgacaac agaaacgaaa tgtatatcat gccgcttagg tgtgccgttg 180
 tcacctcaac ggcgattcca ggctataagg atagaagaag tgaaattgag atggtttgcc 240
 tttttgattg tgttattagc gggttgttca tcaaagcatg actatacgaa cccgccgtgg 300
 aacgcgaaag ttccggtgca acgtgcatg cagtggatgc caataagcca gaaagccggt 360
 gcagcctggg gcgtcgatcc acaattgatc acggcgatta tcgctatcga atcgggtggg 420
 aatccgaacg cggtgagtaa atcgaatgcc attggtttga tgcagttaaa agcttcaacc 480
 tccggacgtg atgtttatcg ccgtatgggc tggagtgggt agccgacgac cagcgagctg 540
 aagaattcct caagac 556

<210> 39
 <211> 890
 <212> DNA
 <213> Homo sapiens

<400> 39
 accacgctgc aggaattcgg cagcaggcca aaccaaagag aagtttttat gctgccaggg 60
 atttgtacaa gtaccgacac cagtacccaa acttcaaaga tatccgatat caaaatgact 120
 tgagcaatct tcgtttttat aagaataaaa ttccattcaa gccagatggt gtttacattg 180
 aagaagttct aagtaaatgg aaaggagatt atgaaaaact ggagcacaac cacacttaca 240
 ttcaatggct tttcccctg agagaacaag gcttgaactt ctatgccaaa gaactaacta 300
 catatgaaat tgaggaattc aaaaaacaa aagaagcaat tagaagattc ctccctggctt 360

ataaaatgat	gctagaat	tttgaataa	aactgactga	taaaactgga	aatggtgctc	420
gggctgtaa	ctggcaggaa	agatttcagc	atctgaatga	gtcccagcac	aactatntaa	480
gaatcactcg	tattcttaaa	agccttggtg	agcttgata	tgaaagtttt	aatctcctc	540
ttgtaaaatt	tattcttcat	gaagctcttg	tggagaatac	tattccaat	attaagcaga	600
gtgctctaga	gtatnttgtt	tatacaatta	gagacagaag	agaaaggaga	aagctcctgc	660
ggttcgccca	gaaacactac	acgccttcag	agaactttat	ctggggaccg	cctcgaaaag	720
aacagtcgga	gggaagcaaa	gcccagaaaa	tgtcttcccc	tctcgcctcc	agtcataaca	780
gtcaaaacttc	tatgcacaaa	aaagccaagg	actccaaaaa	ttcctcctca	gctgttcatt	840
taaatagcaa	aacagctgaa	gacaaaaaag	tggcaccaaa	agagcctgtg		890

<210> 40
 <211> 393
 <212> DNA
 <213> Homo sapiens

<400>	40					
accggctgcc	atcttagtct	agggactgag	gagtcgccgc	cgccccgagt	cccggtacca	60
tgcatttcac	ggtggccttg	tggagacaac	gccttaaccc	aaggaagtga	ctcaaactgt	120
gagaacttca	ggttttccaa	cctattggtg	gtatgtctga	cagtggatca	caacttggtt	180
caatgggtag	cctcaaccatg	aatcacagc	ttcagatcac	tgtcatctca	gcaaaactta	240
aggaaaataa	gaagaattgg	tttggaccaa	gtccttaagt	agaggtcaca	gtagatggac	300
agtcaaagaa	gacagaaaaa	tgcaacaaca	caaacagtcc	caagtgggaag	caaccctta	360
cagttatcgt	taccctgtg	agtaaattac	att			393

<210> 41
 <211> 437
 <212> DNA
 <213> Homo sapiens

<400>	41					
gcattccttg	aaagaaatgt	tacagccaga	tcacagcgca	gaacgataaa	atggcacaat	60
ccaacaacaa	ttttacattt	tcgcgaccgc	tttggctgct	ttcaggctcg	tttcaatgat	120
atactgccag	tcgttaattc	aaaaatagtt	gataattaca	acaatctatt	gaattgaaac	180
gctttccttc	gtaattcgca	actggaacac	gcacgctatg	agtaaaccce	ttgtgatgga	240
acgcgggtgt	aaataccgcg	atgccgataa	gatggccctt	atcccggtta	aaaacgtggc	300
aacagagcgc	gaagccctgc	tgcgcaagcc	ggaatggatg	aaaatcaagc	ttccagcggga	360
ctctacacgt	atccagggca	tcaaagccgc	aatgcgcaaa	aatggcctgc	attctgtctg	420
cgaggaagcc	tcttgcc					437

<210> 42
 <211> 392
 <212> DNA
 <213> Homo sapiens

<400> 42
 tcccctgcgt caattttctt gacagagtac gcgtaataac caaatcgcg c aacggaaggc 60
 gacctgggtc atgctgaagc gagccaccag gagacacaaa gcgaaagcta tgctaaaaca 120
 gtcaggatgc tacagtaata cattgatgta ctgcatgtat gcaaaggacg tcacattacc 180
 gtgcagtaca gttgatagcc ccttcccagg tagcgggaag catatttcgg caatccagag 240
 acagcggcgt tatctggctc tggagaaagc ttataacaga ggataaccgc gcatgggtgct 300
 tggcaaaccg caaacagacc cgactctcga atggttcttg tctcattgcc acattcataa 360
 gtacccatcc aagagcacgc ttattcccca gg 392

<210> 43
 <211> 555
 <212> DNA
 <213> Homo sapiens

<400> 43
 tggctcgcgc gtcataatgg gagttttgat actgtggatt gccggttcga tgtggtagcc 60
 ttcaccggga atgaggttga gtggattaag gatgccttta atggccactc ataattaagg 120
 tttaaaggatt agcgtgcaag aaagaattaa agcttgcttc actgaaagca ttcaaactca 180
 aattgcggcg gcagaggcgc ttccggatgc catctcccgt gcagccatga cgctggttca 240
 gtctctgctc aatggcaaca aaatcctctg ttgtggtaat ggaacttccg ctgccaatgc 300
 acagcatttt gctgccagca tgatcaaccg ttctgaaacg gagcggccca gcttacctgc 360
 cattgcaacta aatactgata atgtttgtctt aacggcgatt gccaacgacg gcttacatga 420
 tgaagtgtat gcaaaaacagg tgcggggcgt gggtcatgcy ggagatgtat tgttagccat 480
 ttccaccctg ggcaacagcc gcgatattgt taaagcagtt gaagccgccc ttacgcgtga 540
 tacgaccatt gtggc 555

<210> 44
 <211> 553
 <212> DNA
 <213> Homo sapiens

<400> 44
 ctatgacctg attacaatc aggtccgacc cgagatctcc aaaatgccag gacgctgtgg 60
 ctacacaagc taaccatgct gattaatgaa aagaaactca acatgatgaa tgccgagcac 120
 cgcaagctgc ttgagcagga gatggctcaac ttctgttctg agggtaaaga ggtgcatac 180
 gagggtata cgccggaaga taaaaataaa aaacagtgcc ggagcacgcc tccggcaact 240
 tgcataaaaa caaacacaac acgcaccccg aatgatgaaa aaatatctcg cgctggcttt 300
 gattgcgccc ttgctcatct cctgttccgac gacaaaaaaa ggcgatacct ataacgaagc 360
 ctgggtcaaa gataccaacg gttttgatat tctgatgggg caatttgccc acaatattga 420
 gaacatctgg ggcttcaaag aggtgggtgat cgctggctct aaggactacg tgaatacac 480
 cgatcaatat cagaccgca gccacatcaa cttcgatgac ggtacgatta ctatcgaacc 540
 catccccggg aca 553

<210> 45
 <211> 310
 <212> DNA
 <213> Homo sapiens

<400> 45
 tctcgttacg acttcgagcg ttggaccocg ggatctctct actatcgctg caagcgagcc 60
 agaaaaaact ggatgaactg atcgaacagc actaaaccca ggacaggaat ccgcaatgaa 120
 caggcttttt tcaggtcggt ccgatatgcc ctttgcgctg ctgcttctcg cgcccagctt 180
 attactgctg ggcggctctgg tggcgtggcc gatggtgctg aatatcgaaa tcagtttttt 240
 acgtctgccg ctcaatccca acatcgagtc aacgtttgtt ggggtgagca actatgtgcg 300
 tatcctctcc 310

<210> 46
 <211> 627
 <212> DNA
 <213> Homo sapiens

<400> 46
 ctcgctgact cgcttcgctt ccccgacgcg ctgggttccc ggagcgcaga gcccagcgtt 60
 agcgggtggg ctccccgagg ccccctgcc tgcgccggct gctccaggtt gtcgctcctc 120
 tggctgctcc cgaaggggct tctggccctg aggacgggtg tgccaagcga acttcatttt 180
 taaaaagaac tggatgatga gaagagcgag cgagggcgag ctatggacct tgtgagtcag 240
 ctggcctctg cgggcacctt ccgggtgctg aaggagcccc ttgccttctt gcgagccctg 300
 gaattgcttt ttgcaatctt tgcatttgca acatgcggtg gctattctgg aggcctgcgg 360
 ctgagtgtgg actgcgctca caagacagaa agtaacctca gcatcgacat agcgtttgcc 420
 taccattca ggttgacca ggtgacgttt gaggtgcccc cctgcgaggg aaaggaacgg 480
 cagaagctgg cattgattgg tgaactctcg tcttcagcag agttcttctg cactgttgct 540
 gtcttcgctt tctctactc tttggtgccc actggtcgtt acattttctt tcacaacaaa 600
 aaccgggaaa acaaccgggg cccactg 627

<210> 47
 <211> 998
 <212> DNA
 <213> Homo sapiens

<400> 47
 acctgggac cgtgtcctat ggcgcgcaga cgatggatga gatccagagc catgtcaggg 60
 actcctactc acagatgcag tctcaagctg gtgaaacaaa tactggttca actccactaa 120
 gaaaagccca atcttcagct cccaaagtta gaaaagtgt cagtagtcga atccatgaag 180
 ccgtgaaagc catcgtgctg tgtcacaacg tgacccccgt gtatgagtct cgggccggcg 240


```

ttactgagga gactgagttc gcagaggctg accaagactt cagtgatgag aatcgcacct 300
accaggcttc cagcccgat gaggtcgctc tgggtcagtg gacagagagt gtgggcctca 360
cgctggctcag cagggacctc acctccatgc agctgaagac ccccagtggc caggtcctca 420
gcttctgcat tctgcagctg ttcccttca cctccgagag caagcggatg ggcgtcatcg 480
tcagggatga atccacggca gaaatcacat tctacatgaa gggcgtgac gtggccatgt 540
ctcctatcgt gcagtataat gactggctgg aagaggagtg cggaaacatg gctcgcgaag 600
gactgcggac cctcgtggtt gcaaagaagg cgttgacaga ggagcagtac caggactttg 660
aggtgagccg actcccaggc atcccacct cctacgacgg tgccttcctt acgctgaaat 720
tagttcttcc tgtctttgta tgaattaga gctgggatcg ctatagtcta ggagtgaagg 780
cagcttcgct cagcaggagc atggggggat cctgtctgca tttctgtttc caccatttct 840
ccagcttgct ggggaaggag ggttacagaa gcaaagaagt gccagtttcc ttagaattgt 900
gcttgataac tcctcaatga tcacaagcca gccagctga gtacacataa gagtatgtgc 960
acatagggcg ctccccctct gtccccagag cccatgcg 998
    
```

```

<210> 48
<211> 864
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(864)
<223> n = a,t,c or g
    
```

```

<400> 48
tttttttttt ttgagacaca gtctggctat gtcaccagg ctgagtacag tagcatgac 60
ctggttcgct gcaacctcca cctcccaggc tcaagtgatc ctcccacctc agcctcctga 120
gtagctagga ctacaggtac gtgccacaac acctggctaa tttttttatt tttttagag 180
acaagggtct ccctacgttg tccaggctgg acttgaactc ctgggttcaa gcgatcctac 240
caccttggcc tcccacagca ctggggttac aggcaggagc cactgcacct ggcctgtct 300
ttactgatgg tctgccccca tgcctcccac acctaacctt gggcacccac tcccgaagct 360
ctcctactgg ctgcagggtc tgcctctgtg aggacagtga agccgatgac acgggagggtg 420
aagtcgaagg ccgtctgctg gccatcgtgg atcactgaga tgcagtggcg gtcccctag 480
ctggcccgtg gcatgccacc ctggaagatg gtgaagggca acccctgcct agtggtcagc 540
cagaggattc tggtaatcgc tttgcaagga aagggaccgt aaggcacgag gctgaggagg 600
ggctctgggt gctgggcttc gctggacacg ggcccactgg cagttagctgc cgtcagagtg 660
acagctgacg agcaggcggc cgtcccgtg ccaccagatg ttctccagtt gctggctgtg 720
gaggaagtgg tagagcacgc ggctgccctg taggtcccag atgacaacga ggcctcggct 780
gtagccgatc aggatctggt tggggctctc aggtgcttcc tgcagtcttt caccatttng 840
aacaacagc cggtgggggc cctc 864
    
```

```

<210> 49
<211> 1327
<212> DNA
<213> Homo sapiens
    
```

```

<400> 49
tttcgtgagc atttgagggc tgtttatgat ctatggggta aaactctctg actgactgga 60
    
```

tgaggaaaat	gaaatgcgag	agggttgagc	ccaaggttca	ttcatctgct	caatcgaggc	120
cactcattct	ggcactgtg	tgccagatgc	tggggattct	gtcctcttgg	gagctgacgt	180
agcccaggtg	gtggctgtgg	gctgctggag	gtggggatcc	aggtggagga	gcaagtctag	240
ggaagtgtgc	tggggaggcc	ctctctgagg	aggtgacatg	ccagctgaga	tctgaatggc	300
aggaaggagt	ggccatgagg	acatgggtga	tgacagtctg	ggtagaaaga	tgaaggaggg	360
gaagcaggta	aggagtgtg	atctaattct	gggagccact	ggagggtgaa	agcagggtt	420
agaagtcagg	gatttacatt	ttaaagagat	cacctctggc	agggcttgt	taagagtggc	480
ctgcaagagg	ccaagcatgg	ttccagggg	ccagttgcag	agggctggg	caggagcca	540
ggcaaggatt	acggggctca	gtcctgccct	gtggggagca	agagtacacg	gctggattcc	600
agagctgcc	gcaggcctac	cccctggggc	ctgcctgtgg	cctctcatcc	ctgcctgtcc	660
cagtagacac	tgggggtggg	taagtgtccc	cgtgaagggg	gggcccaggc	gattctgggt	720
ctggccctgt	gtctacaggg	gagcaccgtg	gctggggcgc	tggcgtctcc	aagggtcgga	780
gcctgaagat	ggacaggaag	gtgtggacag	aaacacttat	cgaggtgggg	atgcccctgc	840
ttgccaccga	tacttgggg	ctgccccatt	caacagctgt	ctgggtctcc	cagccccctc	900
cctatctcag	tgaccacagc	accttggagc	tggaaagaga	cccttgtga	taatatagtg	960
ggtggggatt	tcgaaaagc	aatthttggc	aaagtcagca	aactggccag	tgagctaaga	1020
atgtttttat	agttgtaaag	tgttattttt	ttttaaagaa	aaaaaaagga	agaaaatgca	1080
gcagagactg	tatgtgttct	gtaaagccga	aaataattac	tatttcgccc	tttagagaaa	1140
gaatttgcta	acttctgatc	taatttctact	gtcatccatt	gaatagatgt	gtaaactgag	1200
gtcctgggca	gggctgtaat	ctgcctgaga	ttaccctgta	aatgcatatt	gaccaccatc	1260
cctgcctctt	tctgtcccac	ttctgaatga	cccagggcct	tctcccctac	cttgcacage	1320
ctgtatt						1327

<210> 50
 <211> 436
 <212> DNA
 <213> Homo sapiens

<400> 50						
ctgtcgtgca	attccgagca	ggcactgctc	agtctgggtg	ctgtgcagag	ggagctactt	60
cgaaggcgct	atcagtccag	ccctgcccaag	ccagactcca	gcttctacaa	gggcctagg	120
acctgccctt	cccagctgag	gctttctgag	ccccaccga	ccccagaca	cctcagcgt	180
gcctctgtct	cccatcacat	gttcccctct	catcgctccc	tttggcccaca	tcttccagac	240
ttcttgccg	ccccattccc	atcagacaat	ctcccctaca	cctccagtc	cccttcccc	300
tcacctctc	cagctactcc	ctctgacat	gctcttatcc	tccaccacag	acttaaatgg	360
gggccagat	gacctctgc	agcagacagg	ccagctcttc	gggggcctgg	tgcgtgat	420
ccggcgccg	tacccc					436

<210> 51
 <211> 481
 <212> DNA
 <213> Homo sapiens

<400> 51						
tcgcctagca	gtaagttggt	tggcatgtgg	tgggcaggca	gggctggcag	tagtcggacc	60
acttcagtct	ccctgctctg	ccttccccag	caccattcgg	tgctcgaac	ctcctgggtg	120
accccctgga	gccccaaaat	gcagataaga	tcaagatcaa	gatcgagac	ctgggcaacg	180
cctgctgggt	ggtatgagca	agtgtgggag	agcagagtgg	ggggccctgc	tccaagggtg	240

gaggcacag	gccgctcttg	gggagcccta	ccccagtctg	cagtgcacgt	gaaccgtcgg	300
ctgggtggg	actggtcctg	cccagtcaac	agcactgggg	ccatggccaa	gggcaggggc	360
cactaggaag	ggatcagcct	cagcctcaga	tactctgggc	tgtccctctt	ggaggacctg	420
gggaccccg	ggctcacagc	aaacccact	gagcttctcg	ggtaggcgga	tcggggtggg	480
g						481

<210> 52
 <211> 435
 <212> DNA
 <213> Homo sapiens

<400> 52						
cccgggtcga	cccacgcgtc	cgagctcctc	gttgtggaga	caagatcaaa	aatcatatgt	60
atagaatgtg	actgtggctc	ccttaaagat	tgtgccagtg	atagatggtg	tgagacctct	120
tgtacccttt	ctcttggcag	tgtttgcaat	acaggacttt	gctgccataa	gtgtaaata	180
gctgcccttg	gagtggtttg	cagagacttg	ggtgggtat	gtgatctacc	ggaatactgt	240
gatgggaaaa	aggaagagtg	tccaaatgac	atctacatcc	aggatggaac	cccatgttca	300
gcagtatctg	tttgataaag	aggaaactgc	agtgaccgtg	atatgcagtg	tcaagccctt	360
tttggtctacc	aagtgaaaga	cggttcccca	gcgtgctatc	gaaaattgaa	taggattggt	420
aaccgatttg	gaacg					435

<210> 53
 <211> 728
 <212> DNA
 <213> Homo sapiens

<400> 53						
ccgggtcgac	ccacgcgtcc	ggacgccagt	ttagcccagg	tccacggact	acaatgtttc	60
gtattcctga	gtttaaatgg	tctccaatgc	accagcggct	tctcactgat	ttactatttg	120
cattagaaac	tgatgtacat	gtttggagga	gccatttcta	caaagtctgt	aatggatttt	180
gtcaatagca	atgaaaatat	tatttttgta	cataacacaa	ttcacctcat	ttcccaaatg	240
gtagacaaca	tcatcattgc	ttgtggagga	attttacctt	tgtctctctg	tgctacatca	300
ccaactgggt	ctaagacgga	attggaaaat	attgaagtga	cacaaggcat	gtcagctgag	360
acagcagtaa	ctttcctcag	ccggctgatg	gctatgggtg	atgtacttgt	gtttgcaagc	420
tctctaaatt	ttagtggat	tgaagctgag	aaaaacatgt	cttctggagg	tttaattgca	480
cagtgcctaa	aattagtgtg	ttgtgttgct	gtgagaaact	gtttagaatg	tcggcaaaga	540
cagagagaca	ggggaaataa	atcttcccat	ggaagcagta	aacctcagga	agttcctcaa	600
agtgtgactg	ctacagcagc	ttogaagact	ccattggaaa	atgttccagg	taacctttct	660
cctattaagg	atccggatag	acttcttcag	gatgttgata	tcaatcgcct	tcgtgctggt	720
gtctttcg						728

<210> 54
 <211> 2228
 <212> DNA

<213> Homo sapiens

<400> 54

tttttttttt	ttcctgaaat	gtaaattggt	tttaatatat	ttaagagcac	acagaagtct	60
tgatttataa	aaaaataaat	atataacatg	acaaatttac	tgatgatcct	ggagctctga	120
ggtcaaactc	tttaaagtat	cagtgaaaac	ataaaacatc	catgatctgt	taacacacac	180
aggagcatat	tccagttgta	aaaaacaaat	tccttgaagg	ctcagaacga	acaaaaatca	240
gtctttatgg	cagaaagcac	atccaaagct	aggcaatgaa	gttcagcctg	ggccacgtga	300
acctttcacc	agccagccta	taacctatgg	agccaggaca	ggaagcatg	atccttcagc	360
tcatgacgcc	accagggtt	ccagacaact	gcagaatgaa	agagtccttc	agaggtctcc	420
cagcccctgc	tgccatcata	aagcacggga	gggattgttt	tgtccttagc	ggctctgtcc	480
taaatttgag	agcaggagac	tgagaagggt	atgctcatta	aatattgtca	ttgtaacacg	540
gaatggaaat	catgatcctt	gcccatgggc	actgagctga	aagaaagagg	aacctcacat	600
gaggctttcc	tagagaccag	gatggtgggt	gagtgggctg	gcacttctca	agtgggcaag	660
gaagaactgc	ttttctccag	ctgacatgct	ctcaggggtg	aagaagttta	gcttaaaata	720
cctgatggcg	ctgcataaac	tggggatttg	ggaactgagt	ttttagctct	gtgacacaca	780
acataaaaaa	caaaaatcca	gtctcattag	ctaaattcgg	attaaaatct	gaaatgtttt	840
tatggagtgg	ccaacaggct	ggaatgtacc	tgatacaatt	taatctgctt	ttatttcttt	900
ggctgtcttc	caaacactt	tcttcctgta	tcttctaagt	tggctagttc	tccttctcca	960
gaaaaattac	ccctaagaat	cttcctaata	gtgagggtgt	acttccgaat	agaagagtcc	1020
ttcggctgaa	atggcatctc	caaggcctac	agttcgaatg	gggtctttac	acaccaatac	1080
tggtgtgaag	tggaaggata	ttcctctctc	gtgccattct	actactggct	tgtttggttt	1140
taatacaatc	ctggagcctg	cctccgaatg	ggaagtcatg	aactcttggg	gtgccctcag	1200
agacactcgg	ctgggtgtcta	tggtttctgt	ggcgcaggcc	tgtgtcccag	ccacacgagc	1260
tcctgcagcc	acggctgcca	gctgggtggc	ccagtgtcca	tccacagttg	ccaggatgtg	1320
gtagaccagc	gtgtggaaat	ggatcctggt	gagatccgag	gctctgcttt	tactcctccc	1380
atgttctttc	aagatccaga	agaggatgtc	actgaccatg	cccacatcag	gaacaccggt	1440
ccaggaagag	agagaagagt	gagggtccaga	ggctgactgg	gtgagaaata	acagctcctg	1500
ttcattcagc	ccaaggggag	tcaccgcggg	aaagacctgc	tgaaggaaca	atgctgtctca	1560
tgagctccct	gttagtcata	ctggcccagc	tctaggtgaa	actggaatac	cagtggggat	1620
gtcagaaatg	gaggttacia	cctccaagag	tctcttctct	tggagctcct	tgctttgtcc	1680
ctccatcatg	tgcaatccag	agaggcccc	caggtctggc	tgaaactcct	ccaggctaga	1740
cacaaacacc	tccagcatat	tcattggccc	gttggagagg	tcgtgagaga	agatgaatcg	1800
gttggcatgg	ggagctttta	actggcccca	ctcctcccct	gcttgatact	ctaaaatgag	1860
gtggaactca	tccacttctc	gcaatgactc	tgggtggaaca	aagacattgt	catcaagaag	1920
ctcatgtagc	tttgaccaca	ctggaccgca	aagaagaacc	tttaaactctg	agttggctgc	1980
aaatttctgt	ccaattaaag	ctgcatttcc	tctacatag	tgctgggctc	ctgggaactc	2040
tgacgcaacc	tgggcaatgt	cgtgaaaagt	ttccttatca	ctgaagaagc	gctcagcagc	2100
tgctcccttc	cccatgaagt	gaatgaaggc	ttcttcagca	tcatcctctg	aatgcagaat	2160
gctgtgatct	ttcccattcc	caggactaag	gccaaagtgc	tgcaagagct	tcacccttga	2220
ggaattca						2228

<210> 55

<211> 405

<212> DNA

<213> Homo sapiens

<400> 55

gcaggagttc	aagaccaacg	tggccaacat	ggggaaagcc	catcactact	aaaaatacaa	60
aaactagcca	ggcgtggtga	cacacatctg	taatcccagc	tactcgaggc	gctgaggcag	120
gagaatcact	tgaaccagga	ggcagagggt	gcagtgagcc	gagatcatgc	cactgcactc	180
cagcctgggc	cacagagcaa	gactccatct	gacaactagc	tgttccagcc	cccagccact	240

tgagtcatct	cagctgaggc	cccacacacc	aagaagcaga	ggtgagtcta	atccacagag	300
ccctggtcag	acatgatgac	ggtggcttca	cccgggggtc	tccgcacagc	agcggcctcg	360
ggtaagcaga	acctcgcctc	ggggtttaca	aatccttctc	cgctgc		405

<210> 56
 <211> 1652
 <212> DNA
 <213> Homo sapiens

<400> 56

actaggggag	gtgctcaagt	gccagcaggg	cgatccagt	ctggcctttg	ccctggcctt	60
cttgacagcg	atggacatga	agccgctggg	ggtcctgggg	ctgccggccc	ctacggctcc	120
ctcgggctgt	ctttccttct	gggaggccaa	ggcgcagctg	gccaagagct	gcaaggtgct	180
ggtagacgcg	cttcgacaca	acgcgcgcgc	tgctgtgcca	ttttttggcg	gcggtctgt	240
gctacgcgct	gccgagccgg	ctccccatgc	cagctacggc	ggcatcgtct	cggtggagac	300
agacctgctg	cagtgggtgcc	tggagtccgg	cagcatcccc	atcctgtgcc	ccatcgggga	360
gacggccgcg	cgccgctccg	tgctttctga	ctccctggag	gtgaccgctg	cgctggccaa	420
ggcgtgctcg	cccacaaaa	tcattcttct	caataacaca	ggcggcctgc	gcgacagcag	480
tcataaggtc	ctgagtaacg	tgaacctgcc	cgccgacctg	gacctggtgt	gcaacgccga	540
gtgggtgagc	acaaaagaac	ggcagcagat	gcggctcatc	gtggacgtgc	tcagccgctt	600
gccccaccac	tcctcggccg	tcattaccgc	cgctagcacg	ctgctcactg	agctctttag	660
caacaagggg	tcggggacce	tgttcaagaa	cgccgagcga	atgctacggg	tgcgcagcct	720
ggacaagctg	gaccagggcc	gtctagtggg	cctgggtcaac	gccagcttcg	gcaagaagct	780
cagggacgac	tacctggcct	cgctgcgccc	gcggctgcac	tcattctacg	tctccgaggg	840
gtacaacgcc	gccgccatc	tgacctgga	gcccgtcctg	gggggcaccc	cgtacctgga	900
caaatttgtg	gtgagctcca	gccgccaggg	ccaaggtccc	ggccagatgc	tgtgggagtg	960
cctgcggcgg	gaccttcaga	cacttttctg	gcgctcccgg	gtcacciaacc	ccatcaatcc	1020
ctggctactc	aaacacagtg	atggcagctt	ctccaacaag	cagtggatct	tcttctggtt	1080
tggcctggct	gatattccgg	actoctatga	gttgggtcaac	cacgccaagg	gactgccaga	1140
ctcctttcac	aagccagctt	ctgacctcag	cagctgacct	tcacctgga	cactacaggc	1200
cctggaatgg	ccaggggtgga	ccaaaagcca	tgcccagctg	ggcatgacct	caggcagcca	1260
gccacaggct	gaagggggct	tgttggctga	gtgatctgca	gaggagaaag	cagccccag	1320
ctctgcccc	gaggaggcgc	tgaagtggga	caagcacagg	aaagaagggg	accagtctag	1380
gaccccaact	tgactcactc	taaagctaca	acaaaatggc	cttcgatttt	caacctgggg	1440
attaggggag	gggagggtgc	cttccagggc	tcttaactcag	gacttaaccc	ttaaggtgga	1500
gcttagtttc	tgctctcttg	tgcttatggt	ttgaggctcc	cttaccctaa	ataatacccc	1560
tgccctgctg	atattctacc	attcatttta	attcctttgg	gtcttgagct	ttttcaggag	1620
gccttgatta	aaatgcaaat	acttgtctga	ga			1652

<210> 57
 <211> 1129
 <212> DNA
 <213> Homo sapiens

<400> 57

tttttttttt	ttgagacgga	gtctcgtctc	gtggcccagg	ctggagtgca	gtggcgcgat	60
ctcggctcac	tgcaagctcc	gcctcccggg	ttcacgccat	tctcctgcct	cagcctcccg	120
agtagctggg	actacaggcg	cccgtacca	cgcccggcta	attttttgta	tttttagtag	180

agacgggggt	tcaccgtggt	agccaggatg	gtctcgatct	cctgacctcg	tgatccgccc	240
gcctcggcct	cccaaagtgc	tgggattaca	ggcgtgagcc	accgcgcccg	gcccatttac	300
taaagttaa	gttccttata	attccatctc	tttcagcacc	caatacaggg	gtttacatag	360
aggaagtact	caatatttcc	tttctttttt	tctttttttt	ctggagatag	tctcgtctctg	420
tcaccaggct	ggagtgcagt	ggcgtaatct	cggctcactg	caacctccac	ctcctggggt	480
cacgccattc	tctgcctca	gcctcccagag	tagctgggac	tacaggcgcc	caccatcacg	540
ccgggcta	tttttttgta	tttttagtag	agatgggggt	tcaccgtggt	agccaggatg	600
gtctcgatct	cctgaccttg	tgatccgccc	gcctcggcct	cccaaagtgc	tgggattaca	660
ggtgtgagcc	accgcgcccg	gcctaaaaaa	atthtttttt	tcttgagaca	aagtcttgc	720
ctgttgccca	ggctgaagtg	caggggcatg	atatcagctc	attgcaacct	ccacctcccg	780
ggttcaagcg	attctcctgc	ctcagcctcc	cgagtagctg	ggattacagg	tgccctccgc	840
cacgtccage	taattttctg	tttttagta	gagacggggt	ttcaccgtgt	tagccaggat	900
ggtctcgatc	tctgacctc	gtgatccacc	tgctcagcc	tcccaaagtg	ctgggattac	960
aggcgtgagc	cactgagccc	agccccattt	tatttcattt	ctctaacagc	aatgatatat	1020
atacatccca	tagtatatcc	tactgatata	atagcccctt	tccccattca	acacctgtgt	1080
aatcagga	taaaaccctc	gtgcagcatt	ggcgtctgga	tagtctctcg		1129

<210> 58
 <211> 475
 <212> DNA
 <213> Homo sapiens

<400> 58						
gttccgccc	attggcataa	tacgccaagc	cctgtgctct	gcagacggcc	accagagaag	60
gactcttact	ctgcgcctgg	gattgctcgt	tatcccgttt	ctccccgcaa	gtaacctggt	120
cttccgagtg	ggcttcgtgg	tcccagagcgt	gggggtcgtg	gtgatgctgc	tttttggtatt	180
cggagcctgc	gcaaacacac	cgagaaaaag	aagctcatcg	ctgccgtgg	gctgggaatc	240
ctactcagca	agatgctgag	aggctgagat	gcgcggtgcg	cggcggcgag	tggcggagcg	300
agggcggtt	ttcagaggcg	ctgtgtctgt	gtgtcccctc	agtgtgagg	ttcgtgcaa	360
catcggcaga	aacctggctg	ctaaaggcaa	ccaaacgggc	gccatcagat	accaccggga	420
agctgtaagc	ttaaatccca	agacgaaatc	gtcgcacagg	gaattccggc	cttgc	475

<210> 59
 <211> 711
 <212> DNA
 <213> Homo sapiens

<400> 59						
ggaaaatagc	agatthttggg	ttcagtaacc	tcttactcc	tgggcagctg	ctgaagacct	60
ggtgtggcag	ccctccctat	gctgcacctg	aactcttga	aggaaaagaa	tatgatgggc	120
ccaaagtgga	catctggagc	cttggagttg	tcctctacgt	gcttgtgtgc	ggtgccctgc	180
catttgatgg	aagcacactg	cagaatctgc	gggcccgcgt	gctgagtgg	aagttccgca	240
tcccattttt	tatgtccaca	gaatgtgagc	atttgatccg	ccatagtgtg	gtgttagatc	300
ccaataagcg	cctctccatg	gagcagatct	gcaagcaca	gtggatgaag	ctaggggacg	360
ccgatcccaa	ctttgacagg	ttaatatgctg	aatgccaaca	actaaaggaa	gaaagacagg	420
tggaccacct	gaatgaggat	gtcctcttgg	ccatggagga	catgggactg	gacaaagaac	480
agacactgca	gtcattaaga	tcagatgcct	atgatcacta	tagtgcaatc	tacagcctgc	540
tgtgtgatcg	acataagaga	cataaaacc	tgcgtctcgg	agcacttcc	agcatgcccc	600

gagccctggg cctttcaagc accagtcaat atccaggcgg agcaggcagg tactgctatg 660
 aacatcagcg tccccaggt gcagctgac aaccagaga accaaattgt g 711

<210> 60
 <211> 344
 <212> DNA
 <213> Homo sapiens

<400> 60
 ggcacgagaa tttttaggcc accgagcttc tataacatgg tcatgagctc gggcgcacca 60
 tagatttccc aaagctgagg ttgcataacc cctctgctga ggacagatct taccgaagat 120
 cgcacgaagt gctgccatgg agatctgctt gaatgcgctg atgacagggc agaccttgctc 180
 gaggatatct gggaaaatca agattcaatc tccactatac tgattgaatg ctgtgaaaaa 240
 cctctgttgg aaaaatccca ctgcattgcc gaagtggaaa atgatgagat gcctgctgac 300
 ttgccttcat tagctgctga ttttgttgaa agtaaggatg ttg 344

<210> 61
 <211> 594
 <212> DNA
 <213> Homo sapiens

<400> 61
 gcttgagctc gagcgcggc gctggcggag acgccggetg ctccctcccct ccccgccgct 60
 tttcctaaaa ggattgtaca ccttagaagt gcttaaggaa gagtgatgaa gctctgaatc 120
 gtgtcctgca gcagattctg agtgccacc aagatgaaga gagggacaag cttgcatagt 180
 aggcggggca agccagaggc cccaaaggga agtccccaaa tcaacaggaa gtctggctcag 240
 gagatgacag ctggtatgca gtcaggccga cccaggctt catocacaac tgatgcacct 300
 accgctctg ctatgatgga aatagcttgt gctgctgctg ctgctgctgc tgcattgcta 360
 ccaggagagg agggaaactgc ggagcggatc gaacggttgg aagtaagcag ccttgcccaa 420
 acatccagtg cagtggcctc cagtaccgat ggcagcatcc acacagactc tgtggatgga 480
 acaccagacc ctacagcac aaaggctgcc attgctcacc tgcagcagaa gatcctgaag 540
 ctcacagaac aatcaagat tgcacaaaca gcccgacgaa atcgtcgacc cggg 594

<210> 62
 <211> 1609
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1609)
 <223> n = a,t,c or g

<400> 62
 cgaagttatg gccttcctta taaggaaaag ggggtgattg gaggaatcgc caattgaagt 60
 ttcgaaggat cgcttttagct gaatatcaga gaaccttgtg aagatcttaa agagcaacta 120
 aagcataaag aatttcttct ggctgctaata acttgtaacc gtggttggtg tctttgtttg 180
 aaatgtgctc agcatgaagc tgttctttcc caaacccata ctaatgttca tatgcagacc 240
 atcgaagac tggttaaaga aagagatgac ttgatgtctg cactagtctc cgtaggagc 300
 agcttggcag atacgcagca aagagaagca agtgcttatg aacaggtgaa acaagttttg 360
 caaatatctg aggaagccaa ttttgaaaaa accaaggctt taatccagtg tgaccagtgt 420
 aggaaggagc tggagaggca ggcggagcga cttgaaaaag aacttgcac tcagcaagag 480
 aaaagggcca ttgagaaaga catgatgaaa aaggaaataa cgaaagaaag ggagtacatg 540
 ggatcaaaga tgttgatcct gtctcagaat attgcccaac tggaggcca ggtggaaaag 600
 gttacaaagg aaaagatttc agctattaat caactggagg aaattcagag ccagctggct 660
 tctcgggaaa tggatgtcac aaagggtgtg ggagaaatgc gctatcagct gaataaaacc 720
 aacatggaga aggatgaggc agaaaaggag cacagagagt tcagagcaaa aactaacagg 780
 gatcttgaag ttaagatca ggaaatagag aaattgagaa tagaactgga tgaaagcaaa 840
 caacacttgg aacaggagca gcagaaggca gcctggcca gagaggagt cctgagacta 900
 acagaactgc tgggcgaatc tgagcaccaa ctgcacctca ccagacagga aaaagatagc 960
 attcagcaga gcttttagcaa ggaagcaaa gccaagccc ttcaggcca gcaaagagag 1020
 caggagctga cacagaagat acagcaaatg gaggcccagc atgacaaaac tgaaaatgaa 1080
 cagtatttgt tgctgacctc ccagaataca tttttgaaa agttaaagga agaattgtgt 1140
 acattgcca agaaactgga acaaatctct caaaaaacca gatctgaaat agctcaactc 1200
 agtcaagaaa aaaggatatac atatgataaa ttgggaaagt tacagagaag aatgaagaa 1260
 ttggaggaac agtgtgtcca gcatgggagg agtacatgag acgatgaagc aaaggctaag 1320
 gcagggtgat aagcacaggc aggccacagc ccaggagggt gtgcaggctc ccagaagcag 1380
 gaccngcttc ttccnggaga gggaggggnc gtccgaagag gtgggnccgn cttgggggnc 1440
 nngttacca gnatncaaa tcttttttgg ttgaccgggt tggacagggt ggacttnant 1500
 gttttncaaa gngnttttt cattccanct tgttttngct taatttngcn caacgnacc 1560
 acggcctncc cggmntgaaa cccccnccc tgaggggggg ttntcccc 1609

<210> 63
 <211> 615
 <212> DNA
 <213> Homo sapiens

<400> 63
 catcctatcc cgtgtggtgg aattgcgcgc tgactgctga ggtgccacc gagctgctgg 60
 ctgctgccgg cttcttccac acaggccatc aggacaaggt gaggtgcttc ttctgctatg 120
 ggggcctgca gagctggaag cgcggggacg acccctggac ggagcatgcc aagtggttcc 180
 ccagctgtca gttcctgctc cggtcaaaag gaagagactt tgtccacagt gtgcaggaga 240
 ctactcca gctgctgggc tcttgggacc cgtgggaaga accggaagac gcagcccctg 300
 tggccccctc cgtccccctg tctgggtacc ctgagctgcc cacaccagg agagaggtcc 360
 agctgaaaag tgccccagg ccaggagggg tcagtccagc cgaggcccag agggcgtggt 420
 gggttcttga gccccagga gccaggatg tggaggatg gctgcggcgg ctgcaggag 480
 agaggacgtg caaggtgtgc ctggaccgcg ccgtgtccat cgtctttgtg ccgtgcggcc 540
 acctggtctg tggctgagtg tgccccggc ctgcagctgt gccccatctg gcagaagccc 600
 ccgtcccga gccgg

<210> 64
 <211> 839

<212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(839)
 <223> n = a,t,c or g

<400> 64
 aagaatgtct ggaagagatg gaagaaaagg ttttttgtat tggatgcaggt cattcagtac 60
 acgtttgccca tgtgcagtta tcgggagaag aaagcggagc ctcaggaact tctacaattg 120
 gatggctaca ctgtggatta caccgacccc cagccagggt tggaggggtg ccgagccttc 180
 ttcaatgctg tcaaggaggg agacaccgtg atatttgcca gtgacgatga acaagaccgc 240
 atcctgtggg tccaggccat gtatcggggc acggggcagt cacacaagcc tgtgcccccg 300
 acccaagtcc agaaactcaa cgccaaggga ggaaatgtac ctcagctgga tgcccctatc 360
 tctcaatfff acgcagatag agctcaaaaa catggcatgg atgaatttat ctcttccaac 420
 ccctgtaact ttgaccacgc ttccctcttt gagatggtag aacgccttac tttggatcac 480
 agacttaatg attcctatc ttgcctgggc tggttcagtc ctggccagggt gtttgtacta 540
 gacgagtatt gcgcccgaaa tggagtccgg ggggtgcacc gacatctctg ctacctcaga 600
 gacttgcttg aacgggcaga aaatggcgcc atgatcgacc ccacccttnt tctactacagc 660
 tttgccttct gtgcatccca tgtccatggg aacaggcctg atggaattgg gaactgttga 720
 ctgttgaaga aaaggaacgt tttttgaagg aaatcaaaag aggaggnttc cgnagtctg 780
 ctaagaaaaa tcaggttaca acatfffatg naattgcttt tcccatttgg gtcgaacct 839

<210> 65
 <211> 1678
 <212> DNA
 <213> Homo sapiens

<400> 65
 caagcagctg atcgtgctgg gaaacaaagt ggacctcctg ccccaggatg ctcttggtta 60
 ccggcagagc ctgcccggag gactgtggga ggactgtgcc cgcgcccggc tctgtctggc 120
 ccctggccac caagggccac agcgcctcct caaggacgag ccacaggacg gggagaatcc 180
 gaatccgcgc aactgggtccc gcacagtggg cagggacgtg cggctgatca gcgccaagac 240
 cggctatgga gtggaagagt tgatctctgc ccttcagcgc tcttggcgct accgtgggga 300
 cgtctactta gtgggcgcca ccaacgcctg caaatccact ctctttaaca cgctcctgga 360
 gtccgattac tgcaactgcca agggctccga ggccatcgac agagccacca tctccccttg 420
 gccaggtact acattaaacc ttctgaagtt tcttatttgc aacccaactc cttacagaat 480
 gtttaaaagg catcaaagac ttaaaaaaga ttcaactcaa gctgaagaag atcttagtga 540
 gcaagaacaa aatcagctta atgtcctcaa aaagcatggg tatgtcgtag gaagagtgg 600
 aaggacatc ttgtattcag aagaacagaa ggataacatt ccctttgagt ttgatgctga 660
 ttcacttggc tttgacatgg aaaatgacct tgttatgggt acacacaaat ccaccaaaaca 720
 agtagaattg actgcacaag atgtgaaaga tgcccactgg ttttatgaca cccttgggat 780
 taaaaaagaa aattgtatft taaatcttct aacagaaaaa gaagtaaata ttgttttgcc 840
 aacacagtcc attgttccaa gaacttttgt gcttaaacca ggaatgggtc tgtttttggg 900
 tgctataggc cgcatagatt tcttgcaggg aaatcagtca gcttgggtta cagtctgtggc 960
 ttccaacatc ctcccgtgfc atatcacctc ctgggacagg gcagacgctc tgtatcagaa 1020
 gcatgcagggt catacgttac tccagattcc aatgggtgga aaagaacgaa tggcaggatt 1080
 tctctctctt gttgctgaag acattatggt aaaagaagga ctgggggcat ctgaagcagt 1140
 ggccgacatc aagttttcct ctgcagggtg ggtttcagta acacctaat ttaaggacag 1200
 actgcatctc cgaggctata cacctgaagg aacagttttg accgtccggc ccctctctt 1260
 gccatatatt gttaacatca aaggacagcg catcaagaaa agtgtggcct ataaaaccaa 1320

gaagcctcct	tcccttatgt	acaacgtgag	gaagaagaaa	ggaaagataa	atgtatgaga	1380
ccgaccttgt	tcaactccaga	tattaactgt	attgaacaca	acaaaataca	ttgaatttgt	1440
attaacata	taacgcataa	ataaagctcc	cattcttacc	cttaaaaaata	aaaggagaat	1500
gaaaaaaaa	gatgccaata	ggcatatacg	tggttttggg	tattccgggg	tcttcccgtg	1560
gtctgttcac	tttgcggtgg	tggatgata	ttaggcagtc	ggggcgctg	atgtacgcct	1620
tcttatagag	gtacatggtt	ggatgcagcg	tcttgacgtg	ggattcgctt	tattcgcc	1678

<210> 66
 <211> 1888
 <212> DNA
 <213> Homo sapiens

<400> 66						
tccacgtgag	catccatgat	gcatcgctcag	gagactgtgg	agtgtttgog	caagttcaat	60
gcccggagaa	aactgaaggg	tgccatcctc	acgaccatgc	ttgtctccag	gaacttctca	120
gctgcaaaaa	gcctattgaa	caagaagtcg	gatggcggtg	tcaagccaca	gagcaacaac	180
aaaaacagtc	tcgtaagccc	agcccaagag	cccgcgcctt	tgcaagcggc	catggagcca	240
caaaccactg	tggtacacaa	cgctacagat	gggatcaagg	gctccacaga	gagctgcaac	300
accaccacag	aagatgagga	cctcaaagct	gccccgctcc	gcaactggaa	tggcagctog	360
gtgcctgaag	gacggagctc	ccgggacaga	acagccccct	ctgcaggcat	gcagccccag	420
ccttctctct	gctcctcagc	catgcgaaaa	caggagatca	ttaagattac	agaacagctg	480
attgaagcca	tcaacaatgg	ggactttgag	gctacacaga	agatttggga	tccaggcctc	540
acttcttttg	agcctgaggc	ccttggtaac	ctcgtggagg	ggatggattt	ccataagttt	600
tactttgaga	atctcctgtc	caagaacagc	aagcctatcc	ataccaccat	cctaaacca	660
cacgtccaag	tgattgggga	ggacgcagcg	tgcatcgctt	acatccgctt	caccagtac	720
atcgacgggc	agggctcgcc	ttcgaaccca	gccaagtcat	aagaagacc	gggtctggca	780
ccgctcggga	atggcaagtg	gctcaatgtc	cactatcact	gctcaggggc	cccctgcccg	840
caccgctgca	gtgagctcag	ccacaggggc	ttttaggaga	ttccagccgg	aggtccgaac	900
gtttcagacc	agtggctctg	gagggcctga	gtgacagcgg	ccagtccctg	ttgtttgaag	960
gtttaaaaca	attcaattac	aaaagcggca	agcagccaat	gcacgcccct	gcatgcagcc	1020
ctcccggccc	cccttcgtgt	ctgtctctgc	tgtaccgagg	tgttttttac	atttaagaaa	1080
aaaaaaaaag	aaaaaaaaag	tgtttaaaaa	aaaaaggaat	ccataccatg	atgcgtttta	1140
aaaccaccga	cagcccttgg	gttggcaaga	aggcaggagt	atgtatgagg	tccatcctgg	1200
catgagcagt	ggctcaccca	ccggccttga	agaggtgagc	ttggcctctc	tggccccat	1260
ggacttaggg	ggaccaggca	agaactctga	cagagctttg	ggggccgtga	tgtgattgca	1320
gctcctgagg	tggcctgctt	accccaggtc	taggaatgaa	cttctttgga	acttgcatag	1380
gcgctagaaa	tgggctgat	gagaacatcg	tgaccatcag	acctacttgg	gagagaacgc	1440
agagctccca	gcctgctgtg	gaggcagctg	agaagtgggtg	gcctcaggac	tgagagcccg	1500
gacgttgctg	tactgtcttg	tttagtgtag	aagggagag	aattgggtgt	gcagaagtgt	1560
accgcccatt	aagccgatga	gaaacctcgt	gttagtctga	catgcactca	ctcatccatt	1620
tctataggat	gcacaatgca	tgtgggccct	aatattgagg	ccttatccct	gcagctagga	1680
gggggagggg	ttgttgctgc	tttgcttctg	gttttcttct	aacctgggca	aggagagagc	1740
caggccctgg	gcaaggctcc	cgtgcccctt	ttgggttctt	tgttttcttg	ttgcttgatc	1800
tggaccatct	ttgtctttgc	cttttcacgg	tagggctccc	atgctgacct	tcactttggg	1860
cctgggcctc	ttgccaaagt	tgcccctg				1888

<210> 67
 <211> 1712
 <212> DNA
 <213> Homo sapiens

<400> 67

ctttacccaa	gaatgtggta	ttcgtgcttg	acagcagtgc	ttctatggtg	ggaaccaaac	60
tccggcagac	caaggatgcc	ctcttcacaa	ttctccatga	cctccgaccc	caggaccgtt	120
tcagtatcat	tggattttcc	aaccggatca	aagtatggaa	ggaccacttg	atatcagtca	180
ctccagacag	catcagggat	gggaaagtgt	acattcacca	tatgtcacc	actggaggca	240
cagacatcaa	cggggccctg	cagagggcca	tcaggctcct	caacaagtac	gtggcccaca	300
gtggcattgg	agaccggaga	gtgtccctca	tegtcttct	gacggatggg	aagcccacgg	360
tcggggagac	gcacaccctc	aagatcctca	acaacaccog	agaggccgcc	cgaggccaag	420
tctgcatctt	caccattggc	atcggcaacg	acgtggactt	caggctgctg	gagaaactgt	480
cgctggagaa	ctgtggcctc	acacggcgcg	tgcacgagga	ggaggacgca	ggctcgcagc	540
tcaticgggtt	ctacgatgaa	atcaggaccc	cgctcctctc	tgacatccgc	atcgattatc	600
ccccgagctc	agtgggtgcag	gccaccaaga	cctgttccc	caactacttc	aacggctcgg	660
agatcatcat	tgcggggaag	ctgggtggaca	ggaagctgga	tcacctgcac	gtggaggtca	720
ccgccagcaa	cagtaagaaa	ttcatcatcc	tgaagacaga	tgtgctgtg	cggcctcaga	780
aggcagggaa	agatgtcaca	ggaagcccca	ggcctggagg	cgatggagag	ggggacacca	840
accacatcga	gcgtctctgg	agctacctca	ccacaaagga	gctgctgagc	tcctggctgc	900
aaagtgcgca	tgaaccggag	aaggagcggc	tgcggcagcg	ggcccaggcc	ctggctgtga	960
gctaccgctt	cctcaactccc	ttcacctcca	tgaagctgag	ggggccggtc	ccacgcattgg	1020
atggccttga	ggaggcccac	ggcatgtcgg	ctgccatggg	accogaaccg	gtgggtgcaga	1080
gcgtgcgag	agctggcacg	cagccaggac	ctttgctcaa	gaagccatac	cagccaagaa	1140
ttaaaatctc	taaaacatca	gtggatgggtg	atccccactt	tgttgtggat	ttccccctga	1200
gcagactcac	ogtgtgcttc	aacattgatg	ggcagcccgg	ggacatcctc	aggctggtct	1260
ctgatcacag	ggactctggt	gtcacagtga	acggagagtt	aattggggca	cccggccctc	1320
caaatggcca	caagaaacag	cgcacttact	tgcgcactat	caccatcctc	atcaacaagc	1380
cagagagatc	ttatctcgag	atcacaccga	gcagagtcac	cttggatggg	ggggacagac	1440
tgggtgctccc	ctgcaaccag	agtgtgggtg	tggggagctg	ggggctggag	gtgtccgtgt	1500
ctgccaacgc	caatgtcacc	gtcaccatcc	agggctccat	agcctttgtc	atcctcatcc	1560
acctctacaa	aaagccggcg	cccttccagc	gacaccacct	gggtttctac	attgccaaca	1620
gcgagggcct	ttccagcaac	tgcagggtct	tctgtgagtc	tggcatcctg	attcaggaac	1680
tgaccagca	gtccgtggca	gttgctggtc	ga			1712

<210> 68

<211> 839

<212> DNA

<213> Homo sapiens

<400> 68

gttttttctc	gagcaggtta	gccaatatac	ctttgctatg	tgcagttata	gagaaaagaa	60
gtctgaacca	caagaattaa	tgcagcttga	aggctatact	gtggattata	ccgatcccca	120
cccaggcctt	cagggtgggt	gtatgttctt	taatgctggt	aaagaaggag	atactgtaat	180
ctttgccagt	gatgatgaac	aggacagaat	attatgggtt	caagccatgt	atagggccac	240
aggccaatca	tataaaccag	tccctgcaat	tcaaaccag	aaactgaatc	ctaaaggagg	300
aactctccat	gcagatgctc	agctttatgc	agatcgtttt	cagaaacatg	gtatggatga	360
gtttatttct	gcaaacccct	gcaagcttga	tcatgccttc	cttttttagaa	tactccagag	420
gcagactttg	gatcacagac	tgaatgattc	ctattcttgc	ttgggatggg	ttagccctgg	480
ccagtcttt	gtgttagatg	agtactgtgc	ccgttatggt	gtgagaggct	gtcacagaca	540
tctctgtcac	cttgcagaac	tgatggaaca	ttcagaaaat	gggtgctgtca	ttgaccctac	600
cctgctccat	tacagctttg	cattctgtgc	ctctcgatgt	gcacggcaac	aggcctgatg	660
gaattgggac	tgtttcagtg	gaagaaaag	aaagatttga	ggagataaaa	gagagactct	720
cttccctttt	agaaaatcag	ataagccatt	tcagatactg	ttttcccttt	ggacgacctg	780
aagggtctct	aaaagctaca	ctttcattac	ttgaaagggt	tttaatgaaa	gatattgccc	839

<210> 69
 <211> 801
 <212> DNA
 <213> Homo sapiens

 <220>
 <221> misc_feature
 <222> (1)...(801)
 <223> n = a,t,c or g

<400> 69
 agacgggctg ctccatgagg tgctgaacgg gctcctagat cgcctgact gggaggaagc 60
 tgtgaagatg cctgtgggca toctcccctg cggctcgggc aacgcgctgg ceggagcagt 120
 gaaccagcac gggggatttg agccagccct gggcctcgac ctgttgctca actgctcact 180
 gttgctgtgc cgggggtggtg gccaccact ggacctgctc tccgtgaagc tggcctcggg 240
 ctcccgtgtt ttctccttc tgtctgtggc ctgggggttc gtgtcagatg tggatatcca 300
 gagegagcgc ttcagggcct tgggcagtgc ccgcttcaca ctgggcacgg tgctgggcct 360
 cgccacactg cacacctacc ggggacgctt ctctacctc cccgccactg tggaaacctgc 420
 ctgcccacc cctgcccata gcctgcctcg tgccaagtgc gagctgacc taaccccaga 480
 cccagccccg cccatggccc actcaccctt gcatcgttct gtgtctgacc tgcctcttcc 540
 cctgccccag cctgcccctg cctctcctgg ctgcgccaga ccctgcccc tctgtccct 600
 caacggtggg ggcccagagc tggctgggga ctgggggtggg gctggggatg ctccactgtc 660
 cccggaccga cagctgtctt cacctcctgg ctctcccagg gcagctctac actcaccogt 720
 ctaaaaaaag gccccgtaa ttcccccgga catgnnnccc cgtcttagag gatcaagcaa 780
 ctacgcggcg gctcacgagc c 801

<210> 70
 <211> 531
 <212> DNA
 <213> Homo sapiens

<400> 70
 agaagggtgt cccaaccttg ctcatggcag ctggcagctt ctatgacatt ctggccatca 60
 ctggcttcaa cacatgcttg ggcatagcct tttccacagg ctctactgtc ttaaatgtcc 120
 tcagaggagt tttggaggtg gtaattggtg tggcaactgg atctgttctt ggatttttca 180
 ttcagtaact tccaagccgt gaccaggaca aacttgtgtg taagagaaca ttcttgtgt 240
 tggggttgtc tgtgctagct gtgttcagca gtgtgcattt tggtttcctt ggatcaggag 300
 gactgtgcac gttggtcatg gctttccttg caggcatggg atggaccagc gaaaaggcag 360
 aggttgaaaa gataattgca gttgcctggg acatttttca gcccttctt tttggactaa 420
 ttgggagcag aggtatctat ttgcatctct cagaccagaa actgtaggcc tttgtgttgc 480
 caccgtaggc atttgcagta ttgatacga tttttgacta cattttctga a 531

<210> 71
 <211> 540
 <212> DNA

<213> Homo sapiens

<400> 71

tgtgcgagga	attcgaatca	ggtaatggag	aggactggca	tgaagggggc	acaggactgt	60
gaaaacctga	gtgattctgt	ccttccctca	tcctctatcc	ctgaaccagg	gcagacatag	120
atggaatcag	agcaggagtt	ggtgttgatg	tggtttcagg	tccacctatc	agagtttgag	180
agatttaggc	catgaacat	tatgaatata	gatgagaacc	tttgtaattg	ctgaaggagg	240
tagtagtgca	ggcaagtcct	gtgtgcaaga	cctgctgctc	ccagttagta	cggacccctg	300
tgacattcac	agaagttcag	aatgtctgag	atgctctgca	ggctacctta	tctccgtctg	360
cagctacacc	tccagtgatc	acaatcagtg	ctacgctggc	acagccagcc	tggccctgct	420
ctggattgga	ggcatcctca	agggtgctt	gctgtggaag	cagtttcgct	ggaccgagag	480
gagccactgg	aatthttgggt	actgggcctt	atggtcacc	gggaatggga	atggctgctg	540

<210> 72

<211> 428

<212> DNA

<213> Homo sapiens

<400> 72

cggacgcgtc	cgcccacgcg	tccgcccacg	cgcccctag	aaatthctgt	ggaactccat	60
ttgactthct	atctgtgaaa	tccaaactgt	ctctgaagaa	ataagaaaa	tagtgthttg	120
actthtttagg	gacaactatg	thttattatth	tgccttgcaa	attaatgtct	aaatthgtac	180
aagcacctat	ctacagatth	thccaggtaa	accatcatgt	thttatgtgta	aaggtagatt	240
gatgtgcatt	tactthtatac	thttggtactt	aggccattac	acatctthtg	actggaattg	300
gtgcagatat	ataagtgatc	ctaattgttga	tgtgtcccag	accccaggaa	tgcagaggtg	360
agcatgacac	acacagthcc	tgcctgatg	gagthcatag	actagtgaag	gaatagggtc	420
ctatgacc						428

<210> 73

<211> 584

<212> DNA

<213> Homo sapiens

<400> 73

gctggagtca	ttgcttggtt	tcaaagagat	tgtgagcagg	ggagtaaaag	tggattactt	60
gactccagac	thccctagtc	tctcgtatcc	caattattat	accctaataga	ctggccgcca	120
thttgtaagtc	catcagatga	tccgggaacta	catgtgggac	cccaccacca	acaagthctt	180
tgacattggc	gtcaacaaaag	acagcctaath	gcctctctgg	tggaatggat	cagaacctct	240
ggtgggtcact	ctgaccaagg	ccaaaaggaa	ggtctacatg	tactactggc	caggctgtga	300
ggttgagatt	ctgggtgtca	gaccaccta	ctgcctagaa	tataaaaatg	tcccacgga	360
tatcaattht	gccaatgcag	tcagcagatgc	tcttgactcc	thcaagagtg	gcccggccga	420
cctggcagcc	atataccatg	agcgcattga	cgtggaaggc	caccactacg	ggcctgcatc	480
tccgcagagg	aaagatgccc	tcaaggctgg	tagacactgt	cctgaagtac	atgaccaagt	540
ggatccagga	gcggggcctg	caggaccgcc	tgaactcat	tatt		584

<210> 74
 <211> 348
 <212> DNA
 <213> Homo sapiens

<400> 74
 ggcacgagat tttcatccaa aacaaacact ggacttcctg cggagtgaca tggctaattc 60
 gaaaatcaca gaagagggtga aaaggagtat agcacaacag tatctagatt tgacagtagc 120
 ccggaacaag tggaccctga tgcggaagtc gatgcagccc catctaccac atcttcatgt 180
 ggacattgag attcacacgc tggctcctga aggggtgctca gtctccttgg tgattaaggt 240
 cctgcttgaa ctgggtgcaa ctccatggca ggggaagttgc ttttggttgc ctggctgggt 300
 ttcccagatc ccttctgggg caaggageta tcagaccctg ctttcaag 348

<210> 75
 <211> 365
 <212> DNA
 <213> Homo sapiens

<400> 75
 caagcaaagt ggggatgtca cctgcaactg cactgatggg cgcttggccc ccagotgcct 60
 gacctgcgtc ggccactgca tttttggcgg ctactgtacc atgaacagca aatgatgcc 120
 tgaatgccag agcccacccc acatgacagg gcccccgtgt gaggagcacg tcttcagcca 180
 gcatcagcca ggacatataa cctccatcct aatccctatg ctgtagctgc tgctgctggt 240
 tctggtggcc ggagtgatat tctgccataa acggcgagtc caaggggcta agggcttcca 300
 gcaccaacgg atgaccaacg gggccatgaa cgcgagatt gcaaacccca cctacaagat 360
 gtacc 365

<210> 76
 <211> 700
 <212> DNA
 <213> Homo sapiens

<400> 76
 caagaacct cagcaccaac acaaatgtat ctttgcagac cgaaggaatc agctaaacaa 60
 tttacagtca tctcaatctc tactaaaaca aaaatcacat ccaacatgcc acctgacacc 120
 atttctttct ctctctctct tttgctcctt gcgatgagge attcatctct ccttgacct 180
 ccgttctgaa gagataacag tatagcaaca actctgccac tgaaatcctg ttctctgacc 240
 gatattggca cctgcaaaga gaaacaacca gtaacaggca gcagcagcat cagtattaat 300
 cttccatgat gaaatcttta caggtcaaga acaagtacac agctcttttc tcaactcttc 360

acagtggacc	atgcaactag	ttgaggtgga	agacaatgga	ttgtctacaa	gccttttgaa	420
cagtggagaa	tgcagggcgt	tggttttagg	aagaggcaga	aatccaggca	gaacttgaac	480
gtttggaaag	agtcagaaat	cttcacatac	gtgagctgaa	aagaataaac	aatgaagata	540
attcacagtt	caaagatcac	ccaacattaa	atgaaagata	tttattactt	catctgcttg	600
gtagaggtgg	cttttagtga	gtgtataagg	taatgtatgg	tttattctgg	tttttttaca	660
ctaattgtagc	aaggatatag	gagtatgtgg	ttaagaagtg			700

<210> 77
 <211> 426
 <212> DNA
 <213> Homo sapiens

<400> 77						
ttgcctagca	catggcaggg	tgcagcgct	gtctgaatgt	gtgaagagtt	cttagtgatg	60
ggtaaaggg	gttcctgtgt	gttttagatt	ctgctcagca	atcctcagat	gtggtgggta	120
aatgattcca	atcctgaaac	cgacaaccgt	caagaaagtc	cttcccagga	aaacattgac	180
cgagtgagtg	acaggccttt	gtgccctcag	cttggacagc	ctcgggtggg	gttgcttggg	240
gtaacctggg	tgaatcaggc	agcaggactg	ggggagtccg	tgctgaaacc	ttggctccca	300
ggctccaggt	gtaacctgcc	cacctcagag	gccaccacg	cagtaacaga	gggcagggga	360
ggctccttg	gaaagcagga	aaactgggga	agtgtcagga	agttctcttt	aggtttgctg	420
cctttg						426

<210> 78
 <211> 358
 <212> DNA
 <213> Homo sapiens

<400> 78						
tttcgtgcta	tgctcttggc	tgttcaacac	gactgcagac	ccatggacaa	gagcgcaggc	60
agtggccaca	agagcgagga	gaagcgagaa	aagatgaaac	ggaccctttt	aaaagattgg	120
aagaccggt	tgagctactt	cttacaaaat	tcctctactc	ctgggaagcc	caaaaccggc	180
aaaaaaagca	aacagcaagc	tttcatcaag	taagttgaga	atcctgagct	tgcaaatac	240
aatagtttagc	tgctgaaactg	aaaaggggaa	ctctgatgag	cgtaagctaa	catacagaac	300
ctctcttgca	ggccttctcc	tgaggaagca	cagctgtggt	cagaagcatt	tgacgagg	358

<210> 79
 <211> 322
 <212> DNA
 <213> Homo sapiens

<400> 79
 gggtttttca atttttccag cccaaagtta aaaggttggg aaatcaattc ctctttggtc 60
 ctatgagataa ggaagaacat acttcgtttc ttagatgcag aacgagatgt gtcagtggtc 120
 aagagcagtt ttccaagcaa agacgccaga cactccagtg tgcaccggta gttcacccaa 180
 ctgcattggg gaccgcccctc tcatactcca gccaggccgt gacgtgaccg acctccgact 240
 tctgcgcaaa ggcagcgcaa gccgttggga tcccctgctc cccctcgctc aacagtcggg 300
 ccattacacc tttcatactg cg 322

<210> 80
 <211> 310
 <212> DNA
 <213> Homo sapiens

<400> 80
 cgaaagcacg ccagaaaaca aaataaaagc aatacataac cacaaaaata atagcgtata 60
 gatgatcaac aagaattaaa acgcgtaaca tagtatagtc aaaaagaata cacgaaaag 120
 aaactccata aaaaatgcaa tatcatacag gcagatatca agccagacaa tatcctggat 180
 aatgaatcca taactattct aaagcttagc gattttgggt cggcttcaca tgttgcggat 240
 aatgacataa caccttcac tctcagacc acatccgctg catcatcgcc cccgcggacg 300
 ctacgccgcg 310

<210> 81
 <211> 134
 <212> DNA
 <213> Homo sapiens

<400> 81
 tcgagtaaac catgggacta aagcttggct ccaaagcatt caggtggaac gaaaaacatg 60
 gactgtatt gcataatacc aacgtgcatt ggacgagaac gatgctatgg aacctgcata 120
 ggcgacacgg tcgg 134

<210> 82
 <211> 358
 <212> DNA
 <213> Homo sapiens

<400> 82
 ctctgggaga gaaagactaa tgggcaggat cccattactt cattggtaaa gatagtcgga 60
 tactctcacc acttttaata cttttagat tacagttgat cagattacct ttacttgata 120
 tgaattattt ctaagttcat tcccctgtgt tgtagcttat ttcaacaatt ccaactagcc 180

gtttaaatt	cctcaaaga	actggtcatg	gaacaccaat	ggaagaaata	cctgaggagg	240
aattatcaga	ggatggtgaa	cagattgatc	acgctgatag	ggagttgcgg	cgtggccaaa	300
acttgagggtg	caaaggaatt	catagattgc	ctactcatat	acaagtaggg	caaaatcg	358

<210> 83
 <211> 723
 <212> DNA
 <213> Homo sapiens

<400> 83

tacacacaca	cacacacaca	cacacacact	cactctctca	gaggagagaa	aatattaaga	60
atcgtgtatt	ttacacaggt	atccaaacat	aaaaatactt	tagaattgct	tactgtatgg	120
acaggttata	tgggaatggag	tttgtagtat	ccacattaac	aaagcaagtt	tatatggact	180
ggttatgata	ttagggatat	gaattagaaa	tggatgttgt	tgcaatcatt	taaaatattt	240
tgctctcac	tttatcccca	gttatagtgt	ccttttgaat	tttctcaca	cagtgtact	300
atatttcctg	aactgggtata	taaacaaacc	aaaattattt	cttcaaatca	agaacttatc	360
tacgaagggtc	gacgcttagt	cttagaacct	ggaaggctgg	cacaacattt	ccctaaaact	420
actgaggaaa	accctatatt	tgtagtaagc	cgggaacctc	tgaataccat	aggattaata	480
tatgaaaaaa	tttcctccc	taaagtacat	ccacggtatg	atitagacgg	ggatgctagc	540
atggctaagg	caataacagg	ggttggtgtg	tatgctgca	gaattgccag	tacctactg	600
ctttatcagg	aattaatgcg	aaaggggata	cgatggctga	ttgaattaat	taaagatgat	660
tacaatgaaa	ctgttcacaa	aaagacagaa	gttgtgatca	cattgggatt	tctggtatcc	720
aga						723

<210> 84
 <211> 407
 <212> DNA
 <213> Homo sapiens

<400> 84

ggcacgagga	aaatgggacc	cacgctctct	cccatctgcc	taccaggcac	ctggggcgac	60
tacaacctca	tggatgggga	cctgggactg	atctcaggct	ggggccgaac	agagaagaga	120
gatcgtgctg	atcgcctcaa	ggcggggagg	tcaccgcag	ctgggtaag	aaaatgggaa	180
cccgggagag	gggaccctac	gtgggaagaa	tcagaggaag	atgtacataa	gagtaagtgg	240
acaagatgtg	tggatgagaa	gggcgcgtag	tgctaaacag	acaataagag	accgctcagg	300
tgtgggggtga	cctaattgggg	agacgtggaa	tatgtttggg	ggcacggagg	aaagtctaat	360
ggatatcgtg	tttaggagga	cgatggagtc	ttacctgctc	gttgatg		407

<210> 85
 <211> 342
 <212> DNA
 <213> Homo sapiens

<400> 85

ggcacgagct	cgaaaattta	atcaagagtg	cgcaacttta	ttccctttac	tgagggtaat	60
atctacacgg	agcctagaca	gccgaaccag	aggcttcctt	ttgtccaaga	agaggatgga	120
atagacaagc	tggagctgct	ggctcccgga	tgaatttcag	acctgggggt	ctcagctcca	180
ggcaacttgg	actcccagga	cctcctgacg	gtcctgacta	tactgtttac	tacctgttcc	240
atcgacttgc	catggtgact	gctgcctcac	gattggagcg	tgaacacctt	acgcactctat	300
gacactaggg	atacaatgga	gaggatataga	gcaaccctag	cg		342

<210> 86

<211> 420

<212> DNA

<213> Homo sapiens

<400> 86

cgctccgcag	gttttagcacc	gactgtagct	ctgatcagca	ggaccgatta	aacggaactg	60
cccctagcgg	ttttaaccgc	tcctgaccag	tcccgttgcc	gcaccccatc	ttggaagtat	120
gccctggcca	gtaggagcca	caaagcgcga	ttagcctcac	tgcatttcag	gtacaggccg	180
gcgccagccg	tgectcacca	ggtccaccgg	ctccgagcag	cagcaagccc	ggtcggaaaag	240
cgaaagtggc	ctcgccatgt	ccagaccggc	cagctcctccc	gcctacctga	ccccgccccg	300
cagccgcacc	tggtcccgag	tcategccc	ggccgccacg	gccccgcaca	ggaaggcggc	360
agcaaagagc	gcacgctcga	cgcgctgcag	ccaggacagc	gccatggcgc	ccctcgtgcc	420

<210> 87

<211> 392

<212> DNA

<213> Homo sapiens

<400> 87

ggcacgaggg	gagaaggcgg	ggctgggcct	cagcttccca	aaggtttttg	aggaactggg	60
cttttctgac	accctcaaag	gtcagaaggt	taaaggggca	gaaggcattc	ggaaagctcc	120
cctcccacag	tgacacctct	ctgacttctg	acctaggggt	ccaccaccgc	ttcaatccca	180
atgcctccag	ctccttcaag	cccagtggga	ccaagtttgc	cattcagtat	ggaactgggc	240
gggtagatgg	aatcctgagt	gaggacaagc	tgactgtgag	tggcctttga	ctccaggaag	300
cctcgagcct	gggagaacce	tgttgtctaa	gatcatctgg	cttagggagg	ggcttgaggt	360
gcaggggctt	cctgagccga	tggatggggc	tt			392

<210> 88

<211> 332

<212> DNA

<213> Homo sapiens

<400> 88

gggaggaata	taatgcatta	cccaaattgg	catgccatat	gtattgcaa	tggacattgt	60
atcatcttgt	gaaatagtca	taacattaaa	gtttgggtat	agtagttagc	atattttcat	120
ggccagtatt	gatgctat	tttcccttac	ctatcagact	ctttcaaaga	gaaaagaggg	180
agcagttgga	attttatgtt	tggtgttcta	ttttgtctat	tatgaattgt	gacaaaacca	240
ttataaaaaga	tgacaagtgt	gtgtgtttct	ttttttcttt	ttaaaactgta	gggaacatag	300
tcattagtga	tctcaaatc	cgaaagacat	tt			332

<210> 89

<211> 535

<212> DNA

<213> Homo sapiens

<400> 89

attaacctag	gaaatacatg	ttatatgaac	agtgttattt	aagccttggt	tatggccaca	60
gatttcagga	gacaagtatt	atctttaaat	ctaaatgggt	gcaattcatt	aatgaaaaaa	120
ttacagcatc	tttttgctt	tctggcccat	acacagaggg	aagcatacgc	acctcggata	180
ttctttgagg	cttccagacc	tccatggttt	actcccagat	cacagcaaga	ctgttctgaa	240
tacctcagat	ttctccttga	caggctccat	gaagaagaaa	agatcttgaa	agttcaggcc	300
tcacacaagc	cttctgaaat	tctggaatgc	agtgaaactt	ctttacagga	agtagctagt	360
aaagcagcag	tactaacaga	gacccctcgt	acaagtgacg	gtgagaagac	tttaatagaa	420
aaaatgtttg	gaggaaaact	acgaactcac	atacgttggt	tgaactgcac	gagtacctca	480
caaaaagtgg	aagcctttac	agatctttcg	cttgcctttt	ggccttctct	ttctg	535

<210> 90

<211> 432

<212> DNA

<213> Homo sapiens

<400> 90

gcccgggacg	accacgcgt	acgactcagt	ttaagtccaa	actttcta	aatttgatgt	60
agcagcgtaa	tgggctgcat	tactagttag	ttccttatgt	gagtgtgcca	gcatatgctg	120
gatgacttat	ctagaataat	gtagaagaga	attaaacatt	gaatgggagc	ttaaattagt	180
taatttctga	ggttcccttc	cattcttaga	attctttgat	ttttatattg	aattgagaga	240
actagtatag	tttttatttc	agcaaattat	aacaccattg	ttctcaaggc	atggaaaatg	300
tgcttttcat	ctttaagata	ctaaaccttt	tcaactcatg	caattttttt	tagctagcct	360
ctaagcttgg	aaagcagtg	acccatttaa	taatcctggc	caactctctt	agtggaaacta	420
atatgggaga	ag					432

<210> 91

<211> 780
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(780)
 <223> n = a,t,c or g

<400> 91

ccatgcatag	gattaaactg	aatgatcgaa	tgacatttcc	cgaggaacta	gatatgagta	60
cttttattga	tgttgaagat	gagaaatctc	ctcagactga	aagttgcact	gacagtggag	120
cagaaaatga	aggtagtgtg	cacagtgatc	agatgagcaa	cgatttctcc	aatgatgatg	180
gtgttgatga	aggaatctgt	cttgaaacca	atagtggaac	tgaaaagatc	tcaaatctg	240
gacttgaaaa	gaattccttg	atctatgaac	ttttctctgt	tatggttcat	tctgggagcg	300
ctgctggtgg	tcattattat	gcatgtataa	agtcattcag	tgatgagcag	tggtacagct	360
tcaatgatca	acatgtcagc	aggataacac	aagaggacat	taagaaaaca	catggtggat	420
cttcaggaag	cagaggatat	tattctagtg	ctttcgcaag	ttccacaaat	gcatatatgc	480
tgatctatag	actgaaggat	ccagccagaa	atgcaaaatt	tctagaagtg	gatgaatacc	540
cagaacatat	taaaaacttg	gtgcagaaaag	agagagagtt	ggaagaacaa	gaaaagagac	600
aacgagaaat	tgagcgcgat	acatgcaaga	taaaattatt	ctgtttgcat	cctacaaaac	660
aagtaatgat	ggaaaantaa	attgaggttc	ataaggataa	gacattaaag	gaagcagtag	720
aatggctta	taagatgatg	gatttagaag	aggtaatacc	cctggattgc	tgctgccttg	780

<210> 92
 <211> 867
 <212> DNA
 <213> Homo sapiens

<400> 92

ctcagtcatg	ccagtgccctg	ctctgtgcct	gctctgggcc	ctggcaatgg	tgaccgggcc	60
tgccctcagcg	gcccccatgg	gcgccccaga	actggcacag	catgaggagc	tgaccctgct	120
cttccatggg	accctgcagc	tgggcccaggc	cctcaacggg	gtgtacagga	ccacggaggg	180
acggctgaca	aaggccagga	acagcctggg	tctctatggc	cgcacaatag	aactcctggg	240
gcaggaggtc	agccggggcc	gggatgcagc	ccaggaactt	cgggcaagcc	tgttgagagc	300
tcagatggag	gaggatattc	tgcagctgca	ggcagaggcc	acagctgagg	tgctggggga	360
ggtggcccag	gcacagaagg	tgctacggga	cagcgtgcag	cggctagaag	tccagctgag	420
gagcgcctgg	ctgggcccctg	cctaccgaga	atctgaggtc	ttaaaggctc	acgctgacaa	480
gcagagcccac	atcctatggg	ccctcacagg	ccacgtgcag	cggcagaggg	gggagatggt	540
ggcacagcag	catcggctgc	gacagatcca	ggagagactc	cacacagcgg	cgctcccagc	600
ctgaatctgc	ctggatggaa	ctgaggacca	atcatgctgc	aaggaacact	tccacggccc	660
gtgaggcccc	tgtgcagggg	ggagctgcct	gttcaactgg	atcagccagg	gcgccgggcc	720
ccacttttga	gcacagagca	gagacagacg	caggcggggg	caaaggcaga	ggatgtagcc	780
ccattggggg	gggggtggag	aaggacatgt	accctttcat	gcccacacac	ccctcattaa	840
agcagagtca	aggcatctca	aaaaaaaa				867

<210> 93
 <211> 690

<212> DNA
 <213> Homo sapiens

<400> 93
 tcggaaccgc cctgaattac ctctgtcgac ccacgcgtcc ggggaaacgc ttctacagga 60
 tatggaaaaa tttggctcga tgatgtttcc tgtgatggag atgagtcaga tctctgggtca 120
 tgcaggaaca gtgggtgggg aaataatgac tgcagtcaca gtgaagatgt tggagtgatc 180
 tgttctgatg catcgatat ggagctgagg cttgtgggtg gaagcagcag gtgtgctgga 240
 aaagttgagg tgaatgtcca gggtgccgtg ggaattctgt gtgctaattg ctggggaatg 300
 aacattgctg aagttgtttg caggcaactt gaatgtgggt ctgcaatcag ggtctccaga 360
 gagcctcatt tcacagaaag aacattacac atcttaatgt ccaattctgg ctgcgctgga 420
 ggggaagcct ctctctggga ttgtatacga tgggagtgga aacagactgc gtgtcattta 480
 aatatggaag caagtttgat ctgctcagcc cacaggcagc ccaggctggt tggagctgat 540
 atgccctgct ctggacgtgt tgaagtgaaa catgcacaca catggcgtc tgtctgtgat 600
 tctgatttct ctcttcatgc tgccaatgtg ctgtgcagag aattaaactg tggagatgcc 660
 atatctcttt ctgtgggaga tcactttggg 690

<210> 94
 <211> 948
 <212> DNA
 <213> Homo sapiens

<400> 94
 cgagtggcga ggttcatcat ggaggcagac ggagtctcgc tctgttggcc aggctggagt 60
 gcaggggct gatctcggct cactgcaacc tccgtctccc ggactaaagc aattatcctt 120
 cctcacgctt ccgagtagct ggaattacag gtgtcaagct agggatgctg tccattocca 180
 ttgccactgc ttgcaccatt taccataagt tcttttgcga gaccaacctg gacgcctatg 240
 acccttacct gattgccatg tcttcaattt acttggccgg caaagtggaa gagcagcacc 300
 tgcggactcg tgacatcatc aatgtgtcca acaggtactt taaccaagc ggtgagcccc 360
 tgggaattgga ctcccgttc tgggaactcc gggacagcat cgtgcagtgt gagcttctca 420
 tgctgagagt tctgcgcttc caggtctcct tccagcatcc acacaagtac ctgctccact 480
 acctggtttc cctccagaac tggctgaacc gccacagctg gcagcggacc cctgttgccg 540
 tcaccgcctg ggccctgctg cgggacagct accatggggc gctgtgcctc cgcttccagg 600
 ccagcacat cgccgtggcg gtgctctacc tggccctgca ggtctacgga gttgaggtgc 660
 ccgccgaggt cgaggctgag aagccgttgg gtggcagatt tatgccatgg acacagagat 720
 cccctaaggt cctggcccag gcctgcccga agagaagcca catctgcgtt tgtcctttga 780
 gaggactttg actacaatac aggcatgaca tcaatgaaag gaaagtcatg aaatcgatga 840
 gactgaatcc ctacggattt cttaaaagcc agattttagt ggagaatgaa tgtgcaacgt 900
 ggctgaaatc tattttgtgt aataaaaggt gatacaagtc aaaaaaaaa 948

<210> 95
 <211> 541
 <212> DNA
 <213> Homo sapiens

<400> 95
 ttagtattata aagaaaagac atttaattgg ctatagttc tgcaggctgt acaggaagca 60
 tagtagcttc tgcttctggg gaggcctcag gaaacttaca atcacagcag aaggatgaagg 120
 ggaagcaggc acgcccgtaca tggctgggct ttcggcctcc tcttcatcaa caaggagtcg 180
 gtggctcatgg cctatctctt caccaccttc aacgccttcc agggggctctt catcttcgctc 240
 tttcactgcg ccttacagaa gaaggatgagg tgcaggcggg gtccctgggtc acagcctccc 300
 ttggagacgt ttccctgggta cccaggagaa ggccggcgagg gtggagggga ctcaggggct 360
 ccctcaagcc cccagtgagt gctgcagggc ttctgtggtc aggtctgcgt cccccgggag 420
 gggagcacga gctcagggtt agggaggggt taaccaacggg tgaagagggt tctgttgaca 480
 gacgctgagg ccgcaaacgc tctcctctc tcttcacact cgccaacacc gcggtggcgc 540
 t 541

<210> 96
 <211> 603
 <212> DNA
 <213> Homo sapiens

<400> 96
 cagcccgtaa ggatgatcta cctccaaata tgagattcca tgaggagaag aggctggact 60
 ttgaatggac actgaaggca gggtgagaaa aaggctagcc ctccaagtga aataagggct 120
 gggagggcca agaatgatga tagacgggta gggactgagg gatcagctga tgagttaagc 180
 ctcaaacctt gtccctagggc tttgcagatg gcctcaaac gtgtttacac cctcctgagc 240
 tccctggaact gcctagaaga ctttgatcag atcttctggg gccagaagag tgccctggct 300
 ggtcagtggt tccccgaggt ctccataatc ccttaatggc cctctggat gactcatcac 360
 actccacagt cccccgtaac tctttgcaag aagagacctt atcatatctg gtcaactcag 420
 agaggccttg agaatgaaaa cgcagaagct gggttcaggg agggttatat acctgaacce 480
 ctggggtaga ttttgagaaa gggatgatgca ggctgtggta catatatcct ctttcaccg 540
 cccaccaaag agaacgttcg ccagtgctgg caggatgatg agttgttcag cttccctcgt 600
 gcc 603

<210> 97
 <211> 1385
 <212> DNA
 <213> Homo sapiens

<400> 97
 tctttcagca aggtgggggc aagcagaatg cctoccagga tttcacacct gagccctgcc 60
 ccaccctgct gagaaaacac tccgccactg gaagagacag aggaggatgg caggagttac 120
 ctcgggaaac aaacaggatc ttctctgccc tgctccagtc gagttggcct gaccgccttg 180
 gatcagtgac catttgctgg cagacagggg agagcagctt ccagcctggg tcagaagggg 240
 tgggcgagcc cctcgcccc tcaccctcca ggctgctgtg agagtgtcaa gtgtgtaagg 300
 gcccaaacctc aggttcagtg cagaaccagg tcagcaggta tgcccccccg tacgttaagg 360
 gggccctcta aacccttgc ctggcctcac ctggccagct caccctttt ggggttaggg 420
 gaaaagaatg cctgaccctg ggaaggctcc ctggtagaat acaccacact ttcaggttg 480
 ttgcaacaca ggtcctgagt tgacctctgg ttcagccaag gaccaaagaa ggtgtgtaag 540
 tgaagtgggt ctcagtcccc agacatgtgc ccttttctg ctggctacca ctcttcccca 600
 gagcagcagg ccccgagccc cttcaggccc agcactgccc cagactcgtt ggcaactcagt 660

tcctcatct	gtaaagggtga	agggtgatgc	aggatatgcc	tgacaggaac	agtctgtgga	720
tggacatgat	cagtgctaag	gaaagcagca	gagagagacg	ctccggcgcc	ccagccccac	780
tatcagtgtc	cagcgtgctg	gttccccaga	gcacagctca	gcatcacact	gacactcacc	840
ctgccctgcc	cctggccaga	gggtactgcc	gacggcactt	tgactctga	tgacctcaaa	900
gcactttcat	ggctgccctc	tggcagggca	gggcagggca	gtgacactgt	aggagcatag	960
caagccagga	gatgggggtga	agggacacag	tcttgagctg	tccacatgca	tgtgactcct	1020
caaacctctt	ccagatctct	ctaagaatag	cacccccctc	cccattgccc	cagcttagcc	1080
tottctccca	ggggagctac	tcaggactca	cgtagcatta	aatcagctgt	gaatcgtcag	1140
gggggtctc	ctagcctcaa	cctcctgggg	caggggacgc	cgagactcog	tgggagaagc	1200
tcattgccac	atcttgccaa	gacagccttt	gtccagctgt	ccacattgag	tcagactgct	1260
cccggggaga	gagccccggc	ccccagcaca	taaagaactg	cagccttggg	actgcagagt	1320
ctgggttgta	gagaactcct	tgtaagcaat	aaagtttggg	gtgatgacaa	atgttaaaaa	1380
aaaaa						1385

<210> 98
 <211> 2191
 <212> DNA
 <213> Homo sapiens

<400> 98						
accaccacc	gtgcgggggg	atatctgagc	catttctctg	tgggcttttg	ttttcaaaag	60
actgggcagg	ttgttgttga	ggtgtgtgtg	ggtgccacg	attttgtgga	agtataatac	120
tttgtcatta	tgagatgtcg	tctctcgggtg	cctcctttgt	gcaaattaaa	tttgatgact	180
tgcacttttt	tgaaaactgc	ggtggaggaa	gttttggggag	tgtttatcga	gccaaatgga	240
tatcacagga	caaggaggtg	gctgtaaaga	agctcctcaa	aatagagaaa	gaggcagaaa	300
tactcagtgt	cctcagtcac	agaaacatca	tccagtttta	tggagtaatt	cttgaacctc	360
ccaactatgg	cattgtcaca	gaatatgctt	ctctgggatc	actctatgat	tacattaaca	420
gtaacagaag	tgaggagatg	gatatggatc	acattatgac	ctgggccact	gatgtagcca	480
aaggaaatgca	ttatttacat	atggaggctc	ctgtcaaggt	gattcacaga	gacctcaagt	540
caagaaactg	tgttatagct	gctgatggag	tattgaagat	ctgtgacttt	ggtgcctctc	600
ggttccataa	ccatacaaca	cacatgtcct	tggttggaaac	tttcccatgg	atggctccag	660
aagttatcca	gagtcctcct	gtgtcagaaa	cttgtgacac	atattcctat	ggtgtggttc	720
tctgggagat	gctaacaagg	gaggtcccct	ttaaagggtt	ggaaggatta	caagttagctt	780
ggcttgtagt	ggaaaaaac	gagagattaa	ccattccaag	cagttgcccc	agaagttttg	840
ctgaactgtt	acatcagtgt	tgggaagctg	atgccaaaga	acggccatca	ttcaagcaaa	900
tcatttcaat	cctggagtcc	atgtcaaatg	acacgagcct	tcttgacaag	tgtaaactcat	960
tcttacacaa	caaggcggag	tggagggtgc	aaattgaggc	aactcttgag	aggctaaaga	1020
aactagagcg	tgatctcagc	tttaaggagc	aggagcttaa	agaacgagaa	agacgtttaa	1080
agatgtggga	gcaaaagctg	acagagcagt	ccaacacccc	gcttctcttg	cctcttgctg	1140
caagaatgtc	tgaggagtct	tactttgaa	ctaaaacaga	ggagtcaaac	agtcagaga	1200
tgtcatgtca	gatcacagca	acaagtaacg	gggagggcca	tggcatgaac	ccaagtctgc	1260
aggccatgat	gctgatgggc	tttggggata	tcttctcaat	gaacaaagca	ggagctgtga	1320
tgattctcgg	gatgcagata	aacatgcaag	ccaagcagaa	ttcttccaaa	accacatcta	1380
agagaagggg	gaagaaagtc	aacatggctc	tggggttcag	tgattttgac	ttgtcagaag	1440
gtgacgatga	tgatgatgat	gacggtgagg	aggagtataa	tgacatggat	aatagtgaat	1500
gaaagcagaa	agcaaagtaa	taaaatcaca	aatgtttggg	aaacacaaaa	gtaacttggt	1560
tatctcagtc	tgtacaaaaa	cagtaaggag	gcagaaagcc	aagcactgca	tttttaggcc	1620
aatcacattt	acatgaccgt	aatttcttat	caattctact	ttattttttg	cttacagaaa	1680
aacgggggga	gaattaagcc	aaagaagtat	atttatgaat	cagcaaatgt	ggtgcctgat	1740
tatagaatt	tgtgatccta	tatacaatat	aggactttta	aagttgtgac	attctggctt	1800
tttcttttaa	tgaatacttt	ttagtttgta	ttgactttta	ttccttttat	tcaaatcatt	1860
tttaaaaact	tacattttga	acaaacactc	ttaactccta	attgttcttt	gacacgtagt	1920
aattctgtga	catacttttt	ttttcttata	gcaatacact	gtaatatcag	aatgggttgg	1980
ctcagagca	ctagtaagca	ctcgtctcta	ctaataacta	aaaaactagc	tggcatggta	2040
gcacacacct	gtagtcccag	atacttggga	ggccaaggca	ggaggattgc	ttgagacctc	2100
gcaatcagtc	agggtgcag	tgagccatga	tggcaccact	gcactctagc	ctgggcaaga	2160

gaacaagatc ctgtctcaaa aacagggaa a

2191

<210> 99
 <211> 335
 <212> DNA
 <213> Homo sapiens
 <220>
 <221> misc_feature
 <222> (1)...(335)
 <223> n = a,t,c or g

<400> 99
 ggcacgaggc tgaacttcag gtggatgatg agacaaaata gaccgatagg aatcgtctgg 60
 ctatatactc cttggttgcca ctgctgagtg actagactgg cccagagatc cgcggtgcac 120
 atgctggcgc ctcctccctc agaaaaaggc aatggcctaa atactgttta aatgacctga 180
 ctcgatgctg tgggaaaactg gctgctctgc tgcattgccg gtgactgtca gtccaaccgt 240
 tacatttgcc acgttctcca cacgggggat agacgcaatg cgcccaggtc ccagttttct 300
 ttggaggcag cagctctcgc agggctgaat gttgn 335

<210> 100
 <211> 348
 <212> DNA
 <213> Homo sapiens

<400> 100
 cctactctgg gggatcaacc agatcttcat tcataactc gtgcttctcg tcctaaatta 60
 tgtactagaa aaaattgtaa tcctcttact ataactgtcc atgaccctaa ttcaactcag 120
 tagtattatg gcatgtcatg ggaattaaga ttttatatcc caggatttga tgttgggact 180
 atgttcacca tccaaaaaat cctggctca tggagcccac ccaagccaat cgggccttta 240
 actgatctag gtgacctat gttccagaaa cccctaaca aagttgattt aactgttct 300
 ccaccattct tagtcataaa agatacactc caaagttcg agaaaatc 348

<210> 101
 <211> 416
 <212> DNA
 <213> Homo sapiens

<400> 101
 agcctcaata atgtaacact gccccaagcg aaaacagaaa aagatttcat ccaactctgc 60

accctgggg	taattaagca	agagaaactg	ggcacagttt	actgtcaggc	aagctctcct	120
ggagcaaata	tgattggtaa	taaaatgtct	gccatttctg	ttcacggtgt	gagtacctct	180
ggaggacaga	tgtaccacta	tgacatgaat	acagcatccc	tttctcaaca	gtaggatcag	240
aagcctatct	ttaatgtcat	cccaccaatt	cccgttggtt	ctgaaaattg	gaatagggtg	300
caaggatctg	gagatgacaa	cttgacttcc	ttggggactc	tgaatttccc	tggtcgaacg	360
gtttcttttt	cttttgagat	ggagtctcgc	tctgtcgccc	aggctggagt	gcagtg	416

<210> 102
 <211> 352
 <212> DNA
 <213> Homo sapiens

<400> 102						
acgcgtccga	caaaaacaac	aacagatggg	gaaactgaaa	gtgcatagca	caaaatgagg	60
actaattctg	aaatcaccaa	tatgtatctg	tgcttgggaa	atagaggcat	acacaggaat	120
gcagatgccc	acacactcac	attcacactc	acactcac	tcacactcac	tctcacactc	180
actctcactc	gcactctcac	actacaccga	gatgctcaca	cactcagcct	ccccatgccc	240
aggcccctgc	tctttgttaa	tcataagaag	accgtggaca	acccacctgg	aaactatgty	300
cccacagacc	cagactgaag	gtgataaaa	agggtggctg	gcttgggggc	tg	352

<210> 103
 <211> 702
 <212> DNA
 <213> Homo sapiens

<400> 103						
aaagcaggty	cctggaaaag	cctgctgagg	gtgaagggga	accatccagt	gtcctggggt	60
ggggaagcat	tttctctttt	atgagtctgt	ctctggctct	catggaacaa	aagtgggag	120
tggtggtatg	agaagcagag	gctaattgtc	taccccctgc	ctccaagtag	aattactcct	180
tgtctgtgta	cctggtgagg	cagttgactg	caggaaccct	tctacaaaaa	ctcagagcaa	240
agggtatccg	gaaccacagc	cactcgcggg	cactgagtga	gtaacatctt	tctctctctc	300
cccacctgat	ctggattcaa	gtcttctctg	ccctccagcc	ttcataatta	aaccataacc	360
tcttttttga	caacttactc	cccttctcac	atgaacccca	accctcccc	tctaccctg	420
accagtcttc	cagtctttat	agttgaagtt	ggaccactcc	caggcaccct	tgaatttcca	480
atcatgtatc	tgctttgcac	ctcacagtcc	ctaactccag	ccctgctaga	atatgggctc	540
tccggactgg	aaagaatctt	aggggtctct	taatctaacc	ctcacatgat	gcttcaactc	600
ctccagatca	tctctaacat	agccagagtg	tcacgctatg	tttaagcadc	ttcagggatg	660
ggaaaaatccc	ccacacccat	gtattgcggc	cgctctagag	ga		702

<210> 104
 <211> 689
 <212> DNA
 <213> Homo sapiens

<400> 104
 ggcaacatac attgtggact ttggcttcag tacaacattc agagaggggc agatgctgac 60
 agctttttgt ggcattgtacc cctacgtggc cccagaacgc tccctggggc aggcatgcca 120
 gtgacccgcc agggacatac aaagcctcag tgcatactg tatttcagga atacagtagg 180
 tagaagggcc aggactttgc ccttttactc agggaagcct ccaaacttca agaaaaaatt 240
 ctcacaggaa gatatcatgc cccaccactt cttgcccttc aacttgactc attaaaaaat 300
 tactaatgct gaacgccagg aagtgtcctt cactgtaact gatgaaaaat ccatgggtga 360
 aaagtagcca gaagatgcca ctgataccat acgaagagcc actcctggac caccocaaac 420
 aatccagctc atgggtggcca tgggatttca ggccaagaac atctctgtgg caatcataga 480
 aagaaaattc aactatccca tggccaccta cctcatttta gagcacacaa aacaagagag 540
 gaagtgtccc accatcagag aactgtccct tcctcccggg gttcccacct ctccttcccc 600
 atccactgaa ctttccacct tcctctcttc actgatgagg gctcataggg agccagcttt 660
 taacggtcag cctcccgaag aaagccagg 689

<210> 105
 <211> 776
 <212> DNA
 <213> Homo sapiens

<400> 105
 agcaaagcag gagctggcca agctgatgcg gattgaggac ccctccctcc tgaacagcag 60
 agtcttctgt caccacgccca aagctggcac catcattgcc cgccagggag accaggacgt 120
 gagcctgcac ttcgtgctct ggggctgcct gcaagtgtac cagcgcatga tcgacaaggc 180
 ggaggacgtg tgcctgttcg tagcgcagcc cggggaactg gtggggcagc tggcgggtgt 240
 cactggcgaa cctctcatct tcacactgcg agcccaacgc gactgcacct tcctgcggat 300
 ctccaagtcc gacttctatg agatcatgcg cgcacagccc agtgtggtgc tgagtgcggc 360
 gcacacggtg gcagccagga tgcgcccctt cgtgcgccag atggacttcg ccatcgactg 420
 gactgcagtg gaggcgggac ggcgctgta caggtgcagc tcccaccgcg ctgctcaggc 480
 ccggcctagg ggtggggacc tgggggtggt cagaccttgc tgacctccac gccactcag 540
 gcagggcgac cgctccgact gcacttacat cgtgctcaat gggcggctgc gttagcgtgat 600
 ccagcgaggc agtggcaaga aggagctggt gggcgagtac ggccgcgcg acctcatcgg 660
 cgtggtgagc gcgaccccca cccactgacc tctggccttt tccaggccag tcctcggca 720
 actcacacgc atcatcccgg gtaatccagg gagtgggtgaa gtttttccc gggctc 776

<210> 106
 <211> 707
 <212> DNA
 <213> Homo sapiens

<400> 106
 cccacgctc cggtatggacc ccaggaacca cccagacctt aggacagggg acagcatggg 60
 acacagttgc ttccactcca ggaaccagcg agactacagc ttcagctgag ggaagacgaa 120
 ccccaggagc aaccaggcca gcagctccag ggacaggcag ctgggcagag ggttctgtca 180
 aagcacctgc tccgattcca gagagtccac cttcaaagag cagaagcatg tccaatacaa 240

```

cagaaggtgt ttgggagggc accagaagct cggtgacaaa cagggctaga gccagcaagg 300
acaggagggg gatgacaact accaaggctg ataggccaag ggaggacata gaggggggtca 360
ggatagctct tgatgcagcc aaaaaggctc taggaacccat tgggccacca gctctggtct 420
cagaaacttt ggctctggaa atcctcccac aagcaacgcc agtttctaag caacaatctc 480
agggttccat tggagaaaca actccagctg caggcatgtg gacctggga actccagctg 540
cagatgtgtg gatcttggga actccagctg cagatgtgtg gaccagcatg gaggcagcat 600
ctggggaagg aagcgtgca ggggacctag atgctgccac tggagacaga ggtccccaag 660
caacactgag ccagaccccc gcagtatgac cctggggacc ccctggg 707

```

```

<210> 107
<211> 485
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(485)
<223> n = a,t,c or g

```

```

<400> 107
ccgctggaac atcaggtact ggggacactg gccctggtaa cacagcagtc tcaggcacac 60
ctgtggatc acctggagca actcctggag ctccaggtag cagcacccct ggggaagcag 120
acattggaaa caccagtttt ggaaaatcag ggacccaac agtatctgct gcctcaacta 180
ccagtagccc tgtgagtaaa cacaccgatg cagcctcagc cacagcagtg acaatctctg 240
gaagcaaacc aggtacacct ggaacaccag gtgggtgcaac tagtggaggc aaaattacac 300
ctggaattgc atgaccacc ctggaccaa agagcccctg cttctccggg tatggaggtt 360
atttcctgt aaatcctcac cagaacccat gtgctgattc cctgtaatct tcccacaata 420
aatttttagc agctctgnnn nnnnnnnnnn nggggcgccc gttttaaggg acccaccttt 480
actcg 485

```

```

<210> 108
<211> 565
<212> DNA
<213> Homo sapiens

```

```

<400> 108
cgggtcacc gctgtgtct cccgtccca agtctttctt gtgaaatcca aattggattc 60
tcttgatctt ccatcttcc agggcagtg gcttgcctt gttcctgctg cagaagtgt 120
agaaggaact ggctcagag cccacgctgt cctcatcacc ctcccgcacc ctgctccctg 180
cttctgagct cctgtctgcc gcctcctctc tcttgetctt ggctgtgtac ctccgggaag 240
cctccttctc aatctccagc agcctctcgt tccatgcgtc ccaggtgctc tccgaggaca 300
tcgagtctgc gcggcgcctc ctgccgtggt ccgggcggtt cagctccagc tgctgcttca 360
ggaccagat gtcgtggctg ctcacgetct ccaggcget gctctcgetc agggtcgccc 420
gccgcctccc caccgaggag ccagcgtcgc tctcctctc tttctctcc tccctcccc 480
acctcggta ccttctgct aaaaacctc cgtttcggtc ctgccactcg tgaatgatcc 540
tctccagtc ctgcctctcg acccg 565

```

<210> 109
 <211> 986
 <212> DNA
 <213> Homo sapiens

<400> 109
 ggatgacgtg cgcggcccg ctccctgacct ctacgacgtg cccctgggt tgcggcggcc 60
 tggcccgggc accctgtacg atgtgccccg tgaacgggtg cttcctcctg aggtggctga 120
 tgggtggcgtg gtcgacagtg gtgtgtatgc ggtgcctccc ccagctgaac gtgaagcccc 180
 ggcagagggc aagcgcctgt cggcctccag caccggcagc acacgcagca gccagtctgc 240
 gtccctccttg gaggtggcag ggcggggcgg ggaaccctg gagctggaag ttgctgtgga 300
 ggccctggca cggctgcagc aggggtgtgag cgccaccgtt gccacacctc tggacctggc 360
 aggcagcgcc ggtgcgactg ggagctggcg tagcccctct gagccacagg agccgctggt 420
 gcaggacctg caggtctgctg tggccgcccgt ccagagtgcc gtccacgagc tgttggagtt 480
 tgcccgcagc gcggtgggca atgctgcccc cacatctgac cgtgccctgc atgccaagct 540
 tagccggcag ctgcagaaga tggaggacgt gcaccagacg ctggtggcac atggtcaggc 600
 cctcgacgct ggccggggag gctctggagc cacccttgag gacctggacc ggctgggtggc 660
 ctgctcgcgg gctgtgcccg aggacgcca aacagctggc tccttctgc acggcaatgc 720
 ctactgctc ttcagacgga ccaaggccac tgccccgggg cctgaggggg gtggcaccct 780
 gcaccccaac cccactgaca agaccagcag catccagtca cgaccctgc cctcaccccc 840
 taagtacc tcccaggact cgccagatgg gcagtacgag aacagcgagg ggggctggat 900
 ggaggactat gactacgtcc accttacagg ggaaggagg agtttttaga agaccagaa 960
 ggagcttctg ggaaaaagg cagcat 986

<210> 110
 <211> 414
 <212> DNA
 <213> Homo sapiens

<400> 110
 cgaaggaaa gcagcaggtt ggggcttctt gtggccaact tcagagcctg tcaccaggaa 60
 aggtaagcat gggaggaagg aagatggcga cagatgaaga aaatgtctat ggtttagaag 120
 agaacgctca gtcccggcag gagtccacgc ggaggctcat ccttgttggg agaacagggg 180
 ccgggaagag cggcactggg aacagcatcc tgggcccagag acggttcttc tccaggctgg 240
 gggccacgtc tgtgaccagg gcttcacca cgggcagccg caggtgggac aagtgccacg 300
 tggaaagcgt ggacactccg gacattttca gctcccaagt gtccaagaca gatcctggct 360
 gtgaggagag aggtcactgc tacctgctct cggcccccg accccacgcg ctgg 414

<210> 111
 <211> 419
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature

<222> (1)...(419)

<223> n = a,t,c or g

<400> 111

gactctcggg	ttacggttcac	taacgaagga	gggcggtggt	gggggtgatg	tggcggcctt	60
tgaggttggc	acaggggctg	cggccagccg	ggcgctgggg	cagtgcgggc	agctccagaa	120
gctcatcgtc	atcttcattg	gcagcctgtg	cgggctgtgc	accaagtgcg	ctgtgtccaa	180
cgacctcacc	cagcaggaga	tacagacccc	ggagatacaa	cagagaaatg	cataatgtcc	240
agtcaattta	ttaaagttcc	aaagtnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	300
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnatttcaa	tatgattaaa	gcaggagtga	360
ggacacagcg	aaagtggagc	aaggaaaaga	gaacaaaata	aaacaggaga	gacagaata	419

<210> 112

<211> 1191

<212> DNA

<213> Homo sapiens

<400> 112

gtgcaagtg	ctgtcactca	cgtgtgccct	cgaccctccc	gttcaccgcg	agccttctca	60
gcgctctcc	ctgggcccga	ggcctcctca	ccagcctacc	tggtgctctg	gaaaaaatc	120
ccgtccccc	actcctccc	tacccccagt	cttcggccgg	ctctggcccc	tggggagggg	180
gctgcacggt	ggaaggaggc	tggctatggg	cccggctgcc	cgctgcatgt	acctcctct	240
ccaccatcg	cctcttgctt	gggggtaact	ttgcctgggg	ctcattcttt	ggttaagctg	300
aagctgccgt	gggtggccaa	accgcagatt	ctttgcaaat	tctgagctgg	cagagctcgc	360
agccgggagc	cgccggggga	agaggagact	tgccgcgccg	aagccgcctg	cctccaccct	420
gctctccatc	tcccgtctca	gaagggetgg	gaagctcgcg	gccgggggtc	cacctggaag	480
ctgcttgcac	ggctgaacct	agcttaggtc	cctgacgggg	ctgctggtgg	aattctcccc	540
cttcgaagct	ggggaggttt	aggaggggga	aggcttctgt	gaagctctca	aaccactaat	600
agagccccct	ccccaacagt	gacggcgagc	atgctcccc	ttttcttagt	tgacaccacc	660
aggcagcttc	ctggccgttg	gtaggttccct	gcagctggct	gagggaacag	ggaccggcag	720
gggactttgt	taggggaggg	ttgggatggg	cagtgggccc	ctgaaagtta	atatattgga	780
acctagctcg	agtgtcgttc	tttccaattc	cgaaagtaga	aagagtaaaa	ataggggtga	840
ttgggggtgg	gtagtagaaa	tgctctctct	agggcgctcc	cccctcccc	accgttttag	900
agagctaggc	ctcagccagt	cttgccactc	ccatctcagt	gcttctctgaa	gaggtgtttt	960
tgagtgttga	tgaaaagcaa	tgcaattatg	ccaaacagta	ttgagcagaa	taatttattt	1020
cttttttttc	ttttgcttta	aatcatgaat	cccgccaggt	acggtggctc	acgcctgtca	1080
tcccagcact	ttgggaggcc	aaggcggggc	gattacttaa	tacttaaggt	caggagttcg	1140
agaccagcct	ggccgatatg	gtgaaacctc	gtctctacca	aaaaaaaaaa	a	1191

<210> 113

<211> 1240

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(1240)

<223> n = a,t,c or g

<400> 113
 agaacacgaa ctagtgtctc taagccacta taatagttgc acatacaaca tgagtgtggg 60
 gtggtaggat gottttcctt ttaggtcttt actgaacttt caagggatta aaaccaatgt 120
 atgtcaactt tatagcaaaa gattcagatt ctaatcctga ataccaatgc attttagagg 180
 gggaaaaaat gagggatgta aaatatatat agtagggtaa gagttttgcc tttgaacaat 240
 gtgcatattc tattttaatt tggaatgttt tatacttgca tttcatgtta tgtagttttt 300
 ggactggact gtgtttttcc acaaaatgaa aaatcaacta ttttgccacc ttattattca 360
 acctacctgc ccatagttgt ctatgccagt tactaatcta tttaaattta ataaatcaaa 420
 agctgtcctt agggattggc caagagtcgt aagtccttca gcctgaaggt tttcaattc 480
 attcataaac gttgcatggt tttctttcca tccagccttg atagcatagg gcggtcttc 540
 gaaagtgacc agcatatacc tgtctcctct gctggcaggg tcccgggcac ggagcttcat 600
 gaaggtctct accgcgcctt tggccgtgtc caggtagggt gtgccagat ggctgcgctg 660
 gttcatagag ccgagcgtgt ctatcaggaa cagtaagatg ggcatagtgc tggccgggga 720
 caccggggcc cgaggtggtg gagaaagagg agatggtaga ggtggaggcg ccggtggcgg 780
 cgaccgccgc tagcggggcg ggggagcacg gcccccgga ggaaaacact gtctgggtct 840
 ttcctccggc tgcggggaat tcctcccccg atagttgaga ggaaactccc cagaccctgt 900
 gctccccgtc gtaccnccgc ctccgcctcc tcctgcctgc ctgcccgtg gggcgggcgc 960
 ccagccgtct gtctgtcggc tcgtccccc cgctcgggg gtcccgtccc cgctcccggc 1020
 ccttggtgtg gtcccagcgg gagacgggac tggctcccca ccccacccc ggtacaggag 1080
 ttctgacctg ggagctggcg aagaggggag tgggctgagg gaagattggc cctggggctg 1140
 ttgggagaag tttcaggac tcctccgca caccggcggt gtcaccaact tctcagcccc 1200
 tctcgcggac gcgtgggtcg cgccgggggt tccgcaggca 1240

<210> 114
 <211> 810
 <212> DNA
 <213> Homo sapiens

<400> 114
 aatagaattc cgctcggcaca cgcacgcgta cctaggatcg tatagagcgg ccgcaataca 60
 tgccgtcttc ttaaatacaac tcctctctct caaaaagcct ttctttccgt gtcgcgaata 120
 tcatccctcc ggtcctgtcc cgcagcaggt tcccggcgt tgggcttctc tattatgccg 180
 gccagcggag tccaattggt ctgacttcac tgtccggaga atcctctcgc tcccaaacct 240
 ccctgagaga cgacctttaa ccgtgccagc cggacctgcc tacaagacc ctctcttca 300
 acctgtcccc tgtgttactc cacaaaacgg acacagaagt tcgtcaacct gccagatac 360
 cagcctcaa agcggcaaca gagccgaacc cctttctcag gcttcggacg gccagaccc 420
 ggcattctct ttctcctctt ccccagacct ttccacctct ggctccgag agcccagcc 480
 tcagttcccc tccagccctt aggaacccta ctctccagca gtacagtctg tagacccccg 540
 aatcagttcc ccaactcaacc tcagaactcc tctggcgccg actggcccca ctcgggcaaa 600
 ggttgccgtg ggaataggat acccgaacca ccagagccag caaacttacc ccagccgcca 660
 ttgtgattcc gcaagaaaag ggggtggggc tctcggcgct gccgaaaagt aagcccgcc 720
 ggggagaag ggggggggaa agaggagagc cgtggagaaa cagcagccga aaaacgagga 780
 cgaaacagaa gacatacgtg cgacagttcg 810

<210> 115
 <211> 320
 <212> DNA

<213> Homo sapiens

<400> 115
 caagagcacg atgctgaagc actggagagt ggggctctgg ggtcagtgct ggatcagagg 60
 caagaggagg tgatgatgcg gccctgtcct gagtgacacc aaccctccc cagtactaca 120
 cctgcagctg tgtcctgggc ttcattgcct gctccatctt cttgcagatg agcctgaagc 180
 caaaggctcat gctgctgaca gtggccctgg tggcctgtct cgtgctcttc aacctctccc 240
 agtgctggca gcgggactgc tgcagccaag gcctggggcaa cctcactgag cccagtggca 300
 ccaacaggta gggccccgcc

<210> 116
 <211> 456
 <212> DNA
 <213> Homo sapiens

<400> 116
 ggcaaggcag gcggcgcggc cggcctcttc gccaaagcagg tgcagaagaa gtttagcagg 60
 gccaggaga agtagacaag gcggtttggg aagacatgct agccagaaga aagagcgagg 120
 gaagaaagac aagaaggacc tgagatagag tttgggtttt cctttttttc tctctctctt 180
 tattaagccc aacctgcctt ctacaacgga gaagttttgg ttttctaaga gctgatggac 240
 ttagaagcat ttggatgaac agctctgctt accaactgaa atatccctat tatcttctaa 300
 aagtggagca ctgctttgag ccctgggaag gcttaaaggc aaccagctct cccgagtga 360
 tttatcagca gaaaactgat ggaatgtaga tgtagctcct gactttaaga gaccacaatg 420
 gaagggaggt tattttctat catttgaggt catggt 456

<210> 117
 <211> 2398
 <212> DNA
 <213> Homo sapiens

<400> 117
 cccacgcgtc cggtcagcct cagtcttcaa tgagggaccc cgtacagagt aaccctaacg 60
 cttgttctca tttcaggatg tgaacactct gcaaggaggt gggcagcctg tggtgactcc 120
 gtccgtccaag cctctcttc agcggccca tccagcgta ccacagatga cctcacaggc 180
 acctcagcca tctgttactg ggctccaggc acctctctgt gccttaatgc aagtgtcacc 240
 tctcgattcc cactcagctg tatctggaaa tgcccaatcc tttcagccct atgcaggat 300
 gcaagcctac gcttatcccc aggcactctgc cgtcaoctcc cagctgcagc ccgttcggcc 360
 tttgtacca gcaccgctct ctcagcctcc ccatctccaa ggatcagggt ataggtctc 420
 atttctcatg actgaagccc ggcaacataa cactgaaatt cgaatggcag tcagcaaagt 480
 ggctgataaa atggatcacc tcatgactaa ggttgaagag ttacagaaac atagtgtctg 540
 caattccatg cttattccta gcatgtcagt tacaatggaa acaagcatga ttatgagcaa 600
 catccagcga atcattcagg aaaatgaaag attgaagcaa gagatccttg aaaagagcaa 660
 tcggatagaa gaacagaatg acaagattag tgaactaatt gaacgaaatc agaggtatgt 720
 tgagcagagt aacctgatga tggagaagag gaacaactca cttcagacag ccacagaaaa 780

cacacaggca	agagtattgc	atgctgaaca	agagaaggcc	aaggtgacag	aggagttagc	840
agcggccact	gcacaggtct	ctcatctgca	gctgaaaatg	actgctcacc	aaaaaaagga	900
aacagagctg	cagatgcagc	tgacagaaag	cctgaaggag	acagatcttc	tcaggggcca	960
gctcaccaaa	gtgcaggcaa	agctctcaga	gctccaagaa	acctctgagc	aagcacagtc	1020
caaattcaaa	agtgaaaagc	agaaccggaa	acaactggaa	ctcaagggtga	catccctgga	1080
ggaggaactg	actgaccttc	gagttgagaa	ggagtcttg	gaaaagaacc	tctcagaaag	1140
gaaaaagaag	tcagctcaag	agcgttctca	ggcggaggag	gagatagatg	aaattcgcaa	1200
gtcataccag	gaggaattgg	acaaacttcg	acagctcttg	aaaaagactc	gagtgctcac	1260
agaccaagca	gctgcagagc	agctgtcttt	agtacaggct	gagctacaga	cccagtggga	1320
agcaaaatgt	gaacatttgt	tggcctccgc	caaggatgag	cacctgcagc	agtaccagga	1380
ggtgtgcgca	cagagagatg	cctaccagca	gaagctggta	caacttcagg	aaaagtctgt	1440
ttgttttgca	gtgttttagcc	ctccaggccc	aatcacagc	tctaccaag	caaaatgaac	1500
agcacatcaa	ggaactagag	aagaacaagt	cccagatgtc	tgggggtgaa	gctgctgcat	1560
ctgacccctc	agagaaggtc	aagaagatca	tgaaccagg	gttccagtcc	ttacggagag	1620
agtttgagct	ggaggaatct	tacaatggca	ggaccattct	gggaaccatc	atgaatacga	1680
tcaagatggt	gactcttcag	ctgttaaacc	aacaggagca	agagaaggaa	gagagcagca	1740
gtgagaaga	agaagaaaaa	gcagaagagc	ggccaagaa	accttcccag	gagcagtcag	1800
cctcagccag	ttctgggca	cctcaagcac	ccctgaatag	ggagaggcca	gagtcacca	1860
tgggtgccctc	agagcagggtg	gtcgaggaag	ctgtcccgtt	gcctcctcag	gccctacca	1920
cttcccagga	tggacacaga	aggaaagggg	actcagaagc	tgaggcactc	tcagagataa	1980
aagatggttc	ccttccacc	gaactgtctt	gcatcccac	ccacagagtt	ctagggccc	2040
cgacttcaat	tccacctgag	cccctaggcc	ctgtatccat	ggactctgag	tgtgaggagt	2100
cacttgctgc	cagcccaatg	gcagctaaag	cccgacaacc	catcagggaa	aggtctgtgt	2160
tcaggggaag	taggcaccag	atgggcccac	ttacaaggaa	aggttcacac	agattgttcc	2220
ctggatttca	ggaccccag	ggagggggac	ccactggcct	tagggcttga	aaagcccagg	2280
gagagcctca	gcctccacag	cttcaaggaa	aggttgatgt	tcactagggt	ccaccggctc	2340
cccacaagg	agcttttcaa	gaacaggagg	gcaggtttcc	acagttttgc	agggagca	2398

<210> 118
 <211> 800
 <212> DNA
 <213> Homo sapiens

<400> 118						
agcgaaacgg	cgcagcaaat	tatcgaccgt	ctgcgcgtaa	aactggcgaa	agaaccgggg	60
gcgaatctgt	tcctgatggc	ggtacaggat	attcgcggtg	gtgggcgta	gtcgaacgcc	120
agctaccagt	acacgttgtt	atccgacgac	ctggcggcac	tgcgagaatg	ggagccgaaa	180
atccgcaaaa	aactggcgac	ggtgcccggaa	ctggcggacg	tgaactccga	tcagcaggat	240
aacggcgcg	agatgaatct	ggtttacgac	cgcgacacca	tggcacggct	gggaatcgac	300
gtacaagccg	ccaacagtct	gttaaataac	gccttcggtc	agcggcaaat	ctcgaccatt	360
taccagccga	tgaaccagta	taaagtgggtg	atggaagtgg	atccgcgcta	taccaggac	420
atcagtgcgc	tggaaaaaat	gttcgttatc	aataacgaag	gcaaagcgat	cccgtgtca	480
tatttcgcta	aatggcaacc	ggcgaatgcc	ccactatcgg	tgaatcatca	gggattatcg	540
gcggccttga	ccatttcggt	taacctgccg	accggaaaaat	cgctctcggga	cgccagtgcg	600
gcgatcgatc	gcgcaatgag	ccagcttggg	gtgccttcga	cggtgcgagg	cagttttgcc	660
ggccggcg	aggtgttcca	ggagaccatg	aactcgcagg	tgatcctgat	tattgcccgc	720
atcgccacgg	tgtatatcgt	gctgggaatc	ccttacgaga	ggtacgtaca	tccgcgagc	780
attctcttgt	gaaggcccgc					800

<210> 119
 <211> 427
 <212> DNA

<213> Homo sapiens

<400> 119
 aaatcatcac acctgatgcg atggggtgcc agaaagatat tgcagagaag atacaaaaac 60
 agggagggtga ttattttattc gctgtaaaaag gaaaccaggg gcggcttaat aaagcctttg 120
 aggaaaaatt tccgctgaaa gaattaaata atccagagca tgacagttac gcaatcagtg 180
 aaaagagtca cggcagagaa gaaatccgtc ttcattattgt ttgcgatgtc cctgatgaac 240
 ttattgattt cacgtttgaa tggaaagggc tgaagaaatt atgcgtggca gtctcctttc 300
 ggtccataat agcagaacaa aagaaagagc cagaaatgac ggtcagatac aatatcagtt 360
 agttgggtat cgccggggat atatcagtca cagcgatctc cgggacggac gattgaatct 420
 cgtaatc 427

<210> 120
 <211> 378
 <212> DNA
 <213> Homo sapiens

<400> 120
 ccattatthg aaaatgctca ctccagggcgc gcgggaagtg attatcgcca acgcctactt 60
 cttccccggc tatcgatttt tacacgcctt gcgtaaagcg gcacggcgcg ggggtgaggat 120
 caaactgata attcagggcg aaccggatat gccgattgtc agagtcgggtg cgcgcttgct 180
 gtataactat ctggttaaag gcggcgcttca ggtttttgag taccgcccgc gcccgctcca 240
 cggcaaagtg gcattgatgg acgatcactg ggcgacagta gggtcagta atctccatcc 300
 ggtcagttag tcgggggaatc tccaagcaaa tgtcatcctc cacgtttctac gggtagccgac 360
 attgaatccg taatcatg 378

<210> 121
 <211> 508
 <212> DNA
 <213> Homo sapiens

<400> 121
 ctgcccctg gtgaagttha cgccccatcg aagccctggc aaaagaagtc cgtgaactga 60
 aataacatac tcgttaattg ctcaatccag ccacaacgcg agaactgacc agtctgggac 120
 gaaacctgaa ccgattgtta aaaagtgaac gcgaacgtta cgacaaatac cgtacgacgc 180
 tcaccgacct gacctatagt ctgaaaacgc cactggcggg gctgcaaagt acgctgcggt 240
 ctctgcgtag tgaaaagatg agcgtcagtg atgctgagcc ggtaatgctg gagcaaatca 300
 gccgcatttc acagcaaatt ggctactacc tgcacgtgac cagtatgcgc ggcgggacat 360
 tgctcagccg cgagctgcat ccggctcgcc cactgctgga caatctcacc tcagcgctga 420
 tcaaaggcaa gccgcgtaaa gggggcaacg tcaactgttt tccattcaca gcgatgtaca 480
 gggacggaca ttgaatccgt gatcagtg 508

<210> 122
 <211> 724
 <212> DNA
 <213> Homo sapiens

<400> 122
 ggtaaacact gtgatgtttc agcacctgat gcagaagcgg aagcacaccc agtggacgta 60
 tggaccactg acctcgactc tctatgacct cacagagatc gactcctcag gggatgagca 120
 gtccctgctg gaacttatca tcaccaccaa gaagcgggag gctcggcaga tcctggacca 180
 gacgccggtg aaggagctgg tgagcctcaa gtggaagcgg tacgggcggc cgtacttctg 240
 catgctgggt gccatatac tgctgtacat catctgcttc accatgtgct gcactctaccg 300
 cccctcaag cccaggacca ataaccgcac gagccccgg gacaacaccc tcttacagca 360
 gaagctactt caggaagcct acatgacccc taaggacgat atccggctgg tcggggagct 420
 ggtgactgtc attggggcta tcatcatcct gctggtagag gttccagaca tcttcagaat 480
 gggggtcact cgcttctttg gacagacat ccttgggggc ccattccatg tctcatcat 540
 cacctatgcc ttcatgggtg tggtgacat ggtgatgagg ctcatcagtg ccagcgggga 600
 ggtggtacce atgtcctttg cactcgtgct gggctgggtg aacgtcatgt acttcgcccg 660
 aggattccag atgctaggcc ccttcacat catgattcag aagatgattt ttggcgacct 720
 gatg 724

<210> 123
 <211> 435
 <212> DNA
 <213> Homo sapiens

<400> 123
 gagaaagcag cagctgccaa catagatgaa gtgcagaagt cagatgtatc ctctacaggg 60
 cagggtgtca tcgacaagga tgcgctgggg octatgatgc ttgaggtagc acatcttcat 120
 tttagtgtctg tattttaaaa tcttgttgat cttcacatta ttacatttaa tttcagggtga 180
 atataattta aggagaatcc acactagtac tagtactatg gacctcttga gcttgctgat 240
 atgcctgtgt gtctctatgt atgttttggc tctgtctgcc agtatatgtg tgtttgaaat 300
 taacatagaa ttaaattaac tagattagag tagacattgg caagttgtaa ttgcccagttg 360
 agcatttatt tgaaaaactg tattcacaag tcctactaaa ttctgtgttg attttagctt 420
 gaaatgttct caaaa 435

<210> 124
 <211> 363
 <212> DNA
 <213> Homo sapiens

<400> 124
 actggaagtg ccttcagagg tcaccctttt gggctttgcc atgcaggcta caaagactct 60

```

cctcctcaga acatgctgct tgcaggaatt caacatcatg gaaaagaata aaggatgggc 120
tctcctggga ggaaaagatg gccatcttca gggactattt ctcttgcca acgcattgct 180
ggaaagaaat cagctccttg cacagaaggt catgtactta ttagtccctc ttcttaaccg 240
agggaatgat aaacataaac tcacatctgc aggttttttt gtggagcttc tccggagtcc 300
agtggccaag agactgcca gcataactc tgttgcccgc tttaaagact ggctacaaga 360
tgg 363
    
```

```

<210> 125
<211> 373
<212> DNA
<213> Homo sapiens
    
```

```

<400> 125
agaccggccc ccgctccctc agctgcgccg gaggaggcgc ccagtcctcg ggtgaaggg 60
tcgggggatg gcgaagcgaa gagtgcccgcc tccggtgtgg gggggagcag gaggagggac 120
gaagtccgcc cgcccgcccg ccgcccgcgc tgacaccgag cggagcggag aaggaggacg 180
agcgtgaag gaagcctacc cttccagccg tcagccgccc ccgcccgcgc cgtgaccct 240
gcgttgccgc cggcgtgcc acccgaaact agccccctcg atgccaattt caaatagggg 300
agggaaaggg aaaagaaggg aagagaaaat ccggccgctg agtcccgcgt ccactcacac 360
ctccgctcgt gcc 373
    
```

```

<210> 126
<211> 362
<212> DNA
<213> Homo sapiens
    
```

```

<400> 126
gcctacaggg ggtccatggc agcagttcta ctttctgcag ctccctaagc agtgactttg 60
accccctaga gtactgcagc cctaaagggg atccccagcg agtggacatg cagcctagtg 120
tgacctctcg gcctcgttcc ttggactcgg aggtgccac aggggaaacc caggtttcca 180
gccatgtcca ctaccaccgc caccggcacc accactaaa aaagcggttc cagagggcatg 240
gcaggaagcc tggcccagaa accggagtcc cccagtcag gcctcctatt cctcggacac 300
agccccagcc agagccacct tctcctgatc agcaagtcac cagatccaac tcagcagccc 360
ct 362
    
```

```

<210> 127
<211> 351
<212> DNA
<213> Homo sapiens
    
```

<400> 127
 catggctgac cccgaccccc ggtaccctcg ctctcgatc gaggacgact tcaactatgg 60
 cagcagcgag gcctccgaca ccgtgcacat tcgaatggcc tttctgagaa gagtctacag 120
 cattctatct ctgcaggatc tcttagctac tgtgacttcg acagataatt tagcctttga 180
 ggatggacgg actgactggc tgcaaaggcc tgactgtgtc tccttcaaaa ttcagtgtgt 240
 gccaatgtga cggtattaag aggagggggc ttagaggggg attagatcct gaaaggtcct 300
 tactttttgg agtgacgagg atgcatacga tgaagcatic tcgtagatac g 351

<210> 128
 <211> 374
 <212> DNA
 <213> Homo sapiens

<400> 128
 gaactcccca aaggcaccat ccaggttttt accccgcttg tcaaattccc ctctggccca 60
 gggctggctg ctccagcagga gtgtttaata agcacttaat tgcccgggtga gtacagacca 120
 ttccagctca ccttaactgt ttccctggctg actcgctctc cggcctgatt gcctgtctca 180
 tctgctgag tgagctggaa tgagtgtagt ggtagtgcca cctatagggt cctcttacct 240
 tggctctatt tcacaggagc acttcccga caggtttacc tcgggagatg gaaagaaagc 300
 tcaccaggac tttggctact tttatggctc gagctatgtg gcagcctctg acagcagccg 360
 gactcctggg ctgt 374

<210> 129
 <211> 392
 <212> DNA
 <213> Homo sapiens

<400> 129
 taccaccaag cccagcccca acatgatgact ttctgtgtgt tttccaagag tctagtgtga 60
 ggtcagaggc cagacaggtc atcaggaatt ttgcttcaag tgagttgctg ctgccctgac 120
 tcttttcccc cagcaattaa gtcccccg ggcttggggg ttgggtttgt cagcttgctt 180
 ttgctgtgct gagggcttct ccagactgaa tcagcaggtc ctcagctcat ctctgctcct 240
 tctctctagg accaactgcc cctgtaagta cagttttttg gataacctca agaagttgac 300
 tctctgacgc gatgttccca cttaccccaa ggtaagatga gattccggcc cagaagaagc 360
 tgcagctgtg tccccagccc cacgccgagc cc 392

<210> 130
 <211> 359
 <212> DNA
 <213> Homo sapiens

<400> 130
 ccgggacgat gcctgcctct actccccage ctcagctccc gaggtcatca cagtaggggc 60
 caccaatgcc caggaccagc cggtgaccct ggggactttg gggaccaact ttggccgctg 120
 tgtggacctc tttgccccag gggaggacat cattggagcc tccagcgact gcagcacctg 180
 ctttgtgtca cagagtggga catcacaggc tgetgcccac gtggctggca ttgcagccat 240
 gatgctgtct gccgagccgg agctcacctt ggccgagttg aggcagagac tgatccactt 300
 ctctgccaaa gatgtcatca atgaggcctg gttccctgag gaccagcggg tactgacce 359

<210> 131
 <211> 389
 <212> DNA
 <213> Homo sapiens

<400> 131
 gttagaaatc aagtttttgg agcaggtgga tcaattctat gatgacaact ttcccatgga 60
 aattcggcat ctgttgcccc aatggattga aaatcaagac tggtaggata aacatattt 120
 tccctagaag ttgatgcaca aatgtctgat gctctatcca tgtgaattta ttttatggtc 180
 cactttttac tcagtagatg cattcttttc aggtaaagaa ctttctcaag gatttgaag 240
 ccttcccaaa gaaggggaat aattgtcett tctgggtcca tcattgtaa atgaaaagtt 300
 aatggtcca gtgcttcttt tctctgtaa caaaaaccca aataattttt catgtattaa 360
 aaaaagaagc aatcaattg attgtcagt 389

<210> 132
 <211> 465
 <212> DNA
 <213> Homo sapiens

<400> 132
 ggaggcagga gatgcggatg aagatgaggc tgatgctaag agctctgact gtgaaccaga 60
 ggggcccgctg gaagcgggaag agcctcctca ggaggatagt agcagtcagt cagactctgt 120
 ggaggaccgg agtgaggatg aggaagatga acattcagag gaggaagaaa caagtggaag 180
 ttcagcatca gaggaatctg agtctgaaga gtctgaggat gcccaatcac agagccaagc 240
 agatgaagag gaggaagatg atgatttttg ggtggagtac ttgcttgcca gggatgaaga 300
 gcagagtgag gcagatgcag gcagtgggcc tctactcca gggcccacta ctctaggtcc 360
 aaagaaagaa attactgaca ttgctgcagc agctgaaagt ctccagccca agggttacac 420
 gctggccacg acccaggtaa agaogcccat tcccctgctt ctgcg 465

<210> 133
 <211> 354
 <212> DNA
 <213> Homo sapiens

```

<400> 133
ctaaaaaac taaggagtt actgcttgaa gacaaccagt taccocaaat accctctggt      60
ttgccagagt ctttgacaga acttagtcta attcaaacca atatatacaa cataactaaa      120
gagggcattt caagacttat aaacttgaaa aatctctatt tggcctggaa ctgctatfff      180
aacaaagttt gcgagaaaac taacatagaa gatggagtat ttgaaacgct gacaatttg      240
gagttgctat cactatcttt caattctctt tcacacgtgc cacccaaact gccaagctcc      300
ctacgcaaac tttttctgag caacaccag atcaaataca ttagtgaaga agat          354

```

```

<210> 134
<211> 326
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(326)
<223> n = a,t,c or g

```

```

<400> 134
cccacgcgtc cggngacagg cctggccggc ctctgcagag acgtccaacc tcgtgcgcat      60
gcgcagccag gccctgggcc agtcggcgcc ctgcctcacc gccagcctga aggagctgag      120
tctccccaga agaggaagtt tccctgtgtg tccaaatgct gggagaacat cacccttgg      180
atgaattgcc accacattaa ataaaatata tccaaagctc nnnnnnnnnn nnnngggggg      240
gccgttttaa aggacccttg ggggggccaa ggtttacgcg gctggcaag gtaatagttt      300
tttccttata gggagccgaa ttaaaa          326

```

```

<210> 135
<211> 210
<212> DNA
<213> Homo sapiens

```

```

<400> 135
cttctgtgtg tctgtcttcc tgtgggtgcc tgcccgtctc tttctcttct aacagccctt      60
ttgaaccagc tgatgcgctg tcttoggaaa taccaatccc ggactcccag tcccctccta      120
cattctgtcc ccagtgaat agtgtttgat tttgagcctg gcccagtggt cagaggtagt      180
tgggtcttcc tttcttggtc gacggggccc

```

```

<210> 136
<211> 310
<212> DNA
<213> Homo sapiens

```

<400> 136
 tttttccaat acacatataa accatcattc actaaaatgt actatatatt caatattttg 60
 tgtataactca ctgcttttcc taacgtgaaa aatttaccaa aatgctaatt gtgacttata 120
 aggtattttaa cagactcccg acaaaaagca gaatgatcag cgaaatcgga aaagaaaagc 180
 tgaaccatat gaaactagcc aaggtagtaa taatttcgta tcaacaaaag tactcaattc 240
 taatgtactt agatagaatt ttctaactca tactaaataa ttagtttgta cacagggatt 300
 cctgataaag 310

<210> 137
 <211> 502
 <212> DNA
 <213> Homo sapiens

<400> 137
 cttaaagtga aatttaaaaa gtaataataa tttttaaaaa tgtttaaagg cttactttgg 60
 agagacagtt ttacatagct taatatttta tcattaaagg catgggtggag ctggttcctg 120
 cttccgatac cctcaggaaa atccaagtgg aatatgggtg gacaggatcc tttaaagata 180
 aaccacttgc agagtggcta aggaaataca atccctctga agaagaatat gaaaaggctt 240
 cagagaactt tatctattcc tgtgctggat gctgtgtagc cacctatggt ttaggcattc 300
 gtgatcgaca caatgacaat ataatgcttc gaagcacggg acacatgttt cacattgact 360
 ttggaaagt ttggggacat gcacagatgt ttggcagctt caaaagggat cgggctcctt 420
 ttgtgctgac ctctgatatg gcatatgtca ttaatggggg tgaaaagccc accattcgtt 480
 ttcagttggt tgtggacctc tg 502

<210> 138
 <211> 963
 <212> DNA
 <213> Homo sapiens

<400> 138
 ctctagtcc cctccctagc ctgtcccttc ctctccctgt tgcctcctggg ggccaggaga 60
 gcccttcacc ccacacagct gaggtggaga gtgagcctc accacctcct gctcggcccc 120
 tcccagggga agccaggctg gcgcccctct ctgaagaggg aaagccgcag cttgttgggc 180
 gtttcccaag tgacttcctc caaggaaccg gctgagcctc ttcccttgca gccaacatcc 240
 cccactctct ctggttctcc aaaaccttca acccctcagc tcacttcaga gagctcagat 300
 acagaggaca gtgctggagg cgggccagag accaggggag ctctggctga gagcgaccgt 360
 gcagctgagg gtctgggggc tggagttgag gaggaaggag atgatgggaa ggaaccccaa 420
 gttgggggca gcccccaacc cctgagccat cccagcccag tgtggatgaa ctactcctac 480
 agcagctgt gtttgagcag cgaggagtca gaaagcagt gggagatga ggagtctctg 540
 gctgagctgc agagtcttcg gcagaagcac ttgtcagagg tggaaacact acagacacta 600
 cagaaaaaag aaattgaaga tttgtacagc cggctgggga agcagcccc accgggtatt 660
 gtggccccag ctgctatgct gtccagccgc cagcgcgcc tctccaaggg cagcttcccc 720
 acctcccgcc gcaacagcct acagcgtctc gagccccag gccctggtga gactgcagtc 780

```

accagcttc catcttttcc ctgagacccc tttctgtcga ctgtttttct ccaggccctg      840
ggggctctgcc ccgggggaat agaccccctc tccccacctc ccctttcctc acttagtgct      900
ctccttcccc catcctggct ccaggcatca tgcgaaggaa ctctctgagt ggcagcagca      960
ccg                                                                              963
    
```

```

<210> 139
<211> 376
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(376)
<223> n = a,t,c or g
    
```

```

<400> 139
cgccgctttg tttctcaaga gactgggaat ctgtatattg ccaaagtaga aaaatcagat      60
gttgggaatt atacctgtgt ggttaccaat accgtgacaa accacaaggc cctggggcca      120
cctacaccac taatattgag aaatgatgga gtgatgggtg aatatgagcc caaaatagaa      180
gtgcagttcc cagaaacagt tccgactgca aaaggagcaa cggatgaagct ggaatgcttt      240
gcttttaggaa atccagtacc aactattatc tggcgaagag ctgatggaaa gccaatagca      300
aggaaagcca gaagacacaa gtcaagagtg gggaaanntc ttgagaaatc ccttaatfff      360
tcagcagggg ggatgc                                                            376
    
```

```

<210> 140
<211> 968
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(968)
<223> n = a,t,c or g
    
```

```

<400> 140
gcaaggggca gttggtgaac ttgctgctc cagagaattt tccctgggtg ggaggcagcc      60
agggaccag gatgctcgg acctgttaag tgctctgttc ccaagctggc ccccgctcca      120
ggggctggca gtccctgagc tttgatggcg gggccttcca ccttaagggc acaggagagc      180
tgacaagggc cttgctgggt ctccggctgt gtgctgccc cccactcgtc actcacgggc      240
tgttgctcca ggcctggtct cggcgactcc tgggctccc gctctcagge gcatttctcc      300
gagcatccgt ctatgggcag tttgtggctg gtgagacagc agaggagggt aagggctgcg      360
tgcagcagct gcggaccctc agcctccgac cactgctggc agtgcccact gaggaggagc      420
cggactctgc tgccaagagt ggtgaggcgt ggtatgaggg gaacctcggg gctatgctgc      480
ggtgtgtgga cctgtcaagg ggccctcctg agccccccag cctggctgag gccagcctca      540
tcagagtgaa ggtgacggcg ctgaccagta ctggctctg taaggagcta gcctcgtggg      600
tcagaaggcc aggagcctcc ttggagctga gccccgagag gctggctgaa gctatggact      660
ctgggcagaa cctccaggtc tcctgctca atgctgagca gaaccagcac ctccgggctc      720
ccctcagccg cctgcatcgg gtggcacagt atgcccgggc ccagcacgtg cggctcctgg      780
    
```


tggatg	cgga	gtacacctca	ctgaacctg	cgctctcgct	gctggtggct	gccctggctg	840
tgcgctg	gaa	cagccccgggt	gaaggcgggc	cctgggtgtg	gaacacctac	caggcctgtc	900
taaaggacac	attctagcgg	ctgggggaggg	atgcanaggg	tgcgcacagg	gccggcctgg		960
ccttcggg							968

<210> 141
 <211> 306
 <212> DNA
 <213> Homo sapiens

<400> 141							
agacggctga	aaagggaggg	gtattgaggg	cggttcagag	ggcgaggaga	ggggcgtaga		60
gaacctgtgg	agaagaagtt	cactggaggg	gcattaggcc	tcgcaactatg	tatccagatc		120
atcagtaggg	gaagagaaaa	gatgggcaat	atgtatagtc	agacgagaag	tgggatcaaa		180
cagagggctc	atggagaagt	aggctaccca	ccacataacc	ccatcatagg	attgcaggag		240
atacagctat	agataagaat	atccaccagt	cggtgagtga	gcagatcaag	aagaactttg		300
ccaaga							306

<210> 142
 <211> 316
 <212> DNA
 <213> Homo sapiens

<400> 142							
ccacactcac	atttaataata	ctgttagggt	gtttaactttg	aggcaatgtc	atcctcatta		60
gtatagggca	ttatattcct	gaatagcaga	atactcctcc	attcatgaag	ttcagtatta		120
tacattctta	ttattgcaca	acaaatagaa	gactttggat	ttccttatat	aagtaccttg		180
acagatgact	aaccatttt	tcctatgctt	tacaactatg	atcagtaact	gtaatTTTTT		240
taaagtcct	cctggacccc	cgggtgaaaa	aggagatcga	ggtcccactg	gagaaagtgg		300
ttccagagga	tttcca						316

<210> 143
 <211> 339
 <212> DNA
 <213> Homo sapiens

<400> 143							
gacaatacca	aatgaatgaa	cgtgactgtg	ttccaacaaa	actttattta	caaaaacagg		60
gatgggccgg	atgtagccag	aggccataat	ttgccaaccc	ctgatttaga	cgaaggaaag		120
gagcagtgct	tcactgcttt	taaattaatt	ctgtattctc	acaaggccta	cattgaaatg		180

gaattatagc ctcatttttt cttagaacct ttatatatttg ttttattcat atacagggtt 240
 gtcaagctgg acagactatt aaagttcaag tctcctttga tttgcttagt ctgatgttta 300
 catttgtaag tccatgtacc aacgatttaa tcatacagc 339

<210> 144
 <211> 2018
 <212> DNA
 <213> Homo sapiens

<400> 144
 acaagttatc tgtgaatcat aggagaacac atcttacaaa actcatgcac actgttgaac 60
 aagctacttt aaggatatcc cagagcttcc aaaagaccac agagtttgat acaaatccaa 120
 cggatatagc tctcaaagt ttcttttttg atccatataa catgaaacat attcatcctc 180
 atatgaatat ggatggagac tacataaata tatttccaaa gagaaaagct gcatatgatt 240
 caaatggcaa tgttgcagtt gcatttttat attataagag tattggctct ttgctttcat 300
 catctgacaa cttcttattg aaacctcaaa attatgataa ttctgaagag gaggaaagag 360
 tcatatcttc agtaatttca gtctcaatga gctcaaaccc acccacatta tatgaacttg 420
 aaaaaataac atttacatta agtcatcgaa aggtcacaga taggtatagg agtctatgtg 480
 cattttggaa ttactcacct gataccatga atggcagctg gtcttcagag ggctgtgagc 540
 tgacatactc aaatgagacc cacacctcat gccgctgtaa tcacctgaca cattttgcaa 600
 ttttgatgtc ctctggctct tccattggta ttaaagatta taatattctt acaaggatca 660
 ctcaactagg aataattatt tcaactgatt gtcttgccat atgcattttt accttctggt 720
 tcttcagtga aattcaaagc accaggacaa caattcacia aaatctttgc tgtagcctat 780
 ttcttgctga acttgttttt cttgttggga tcaatacaaa tactaataag ctcttctggt 840
 caatcattgc cggactgcta cactactctt ttttagctgc ttttgcatgg atgtgcattg 900
 aaggcataca tctctatctc attgtttgtg gtgtcatcta caacaagga tttttgcaca 960
 agaattttta tatctttggc tatctaagcc cagccgtggg agttggattt tcggcagcac 1020
 taggatacag atattatggc acaaccaaag tatgttggct tagcaccgaa aacaacttta 1080
 tttggagttt tataggacca gcatgcctaa tcattcttgt taatctcttg gcttttggag 1140
 tcatcatata caaagttttt cgtcacactg cagggttgaa accagaagtt agttgctttg 1200
 agaacataag gtcttgtgca agaggagccc tcgctcttct gttccttctc ggcaccacct 1260
 ggatctttgg ggttctccat gttgtgcacg catcagtggt tacagcttac ctcttcacag 1320
 tcagcaatgc tttccagggg atgttcattt ttttattcct gtgtgtttta tctagaaaga 1380
 ttcaagaaga atattacaga ttgttcaaaa atgtcccctg ttgttttgga tgtttaaggt 1440
 aaacatagag aatggtggat aattacaact gcacaaaaat aaaaattcca agctgtggat 1500
 gaccaatgta taaaaatgac tcatcaaatt atccaattat taactactag acaaaaagta 1560
 ttttaaatca gtttttctgt ttatgctata ggaactgtag ataataaggt aaaattatgt 1620
 atcatataga tatactatgt ttttctatgt gaaataggtc ctgtccaaaa atagtattgg 1680
 ccagatattt gggaaaagta aattgggttt cctcagggag tgatatcccc ttgcacccaa 1740
 gggaaaagat tttctttcta acacgagaag tatatgaatg tcctgaaggg aaaccctggg 1800
 ccttgatatt tctgtgactc gtgttgctt tgaactagt ccctaccac ctcggtaatg 1860
 agtccatta cagaaagtgg aacataagag aatgaagggg cagaatatca aacagtgaaa 1920
 agggaatgat aagatgtatt ttgaatgaac tgttttttct gtagactagc tgagaaattg 1980
 ttgacataaa ataaagaatt gaagaaacaa aaaaaaaaa 2018

<210> 145
 <211> 429
 <212> DNA
 <213> Homo sapiens

<400> 145
 ggcacgaggg aagctgcccc gtccaggttc atgttcctct tatttctcct cacgtgtgag 60
 ctggctgcag aagttgctgc agaagttgag aaatcctcag atggctctgg tgctgcccag 120
 gaaccacagt ggctcacaga tgtcccagct gccatggaat tcattgctgc cactgaggtg 180
 gctgtcatag gcttcttcca ggatttagaa ataccagcag tgcccatact ccatagcatg 240
 gtgcaaaaat tcccaggcgt gtcatttggg atcagcactg attctgaggt tctgacacac 300
 tacaacatca ctgggaacac catctgcctc tttcgctcgg tagacaatga acaactgaat 360
 ttagaggacg aagacattga aagcattgat gccaccaaat tgagccgttt cattgagatc 420
 aacagcctc 429

<210> 146
 <211> 717
 <212> DNA
 <213> Homo sapiens

<400> 146
 gatgaaactt ccggtctcat tgtccgggaa gtgagcattg agatttcgcg ccagcaagtg 60
 gaagaactct ttggacctga agattactgg tgccagtgtg tggcctggag ctgagcgggt 120
 accacaaaga gccggaaggc gtatgtgcgc attgcatagg aactcatgac ctgacatcca 180
 ttagcagagt catcagagtc atctggctgc tgtgttgaga atggaccatg ctgggcaagg 240
 ggagaagcag gaagaccagt gatgagactg cagctatgag agatgttaag ctactgtaga 300
 ttggaagcag tggaggtggt gaggccagga tttcagatat atttaaaagt agagataaca 360
 gcttttgttg agaccttggg tgtgtgatgt gagagaaaga agagaaagga tgattttgaa 420
 agggcctaag cctttatcca aggatttctt tcaaatgtct ttagtgaagc cattcctgcc 480
 tcacagaggg aggaggctgg gcattccttt ctcaatactt tcagagcagt ttgtccatac 540
 ccctaataata gtgcttgtct catttcgaat tatattcact cgtaaaattt gtgtttcatg 600
 ccagtgagtt ccatgagatc aagaattcta ttgtacttaa ttttataatc ctccctgctta 660
 gcacaatacc tagagtatca cagatgttta acaattttct tgaattaaaa ctgttat 717

<210> 147
 <211> 367
 <212> DNA
 <213> Homo sapiens

<400> 147
 ggcacgagat cgattcatgt aaagctggac gtgggcaagc tgcacacca gcctaagtta 60
 gcggcccagc tcaggatggt ggacgacggc tctgggaagg tggagggcct acctgggatt 120
 tgaccagagt ccgctcggct ccaggctctg ccaccacag gaagaagaaa ctacactgac 180
 agatgtgaga cagtgtttcc ccttcagtct ttgaacagc tttgtgtttt ctaaagtaca 240
 ctggataaaa gggaaattcat tcaagagctc caaggcttcc ctttccgccc ggcttctggt 300
 gccctggcct gacgagcgag cagctgggag gggactgaac tgcccctaac cagggttgtg 360
 gctggcg 367

<210> 148
 <211> 791
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(791)
 <223> n = a,t,c or g

<400> 148

cgagaccgga	ccctgggctg	ggtgcatcga	ggtagatgca	aagatgctgg	ccagagcaag	60
tgctgcctgg	agcgggctca	agccctggag	caagccaaga	agcctcagga	agctgtgttt	120
gtcccagagt	gtggcgagga	tggtcctttt	acccaggtgc	agtgccatac	ttactctggg	180
tactgctggt	gtgtcaccct	ggatgggaag	cccacagtg	gctcttctgt	gcagaataaa	240
actcctgtat	gttcaggttc	agtcaccgac	aagcccttga	gccagggtaa	ctcaggaagg	300
aaagatgacg	ggtctaagcc	gacacccacg	atggagaccc	agccgggtgt	cgatggagat	360
gaaatcacag	ccccaaactc	atggattaaa	cacttgggtga	tcaaggactc	caaactgaac	420
aacaccaaca	taagaaattc	agagaaaagtc	tattcgtgtg	accaggagag	gcagagtgcc	480
ctggaagagg	cccagcagaa	tccccgtgag	ggtattgtca	tccctgaatg	tgcccctggg	540
ggactctata	agccagtgca	atgccaccag	tccactggct	actgctgggt	tgtgctgggt	600
gacacagggc	gcccgtgccc	tgggacctcc	acacgctacg	tgatgcccag	ttgtgagagc	660
gacgccaggg	ccaagactac	agagggcggat	gaccccttca	aggacagggg	gctaccaggc	720
tgctccagaag	ggaagaaaat	ggagttttatc	accagcctac	tggatgctct	cacctactgac	780
atggntcagg	g					791

<210> 149
 <211> 335
 <212> DNA
 <213> Homo sapiens

<400> 149

ggcacgagca	aactcggggc	tcagcttggg	gacgggagtt	gatagtcagg	tgcttggaac	60
ataatggaga	ccgtccatat	tggttgaatg	agtggatgaa	tgaattaatg	aatttctttt	120
ctcttaagtc	ctgcagctga	ttaagtcaca	gaaatttctg	aataagttgg	tgatcttggg	180
ggaaacggag	aaggagaaga	tccctgcggaa	ggaatatggt	tttctgact	ccaagtaag	240
tgacagcaaa	cttctaaagt	gggctgtgag	gtagggaggg	gacacaagcg	ttttgaggct	300
cgctgtgtgc	cagggagtgt	atcattagct	cactc			335

<210> 150
 <211> 1293
 <212> DNA
 <213> Homo sapiens

<400> 150
 cgacgcctgt ccctcttaga cttgcagctc ggtcctcttg gcagagaccc cccgcaggag 60
 tgcagcacct tctccccaac agacagcggg gaggagccgg ggcagctctc ccctggcgtg 120
 cagttccagc ggcggcagaa ccagcgcgc tctccatgg aggacgtcag caagaggctc 180
 tctctgccc tggatatccg cctgccccag gaattcctac agaagctaca gatggagagc 240
 ccagatctgc ccaagccgct cagccgcatg tcccgcggg cctccctgtc agacattggc 300
 tttgggaaac tggaaacata cgtgaaactg gacaaactgg gagagggcac ctatgccaca 360
 gtcttcaaag ggcgcagcaa actgacggag aaccttgtgg ccctgaaaga gatccggtg 420
 gagcacgagg agggagcgcc ctgcaactgcc atccgagagg tgtctctgct gaagaacctg 480
 aagcacgcca atattgtgac cctgcatgac ctcatccaca cagatcggtc cctcaccctg 540
 gtgtttgagt acctggacag tgacctgaag cagtatctgg accactgtgg gaacctcatg 600
 agcatgcaca acgtcaaggt gaggcctcgg gggcagggtc ccccatctt ggcagccacc 660
 tgtccagaag ccagtggtg ggacccactc tcaccaccag ggtaccggct gctgagggtg 720
 ctcaaaccct ccacgtagg aaagagggag agggcaatgc catcaacgag tccaggaact 780
 gggttgagcg ctttacccca agaacagaca cacactgtct gccactgtct agctgttggg 840
 ataaaaccca ctctcaactc tgaacatcag tttcccagtc tgtcaaatgg gagtgtgagc 900
 tacctgcaa aatgcagga ggcttctggg gaagctcggg gttatgaatg acctctcctg 960
 gtgtttgtta aagaatcaag actgggcatg gtggcccacg cctgtaatcc cagcactggg 1020
 aggccaaggc aggaagatgg cttgagccca ggagtttgag accagcctgg gcaacatggc 1080
 aagacctcat ctctactaaa aattgaaaaa ttgcccgggc acagtagcgt gcaccatag 1140
 tcccagctgc ttgagaggct gaggcaggag ggccacttga gcccgggagg ttgaggtgct 1200
 agtgagccat gatcacacca ctgcaactca gcatgggtga cagagtaaaa ccctgacatg 1260
 tattgcgggc gctctagagg ataacaagca tac 1293

<210> 151
 <211> 349
 <212> DNA
 <213> Homo sapiens

<400> 151
 ggcacgagcg gcacgagcct tctcctactg cattagcatt tggggaccac cctattgtac 60
 aaccaaagca attatccttt aaaattattc aggtaaatga taattaaaat gttttttct 120
 atggcttcta agaaaccatt gactaactta ctaacaacta agatgtctgt ttgttttata 180
 tgtagtcata aagcagaatt acacatcaag aaagataact tactaaacaa aaacaacaga 240
 atttgtagga aggagtgaga aactgaaaca cacaatttac tatcagottt ttaacaac 300
 gttaacatgt cagttctgtt tactgattct ttctgaactt aatttccag 349

<210> 152
 <211> 324
 <212> DNA
 <213> Homo sapiens

<400> 152
 ggcacgagga ccttccttgc tttcagaatt tcaccaggg tctgacaggc ctcaagaag 60
 gagaactagt tatgaaccga ttcattccagg cccatcccca gtggatcatg attcactgga 120
 atcgaagcga ccacgtctgg aacaggcttc tgattctcat tatcagggtc acatcactgg 180
 cgaatcccta ccaggacgtg tacactagca gctcctcact gtggaatctg atgggcaatg 240

ccatggtgat taccactat atccgtctta ccccatatgt tcaaagtaa ctcggttccc 300
tagggaacct gatgccatgt tacc 324

<210> 153
<211> 377
<212> DNA
<213> Homo sapiens

<400> 153
ggcacgagaa aagaagaatt cagtgcagaa gaaaattttc tcattttgac ggaaatggca 60
accaatcatg tacaggttct tgtagaattc acaaaaaagc taccaggat tttttaaata 120
atcacagtta atattttattg agagtttaaa tatgtgccca cagattagat tacctatttt 180
acatacggtg ttttaatttt caaacattc ctgtgagatc agctctatct tcaactattac 240
tttgccaagt attttcacat gtactttatt cactgctatt ctctacaata gtcttgtgac 300
attgagaaag gcaggctctgt tctttgtaaa atgaaaatca tttaatatct gatttaaagt 360
aactgtcgaa ctactat 377

<210> 154
<211> 1224
<212> DNA
<213> Homo sapiens

<400> 154
ggtttttttt ttttttcttt tgggaaagge attggccact ttggacttta ttagcaacag 60
taatgtcccc tgacatacgc acaagcttgt agctccacgg ccaggctctc ccccaacctc 120
acaatggccc cgtgatgcag gcaggcagge gagtgggggt ctcccctcct tatccacagg 180
gccaccgaaa ggcccacgag acggccttgc cggaggctac ccagcggagt ggcttgcctg 240
gagccctggg aataacagtc ccacacaagg ctctctccct ccgcagctgg acctgtacgc 300
gggggctctg tttgtgcaca totgocctggg ctggaacttc tacctctcca ccatectcac 360
gctcggcatc acagccctgt acaccatcgc aggtatgggt cctgcagcag ggaggtccac 420
ccaggggacg tgtaaagggg tcagaaggcc acctccccct acaggcccga gggagcagcc 480
caggaagtgg ccccagcagg agccccagaa gtctctcccc gtgtccctcc tccttggggc 540
cagggccccc tocagcaacc ttgcttccac tggcaggggg cctggctgct gtaatctaca 600
cggacgccct gcagacgctc atcatggtgg tgggggctgt catcctgaca atcaaaggtg 660
aggacagagt ctgtggccat ggccggggctg tccccacagc gagccctttg gactctggca 720
ctgcccggca ctgtgcagga ttcatgacct tggggttctg ggtagcatcg ctgggagtgg 780
ggttgctcag gaggttgagc cactaggcag tcagcccccc tgctggcccc tcagggactg 840
ccctggctgg tagaggctac ccacctgct gccccgctgt taccagctct ggccctggca 900
aggagctgac tcaggaactc agggccagcc acaccgcat tggctcagcg cttgatgggtg 960
aggtggggct gtaggcgggt gtgaaggcac acaaccagga ggccataaaa ctgctggggc 1020
agctcctcca attgtttaaa agcatgtaca aaatgccaa aggtgatgct acctcctgca 1080
ggacaaaggc cagggaggaa agaagagagc tgggagagat tggcgatact agtctggaac 1140
agatagggaa ctcacagggc tgcccggaga gagcgtgagc tcaccgtccc tggaaagtatg 1200
taagcagagc caggagctcg tgcc 1224

<210> 155
 <211> 345
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(345)
 <223> n = a,t,c or g

<400> 155
 ggcacgagcg gcacgagatc tgaagaggta tattgcttac agaaagagcg ggagatggta 60
 aatcacagtc ttcaagagac ttctgagcaa aacggtattc tacagcatac tcttcagcaa 120
 cagcagcaaa tgttacaaca agagacaatt agaatggag agctagaaga tactcaaact 180
 aaacttgaaa aacaggtgtc aaaactggaa caagaacttc aaaacaaaag ggaaagttca 240
 gctgaaaaagt tgagaaaaat ggaggagaaa tgtgaatcag ctgcacatga agcagatttg 300
 aaaaggcaaa aagtgattga gcttactggc actgccaggc aagtn 345

<210> 156
 <211> 340
 <212> DNA
 <213> Homo sapiens

<400> 156
 ggcacgagct tctacttgta caggaaaggt tacttgagtt tgtccaaagt ggtgccgttt 60
 tctcactatg ctgggacatt gctgctactt ctggcacgtg tggcctgcct cctaggcatt 120
 gtccgctggg cctaccccca cttcccgcag tttctcgcca tctcctctcc gatccatctc 180
 tacctgacgt cataactcta tatgcatggt atgcgggtcca tcttagtctt ctaaaaggc 240
 cattttagct tacctgccat caagctatac atgtggaaat atacactgta ttattttccc 300
 ttccaggtg attacttacc tcatctgttc ttatatctgc 340

<210> 157
 <211> 478
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(478)
 <223> n = a,t,c or g

<400> 157
 gagactccaa gccccagttt cacctcagag gcagagatga ggggtcccc ggtcctgctc 60

ctccaggccg	ccccaatgga	gtgtcctggt	cgcagggga	tcccggccgg	gtccagtcct	120
gagcctgcac	ctgaccccc	gggcctcat	ttcctccggc	aggagcgcag	cttcgagtgc	180
cgcatgtgcg	gcaaggcctt	caagcgtcg	tccacgctgt	ccacccacct	gctcatccac	240
tcagacacgc	ggccctaccc	ctgccagttc	tgcggcaagc	gtttccacca	gaagtccgac	300
atgaagaagc	acacctacat	ccacacaggt	gagaagccgc	acaagtgcc	ggtgtgcgga	360
aaggccttca	gccagagctc	caacctcctc	accacagac	tcagagagaa	cccacatgg	420
tgctgtctcc	tgccgacaag	accaacgtca	aggccgcctg	gnhtaagggt	cgcgcgca	478

<210> 158
 <211> 332
 <212> DNA
 <213> Homo sapiens

<400> 158						
ggcagagca	gctcaccaac	aacacagcca	ctgccccctc	tgccaagccc	gtgtttgggc	60
aagtggcagc	cagcaccgca	ccaagtctgt	ttgggcagca	gactgggtatc	acagccagca	120
cagcagttgc	cactccacag	gtaatcagct	caaggttcat	taatctagat	tttagtata	180
tagtattatt	gaatatatat	aatgttttat	atattagact	ttatacttga	gacataggaa	240
ataatttatg	tataactggt	aattaaattt	tatatttgc	agattagaaa	attctattaa	300
tttattaatg	aattatatct	aattatgtga	ca			332

<210> 159
 <211> 868
 <212> DNA
 <213> Homo sapiens

<400> 159						
cccacgcgtc	cggaataaag	agagaactct	gttactattg	tttttacatc	accaaataat	60
tatttaatat	cgttagctaa	gagaagaatt	ggctatgaac	tgtactttaa	caactgacac	120
aactgcatac	aagttataaa	gtttaataat	ctttatcatc	ttggaaaata	aatctcttct	180
tgctaagtat	cagtttttaa	aaattgcccc	atgtattaga	tatgtatttt	tttaacaaaa	240
atgttctgtg	tattaattat	tttgaaataa	attttaagtt	cacaaaaagc	cattacaaga	300
agtggaaata	gcagcaatta	cacatggtgc	tcttcagga	ttagcctact	tacattctca	360
tactatgatt	catagagata	tcaaagcagg	aaatatcctt	ctgacagaac	caggccaggt	420
gaaacttgct	gactttggct	ctgcttccat	ggcatcacct	gccaatcct	ttgtgggaac	480
gccgtattgg	atggccccag	aagtaatttt	agccatggat	gaaggacaat	atgatggcaa	540
agtagatgtg	tggtctcttg	gaataacatg	tattgaacta	goggaaagga	agcctccttt	600
atttaatatg	aatgcaatga	gtgccttata	tcacatagcc	caaatgaat	cccctacact	660
acagtcta	gaatggtgag	tattgtta	atataattg	ctcagtggtg	aataaatgaa	720
atgctttttc	ataatctggt	atcaaagtga	tttaatttca	gtaggtaaa	atgtatcacc	780
ttataagata	ttaaaataga	tgtattttac	ccttttaaat	atattttatc	tttatcatgt	840
ttccatttca	tgccatacgt	ataactgg				868

<210> 160

<211> 1404
 <212> DNA
 <213> Homo sapiens

<400> 160
 gcgccacgcg cggcctggcg gcgggggcca ctetaaccag cgcaaatgt ccctggaaca 60
 ggaggaggaa acgcaacctg ggcggctcct aggacgcaga gacgccgtcc ccgccttcat 120
 tgagcccaac gtgcgcttct ggatcaccga gcgccaatcc tttattcgac gatttcttca 180
 atggacagaa ttattagatc ctacaaatgt gttcatttca gttgaaagta tagaaaactc 240
 gaggcaacta ttgtgcacaa atgaagatgt ttccagccct gcctcggcgg accaaaggat 300
 acaggaagct tggaagcgga gtcttgcaac agtgcattcc gacagcagca acctgatccc 360
 caagcttttt cgacctgcag cgttcctgcc tttcatggcg cccacgggat tttgtcaat 420
 gacgccactg aaagggatca agtccgtgat tttacctcag gttttcctct gtgcctacat 480
 ggcagcgttc aacagcatca atggaaacag aagttacact tgtaagccac tagaaagatc 540
 attactaatg gcgggagccg ttgcttcttc aactttctta ggagtaatcc ctccagtttgt 600
 ccagatgaag tatggcctga ctggcccttg gattaaaaga ctcttacctg tgatcttctc 660
 cgtgcaagcc agtggaatga atgtctacat gtcccgaagt cttgaatcca ttaaggggat 720
 tgcggtcatg gacaaggaag gcaatgtcct gggtcattcc agaattgctg ggacaaaggc 780
 tgttagagaa acgttagcat ccagaatagt gctgtttggg acctcagctc tgattcctga 840
 agtcttcacc tactttttta aaaggaccca gtatttcagg aaaaaccag ggtcattgtg 900
 gattttgaaa ctgtcttgta ctgtcctggc aatgggactg atggtgccat tttcttttag 960
 tatatttcca cagattggac agatacagta ctgtagtctt gaagagaaaa ttcagtctcc 1020
 aacagaagaa acagaaatct tttatcacag aggggtgtag gccgtgagtt ttaggtgaat 1080
 ttatgtggtt ccctgcttga aaaccttccc cctctcccag gttcggttta gagaactttg 1140
 cccacaggtc ttctggggac cccagagggt tctgtgctga caagggcact tcagattcca 1200
 tctagagatc gttcccaggc tggcgtctct ggggttttta aggctggctg gagaagacag 1260
 tgggaagggg gccccgtctg acaccctggy ggttgctgag ggaacggttg gactggggat 1320
 cggcctgcga aaggatactg tgaatcact aattaactaa taaacctgtc tcaagttgag 1380
 gatttgaaga aaaaaaaaaa aaag 1404

<210> 161
 <211> 562
 <212> DNA
 <213> Homo sapiens

<400> 161
 cccacgcgtc cgggagattg gaagtcttct ataacgggac ctggggcagc gtcggcagga 60
 ggaacatcac cacagccata gcaggcattg tgtgcaggca gctgggctgt ggggagaatg 120
 gagggtgcag cctcgcccct ttatctaaga caggctctgg tttcatgtgg gtggatgaca 180
 ttcagtgtcc taaaacgcat atctccatat ggcagtgctt gtctgcccc a tgggagcgaa 240
 gaatctccag cccagcagaa gagacctgga tcacatgtga agatagaata agagtgcgtg 300
 gaggagacac cgagtgtctt gggagagtgg agatctggca cgcaggctcc tggggcacag 360
 tgtgtgatga ctctggggac ctggccgagg cggaagtggg gtgtcagcag ctgggctgtg 420
 gctctgctct ggctgccttg agggacgctt cgtttgccca gggactgga accatctggt 480
 tggatgacat gcggtgcaaa ggaaatgagt catttctat ggactgtcac gccaaacct 540
 ggggacagag tgactgtgga ca 562

<210> 162

<211> 1812
 <212> DNA
 <213> Homo sapiens

<400> 162
 gccttgcttg gaggcaaagc gtccctccact ctgtccctcag gactcagctg tgtggccttg 60
 gatttctttt tgcgggactt gcgccctttg ggtgccaacg gtccaggatc cccctggaac 120
 cagatggtac ggccatgccg gtccctgcagg gagctcatgc ctggcatgcc atagcagcgc 180
 agccaggctc gaaaggcagc aaagtcctcc tccccgctct ctgaccggta gcccttgccc 240
 cccaactgga ccacttctct gggcactgag tgacatagct ccagcaggtc tggattctgc 300
 agcttggtcc ttatcttctg gctcagggtc agctccgggc tcggcctgtg ctgctgcagg 360
 gcctccagga ccgagcgggc cttctcaaag ggggggatct tcagccggta caggatctct 420
 gcccgcagat agttgccaat gccattgaag aacctctggt ccaggagggc ctgcagatg 480
 ggccggtcaa aggccttata cgctaggttt cgtagcacat tctccctgaa ctgctggtac 540
 tcctgcaaga cacagggccc gcggcccggc tgccactttc cccaagggtc ccagcggccg 600
 aaccgcgga tgtccacgaa acatagggcg agccgggggc caggcggggc cgtgtaaaag 660
 cgcaggtagg catggcgtgg cagctcctcg cggggcacca gctgaaaaga gccggacatg 720
 ccgaagcgga agaccagggc cagtggctcc tgttggggct gggcccagg cagagggctc 780
 agtatcagge gcagtcctt gccgcgggct gaagctgaga tcgggtaggc actgctctca 840
 aaggcacct cagggttgcg gctgacagag gacttctcca cgcagccgc gaaccaccagc 900
 gccctgcagg cctcattcac aaactggctg gccagggtga gctcggggcc ctcaggcatc 960
 ctgaggagg gtggcagagt cctggctggg aggtggcgga agaacctgac tccccactgc 1020
 ctggcgcgg cgagatgcgg gggcaggctt gaggccccgg gtcccgctg tctctgcggt 1080
 tgggggaagt caccagcta gcgtgggaca gggctggcac cccagcagg aaacagcagc 1140
 gacgagccag agcggagtgc cctgcagctg cgcgcaggac gtgcaagggt gcgcggtacg 1200
 cacaggccct agggaccgg tggggatctt aagcaccaac gaacagttag acctaactca 1260
 taacaaaca tcatcacgac ctgccctgtc agaagcgcag ccaagcaaca acaacaaca 1320
 aaaaaggcga ggaggtagac ccacttgaga tggttctggt gcggagagtc tctgaaatca 1380
 gaaagcgcca gtccgcaaaa acgaggaaaac cgcagctgtc cggcgggaagg aaccgccagt 1440
 acaaaggccc tgaggcgaga aagagattgg tcaactgaaag aactcaaaga agtcctgtgt 1500
 ggctggagta tagctgcggg ttagtgctgg cagggtgaaga cagagaagca aaccagggtc 1560
 aggtccggtt gggcctcggg agggcctccg tgtggagtct gcacttcatt ctaagtgtat 1620
 acctaaccaca tcgccacgat ttcccctcct tcacactacc ctgctacgtc tccttattag 1680
 gcgtaataaa attatgtgc tttgtaagaa attggttttt agagatgcat gtaaaagtat 1740
 tgggtatgaa atgtcatgat ttgtctaatt tactttaaaa tacttctgcc ataataaatg 1800
 aatagaatta ac 1812

<210> 163
 <211> 333
 <212> DNA
 <213> Homo sapiens

<400> 163
 agctgacgtg gtctgcctgt tattggagag atatattaag aatccagttg tggattgcag 60
 ctgatattct tttgcgaatg cttgaaaaag cacttcttta tagtgaacac cagaacatca 120
 gcaacactgg actgtcatcc caaggcttat tgatatttgc ggagttgatt cctgccatta 180
 agaggacgtt ggcctgcctt ctogtgatca ttgcgagcct ggactatggc attgagaaac 240
 ctcathtag aacaggcatg caccgtgtga tcggactgat gcttctatac ttaatctttg 300
 caaatgctga aagcgtgatt agagtcattg ggg 333

<210> 164
 <211> 134
 <212> DNA
 <213> Homo sapiens

<400> 164
 tttttttttt gagatggagt ctcgctctgc tgcccagget ggagtgcagt ggtgcaatct 60
 tggctcactg caagctctgc ctcccaggtt cagccattc tctgcctca gcctcccagag 120
 tagctgggac taca 134

<210> 165
 <211> 839
 <212> DNA
 <213> Homo sapiens

<400> 165
 cctgagcccg gcgagcagga gaggaggtct tccgggccgc ggctccgag cgcgcgggat 60
 ttgcagaact taatatgaat gtgaagaact tgcaaagaaa cttgaaaaca gccaaagga 120
 tggcatatca agaaataaat tggccttggc agaattgtat gaagatgaag tgaagtgcaa 180
 atcttccaag tctaatagac ctaaagccac agtcttcaag agcccacgga caccacctca 240
 acggttttac tcaagtgaac atgaatacag tggattaaat atagttogac cttcaactgg 300
 gaaaattgtg aatgaacttt tcaaagaggc aaggggaacat ggggtgtcc ctctgaatga 360
 agccacaaga gcttcagggtg atgataaatc taagtcattt acaggtggag gatacagatt 420
 gggtagttct ttttgtaagc ggtctgaata tatctatgga gaaaatcagc tgcaagatgt 480
 tcagattttg cttaaactgt ggagcaatgg tttcagttta gatgatggag aattgagacc 540
 ttacaatgaa ccaacaaatg ctcaatttct ggagtctggt aagagagggg tgactctcat 600
 tgcatgtatg cctgaaattc agcaacttat gttagaaatc ttttaattgtg gcattactgc 660
 tggcagaaga tttcaaaagg ttagtttgaa gttataatth gtgaaagtaa actcagatat 720
 tcagtgtctc caccatcca aagaacattg taacttacca gctcttcttg ctaaaggatg 780
 aggaatcaag tgattttgct atgataataa aagcttttct gtgttatgat taaaaaaaa 839

<210> 166
 <211> 1256
 <212> DNA
 <213> Homo sapiens

<400> 166
 ctcgatcacc tgatggccct gcggcgcagc tccccgggtg acccaccgct ccgagcggat 60
 gttcactctc acgacatga ttcaagctct tgcacctggt atgggatggg acaggaagcc 120
 actgaagatg ttttcatcag aagagatgag aggacatctt catcatcatc ataaatgtct 180
 gacgaagatc ctgaagggtg aggggcaggt tccagatctg ccatcctgcc tgcccctgac 240
 tgacaacacc cgcgatgctg cctctatcct catcaacatg ctctatgatg acctgcgctg 300

tgaccgag	cgcgatcact	tccgcaagat	ctgtgaggaa	tatatcacgg	gcaagtttga	360
ccccaggac	atggacaaga	acttgaatgc	catccagaca	gtgtcagga	tcctgcaggg	420
cccctttgac	ctgggcaacc	agctgctggg	actgaaaggt	gtgatggaga	tgatggtggc	480
actatgtggc	tcagagcgcg	agacggacca	gctggtggcc	gtggaggccc	tcatccatgc	540
ctccacgaag	ctcagccgcg	ccaccttcat	catcaccaat	ggagtgtcac	tgctcaaaca	600
gatctacaag	accacaaaa	atgagaagat	caagatccgc	acactggtgg	gactctgtaa	660
gctcggtctc	gcaggtggca	cagactacgg	tctcaggcag	tttgcggaag	ggtcgacaga	720
aaaactggcc	aaacagtgtc	gcaagtggct	gtgcaatatg	tccatagaca	ctcggacccg	780
acgctgggca	gtggagggcc	tggcctacct	cacgctggac	gctgatgtga	aggacgactt	840
tgtccaggac	gtccctgccc	tgcaggccat	gtttgagctg	gccaagacca	gtgacaagac	900
catectgtac	tcgggtggcca	ccaccctggt	gaactgcacc	aacagctacg	atgtcaagga	960
ggatcatccc	gagcttgtcc	agctcgccaa	gttctccaag	cagcatgtgc	ccgaggaaca	1020
ccccaggac	aagaaggact	ttatagacat	gcgggtgaag	cggtctctga	aggcgggtgt	1080
catctctgcc	ctggcttgca	tgggtgaaagc	agatagtggc	atcctcactg	accagaccaa	1140
ggagctgctg	gccaggtgat	tcttggcact	gtgtgacaac	caaaggacc	gaggcaccat	1200
tgtggtcaa	ggtggtggca	aggccctgat	tcccctggct	ttggagggca	cagatg	1256

<210> 167
 <211> 892
 <212> DNA
 <213> Homo sapiens

<400> 167						
atgtggacag	cgtgggtggc	ggcagcgagt	ctcggtcctt	ggactcacc	acttccagcc	60
caggecgtgg	cacgaggcag	ctgggtgaagg	cttcgtccac	aggcactgag	tcctcagatg	120
actttgagga	gcgagaccct	gacctgggag	acgggctgga	gaatgggctg	ggcagcccct	180
tcgggaagtg	gacactgtcc	agcgcggctc	agaccacca	gctgcggcga	ctgcggggcc	240
cagccaagtg	ccgcgagtgc	gaagccttca	tggtcagcgg	gacggagtgt	gaggagtgtc	300
ttctgacctg	ccacaagcgc	tgcctggaga	ctctcctgat	cctctgtgga	cacaggcgcc	360
tcccagcccg	gacaccctt	tttggggttg	acttctgca	gctaccagg	gacttcccgg	420
aggaggtacc	ctttgtggtc	acgaagtgca	cggctgagat	agaacaccgt	gccttggatg	480
tgcagggcat	ttaccgggtc	agcgggtccc	gggtccgtgt	ggagcggctg	tgccaggctt	540
tcgagaatgg	ccgagcgttg	gtggagctgt	cggggaactc	gcctcatgac	gtctcgagtg	600
tcctcaagcg	atttcttcag	gagctcaccg	agcccgtgat	ccccttocac	ctctacgacg	660
ccttcattct	tctggctaag	accttgcattg	cagaccctgg	ggacgacctt	gggaccccc	720
gccccagccc	tgaggttatt	cgtctgctga	agaccctctt	ggtacagctg	cctgactcta	780
actacaacac	cctgcggcac	ctgggtggccc	atctgttcag	ggtggctgca	cgatttatgg	840
aaaacaagat	gtctgccaac	aacctgggca	ttgtgtttgg	gccgacactg	ct	892

<210> 168
 <211> 394
 <212> DNA
 <213> Homo sapiens

<400> 168						
ggaactccatg	tcattctctc	gcacagcgct	gatggctcgtc	actgggagga	tcccctttct	60
gagcttgaca	gtgaacgtgt	gtctgcattt	cttgtcactg	agaccctggt	gttctatttg	120
ttctgtctcc	ttgcagatga	aaccgtcgtg	ccaccagatg	ttccaagcta	cctctcttct	180

caggggaccc	tttctgaccg	acaagaaacc	gtggtcagga	ccgaggggtgg	ccctcagggc	240
aatgggcaca	ttgagagcaa	tggtaaggcc	tcagtaaccg	tgaagcagag	ctctgctgtg	300
actgtgtctc	tgggtgctgg	aggtggcctc	caggtcttta	cagggcaggt	acctggcatt	360
agatggggca	aacttggtga	agcccacgcg	tccc			394

<210> 169
 <211> 550
 <212> DNA
 <213> Homo sapiens

<400> 169						
ctgtgacacc	tccgggcagc	ccggcacttg	ttgctccac	gacctgttgt	cattccotta	60
acccgcttt	ccccgtggc	ccccgcctcc	tcccgcttc	gctccttttc	atgtgagcat	120
ctgggacact	gatctctcag	accccgtgc	tgggctgga	gaatagatgg	ttttgtgaaa	180
aattaaacac	cgccctgaag	aggagccccg	ctgggcagcg	gcaggagcgc	agagtgtgtg	240
cccagtgct	gcagaggtgg	cgctccccg	gcccgggacg	gtagccccgg	gcgccaacgg	300
catgacagac	tcggcgacag	ctaacgggga	cgacaggac	cccagatcg	agctctttgt	360
gaaggctgga	atcgatggag	aaagcatcgg	caactgtcct	ttctctcagc	gcctcttcat	420
gatcctctgg	ctgaaaggag	tcgtgttcaa	tgtcaccact	gtggatctga	aaagaaagcc	480
agctgacctg	cgcaacctag	cccccggaac	gcaccgcgcc	tttctggcct	tcaactggta	540
cgtgaagaca						550

<210> 170
 <211> 422
 <212> DNA
 <213> Homo sapiens

<400> 170						
cttggattca	gtgatggaca	ggaagccagg	cctgaagaaa	ttggctgggt	aatggctat	60
aatgaaacca	caggggaaag	gggggacttt	ccgggaactt	acgtagaata	tattggaagg	120
aaaaaaatct	cgctccac	accaaagccc	cggccacctc	ggcctcttcc	tgttgacca	180
ggttcttcga	aaactgaagc	agatgttgaa	caacaagtgc	tctacaagta	tagaaagaag	240
ccttctcttt	cccaccgtcc	ccagacacca	cataatggaa	aaagcaagaa	ttttctgcat	300
aagcaaggcc	ttaaaaaaaa	aaaagccagc	ctctgatggg	acttttttcc	tgccaaaaat	360
cccactggtc	cactgtcgca	atthtttaca	aaggccacga	taaaagagta	aggccattt	420
tg						422

<210> 171
 <211> 1042
 <212> DNA
 <213> Homo sapiens

<400> 171
 cggacgcgtg gggtcatgga gctggcactg cggcgtcttc cegtcccggg gtggttgctg 60
 ctgctgccgc tgctgctggg cctgaacgca ggagctgtca ttgactggcc cacagaggag 120
 ggcaaggaag tatgggatta tgtgacggtc cgcaaggatg cctacatggt ctgggtggctc 180
 tattatgcca ccaactcctg caagaacttc tcagaactgc ccctggatcat gtggcttcag 240
 ggcggtcag gcggttctag cactggattt ggaaactttg aggaaattgg gcccttgac 300
 agtgatctca aaccacggaa aaccacctgg ctccaggctg ccagtctcct atttgtggat 360
 aatcccgtgg gcactggggt cagttatgtg aatggtagtg gtgcctatgc caaggacctg 420
 gctatgggtg cttcagacat gatgggtctc ctgaagacct tcttcagttg ccacaaagaa 480
 ttccagacag ttccattcta cttttctca gagtctatg gaggaaaaat ggcagctggc 540
 atgggtctag agctttataa ggccattcag cgagggacca tcaagtgcaa ctttgccgggg 600
 gttgccttgg gtgattcctg gatctcccct gttgattcgg tgctctcctg gggaccttac 660
 ctgtacagca tgtctcttct cgaagacaaa ggtctggcag aggtgtctaa ggttgacagaa 720
 caagtactga atgccgtaaa taaggggctc tacagagagg ccacagagct gtgggggaaa 780
 gcagaaatga tcattgaaca ggtaaaaagg ggaacactc agaggcgagc ctgcttggct 840
 ttttctggtg ggtacagggc ccatggttgg tgtgtcaaa cttggagtct aactgaggc 900
 tccccacata tctgcaaatg attgcatgct ggataataaa tctcttgggt ctaagcagtg 960
 atgtagtggc tcttacaga gtcagaaagc caccaggcc tgcaagactt gcttgcctt 1020
 cactaaatgt aaaaattcta tt 1042

<210> 172
 <211> 890
 <212> DNA
 <213> Homo sapiens

<400> 172
 aaagtagtag gttgggcaa acgtagtaat aaattggttt ggccctgttt tcatagaact 60
 atagaggttg gacctttgtc cccttccaga tgctacaaa caaactgatg tttttgattt 120
 ttttttcttt ttaaatattg gttgccacta attcttataa aaatcctcac acaaggctgg 180
 gctcagtggtc tcacacctgt aatcccagca ctttgggagg ctgaggcagg cggatcacga 240
 ggtcaggaga tcgagaccat cctgggtaac acggtgaaac ccccgctctc actaaaaata 300
 caaaaaaatt agccgggcgt ggtggcgggc gcctgtagtc ccagctactc gggaggctga 360
 ggcaggagaa tggcgtgaac ccgggaggca gagcttgtag tgagccgaga tagcgcact 420
 gcactccagc ctgggcgaca gagcaagact ccatctcaaa aaaaaaaaaa agtgataata 480
 ctgtaatccc agcactttgg gaggcggagg caggcggatc acgaggtcag gagatcgaga 540
 ccatcctggc taacaegggt aaaccccgtc tctactaaaa atacaaaaaa ttagctgggc 600
 gtgggtggcgg gcacctgtag tcccagctac ctgggaggct gaggcaggag aatggcgtga 660
 acccaggagg cggagcttgc agtgagcggg gatcatgcca ctgcacttca gcctgggcga 720
 cagagcaaga ctccatctca aaaaacacac acacacacac acacacacaa 780
 atagaaaaat aataatagtt ttaagcacct ctaaagtaca gatattgtgc caagcaattt 840
 atgtgaattg attagattga taactctaaa aatagtttcc ctaatcaact 890

<210> 173
 <211> 1922
 <212> DNA
 <213> Homo sapiens

<400> 173
 tttctttctt catccaaaat agtagagatg tctttccac gatgacctgt gatggtggag 60
 atatcttttc ctggccaac tctcctcca tgggtcttct tgatgtcatc ttcaataget 120
 tcatcaattg cttcatcaaa ctcatcaaat ctgtagctta tacatttctt tgttcttgtt 180
 gacctccttt caaagcaagt ttgctttgga ttttttgaa tctttttct tttcttcttg 240
 atcttcagaa aagtctggct ctttgtggag gaatgatgtt ttcaatactg gataccaaca 300
 tacaccaagc gttcttttcc ttcgttccgg caacgctctt tccttcttta aggcaacatc 360
 ccaaatcctg gaaactggtc ctctaatttt tccaacaaga gcaagtttaa tgttgggcaa 420
 aagggtgggc aagaaccat cctcccatct ggggatggat catcagagga ggggcgaaag 480
 gcagggcagt atgggatcca ctatcgcaag agtcacacag aagaattagc tcaggatggt 540
 ttggaaggcc acattttttg catggttcat catcatctgc taggatggct tcttcacttt 600
 ccttttcttc ctctctctct gaagctgcag atgatttttc actgccagac ccttcacttt 660
 catcattgct ggaatatttc catctgccac gtgtccgaga accagtccat cgaactttgc 720
 ctttgggttt taccttgctt actttagaat ttgtatcttt ctctgatttt tcaaaaatt 780
 ccttttttgc agttttttgc aaagctgttg actcttcttc cacctcatct tctccttccc 840
 ctcttttttt atcagctttc tgatctctga tctcagccac ttttgagtg ggtctagata 900
 ttcttggaga tcttcttaa gtacgacca catttgtttt ctctcttcc tttctgtct 960
 tctcttgctt gttttctggt tctagaactt tggggggaga atcgggcttc tttttccgac 1020
 ttgatctctt gattgttaat ttgatgcctt cttctgctt ttcagagggt atctctgtat 1080
 tttctgagc agtggtttct tcttcaggaa ccaacttata tttgaatttg cttttttgca 1140
 tagaaccctt tgtctcagaa ggctcctcta tgcagagggt ctgggcattg tccagattat 1200
 ccatttctac ctttgtgaac tcagaatcct cttttagggt ttctaggctt acttttttca 1260
 cagactggcc accaacgta cttgtactct ggcattctac cacttctttt tctgaggcta 1320
 gtttctcaca gtggtcaatg atattagatg tgggagaagt ttcagctgcc tcaggagagc 1380
 caggcttttc tgactctaga gtactctttg gaacttcttc tggatattgga ctcaatcttt 1440
 gtgcgtcctt atcaagaaaa gtcttttttg acttctctaa cttttcaaga cattctagga 1500
 ttggtggcg cttatccttc ttagtttttg gagactcttc ttcaccttc atggtacacg 1560
 actcgttggg agataaagca gtttttgaag agagatcttt tgcctatcca gaagaatcaa 1620
 gagaagtttc catttctgga ggatcgggtt cctctatttg tgetttttga ctatggatct 1680
 ctaagactga tattgaacta tctgcatctt tctcaaagg ggtgtttct tctcaagct 1740
 cacctgtttt catacttgg ttagacagaa ttttaaggact ctgttccatt tccctcgtg 1800
 atgatatttc tgtccttagg ggggtatag ctctcttctt ttgtctcata aaactttgtc 1860
 tctacttggg tctgtcttaa aatttggagc taccctttca tcaactaact ctccatttac 1920
 ca 1922

<210> 174
 <211> 537
 <212> DNA
 <213> Homo sapiens

<400> 174
 aaaagcggcg cggctcgttc aagatggcgg agctcgacca gttgcctgac gagagctctt 60
 cagcaaaaag ccttgtcagt ttaaaagaag gaagcttctc taacacgtgg aatgaaaagt 120
 acagttcttt acagaaaaca cctgtttgga aaggcaggaa tacaagctct gctgtggaaa 180
 tgcctttcag aaattcaaaa cgaagtcgac tttttctgga tgaagatgat aggcaataa 240
 atacaaggtc acctaaaaga aaccagaggg ttgcaatggt tccacagaaa tttacagcaa 300
 caatgtcaac accagataag aaagcttcac agaagattgg ttttcgatta cgtaactctgc 360
 tcaagcttcc taaagcacat aaatgggtga tatacagagt gttctattca aatatagata 420
 aaccactttt tgaaggatgat aatgactttt gtgtatgtct aaaggaatct tttcttaatt 480
 tgaaaacaag aaagttaaca agagtagaat ggggaaaaat tcggcggcct atgggaa 537

<210> 175
 <211> 659
 <212> DNA
 <213> Homo sapiens

 <220>
 <221> misc_feature
 <222> (1)...(659)
 <223> n = a,t,c or g

<400> 175
 tctctctttg ccagtaatgt tggaagtgga catttcattg gcctggcagg gtcaggtgct 60
 gctacgggca tttctgtatc agcttatgaa cttaatggct tgttttctgt gctgatgttg 120
 gcctgggtct tcctacccat ctacattgct ggtcagggtca ccacgatgcc agaataccta 180
 cggaaagcgt tcgggtggcat cagaatcccc atcatcctgg ctgtactcta cctatatttc 240
 tacatcttca ccaagatctc ggtagacatg tatgctgggtg ccatcttcat ccagcagtct 300
 ttgcacctgg atctgtacct ggccatagtt gggctactgg ccatcactgc tgtatacacg 360
 gttgctggtg gcctggctgc tgtgatctac acggatgccc tgcagacgct gatcatgctt 420
 ataggagcgc tcaccttgat gggctacagt ttccgcccgg ttggtgggat ggaaggactg 480
 aaggagaagt acttcttggc cctggctagc aaccggagtg agaacagcag ctgctgggctg 540
 ccccggaag atgccttca tatttttcca gatccgctga catctgatct cccgtggccg 600
 ggggtcctat ttggaatgct catcccatcc ctctgggtact gngcacgga tcaggtgaa 659

<210> 176
 <211> 1033
 <212> DNA
 <213> Homo sapiens

 <220>
 <221> misc_feature
 <222> (1)...(1033)
 <223> n = a,t,c or g

<400> 176
 cccacgcgtc cggatgtgtg ctcacacttg ggggacctga ttggggcttc agaccttggg 60
 ggctgtccg caggttctcc tccatccttc ttgatttgcc tgtcattgag gctgcccgct 120
 ctgggcgcca ttccccagcc taacacctct tctcagtctt tccttgacagg tccttgaggt 180
 ccaggccttg gggcagtcaa gaaaccgtgg ggaggggcat gagatgccag tccccaaagt 240
 ccttgggagc ccttgtgggc caagtcattg taggacacac cctctcctgg gcattgctga 300
 ggtcaccagc tgagcctagg ctccccctc ctcccatccc cagcctgggg gaaccttcag 360
 cgtctctcct ccctgtaggc cccggctcag cttcccagga acttttgttg gtgggtaacta 420
 gtagggttaag gcagttcttc ccatcattag ggagaccttg ggagacttcc attaccaaat 480
 ccattgctgc cccgaccttc ctgggactga tctgggtcac cctgggtctcc tgatcttggg 540
 gaagtcaagt tcttatccca gacttgagag gttacaagcc tccaggtctc tggcaaagtg 600
 tggagatgat ggacagccat ttgtacacac accagccagt cccttagcat atctctcttg 660
 gttttgtctc aggtctgcct cagccacctc cctgacgctg tcccactgtg tggatgtggg 720
 gaaggggctt ctggatttta agaagaggag aggtcactca attggggggag cccctgagca 780
 gcgataccag atcatcctcg tgtgtgtggc tgcccgactt cctaccgggg ctccagatgt 840
 gctgcagcct cctggccact ggaggggctg accgcctgat ccacctctgg aatgttgtgg 900
 gaagtcgctt ggagcccaac cagaccctgg agggagctgg tggcagcatc accagtgtgg 960
 actttgacct ctctgggctac caggttttag cagcaactta caaccaggtt gccagtttt 1020
 ggaaggtngg gga 1033

<210> 177
 <211> 335
 <212> DNA
 <213> Homo sapiens

<400> 177
 gtcaaaaacg atttcctagc aactgtggcc gtgatggaaa actgtttcctt tggggacaag 60
 cacttcatat catcgcaaaa ctccctgggta agtggagaag attgggaatg gtattttttt 120
 ccttggtatt aagctattag aaataaatat gcctttgctg gcacataata gtactttggt 180
 acaacaggat atcctatgga gtttaaaaat aagtatttaa aatataacaa atctgtatta 240
 gtccattctc atgctactaa taaagatata cccaagactg ggtaatttat aaaggaagga 300
 gttttaatgg cctcacagtt ccgtcgacgc gggcg 335

<210> 178
 <211> 556
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(556)
 <223> n = a,t,c or g

<400> 178
 gttcacgtct gcagcagtaa gatgggagct ttgtccacgg agcggctaca gtactacact 60
 caggaactgg gggctccgga gcgcagtggc cacagcgtgt ccctcatcga cctctggggc 120
 ctccctgttg agtatctcct gtaccaggag gagaaccctg ccaagctgtc tgaccaacag 180
 gaggcggtc gccagggtca gaacccttac ccatttaca ccagtgtcaa cgtccgcacc 240
 aacttgagtg ggggaagattt tgcagagtgg tgcgagttca cgccctatga ggttggcttc 300
 cccaagtacg gggcttatgt tcccaccgag ctcttcggct cagaactctt catgggacga 360
 ttgctgcagc tocagcctga accccggatc tgttacctgc aaggatgtg gggcagcgcc 420
 tttgccacca gcctggatga gatcttccta aagaccgccc gctcgggccc cagcttccctg 480
 gagtggatca gaggcagtgt gaatatcaca gacgactgcc agaagcctca gctgcacaac 540
 ncctcgacgc gggaat 556

<210> 179
 <211> 631
 <212> DNA
 <213> Homo sapiens

<400> 179
 gaatttctgg gtcgtcccac gcgtcccga aaggatgagg gaaacgatga gggaaaggat 60
 gagggaaagg atgagggaaa ggatgagggg aaggatgagg gaaaggatga gggaaaggat 120
 gagagaaagg atgagggaaa ggatgagggg aaggatgaga gaaaggatga gggaaaggat 180
 gagggaaagg atgagggaaa ggatgagggg aaggatgagg gaaaggatga gggaaaggat 240
 gagggaaagg atgagggaaa cgatgagggg aaggatgagg gaaaggatga gggaaaggat 300
 gagggaaagg atgagggaaa ggatgagggg aaggatgagg gaaacgatga gggaaacgat 360
 gagggaaacg atgagggaaa ggatgagggg aaggatgaga gaaacgatga gggaaaggat 420
 gagggaaagg atgagggaaa ggatgagggg aaggatgaga gaaacgatga gggaaaggat 480
 gagagaaagg atgagggaaa ggatgagggg aaggatgagg gaaaggatga gggaaaggat 540
 gagggaaagg atgagggaaa cgatgagggg aaggatgaga gaaaggatga gggaaaggat 600
 gagggaaagg atgagggaaa ggataagtaa g 631

<210> 180
 <211> 469
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(469)
 <223> n = a,t,c or g

<400> 180
 ggcggggctc ntttgagacc tgatgaccat cattacgccc agcttggcac gagggggagg 60
 acttcagcta cggcctgcag ccctactgcg ggtactcett ccaggttgtg ggggagatga 120
 tccggaaccg ggaggtgctg ccttgccccg atgactgtcc cgcctgggcg tatgcctca 180
 tgatcgaggg ctggaacgag ttccccagcc ggagggcccg ctttaaggac atccacagcc 240
 ggtccgagc ctggggcaac cttccaact acaacagctc ggagcagacc tcggggggca 300
 gaaacaccac gcagaccagc tccctgagca ccagcccact gtgcaatgtg agcaacgccc 360
 cctacgtggg gcccaagcag aagggtcccg cctttccaca gaccaggtc atccccatga 420
 agggccagat cagaccatg gtgcccccg cgcagctata cgtccccgg 469

<210> 181
 <211> 453
 <212> DNA
 <213> Homo sapiens

<400> 181
 caggaattcc gggcgccacc cacgcgttcg atggatcctg gaagagcgca agcgggtgat 60
 gcaggaggcc tgcgccaagt accgggcgag cagcagccgc cgggccgtca cgccccgcca 120
 cgtgtcccgt atcttcgtgg aggaccgcca ccgcgtgctc tactgcgagg tgcccaaggc 180
 cggctgctcc aattggaagc ggggtgctcat ggtgctggcc ggccctggcct cgtccactgc 240
 cgacatccag cacaacaccg tccactatgg cagcgtctc aagcgcctgg acaccttca 300
 ccgccaggg atcttgacc gtctcagcac ctacaccaag atgctctttg tccgcgagcc 360
 cttcgagagg ctgggtgctc ccttccgcca caagtttgag caccccaaca gctactatca 420
 cccggtcttc tgcatggcca tactggcccc gta 453

<210> 182
 <211> 377
 <212> DNA
 <213> Homo sapiens

<400> 182
 cataatgtat agtatttctc ctgccaactc tgaggaagggc caggaacttt atgtctgcac 60
 agtcaaggat gatgtgaact tggatacagt acttctccta ccctttttga aagaaatagc 120
 agtaagccaa ctggatcaac tgagcccaga ggaacagttg ctgggtcaagt gtgctgcaat 180
 cattggctcac tccttccata tagatttget gcagcacctc ctgcctggct gggataaaaa 240
 taagctactt caggtcttga gagctcttgt ggatatacat gtgctctgct ggtctgacaa 300
 gagccaagag cttcctgctg agcccatatt aatgccttcc tctatcgaca tcattgatgg 360
 aaccaaagag aagaaga 377

<210> 183
 <211> 621
 <212> DNA
 <213> Homo sapiens

<400> 183
 ctcaccta aagtgacaga gtaaattaac tctaaggccc catccaggac tcaagctgtg 60
 tgattttaca aaaatgaaaa ttatattaat aatccattg taaaatccca aaagaaagtc 120
 aagagactag cagaaagaca ggtgggtgat gggatgtcct ggacagagcc tggatcatga 180
 ggtccccatg tagtgcttgt actacgcaga tgtttctct tgagctatct taaaggtgtg 240
 gaaaaagcca aagcaatgcc ctctccacgg atactaaaga ctacacttcc cactcagctg 300
 ctgccaccgt ctttctggga aaacaactgc aaggtaagat accaacagct ccctgtgaca 360
 gaagggaaag taagccaacc aaagcagagc ctgcagaccc caacgcagag cattcgtgat 420
 cacctttgcc tctccactgt ctctgatgct taccagcaaa gagaaaacat aaagttctac 480
 attcagcagg acattcacct gaacagtttc aaataggaca tgaaggcagg atccagattg 540
 aatgtttggg gggaaactaga gacatgggga ggcagtgagt gcagtaagcg tagctgtgaa 600
 atgaagggga gaagatggtg g 621

<210> 184
 <211> 415
 <212> DNA
 <213> Homo sapiens

<400> 184
 accgggacga cccacgcgtc cgggaattta attctattat atatgcagac tttctaaga 60

agataaagct	tttttatggg	agaaacgtta	ttattgcttc	aaacacccaa	attgtcttcc	120
taaaatatta	gcaagcgccc	caaactggaa	atgggttaat	cttgccaaaa	cttactcatt	180
gcttcaccag	tggcctgcat	tgtaccact	aattgcattg	gaacttcttg	attcaaagta	240
agtcaaatac	atttatattg	tcttgtttta	ttgtcagttt	ttccagtaag	gtatgttgcc	300
agaagtattt	cctttccttt	taacatgaaa	gcaattcaat	ataatccaaa	tgtgtaaatg	360
tatatttata	caaacatata	ttctgcattg	aagttgtcaa	taaagcattg	catgt	415

<210> 185
 <211> 359
 <212> DNA
 <213> Homo sapiens

<400> 185						
ggaaaatgat	gatttgaggt	ttatttgaaa	tacaacaatg	tccaatagga	aaacactgca	60
actttcttca	gggtttgaga	aatccaatag	agacctctgc	ttgtctcctc	ctttggcaag	120
agctccaag	ggagagagag	gatggggccac	cacgatgaat	actacaggct	gcggggaagg	180
ataaccctag	tccagacat	tcctacaaaa	gaaatgggga	atccgaaagg	aaaaggaaga	240
aatctcacta	gcacatgtca	aagagccagg	agaggcacia	ttcaccaagc	agaggaagaa	300
atagtgaccg	cagcgggggc	cggtgcagcc	gcagtgataa	cggtcggagc	cgttacagg	359

<210> 186
 <211> 1616
 <212> DNA
 <213> Homo sapiens

<400> 186						
ggaggttgcg	gcggcggctg	cggcgcagcc	cggggcggcg	ggtgggaaga	ggactaccag	60
aggggcctgc	gggagaccca	gggtcggacc	cataggagtc	ctgtcgtcag	gacctccttg	120
atcggctctc	tgcttggggt	ctcgggtgaag	gaggagcttc	gggtgtcgg	ctgggctgcg	180
cgactcctc	ttgggatccg	atgatggatc	ccaccgggtg	atcgggaatg	gggttacaat	240
gcagtgaggc	ggaaaggctc	tcgcccgggc	acagaaagat	ccccagggcc	gcaaggcgtg	300
ctgtcgcctg	caaaggcact	gacccacgag	cccactgcct	cctccttcc	tgggtggagc	360
aggggcctgc	cttcatctcc	aaggcccggg	ggctccggca	tctcgacgcg	gcttccggcg	420
acacgggcaa	agagagacag	aggctagtcc	gagccggagc	cagtgtgacc	acacgtggca	480
ctgacgtccc	ccaagagcac	atgcagtgag	cctgtgtctc	tgaggccgta	gtggcgagcg	540
acgagacgga	cagtgatgtc	caggcctgcg	cccgggggcc	actggagacc	tgcccctcaa	600
agcggaggaa	acgccaagct	cacctgaaaa	cctgcgagac	agggcctgtg	cacgagtcca	660
gtactcctac	ttcgccaagt	ctcagggacc	catcccgcag	caacgggtggc	ggcgagaga	720
agagcacggc	gccggcgcag	gtgcagagag	acaggaggct	gatgggggga	agttgaggca	780
cctggggcag	agaaaaaaat	gcattgccaa	gaggtttctg	ggtcatctac	tgacgaaaaat	840
gtcttcccat	cagcccttgc	gctggteccc	agggaccctg	gcatccgtcg	ttggcgccca	900
gggtgcgcgt	cgggccaacta	ggggtagccc	aactcggaca	gaaggcccat	gagttgaatt	960
tgaagtttgt	gggaatagag	gtgaggcacc	aggggcagaa	aaaaaacagg	agacctcgcc	1020
tcagacaagc	ggggcctggg	tccccatgg	atgaaagtgc	cttcccatta	tgetgtaccc	1080
tgggcagagt	ggacagtgc	gaccctgggt	cgagcccagg	gtgcgcttcg	ggaccgcttg	1140
cggttaccag	aaagcgaaca	aatggtecat	gagcgggaagg	tgaggcaact	gaggcagaga	1200
aagtaaagaa	acgcgcgcgc	gagaagcagt	gcttgggtcc	ctcacggagg	aaattgtctt	1260
ctccttagcc	cgttcgtctg	gcagtgaggt	ccctggcgctc	cctggtttga	tcccagggta	1320

cgctcgggc	cactagtgtt	acccaaggt	gggcagaaag	cccataaggg	gaaggcgagg	1380
cacctggggc	agagaaaaaa	aaaaacttcg	ccgcaaagaa	gcgcggcctg	attccccacg	1440
gacgaaagt	tcttcccac	agtccctgca	ctgggacccg	gggacccctg	tgtccctggt	1500
tcgagctcag	ggtgtgcctc	agccgctacg	tgcaccccaa	ggggagcttt	gggagcccaa	1560
aagccaataa	gggaaagtaa	tttttaaggg	ccccagtggt	gaggcccctg	tcacag	1616

<210> 187
 <211> 916
 <212> DNA
 <213> Homo sapiens

<400> 187						
ttttgataag	aggcaacatg	aagcaagaat	ccagcaaatg	gagaatgaaa	ttcactat	60
gcaagaaaat	ctaaaaagta	tggaggaaat	ccaaggcctt	acagatctcc	aacttcagga	120
agctgatgaa	gagaaggaga	gaattctggc	ccaactccga	gagttagaga	aaaagaagaa	180
acttgaagat	gccaaatctc	aggagcaagt	ttttggttta	gataaagaac	tgaagaaact	240
aaagaaagcc	gtggccacct	ctgataagct	agccacagct	gagctcacca	ttgccaaaga	300
ccagctgaag	tccttcatg	gaactgttat	gaaaattaac	caggagcgag	cagaggagtt	360
gcaggaagca	gagaggttca	gcagaaaggg	agcacaagca	gccagagatc	tcacccgagc	420
agaagctgag	atcgaactcc	tgcagaatct	cctcaggcag	aagggggagc	agtttcgact	480
tgagatggag	aaaacaggtg	taggtactgg	agcaaaactca	caggtcctag	aaattgagaa	540
actgaatgag	acaatggaac	gacaaaggac	agagattgca	aggctgcaga	atgtactata	600
cctcactgga	agtgacaaca	aaggaggcct	tgaaaatggt	ttagaagaaa	ttgctgaaact	660
tcgacgtgaa	ggttcttatc	agaatgatta	cataagcagc	atggcagatc	ctttcaaaag	720
acgaggctat	tggtacttta	tgccaccacc	accatcatca	aaagtttcca	gccatagttc	780
ccaggccacc	aaggactctg	gtgttggcct	taagtactca	gcctcaactc	ctgttagaaa	840
accacgccct	gggcagcagg	atgggaagga	aggcagtcaa	cctccccctg	cctcaggata	900
ctgggtttat	tctccc					916

<210> 188
 <211> 1080
 <212> DNA
 <213> Homo sapiens

<400> 188						
cctctactgc	agcttcatca	tcagattcct	ctttctgttc	ttggggtgct	tcttcttct	60
ccatgggctc	ctcaacagtt	tcagtcttgc	tgtccatac	ataaatagga	aagtttatga	120
actgtgaata	ttttttgacg	agatttttaa	ttgtatccaa	ttcaaggtaa	tcagatgctt	180
cttcttttaa	gacaagggta	attgtcgttc	cccgtcttag	agtgtttct	cttgggtcag	240
caattacaga	aaattcattg	gagtcagact	cccagattgg	ccagtttggg	gtcggttct	300
attccgcctt	ccttgtagca	gataaggtta	ttgtcacttc	aaaacacaac	aacgataccc	360
agcacatctg	ggagtctgac	tccaatgaat	tttctgtaat	tgtgaccca	agaggaaaca	420
ctctaggacg	gggaacgaca	attacccttg	tctttaaaga	agaagcatct	gattaccttg	480
aattggatag	aattaaaaat	ctcgtcaaaa	aatattcaca	gttcataaac	tttctat	540
atgtatggag	cagcaagact	gaaactgttg	aggagcccat	ggaggaagaa	gaagcagcca	600
aagaagagaa	agaagaatct	gatgatgaag	ctgcagtaga	ggaagaagaa	gaagaaaaga	660
aaccaagac	taaaaaagtt	gaaaaaactg	tctgggactg	ggaacttatg	aatgatatca	720
aaccaatatg	gcagagacca	tcaaaaagaag	tagaagaaga	tgaatacaaa	gctttctaca	780

aatcattttc	aaaggaaagt	gatgacccca	tggttatat	tcactttact	gctgaagggg	840
aagttacctt	caaatacaatt	ttatttgtac	ccacatctgc	tccacgtggt	ctgtttgacg	900
aatatggatc	taaaaagagc	gattacatta	agctctatgt	gcgccgtgta	ttcatcacag	960
acgacttcca	tgatatgatg	cctaaatacc	tcaattttgt	caaggggtgtg	gtggactcag	1020
atgatctccc	cttgaatggt	tcccgcgaga	ctcttcagca	acataaaactg	cttaagggtga	1080

<210> 189
 <211> 1344
 <212> DNA
 <213> Homo sapiens

<400> 189						
tttttttttt	ttgctgctgg	gtcggggttt	athtcaaagt	cagccacaga	ggcggtttct	60
gcacaggtac	gtgatccgac	tccacaagct	cccaccaggg	gctccccatg	accgcgaatg	120
acgctgtgtg	gggtcaaagg	aaaacaggcc	acagccaggg	ccctcgatgg	acgcaggcag	180
gggaccagga	atgctggccca	cgcaggggga	tcggaatca	ggcggaaagt	gcaggtttgc	240
agctggcggg	aggagccagc	atgcccctaa	ctctaaaata	ttcccggtag	aaaaatagac	300
athtccctcc	aaagcagatt	cctggggctg	gagggctcct	ccaaggccag	gggtccgggt	360
gattccagag	catccacgct	ctgcgctgaa	ggcactgaac	ctgccatcac	tgtcacagcc	420
gtcaccggcc	aaggagggtc	tggaggaggg	aaggggccc	tgcgaggctc	tgggtgctggt	480
gatccccgcc	cccaccaccg	gaggagctga	aagcccttgc	tcagccgctg	ccctgctggt	540
gaacctggcc	cccaccgccc	gaggagctgc	accctgtgtg	gtctgaggca	gcctgcaact	600
gggcagcggc	cccgcctcgc	gctgaaccca	ctaggagagc	agctgcagca	cctgtcggat	660
gcgctgggcc	ctccccggca	gggggggatc	agagcccctc	tcattccagct	cccgcacag	720
ggcttccgcc	ttctgcaccg	tcagctctcg	ggcccggccc	tgagcccctc	ccaggtaggc	780
cagcagggtg	gagaagtgtc	catcgggaac	cttgtcaactg	tcatacatgt	gcagcaggag	840
ccacgtctgc	ctcgtctctc	gaaacctcca	gttcttgtgc	ttttgggccc	atctgcagag	900
gtagtccagg	gccagttcgg	cccccgagcg	cctggcaggg	gggtgctggg	ccacaaggcc	960
tgctccccg	agacgctgcc	tctctctctt	cttccgttcc	tttttcagct	tcctttccag	1020
gacctctgc	tcctctgggg	acagctctgg	ctctgcgtcc	agcccggggc	tgagcacagc	1080
ttcgcccttg	gagccggctc	cttcgccact	tgggtgcagcc	tcagggccca	gcagtgggcc	1140
ctctgctgac	gccttcttca	gctttttgtt	ctttttctct	gtcacttcag	gaacttttct	1200
cttctgtttt	gccatcctgc	gcccacctgc	gcccacgtcg	cccacctaa	cgtgaacagc	1260
tgctgctcgg	acgcgcctt	ccggcagggg	cccgcgggac	cgtgggtcga	cccggcaaaa	1320
cggttccaac	ctagggcgctc	gagg				1344

<210> 190
 <211> 550
 <212> DNA
 <213> Homo sapiens

<400> 190						
cccggaccca	cgccgcccc	gcgccagggc	tctccccac	accgccttat	tcgggtcgag	60
accccggggc	ccccggcgcc	gcctgctgat	gagcggatct	ccggaccccc	cgccagcagc	120
gataggctag	ctatcctaga	agactatgag	gaccggtttg	atgttcagga	gactggcgaa	180
ggctcagcag	gagcttcagg	agccccagag	aaggtccctg	aaaatgatgg	ctacatggag	240
ccctatgagg	ctcaaaagat	gatggccgag	atccggggct	ccaaggagac	agcaactcag	300
cccttgccct	tgtatgacac	accctatgag	ccagaggagg	atggggccac	cccggaaagt	360

gagggggccc	cctggccccg	ggagtccccg	ctgccagagg	atgatgagag	gccccctgag	420
gagtatgacc	agccctggga	gtggaagaag	gagcggattt	ccaaagcctt	tgcatgtgac	480
attaaggtca	tcaaagacct	accttggcct	ccacctgtgg	gacagctgga	cagcagcccc	540
tcctgcctg						550

<210> 191
 <211> 562
 <212> DNA
 <213> Homo sapiens

<400> 191						
caatTTTTTT	ctctTTTTctt	aaggtatcag	atacacaccg	gacttcaaca	ttctatcata	60
agacctacc	aaccctactg	tttacctctg	gacaatgcc	ccctacctca	gaaactgaag	120
gaggttgat	attcaacgca	tatggtcgga	aaatggcact	tggtTTTTta	cagaaaagaa	180
tgcatgccc	ccagaagagg	atTTgatacc	TTTTTTgggt	ccctTTTggg	aagtggggat	240
tactatacac	actacaaatg	tgacagtcct	gggatgtgtg	gctatgactt	gtatgaaaac	300
gacaatgctg	cctgggacta	tgacaatggc	atatactcca	cacagatgta	cactcagaga	360
gtacagcaaa	tcttagcttc	ccataacccc	acaagccta	tattTTTTata	tattgcctat	420
caagctgttc	attcaccact	gcaagctcct	ggcaggtatt	tcgaacacta	ccgatccatt	480
atcaacataa	acaggaggag	atatgctgcc	atgcttTcct	gcttagatga	agcaatcaac	540
aacgtgacat	tggtctaaa	ag				562

<210> 192
 <211> 2171
 <212> DNA
 <213> Homo sapiens

<400> 192						
cacgcgtccg	gaaaggaaga	ggcggtgaga	ggctgcaaag	ccccttgctg	gttccgcaga	60
aaccagaaa	acctccccct	ccaccaagc	ctcagttcct	aaactcaggg	gcatatcctc	120
aaaaacctct	tagaaatcag	ggagtgggta	ggacactgtc	cagctctgcc	caagaggaca	180
tcatccgggtg	gtttaaagag	gagcagctac	cacttcgagc	gggctaccag	aaaacctcag	240
acaccatagc	cccttggttc	catggaattc	tcacactcaa	gaaagcaaat	gaacttcttc	300
tgagcacagg	catgcccggc	agTTTTctca	tccgagtcag	tgaaaggatc	aaaggctatg	360
ccctgtccta	tctgtcggag	gacggctgta	aacatttccct	catcgatgcc	tctgcagacg	420
cctacagctt	cctgggcgtg	gaccagctac	agcatgccac	cctggcggat	ttggtggaat	480
atcacaagga	ggaaccctac	acttccctgg	ggaaggagct	ccttctctat	ccctgtggtc	540
agcaggacca	gctgcctgac	tacctggagc	tgTTTTgagt	acagcctcca	tcagggtcat	600
cctacagcct	ccaagcgggc	tttccctgg	acaatgcc	ctgcaacatt	tatgtgtgaa	660
gcaaaaatca	ccctgcagca	gagccaatac	tgatcaactg	aaagtatcca	tggagtcttc	720
attgacacct	ctttcttgca	caaatactgg	aattcaatgt	caagagaaaa	tgacctctgc	780
tcaaaagggga	gaagagtctc	aatttcagca	agtacctgtc	atgaagggta	tgaccttaat	840
gatgtacata	aaataaaaaca	aatgaagaaa	tggaaaactt	ttagaaaatta	aggtgtactt	900
gaaaacgagt	atctatcata	tgaccctgtc	actccctctg	tatcatctca	ggaggtttca	960
ggggcctggt	gacatgaagt	ttcgaagttt	catgttggct	ttggaatggt	agcaaaagcc	1020
tttccctggct	gagatgatgc	ttaaaacaca	cctcacttat	tgtacatggt	ggaaccagga	1080
catgagagac	atagaaaaac	agaagtcatg	aatgtaaatt	gaatgagagg	cttaacatgc	1140
atgaaaatac	agatggacct	gcaggaaagt	gagcaaacat	cgctgagttt	gttttcttgt	1200

tgggagaat	ggggccgggg	ctggcctggc	ctcccctgga	tatactctat	agtgcaccaa	1260
aaggataaag	catctgtaca	tgtatTTTTT	tattTTTTat	cagaagtgt	tagacaagaa	1320
cagaataagc	aggctgtttg	gatgtacttt	gtggttgaat	tgtgttcccc	caaaatata	1380
ggtgaagtct	taacccccat	ccccgtgaat	gggacctgt	ttggaaatag	ggtctttgca	1440
gatatagtca	agatgaggtc	acattggatt	agggtgggcc	ccaaatccaa	tgactggcat	1500
ccttaggaga	agagagagtt	ttggtaatat	acacaaatgc	agtgggaaga	agaccagggg	1560
acaagaggca	agttggagtg	atgcagccgg	aagggaaagg	acaccaagga	tctccggcca	1620
ccagcagaag	ccagcagaga	ggcatggggc	aggttcccc	caagccttag	aaggaagcat	1680
ggccctgact	tcagaattcc	agactccaga	actggaagaa	taaagtgtctg	ttgttttaag	1740
ctgccttagt	catgctgagt	tcattgctgac	ttgttactat	agccccagaa	agctaataca	1800
gtcgtttatg	taattacata	acctgacaca	caagatcgac	ccattcactg	ctgccagtc	1860
caccattttc	ataatgaagt	agaaatggga	ggtaagaaaa	acattccagc	cagttctgtt	1920
tagccctggg	acacatattt	gtcccgtcag	gaatcttatg	ccctcctgga	acccccgcc	1980
acctcagtc	agtcccagtc	aggcgaacgg	cctctggaca	gggactgagg	tggctttgag	2040
ccactggaga	tcatttttct	tggaggatgg	agattggcta	gtacctctgg	cctaactgtg	2100
taggtcaata	ctcttttaca	ttgccttcta	ataaaagcag	aatgatacag	cagtgttgtt	2160
aaaaaaaaa	a					2171

<210> 193
 <211> 2095
 <212> DNA
 <213> Homo sapiens

<400> 193						
ggggaagtct	ggagaaggca	ttgtttcaat	tattaaagt	gtgggggag	tgggcggaac	60
aaacgcgccc	actacagagg	ctggacgtaa	gcttatcggg	ggcgcgctg	cgcagcgccg	120
gcccaggttg	caaaaacaaa	ggggatttgg	tgatggaggc	tttgttagaa	ggaatacaaa	180
atcgagggca	tggtggggga	tttttgacat	cttgtgaagc	agaactacag	gagctcatga	240
aacagattga	cataatggtg	gctcataaaa	aatctgaatg	ggaaggacgt	acacatgctc	300
tagaaaactg	cttgaaaaatc	cgtgaacagg	aacttaagag	tcttaggagt	cagttggatg	360
tgacacataa	ggaggttgga	atggtgcac	agcaggtaga	agaacatgaa	aaaaatcaagc	420
aagagatgac	catggaatat	aagcaggagt	tgaagaaact	acatgaagaa	ttatgcatac	480
tgaagagaag	ctatgaaaag	cttcagaaaa	agcaaatgag	ggaattcaga	ggaataacca	540
aaaatcacag	ggaagatcgg	tctgaaattg	agagggttaac	tgcaaaaata	gagggaattcc	600
gtcagaaatc	gctggactgg	gagaagcaac	gcttgattta	tcagcaacag	gtatcttcac	660
tggaggcaca	aaggaaggct	ctggctgaac	aatcagagat	aattcaggct	cagcttgca	720
atcggaaca	gaaattagag	tctgtggaac	tttctagcca	atcagaaatt	caacacttaa	780
gcagtaaaat	ggagcgggct	aatgacacta	tctgtgcca	tgagttggaa	atagagcgcc	840
tcaccatgag	ggtcaatgac	ttggttggaa	ccagtatgac	tgtcctacag	gagcagcagc	900
aaaaagaaga	aaaattgag	gaatctgaaa	aactattaga	ggctctgcag	gaagaaaaga	960
gagaattgaa	ggcagctctt	cagtctcaag	aaaatctcat	acatgaggcc	agaatacaaa	1020
aggagaagtt	acaagaaaa	gtaaaggcaa	ctaactca	acatgctgta	gaagctataa	1080
gtttggaatc	tgtgagtgca	acgtgtaaac	agctgagcca	agaactaatg	gaaaaatatg	1140
aagaactgaa	gaggatggaa	gcacataaca	atgaatacaa	agcagagatt	aagaagttga	1200
aagaacagat	tttacagggt	gaacaaagtt	acagttctgc	actagaagga	atgaagatgg	1260
aaatctccca	tctaactcag	gagttacatc	agcgagatat	cactattgct	tccaccaaaag	1320
gttcttctc	agacatggaa	aagcgactca	gagcagagat	gcaaaaggca	gaagacaaag	1380
cagtagagca	taaggagatt	ttggatcagc	tggagtcact	caaattagaa	aatcgctatc	1440
tttctgaaat	ggtgatgaaa	ttggaattgg	gtttacatga	gtgttccttg	cctgtatctc	1500
cccttggttc	aatagctacc	agatTTTTTg	aagaggagga	actgaggtct	catcacattc	1560
tagagcgett	ggatgcccc	attgaagaac	taaaaagaga	gagtgaaaag	acagtggagc	1620
aattcacagc	cttaaagttag	cctcttaaaa	aaatcacaat	cttggaaata	aaaataaaca	1680
ccaaagagtt	actgtcatct	gaagtgcag	ctctttaaaa	acatgaagag	ataaaattat	1740
aaaaatgata	catctaaagc	agtggtgaa	aaagctgaaa	aactgatact	tttgataggc	1800
atcttctctg	cactggtttt	tttaaaggac	ttcttcagc	aataagttga	aagaataaac	1860
cactttgcta	gacttttttc	tcatacgaat	atattattat	ataaagtgat	acttaccttg	1920

ctgacttaaa	tgtgaatagc	tatgtactaa	ttgaaataag	gattttatga	tacatgttga	1980
aaataaagta	actgcaggaa	ctttcttttag	gggaaatgtg	tagaagcatg	gatttagggg	2040
tcaaacatac	ctggatcgat	agactggttt	tgccacttac	cagccaacgg	ggctt	2095

<210> 194
 <211> 1051
 <212> DNA
 <213> Homo sapiens

<400> 194						
gagaccttgt	cttaaaaaaaaa	taaatgctg	tcagaataaa	aagcagtcaa	cagaaatgaa	60
acccttataa	gagacaaata	aatgtgggca	attattttct	gcaaaatgcc	ctccaagccc	120
ctgggcgcca	ttgccttctg	taataggaca	tcacctgaac	aggctttctg	ggctggagcc	180
aaggaccctc	cctgactccc	acctcccttt	ctgccttgta	cccagccag	gtggaagaga	240
ccggagtggt	gctgtccctg	gagcaaacgg	agcaacactc	tcgcagaccc	attcagcggg	300
gcgccccctc	tcagaaggac	acccctaacc	ctggggacag	ccttgacacc	cctggcccc	360
ggatccttgc	cttccctgac	ccgccttccc	tgagcgagge	tgccctggcc	gctgaccccc	420
gccgtttctg	cagccctgac	ctccgtcgcc	tcctgggacc	catcctggat	ggggcttcag	480
tagcagccac	tcccagcacc	ccgctggcca	cacggcacc	ccaaagtct	cttccggctg	540
atctcccaga	tgaactacct	gtgggcaccg	agaatgtgca	cagactcttc	acctccggga	600
aagacactga	ggcagtgagg	acagatthag	atatagctca	ggatgctgat	gctctggatt	660
tggagatgct	ggccccctac	atctccatgg	atgatgactt	ccagctcaac	gccagcgagc	720
agctaccag	ggcctaccac	agacctctgg	gggctgtccc	ccggccccgt	gctcggagct	780
tccatggcct	gtcacctcca	gcccttgagc	cctccctgct	accccgtgg	gggagtgacc	840
ccggctgag	ctgctccagc	ccttccagag	gggacccctc	agcatcctct	cccagtgctg	900
gggctcggaa	gaggaccctg	gccagagct	caaaggacga	ggacgagggg	gtggagctgc	960
tgggagtgag	acctcccaaa	aggtecccca	gcccagaaca	cgaaaacttt	ctgctctttc	1020
ctctcagcct	gagtttcctt	ctgacaggag	g			1051

<210> 195
 <211> 423
 <212> DNA
 <213> Homo sapiens

<400> 195						
gtgaactcca	agactgtttt	gatgttcctg	atgcatcttg	ggaagagcag	atattctggg	60
gatggcataa	tgatgtccac	atatttgaca	caaagacaca	gacttggttt	caaccagaaa	120
ttaaagggtg	agttccacca	cagccacgag	ccgcgcatac	gtgtgcagtt	cttggaataa	180
agggttatat	ctttggcgga	cgtgttctgc	aaactaggat	gaatgatttg	cactatctaa	240
acctagacac	ctggacttgg	tctggaagga	ttactattaa	tgagaaagc	ccaaaacatc	300
ggatcatggc	tactttaaca	cctatagctg	atgataaact	tttccatgtg	ggtggactaa	360
atgcatataa	tatgcatta	agtgatggtt	ggattcataa	tgtcacaaca	cattgttgga	420
aac						423

<210> 196
 <211> 411
 <212> DNA
 <213> Homo sapiens

<400> 196
 tttttttttt ttgaggacaa ggtctcactc tgtaacccca aggtgggagt gcagtgacga 60
 catcacagct cactggcagc ctcaaccctg gggttcaagt gatcctctca ccttcagcct 120
 cccaagtag ttgtgcctcc taggcacaca aactatgccc cgggcaaatt tttttgtatt 180
 ttgtattttt tgtagaaaca ggatttcgccc atggtggcca ggctggctcc gaacaccctg 240
 ggctcaactg atccgcctgc ctcgccctcc caaagtgctg ggattacagg tgtgagccac 300
 cctgctcaac caggttttat tatttaagtt agttaaactt tggatagatt gtataatata 360
 tagtttaatg taatcatgct catatttttt aaataataa aacctatac t 411

<210> 197
 <211> 751
 <212> DNA
 <213> Homo sapiens

<400> 197
 cccacgggaa gggcaggtga agcaggggct gctgggggat tgctggttcc tgtgtgcctg 60
 cgccgcgctg cagaagagca ggcacctcct ggaccaggtc attcctccgg gacagccgag 120
 ctgggcccag caggagtacc ggggctcctt cacctgtcgc atttggcagt ttggacgctg 180
 ggtggaggtg accacagatg accgcctgccc gtgccttgca gggagactct gtttctcccg 240
 ctgccagagg gaggatgtgt tctggctccc ctactggaa aaggtctacg ccaaggcca 300
 tgggtcctac gagcacctgt gggccgggca ggtgggggat gccctgggtg acctgaccgg 360
 cggcctggca gaaagatgga acctgaaggg cgtagcagga agcggaggcc agcaggacag 420
 gccaggccgc tgggagcaca ggacttgtcg gcagctgctc cacctgaagg accagtgtct 480
 gatcagctgc tgcgtgctca gccccagagc aggtgaggca cgtggccagc atgggagggc 540
 tgcagccagc gtgcccccca ctgccaggcc tcaggcacac tgtagctttt tatgtgactg 600
 gctacacagc cctgtcagga ctaagtggga agaagtaagc ttgttctcaa gggtggtgct 660
 ctcagtttgt gaccttccc tgctgtctc ttccagaggg acgtggccct tctctcccct 720
 gaccagtctt ttccactagt gcgaggcagg g 751

<210> 198
 <211> 636
 <212> DNA
 <213> Homo sapiens

<400> 198
 gggcccagtg tctggaggcc tctattgccc gatatgcccc ccgtgtogcc aatagccgtt 60
 atacctttga cgggtgaaacc gtgacgcttt cgccaagtca gggcgtaac cagctgcacg 120
 gcgggcccga agggttcgac aaacgtcgct gcagattgt gaaccagaac gatcgtcagg 180
 tgctgtttgc cctgagttca gatgatgggt atcagggctt cccgggtaat ctccggcgca 240

cggtgcaata	tcgtctgacc	gacgataacc	gtatctccat	tacttatcgc	gccacagttg	300
ataaaccttg	cccgggtaat	atgactaatc	acgtctattt	caatcttgac	ggcgagcagt	360
ctgacgtgcg	caatcacaag	ttgcagattc	tggcggacga	atatctgccg	gttgatgaag	420
gcggcattcc	gcacgacggc	ctgaaatctg	tcgccggaac	gtcttttgat	ttccgcagcg	480
ccaaaatcat	cgccagtgag	tttcttgccg	acgacgatca	gcgcaaagtg	aaaggttacg	540
atcacgcatt	cttgttacag	gccaaaggcg	atggcaagaa	agtggcggcg	catgtctggt	600
cagcagatga	aaaattgcag	ctgaaggtct	acacca			636

<210> 199
 <211> 690
 <212> DNA
 <213> Homo sapiens

<400> 199						
aaagtggcag	tgtttcttct	gaaattctca	ggcagtcaga	ctgtcttagg	caaactctga	60
taaaatagcc	cttatccagg	tttttatcta	aggaatccca	agaagactgg	ggaatggaga	120
gacagtcaag	ggttatgtca	gaaaaggatg	agtatcagtt	tcaacatcag	ggagcgggtg	180
agctgcttgt	cttcaatfff	ttgctcatcc	ttaccatfff	gacaatctgg	ttatttaaaa	240
atcatcgatt	ccgcttcttg	catgaaactg	gaggagcaat	ggtgtatgac	aagccgccga	300
aatttgccat	gtcacgagag	caaatgtcac	agtcatgttc	tcacacggca	cataatgcaa	360
gtctgttgac	agatgcgggg	ccattgtcat	gtggggagtc	gagggcgagc	tgtttgtttt	420
tgtaacgatg	ttgggaagtg	atggctctgc	agtcacaaaag	agcagccttc	tctcactggc	480
tgcaccgatg	aacattacga	agttctagaa	caaacatcac	ttcaaaatgc	ctggagtaat	540
tcctcttata	tcaactaatt	tcaagaagaa	aacctgcaga	aactaaccoc	accctctca	600
acgagaatat	tgtgtccacg	tcctctttac	ttatacgacc	cgtctcttat	tctcttataa	660
cacaacgtca	taactaaacg	agcacaacac				690

<210> 200
 <211> 433
 <212> DNA
 <213> Homo sapiens

<400> 200						
gtgactccaa	ggaaccaaga	ctgcagcagc	tgggcctcct	ggaggaggaa	cagctgagag	60
gccttgatt	ccgacagact	cgaggatata	agagcttagc	agggtgtcct	ggccatggtc	120
ccctgggtgct	gcaactcctc	tccttcacgc	tcttggtggg	gctccttgtc	caagtgtcca	180
aggccccag	ctccataagt	caggaaacaat	ccaggcaaga	cgcgatctac	cagaacctga	240
cccagcttaa	agctgcagtg	ggtgagctct	cagagaaatc	caagctgcag	gagatctacc	300
aggagctgac	ccagctgaag	gctgcagtg	gtgagcttcc	agagaaatct	aagctgcagg	360
agatctacca	ggagctgacc	tggctgaagg	ctgcagtg	tgagcttcca	gagaaatcta	420
agatgcagga	gag					433

<210> 201
 <211> 782

<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(782)
<223> n = a,t,c or g

<400> 201

gaagaagggg	aaaagaggct	ccaggcccct	tctccaatca	ctccctgcc	ccctttctcc	60
tttggattcc	ttggctgctt	tagcaggctc	tctagaggc	taactttgat	ctttcttgct	120
gcagtttctt	tttgggagag	ctagtcagtc	ccacagagtg	gtatccctag	aagggagaag	180
taaggattgc	cctcttcttt	aaaatgaaag	ccagctattt	ttcacgccct	ttaactgcag	240
gtctgctcta	ttttcttttc	tctctctgga	gctgagagtc	agagggccct	tctcctcctc	300
ctttcagccc	ccaacactaa	gctgatggat	tgataaatac	ctcagcccct	cgcttttctc	360
aaccacactg	gcaagtcttc	ttaggatctg	atcccagttt	tctggaagca	atcctacccc	420
agcccattct	tcccagagtc	gagccttaat	ccttctcact	tctcagtgtc	agagcagaaa	480
tgaatcctgg	ggttgactgt	gtccattcgg	gttattagca	gctaagaagc	ccagacgagt	540
agtgtgagct	gccttgggag	cctcagtgag	ggcactggga	ctggcctcac	tctcttgccc	600
ccagcctagt	gggctttctc	ctctgtctct	ccggtggccc	caggcaatcg	actgcatcac	660
gcanggacgt	gagttggagc	ggccacgtgc	ctgcccacca	gaggtctacg	ccatcatgcc	720
gggctgctgg	gcagcggagc	cccagcaacg	ccacagcatc	aaggatgtgc	acgcccgctg	780
ca						782

<210> 202
<211> 714
<212> DNA
<213> Homo sapiens

<400> 202

ttcgagacc	tatccatgag	gggaattcct	cacatgctgg	ctttggggcc	acagcagctg	60
ctggcccagg	atgaggaggg	ggacacgctc	cttcacctgt	ttgcccgtcg	gggctgcgc	120
tgggcggcat	atgctgcggc	tgaggtgctc	caggtgtacc	ggcgtcttga	cattcgtgag	180
cataagggca	agaccctct	cctggtgggc	gctgctgcca	accagcccct	gattgtggag	240
gatctgttga	acctgggagc	agagcccaat	gccgctgacc	atcagggagc	ttcggctctg	300
cacgtggccg	ctacctacgg	gctcccagga	gttctcttgg	ctgtgcttaa	ctctggggctc	360
caggttgacc	tggaagccag	agacttcgag	ggcctcacc	cgctccacac	ggccatcctg	420
gcccttaacg	ttgctatgcg	cccttcogac	ctctgtcccc	gggtgctgag	cacacaggcc	480
cgagacaggc	tggattgtgt	ccacatgttg	ctgcaaattg	gtgctaatca	caccatccag	540
gtgagcgggg	atgtgggagg	tcagaccctg	ggagattgtg	tggaaatggg	ccacttggat	600
gtccggggagc	tccaggcaaa	tgctgacttt	gcctcttctc	tgctgcgtgc	ccttgaacat	660
gttacttcac	ttctctgtgc	cttaagggtt	ttttgcttgt	ttctttgtca	gtta	714

<210> 203
<211> 477
<212> DNA
<213> Homo sapiens

<400> 203
 cggacgcgtg ggcggacgcg tgggtgggga ccaagatggc ggaccttgat tgcctccga 60
 agctgtcagg ggtgcagcag cegtctgagg ggggtgggagg tggccgctgc tccgaaatct 120
 ccgctgagct cattcgctcc ctgacagagc tgaggagct ggaggctgta tacgaaacggc 180
 tctgcggcga ggagaaagt gtggagagag agctggatgc tcttttgaa cagcaaaaca 240
 ccattgaaag taagatggtc actctccacc gaatgggtcc taatctgcag ctgattgagg 300
 gagatgcaaa gcagctggct ggaatgatca cctttacctg caacctggct gagaatgtgt 360
 ccagcaaagt tctgcagctt gacctggcca agaaccgctt ctatcaggcc attcagagag 420
 ctgatgacat cttggacctg aagttctgca tggatggagt tcagactgct ttgagga 477

<210> 204
 <211> 706
 <212> DNA
 <213> Homo sapiens

<400> 204
 gcggtggaat tccgggttcc ccgttctggt tggcctatct tctacagcta tgtcactgtg 60
 ggtgaactct gggccttcac cactggctgg aacctcatcc tctcctatgt cattggtaca 120
 gccagtgtgg cccgggcctg gagctctgct tttgacaacc tgattgggaa ccacatctct 180
 aagactctgc aggggtccat tgaactgcac gtgccccatg tccttgacaga atatccagat 240
 ttctttgctt tgggcctcgt gttgctgctc actggattgt tggctctcgg ggctagttag 300
 tcggccctgg ttaccaaagt gttcacaggc gtgaaccttt tggttcttgg gttcgtcatg 360
 atctctggct tctgtaaggg ggacgtgcac aactggaagc tcacagaaga ggactacgaa 420
 ttggccatgg ctgaactcaa tgacacctat agcttgggtc ctctgggctc tggaggattt 480
 gtgccttcg agttcgagg aattctccgt ggagcagcga cctgtttcta tgcatttgg 540
 ggtttcgact gtattgctac cactggagaa gaagcccaga atccccagcg ttccatccc 600
 atgggcattg ggatctcact gtctgtctgc tttttggcgg attttctgt ctcttctgca 660
 ctcaccctga tgatgcctta ctaccagctt cagcctgaga gcctg 706

<210> 205
 <211> 852
 <212> DNA
 <213> Homo sapiens

<400> 205
 ggcttccatc ctaatacgcac tcaactatagg gctcgagcgg ccgcccgggc aggtgctggg 60
 tcgtttgtgg gcgaagtaag tgctgtagat aaagactttg ggccaaatgg agaagtaagg 120
 tattcttttg aaatggtgca gccagatttt gaggttgcat ccacagtggt ggaaattaca 180
 aatactcatc agtttgacag ggagtctctt atgaggcggg gagggactgc tgtgttagc 240
 tttacagtca tagcaacaga tcaggggatc cctcagcctc tcaaggatca ggccactgta 300
 catgtttaca tgaaggatat aaatgataat gctcccaaat ttttaaaaga cttttacca 360
 gctacaatat cagaatcagc agccaatctg acacaagtgt taagagtatc tgcctcagat 420
 gttgatgaag gtaataatgg acttattcac tattctataa taaaaggaaa tgaagaaaga 480
 cagtttgcta tagacagtac ctctggctcag gtaaacactaa ttggcaaatt agactatgaa 540

gcaacacctg	cctattccct	tgtaattcaa	gcagtggatt	cagggacaat	ccccctcaat	600
tcaacgtgta	ctttaaatat	tgatatttta	gatgaaaatg	acaatacccc	tttctttccc	660
taaatacaaca	cttctttgtt	gatgttttgg	aaaacatgag	aattggtgaa	ctcggggcct	720
ctgggtactgc	aactgattcc	cgattcaggt	gacattgctg	atztatatta	caagtttact	780
gggactaaac	acccccccgg	aacttttagc	attagcccca	aacacttggg	agtatttttc	840
ttggcccaaa	aa					852

<210> 206
 <211> 361
 <212> DNA
 <213> Homo sapiens

<400> 206						
ctgggtgattg	ctatgacctg	tatggagggg	agaagtttgc	cactttggct	gagttggtcc	60
agtattacat	ggaacatcat	gggcaattaa	aagagaagaa	tggagatggt	attgagctta	120
aaaatcctct	gaactgtgca	gatcctactt	ctcaaagggtg	gttcatgga	cacctctctg	180
gaaaagaagc	agagaaattg	ttaactgaaa	aaggaaagca	tagtagcttt	cttgtacgag	240
agagccagag	ccaccctgga	gattttgttc	tctccgtgtg	caccgggtgat	gacaaaggag	300
agagcaatga	oggcaagtct	aaagtgactc	atgtcatgat	tactgtcag	gaactgaaat	360
c						361

<210> 207
 <211> 2483
 <212> DNA
 <213> Homo sapiens

<400> 207						
ataaaatgga	catagtagta	ggacttacct	cccagggctg	tggttataga	ggttttgtaa	60
gaattaaatg	acatcatcca	tgtaaagcat	atagcagaat	gcctggcaca	tagatgccct	120
tagtgaattt	ttgctgttgt	tgtgattcct	ttgggagcag	tcatagtaac	atattctcat	180
atgttggtat	gttctttcat	attgcattgt	cttatgaata	gattctggaa	accaaaatgg	240
aggaaatgat	gataagacta	agaatgctga	gaggaaactat	ttaaagtgtt	tacctgggga	300
atztatatatt	acacggcatt	ctaattctctc	agaaatccat	gttgctttcc	atctctgtgt	360
ggatgaccat	gtgaaatcgg	gaaacatcac	tgctcgtgat	cctgccatta	tgggactccg	420
aaatatactc	aaagtttgct	gtacccatga	catcacaaca	ataagcattc	ctctcttgtc	480
ggtacatgat	atgtcagagg	aatgactat	accctgggtgc	ttaaggagag	cggaacttgt	540
gttcaagtgt	gtcaaagggt	tcatgatgga	aatggcttca	tgggatggag	gaatttctag	600
gacagtgcaa	tttctagtag	cacagagtag	ttctgaagaa	atgttttatc	aacttagtaa	660
catgcttccc	cagatcttcc	gagtatcatc	aacactcact	ctgacatcca	agcactaaac	720
ccttatagat	tgacatgctg	gcagaagatg	attgttaaac	tctccaggaa	cttgtgtat	780
gctgggaatc	tgtcaagcaa	aagatgcccc	gaaagagaac	ttgcagctca	atccacaaat	840
caagatacat	gtgtgtgaaa	cccattccaa	aaatttata	actggcaca	actggtggat	900
caaccctaa	cttaaacact	taaagtctct	ttatgaattt	ctcttttttt	cttctctgtg	960
ttacctgtgg	aatattaggt	aatctaaaac	ttttatttta	ttcacacag	gacacttggg	1020
gggaaagga	aacttgatta	tatttacatg	ggaggcatt	tgactttttt	caaggagggc	1080
ttggacttcg	tcttcaggtg	gcaatcctta	attaaacata	caaacaaaat	tttcttttta	1140
ctttctttgc	caaacaaaa	tgtaaagca	ctgaaatata	cattgcaagt	acaaatttcc	1200
tgtgaaaatc	tttttataga	aacacaaatg	tataagacaa	atgtgcttgt	tcttttaaat	1260

tctcctgttt	cagaatctct	ttttaatcta	ctcctaagga	tgtacaagtt	agagtcagaa	1320
gacgttttgg	atTTTTtccc	tctctctcat	cctcccgtg	tgcccttgca	cttgcataatt	1380
aataacattt	catggactgg	gaaatagtgt	tcttttttgc	aagcttgatg	tcaagttagt	1440
ctaaaccagc	acctggcagt	atTTTtagtgc	tcatcaacat	tgtgacaatc	acacaaggaa	1500
gatcatttct	acatttctgt	cctccctgcg	ttctcagctt	gcttaaccat	tcctctacct	1560
cttgcatttt	tttgcggata	aatgtatccc	catttctgct	tctctgtttc	ccctcctttt	1620
ccattgtttt	tccttatggg	actactttct	caggtgctac	atatcatata	tttgtcccat	1680
ctataacata	tttaaagtct	ataagtagta	actccattaa	acaaaggcat	ttacaaaagc	1740
acacaggtgt	ttagaaaagc	aatagtttca	tcaattccaà	gttatgtgga	tattgtaact	1800
ggccacaaga	atgaaatgga	gggcatttgg	tgtcataaga	tggcatgtct	tgatgacaag	1860
aaacaaaacg	occttcatta	atatgcctca	gtgtaataac	tattatagaa	actgttggca	1920
agcagagtgc	tttccataaa	cagaatgtgt	cttaattttc	tacttgaggg	aaaggtttgt	1980
ccaggtaaca	acactaaaga	caaccctaag	aacaccct	ccagcagtat	gtccattaga	2040
cactaaaact	ctccaaatta	tttgtcaggg	agcctggcga	ttctgccaag	aaggcaggtg	2100
ttttgcctt	agagcctata	cagttctctt	ggagaaattg	tctttcaggc	accactgtta	2160
atcactgaga	ctgattctaa	tgcaaagcag	ggaagacaga	ggcagaaacc	aggagagtgg	2220
tagatcagtg	cagcccagat	atcggaatgg	aggagcaaag	tttcattcac	ggatgtttgt	2280
tgaatgctgc	tgcccaactc	ttcctttgtc	acctctaggg	tattccacta	agttacttat	2340
aaactggtgg	ctttaactga	gggctgtgta	aaggctactat	ttggcatgtg	aagtcaggat	2400
aaatTTatcg	aatgtccgtt	ttccacatgc	aactgtgtta	cagaagtagt	aaaattggaa	2460
gaatcatggt	tatggtgtta	cca				2483

<210> 208
 <211> 366
 <212> DNA
 <213> Homo sapiens

<400> 208						
caagcatcct	gcccgccctg	ctgggtgacca	tcttgatctt	catggaccag	cagatcactg	60
ccgtcattgt	caaccggaag	gagaacaaac	tgaagaaggc	tgccggctac	catctggacc	120
tgttctgggt	gggcatcctc	atggctttgt	gctcctttat	ggggctcccc	tggtacgtgg	180
ctgccacggt	catctccatc	gccacatcg	acagcctcaa	gatggagaca	gagaccagtg	240
cccctgggga	gcagccccag	tttctgggag	tcagggaaca	gagagtaacc	ggcatcatcg	300
tcttcatcct	gacgggaatc	tctgtcttcc	tggctcccat	cctaaagtgt	atccccctgc	360
cggtgc						366

<210> 209
 <211> 574
 <212> DNA
 <213> Homo sapiens

<400> 209						
cgggccttca	cgctagagg	caggcagtg	gaatggaatg	ctcattgatg	gtggtagcca	60
gatagtaaaa	gttcaagggc	acgctgatgg	tacaacgata	aataagtctg	gctctcagga	120
cgtagtacia	ggaagtctgg	caacgaacac	aaccataaat	ggtggctgcc	agtatgttga	180
acagagcaca	gtagaaacaa	caaccattaa	aaatggcggg	gagcaaagag	tatatgagag	240
ccgtgcgctg	gacacgacga	ttgaaggcgg	aactcagctc	ctgaatagta	agtcaacggc	300
aaaaaatacg	catatctatt	ctgggtggcac	gcaaatgttt	gataaacacca	gcacctcgga	360

tgttattgaa	gtttattctg	gtggcgtgct	tgatgttagg	ggtggtacgg	caacaaatgt	420
taccagcac	gatggtgcaa	ttttaaaaac	taacactaac	ggtacgacgg	tgagcggtac	480
gaatagttaa	ggtgcattct	ccatccacaa	tcacgtggca	gacaatgtgt	tgctggaaaa	540
cggtggtcat	ttagacataa	acgcatatgg	ttcg			574

<210> 210
 <211> 383
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(383)
 <223> n = a,t,c or g

<400> 210						
tttttctctt	ccatccagct	gactgatgat	cagggccccg	tctgatgac	cactgtagcc	60
atgcctgtgt	ttagtaagca	gaacgaaacc	agatcgaagg	gcattcttct	gggagtgggt	120
ggcacagatg	tcccagtgaa	agaacttctg	aagaccatcc	ccaaatacaa	ggtaatgaat	180
gacctaatac	ctgaaatcaa	agcaacagag	atgccagag	ccttggtttc	acaaggttca	240
ggcttcaaac	tctactttgg	agcgatggtt	ttgctcacca	ctattacagc	ctgtagctt	300
gtctttatac	catctgcaca	gttatttaa	aggnnnnnn	nnnattattt	acaaggactg	360
gctgttttcc	ttatttacct	cct				383

<210> 211
 <211> 592
 <212> DNA
 <213> Homo sapiens

<400> 211						
tttcgtgttc	aggaactggc	accaatgcgt	gttacatgga	ggacatgagc	aacattgacc	60
tggtggaggg	cgacgagggc	aggatgtgca	tcaacacaga	gtggggggcc	ttcggggacg	120
acggggccct	ggaggacatt	cgactgagt	tcgacagga	gctggacctc	ggctctctca	180
accaggaaa	gcaactgttc	gagaagatga	tcagtggcct	gtacctgggg	gagcttgtca	240
ggcttatctt	gctgaagatg	gccaaaggctg	gcctcctggt	tggtggtgag	aaatcttctg	300
ctctccacac	taaggcaag	atcgaaacac	ggcacgtggc	tgccatggag	aagtataaag	360
aaggccttgc	taatacaaga	gagatcctgg	tggacctggg	tctggaaccg	tctgaggctg	420
actgcattgc	cgtccagcat	gtctgtacca	tcgtctcctt	ccgctcggcc	aatctctgtg	480
cagcagctct	ggcggccatc	ctgacacgcc	tccgggagaa	caagaagggtg	gaacggctcc	540
ggaccacagt	gggcatggac	ggcaccctct	acaagataca	ccctcagtac	cc	592

<210> 212
 <211> 2166
 <212> DNA

<213> Homo sapiens

<400> 212
 tttcgttgca attgcaacga atgggtgtgt gcctgctggt ggctcctact acatgatttc 60
 caggtctctg ggcccagagt ttgggggtgc cgtgggcctc tgcttctacc tgggcactac 120
 ctttgcaagg gccatgtaca tcttggggcac catcgaaatc ctgctggctt acctcttccc 180
 agccatggcc atcttcaagg cagaagatgc cagtggggag gcagcagcca tgctgaacaa 240
 catgcgtggt tacggcacct gtgtgctcac ctgcatggcc actgtgggtg ttgtgggtgt 300
 caagtatgtc aacaagtttg cccttgtcct cctgggttgt gtcatcctct ccatcctggc 360
 catctatgct ggggtcatca agtctgcctt cgaccacccc aacttcccga tetgcctcct 420
 gggtaaccgc acgctgtctc gccatggcct tgatgtctgt gccaaagtgg ctgggaagg 480
 aaatgagacg gtgaccacac ggctatgggg ccttttctgc tctctcgcct tcctcaacgc 540
 cacctgtgat gaatacttca cccgaaacaa tgtcacagag atccagggca tccttgggtg 600
 tgccagtggc ctcatcaaag agaacctctg gagctcctac ctgaccaagg gcgtgattgt 660
 ggagaggagt gggatgacct cgggtgggct ggccgatggc actcctatcg acatggacca 720
 cccttatgtc ttcagtata tgacctccta ctccaccctg ctgggtggca tctacttccc 780
 ctcagtcaca gggatcatgg ctggttctaa ccgctctggg gacctgaggg atgccagaa 840
 gtcaatcccc atggcacca tcttggccat cgccaccacc tctgctgtct acatcagctc 900
 cgttgttctg tttggggcct gcattgagg ggctgtctg cgggacaagt ttggcgaagc 960
 tgtgaatggc aacctcgtgg tgggcactct ggccctggcca tctccatggg taattgtcat 1020
 cggatccttc ttctccacct gtggggctgg gctgcagagc ctcccggggg ccccaagcct 1080
 gctgcaggcc atctcgagg atggcattgt gcccttctg caggtctttg gccatggcaa 1140
 ggccaatgga gagccgacct gggccctgct cctgactgcc tgcactctcg agattggcat 1200
 cctcattgca tccctcgacg aggtggcccc catcctctct atgttcttcc tgatgtgcta 1260
 catgtttgtg aatctggcct gtgcagtgea gacgctgctg aggacaccca actggaggcc 1320
 acgctttcga tattaccact ggacctctc ctctctgggc atgagcctct gcctggcctt 1380
 catgttcata tgcctctggt attatgact ggtagccatg ctcatgtctg gactcatcta 1440
 caagtacatt gagtaccgtg gggcaaagaa ggagtggggc gatgggatac gaggtctgtc 1500
 tctcagtgcg gctcgctatg ccctcttacg cctggaggaa gggccccac acaccaagaa 1560
 ctggaggcca cagctgctgg tgctgggtcg tgtggaccaa gaccagaatg tggtgacccc 1620
 ccagctgctc tcactgacct ccagctgaa ggcagggaa ggcctgacca tcttgggctc 1680
 tgcctctgag ggcacctttc tggaaaatca tccacaggcc cagcgggagc aagagtctat 1740
 caggcgcctg atggagcag agaaggtgaa gggcttctgc caggtgggtga tctcctccaa 1800
 cttgcgtgat ggcgtgtccc atctgatcca gtctgggggc ctgggggggc tgcagcacia 1860
 cactgtgctt gttggctggc cccgcaactg gcgccagaag gaagatcatc agacgtggag 1920
 gaacttcatt gagctggtcc gggaaaccac agctggccac ttagccctgc tggtcaccaa 1980
 gaacgtttcc atgttctctg ggaaccctga gcgcttctct gaaggcagca tgcaccgttg 2040
 ggggattggg cagatggag gcatgctcat gctgggtgcc ttctgctgct ggcaccacaa 2100
 ggtctggcgg aagtgaaga tgcgtatctt cactgtggcc cagatgggtg acatgcatgc 2160
 catgag 2166

<210> 213
 <211> 392
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (392)
 <223> n = a,t,c or g

<400> 213

ttctatctga	ggctactgtc	ttttttctgc	tttcaggagc	atgagaagag	gtgttgagc	60
gttgacttta	atttgatgga	tcctaaactc	ttggcttcag	gttctgatga	tgcaaaaggt	120
actgtttgaa	tctctttctc	agcacctcct	tctccctggc	cctcttaact	gtaattcctt	180
tcatacggcag	aaatacaaat	atttactcaa	actcatgtca	gtcctttgtg	attactgatt	240
attattatctc	cccannnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	300
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	360
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nn			392

<210> 214
 <211> 425
 <212> DNA
 <213> Homo sapiens

<400> 214						
ggcggaattc	aaaagcaatg	cacaggtcct	cctgtgacgg	gcccgtactc	tctctgccct	60
cagtgggacg	gtcagccacc	catgcocctg	tccaggccca	gctgatctgc	tcaggagcca	120
ggcggggcat	gcacgctttt	attgtgcca	tccggagtct	tcaggaccac	accccactgc	180
caggtaagcc	cataatgctc	cctcaaggaa	ccctgccagg	aggagagccc	agggtggcctc	240
cctgacctgg	ggccccagag	ggccacagga	gtagctaaga	catgtctccc	ttgggcaggg	300
agcggctcag	ttggacagac	ttgggtgctaa	ctggctaggt	gaacttgagc	aagatttagc	360
atctttctga	cctcagcttg	ttcacctgca	aaataggtag	aataatccca	gtgtcacagg	420
ctgct						425

<210> 215
 <211> 608
 <212> DNA
 <213> Homo sapiens

<400> 215						
ctgcegggacc	ctcatcttgc	aggcccgggc	ctatgtggga	ccgcacgtcc	tggcagtggg	60
gacccgcaca	gggttctgca	cggcaaaagg	gggcctgggtg	agctccatct	tgcacccccg	120
gcccataaac	ttcaagttct	ataaacacag	catgaagttt	gtggctgccc	tctctgtcct	180
ggctctcctc	ggcaccatct	acagcatctt	catcctctac	cgaaaccggg	tgccctctgaa	240
tgagattgta	atccgggctc	tcgacctggg	gaccgtgggtg	gtgccacctg	ccctgacctg	300
tgccatgact	gtgtgcacgc	tctacgcccc	gagccgactg	cggagacagg	gcattttctg	360
catccacca	ctgcgcatca	acctgggggg	caagctgcag	ctgggtgtgt	tcgacaagac	420
gggcaccctc	actgaggacg	gcttagacgt	gatgggggtg	gtgcccctga	aggggcaggg	480
attcctgccc	ctgggtcccag	agcctgcgag	cctgcctgtg	gggcccctgc	tccgagcact	540
ggccacctgc	catgcctca	gccggctcca	ggacaccccc	gtgggagacc	ccatggactt	600
gaagatgt						608

<210> 216
 <211> 858
 <212> DNA

<213> Homo sapiens

<400> 216
ctatctgggc actggccact gtggctttgt attcctctaa cgtggctgcc aaggctgctt 60
ttcctttctg ctcagactca ataattcgct ccatatgggt actgcgttct ttgagtgcc 120
ctatcatttc ttgagettcc ttattgtcct gttctgccat tttcaaagta ttgcttaaat 180
gctgctggac accaagaagc tgctcccgtt caaacgggc attctcagcg aggtccatgt 240
aacgttgctc taattccata tagcgccac tttttacatc ttcattctatg acagattgaa 300
tacttccgct ctcttctaga tgagcatcac atttcttatg tcatagatga agatgtaaaa 360
agtgggctct atatggaatt agagcaacgt tacatggacc tcgctgagaa tgcccgtttt 420
gaacgggagc agcttcttgg tgtccagcag catttaagca atactttgaa aatggcagaa 480
caagacaata aggaagctca agaatgata ggggcactca aagaacgcag tcaccatag 540
gagcgaatta ttgagtctga gcagaaagga aaagcagcct tggcagccac gttagaggaa 600
tacaaagcca cagtggccag tgaccagata gagatgaatc gcctgaaggc tcagctggag 660
aatgaaaagc agaaagtggc agagctgtat tctatccata actctggaga caaatctgat 720
attcaggacc tcttgagag tgtcaggctg gacaaagaaa aagcagagac tttggctagt 780
agcttgacag aagatctggc tcatacccga aatgatgcc aatcgattaca ggatgccatt 840
gctaaaggta gaggatga 858

<210> 217
<211> 399
<212> DNA
<213> Homo sapiens

<400> 217
agcacgctac cgcttttacc tcagcgccag gacgcaggtg ggctctgggg aagccgtcac 60
agaggagtca ccagcaccoc cgaatgaagc tactccaacc gcagctcctc ccacattgcc 120
cccgactacc gtgggtgoga cgggcgctgt gagcagtacc gatgctactg ccattgctgc 180
caccaccgaa gccacaacag tccccatcat cccaactgtc gcacctacca ccatggccac 240
caccaccacc gtgcgccaaa ctactacaac cactgctgcc gccaccacca ccacggagag 300
tctcccacc accacctccg ggactaagat acacgaatcc gccctgatg agcagtccat 360
atggaacgtc acggtgctcc ccaacagtaa atgggcca 399

<210> 218
<211> 662
<212> DNA
<213> Homo sapiens

<400> 218
ctgaagtcaa cgcaagacga aatcaaccag gcaaggagca aactgtccca gctgcatgaa 60
agccgcccagg aggccacag gagcctggag cagtatgacc aggtgctcga tggagcccat 120
ggtgccagcc tgaccgacct ggccaacctg agcgaaggcg tctccctggc agagaggggc 180
agttttggag ccattggatga tctttcaaa aataaagcct tgttatattag caacaacacg 240
caagagttgc atccggatcc tttccagaca gaagaccct tcaaactctga cccattttaa 300

ggagctgacc	ccttcaaagg	cgaccctg	cagaatgacc	cctttgcaga	acagcagaca	360
acttcaacag	atccatttgg	aggggaccct	ttcaaagaaa	gtgaccatt	cggtggctct	420
gccactgacg	acttcttcaa	gaaacagaca	aagaatgacc	catttacctc	ggatccattc	480
acgaaaaacc	cttccttacc	ttogaagctc	gaccctttg	aatccagtga	tcctttttca	540
tcctccagtg	tctcctcaaa	aggatcagat	ccctttggaa	ccttagatcc	cttcggaagt	600
gggtccttca	atagtgtgta	aggctttgcc	gacttcagca	ctattgaagg	tcgacggggc	660
cg						662

<210> 219
 <211> 752
 <212> DNA
 <213> Homo sapiens

<400> 219						
cggacgctg	gggatctgg	caatagctcc	caaccctcac	ttcgtgaggg	ccacgacaaa	60
cctgttttta	atggagctgg	aaagcctcat	tccagcacct	cttcaccaag	tgtcccaaag	120
acttctgcta	gcaggactca	gaaatctgct	gttgagcaca	aagccaaaaa	atctctgtcc	180
catcctagcc	attccaggcc	tgggcccctg	gtcaccctac	acaataaggc	taagagtcca	240
ggtgtcaggc	agccaggcag	cagctctagc	tcagcccctg	ggcagcccag	cacagggggt	300
gctcgaccca	cagttagttc	tggccctgtg	cctaggcgcc	agaatggcag	ctccagctca	360
ggacctgagc	gatcaatcag	tgggtccaag	aagccaacca	atgactcaaa	tcctcttagg	420
cggacagtca	gtggtacatg	tggccctgga	caacctgcaa	gcagctcagg	tggccctggg	480
cgaccatca	gtggttcagt	tagttctgca	agacccttgg	gcagctctcg	tggccctggc	540
cggcctgtga	gcagtccaca	tgaacttcca	cgaccagtga	gtggcttggg	cccccgggg	600
cggctctgtca	gtggccctgg	gagatccata	agtggctcaa	ttccagctgg	acggactgtc	660
agtaattcag	tcccaggaag	accagtgagc	agcttgggac	ctgggcaaac	agttagtagc	720
tcaggccccca	ctataaaagcc	taagtgcact	gt			752

<210> 220
 <211> 582.
 <212> DNA
 <213> Homo sapiens

<400> 220						
ttattattat	tttgcataga	gacaagcact	cactgtgtta	cccaggctgg	ttttgaactc	60
ctgagcttaa	tcagttctca	cctgctttgc	cctcccaaag	tgctatgatt	acaggtgtga	120
gccaccacgc	ttggccctgc	ccaggagtca	tttttgtatc	tacaggtatc	ttcctatgct	180
gtagacagat	gccctttttc	aaggcaaaaa	ccctagccat	ttttctcttc	tccttcagag	240
tctgcaacat	cctctcaact	catccaagtg	actactgcct	ggtgctcttg	gggatgcagg	300
gaggcctgag	aaggccaatg	tctatacaga	aagttctaac	atagtgcact	gagtcaatgt	360
gggcacttta	aagccctttc	acctgccaa	tcacgaagca	cccctatagt	tgtgtttgta	420
aaatactggg	gggtttgaag	gggaaaagg	ataactccaa	ggtaccatct	ttgcatttca	480
gatccacaca	acttaaagat	ctgctgtcga	gtgaatgggg	aagtgggtcca	gagcagcaac	540
accaaccaga	tggtattcaa	gacagaggac	ctgatagcct	gg		582

<210> 221
 <211> 440
 <212> DNA
 <213> Homo sapiens

<400> 221
 ggaattcgat cagtagaagt ttgggggata tagaaacgaa ggttttctaa cttttagctt 60
 tcaaggagat tgtccggttg ggaaagcaag atatgaaaaa taaatatgtc aagaatataa 120
 tccaaaacaa tctaattaag tgctagaagt ttgccatgga cagacaaagt gctacttggg 180
 aaggaagtcc cagaaacacc acagctgggt acattcttca cactctgag tggcggcagt 240
 gacgcgttgg ctttgtgaga atgggtgtgc ttacttgaga aagtgtgtgt gttctgcctg 300
 caggcatggg actcgtctgt ctggagaagt ggcagccgct gcaacaatt cgactgcac 360
 agtcggaatt gctttcaacg ccaagatcgg aggtatggga aaccaactca cgtggatgta 420
 gaaatgcgcc agttagctct 440

<210> 222
 <211> 489
 <212> DNA
 <213> Homo sapiens

<400> 222
 ccgacgattt cgtgaggcgg cagccaggtg gggttccagc cagagcacgc acgcacggag 60
 ccgggagcat gcagcctgca ctgcggggga tgtgatgctc ggctctaact cgcctggctg 120
 gcccgccacg gacgcctcag cttgcaacca tggtaacggt tctggcgggg gacacccccg 180
 ggagcccacc gcgatgggca gcctcctggt gactgatgga cgagtgtcca cctcccagac 240
 cgagagcgtc tagtaggtcg gaggaagtgg agaggatgta acacgcccc agccgggagt 300
 gaagccctga ggagctctc cccccttcgt tcccaccctc aagtctgacg atgacacctc 360
 caatthgat gaaccaaaga agaattcgtg ggtttcatcc tctccgtgcc agctgagccc 420
 ctcaggcttc tcgggtgaag aactgcgctt tgtgggggtt tcgtacagca aggcactggg 480
 gattcttgg 489

<210> 223
 <211> 493
 <212> DNA
 <213> Homo sapiens

<400> 223
 tttctcgag cgccttgcgc acctccacgc tgccctgcgc ccgcgccgca aggtggcgtc 60
 cctcttgag gtgtgcagag atgtctatgc gggcctggct cgaggcgaga accaagatcc 120
 cctgggggcc gacgccttcc tgccggcgtc gaccgaggaa ctcatctgga gcccgacat 180
 tggggacacg cagctggacg tagagtttct tatggagctc ttagatccag atgagctgag 240
 gggagaggct gggactacc tgaccacgtg gtttggggcg ctgcaccaca ttgcccacta 300
 ccagcccgaac acagaccgag ctccccgggg gctcagctcc gaggcccgcg cctccctgca 360

ccagtggcac cgcaggcggg cgctgcacag aaaggatcat cccagagccc aacagctgga 420
 ctgaccctgg ctggtcgaag agccctggcc agatgtcctg tggacagacc caatttctgg 480
 cctcgtctgc tgg 493

<210> 224
 <211> 883
 <212> DNA
 <213> Homo sapiens

<400> 224
 agtgacctgg aaacaagttc tgatccagaa ggtgaggatt gggatgagga agctgaggat 60
 gatggttttg atagtgatag ctcaactgtca gactcagacc ttgaacaaga ccctgaaggg 120
 cttcaccttt ggaactcttt ctgcagtgtg gatccttata atccccagaa ctttacagca 180
 acaattcaga ctgctgcccag aattgttctt gaagagcctt ctgattcaga gaaggatttg 240
 tctggcaagt ctgatctaga gaattcctcc cagtctggaa gccttcctga gaccctgag 300
 catagtctctg gggaggaaga tgactgggaa tctagtgcag atgaagcaga gagtcttcaa 360
 actgtgggaa cttcattctg ttaattctgg atggaccctt acaacccttt aaattttaag 420
 gtccttttc aaacatcagg ggaaaatgag aaaggctgtc gtgactcaaa gaccctatct 480
 gagtccattg tggccatttc tgagtgtcac acctacttt cttgtaagggt gcagctgttg 540
 gggagccaag aaagtgaatg tccagactcg gtacagcgtg acgttctttc tggaggaaga 600
 cacacacatg tcaaaagaaa aaaggtaacc tccttgaag aagtactga gtattatata 660
 agtggatgat aggatcgcaa aggaccatgg gaagaatttg caagggatgg atgcagttc 720
 cagaaacgaa ttcaagaaac agaagatgct attggatatt gcttgacatt tgaacacaga 780
 gaaagaatgt ttaatagact ccagggaaca tgcttcaag gacttaatgt tctcaagcaa 840
 tgttgattg gcagcctgta gtccctagcta gcatacacta cct 883

<210> 225
 <211> 389
 <212> DNA
 <213> Homo sapiens

<400> 225
 cggccgcgtc tacggcatat tctttttttg gaactgtgga gaatatggct ccaaaagtgg 60
 ttaatcgtcc aggtcactact cagagtgtct actgggggtc ttttgggggg ttaatgggaa 120
 ggtttgaatt tgggattttt ttaaagggga aggagattgt taagtgagga tcaacagggga 180
 atggtaaaga aactgggggt ttatttttct ttattttatg ccctatgtaa taaataacca 240
 aaaaacatta ttgcgtgcag tataaaagga ctatgaaatc tgttagctgc gtctatctca 300
 tctaatttg aaagggcaaa aaaaaatatt accatagatt tcctgctaat agtaacaatc 360
 taaagcatta atggtgttgg gtctttttgg 389

<210> 226
 <211> 412
 <212> DNA
 <213> Homo sapiens

<400> 226
 ggggtttggtt ttcttcagg ccccatgtct gtgggtttgg acttctctct gccaggcatg 60
 gagcatgtct atgggatccc tgagcatgca gacaacctga ggctgaaggt cactgagtga 120
 gtcctatggt gacatcagga agatggaggt gggcaggaag gagtcaaggcc tttagggaga 180
 tgggtgtgca tattggatac tctaggcaag catgggtcat ttcttggtgc cagaatcacc 240
 tttggtgata gaaaattttt tgagaaagga caagaggagc ctttgcttat ctctcacctg 300
 tgtctgtgga gtgggtgtag catataacgc agcctggggc cagttagcag cccaagtctg 360
 tctgtttgcc tgcaggggtg gggagccata tcgctctac aatttggatg tg 412

<210> 227
 <211> 390
 <212> DNA
 <213> Homo sapiens

<400> 227
 gggagtgagt gccagggcac tgacctggac acccgcaact gtaccagtga cctctgtgta 60
 cactgctt ctggcctga ggacgtggcc ctctatgtgg gcctcatcgc cgtggccgctc 120
 tgccgtgctc tgctgctgct tgcctcatc ctctgttatt gccggaagaa ggaggggctg 180
 gactcagatg tggctgactc gtccattctc acctcaggct tccagcccg tccagatcaag 240
 cccagcaaag cagacaaccc ccatctgctc accatccagc cggacctcag caccaccacc 300
 accacctacc agggcagtct ctgtccccgg caggatgggc ccagcccaa gttccagctc 360
 accaatgggc acctgctcag cccctgggt 390

<210> 228
 <211> 777
 <212> DNA
 <213> Homo sapiens

<400> 228
 cttatttata atgaagatat gatttgttgg attgaatcaa gagaatcttc aaatcaactc 60
 aaatgtatcc agataacaaa agcaggagga ttaacagatg aatggacaat caatattctt 120
 caatccttcc acaatgtgca acaaatggcg attgactggc tcaactcgaaa tctctatttt 180
 gtggaccatg tcggtgaccg gatccttgtt tgtaattcca acggttctgt atgtgtcacc 240
 ctgattgac tggagcttca caatcctaaa gcaatagcag tagatccaat agcaggaaaa 300
 cttttcttta ctgactacgg gaatgtcgcc aaagtggaga gatgtgacat ggatgggatg 360
 aaccgaacaa ggataattga ttcaaagaca gagcagccag ctgcactggc actagacctc 420
 gtcaacaaat tggtttactg ggtagatcct tacttggact atgtgggagt agtggactat 480
 caaggaaaa atagacacgc tgtcattcaa ggcagacaag tcagacatct ttatggtata 540
 actgtgtttg aagattatct gtagtcaacc aattctgata gctacaatat cgtaaggata 600
 agccgattta atgggactga tattcactca ttaattaaaa ttgagaatgc ttggggaatc 660
 cgaatttata aaaaaagaac tcaaccaaca gtcagaagcc atgcatgtga agtcgatcca 720
 tatggaatgc cagggggctg ttcacacatc tgtctactca gcagcagtta cacgaaa 777

<210> 229
 <211> 486
 <212> DNA
 <213> Homo sapiens

<400> 229
 tttcgtctgg gaaccgcag cctggggact cctccggcgg gggcgctggg ggcgggctgc 60
 cgtcccctgg ggagcaggag ctgagccggc gcttgacgag cctgtatccc gcggtcaacc 120
 agcaagagac tccgctgccg cgctcctgga gcccgaagga caaatacaac tacattggtc 180
 tctcccaggg caacctccgc gtccactaca aaggctcatgg caaaaatcac aaagatgcgg 240
 cctcagtgcg tgccaccac cccatacctg ctgcctgtgg catttattac ttgaagtga 300
 agattgtcag caaaggaaga gatggttaca tgggaatagg actctcggct caaggcgtca 360
 acatgaacag acttctctgg tgggacaaac attcctatgg ttaccatggt gatgatgggc 420
 attcgttctg ctctcgggg actggccagc cctatggtcc cacattcacc acaggagacg 480
 tgatcg 486

<210> 230
 <211> 396
 <212> DNA
 <213> Homo sapiens

<400> 230
 tttttttttt ttaagatggg gtctcgtctc gtcaccagc ctggagtgca gtggtgtgat 60
 gtcagctcac tgcaagctcc gcctcccagg ttcacactat tctgcctcag cctcccaagt 120
 agctgggact acaggtgcgt gccaccatgc cgggctaatt tttttgtatt tttagtagag 180
 acggggttcc accgtgttag ccagtatggt cttgatctcc tgacctcgtg atccacctgc 240
 ctcggcctcc caaaagtgcg gggattacag gtgtgagctg ctgcgcctgg cttatgagtc 300
 gtatgttctg atcctccctc ttgaagttgc cttctgtggt ctaaggaggg cctgaaggtt 360
 caggtaaaaa cttcagggtg accttactg ggggtg 396

<210> 231
 <211> 713
 <212> DNA
 <213> Homo sapiens

<400> 231
 tcagctcagc ttggcacgag gaaaggtggt cttgtgtgcc ttgtcttttg tttactttgc 60
 caaagcattg gcagaaggct atctgaagag caccatcact cagatagaga gaagggttga 120
 tacccttctc tctcgtgtgg gagttattga tggtagtttt gaaattggga atctcttagt 180
 tataacattt gttagtact ttggagccaa acttcacagg ccaaaaataa ttggagcagg 240

gtgtgtaatc	atgggagttg	gaacactgct	cattgcaatg	cctcagttct	tcatggagca	300
gtacaaatat	gagagatatt	ctccttcctc	caattccact	ctcagcatct	ctccgtgtct	360
cctagagtca	agcagtcaat	taccagtttc	agttatggaa	aatcaaaaat	cmetaataag	420
taacgaatgt	gaagtggaca	ctagetcttc	catgtggatt	tatgttttcc	tgggcaatct	480
tcttcgtgga	ataggagaaa	ctccattca	gcctttgggc	attgcctacc	tggatgattt	540
tgccagtcaa	gacaatgcag	ctttctatat	tgggtgtgtg	cagacggttg	caattatagg	600
accaatcttt	ggtttcctgt	taggctcatt	atgtgccaat	ctatatgttg	acattggctt	660
tgtaaaccta	gtcattttta	ggtggaagca	tgttacagca	cattatcgag	gaa	713

<210> 232
 <211> 1067
 <212> DNA
 <213> Homo sapiens

<400> 232						
cagccttcca	aggtagggca	caccaaggcc	taaggaatca	gaaagggccc	gagggtagggc	60
tggtcctcgg	ctttcaggcc	ctggggcgac	caccagcctc	tgctcactct	gaggtccag	120
ccaggcgcc	aagcctcagg	accgtgggtg	gggccaagg	acactctgga	ccccgttcc	180
attcatgaga	ggcctcagc	acgccacgtg	tctgctgtga	cagcccgcag	ggaggtgga	240
agccttctgt	aaattccaca	tgtgggcccga	gggatgacg	tccttgatga	aggccgcgct	300
ggacctcacc	taccatca	cgtccatggt	ctccggagcc	ggcttcaaca	gcagcatctt	360
cagcgtcttc	aaggaccagc	agatcgagga	cctgtggatt	ccttatttcg	ccatcaccac	420
cgacatcaca	gcctcggcca	tgccgggtcca	caccgacggc	tcctctgtggc	ggtacgtgcg	480
tgccagcatg	tcctctcgg	gttacatgcc	cctctctgtg	gaccogaagg	acggacacct	540
gctgatggac	gggggctaca	tcaacaacct	cccagcggat	gtggcccggg	ccatgggggc	600
aaaagtggtg	atcgccattg	acgtgggcag	ccgagatgag	acggacctca	ccaactatgg	660
ggatgcgctg	tctgggtggt	ggctgctgtg	gaaacgctgg	aacccttgg	ccacgaaagt	720
caagtggtg	aacatggcag	agattcagac	gcgcctggcc	taogtgtgtt	gcgtgcggca	780
gctggagggtg	gtgaagagca	gtgactactg	cgagtacctg	cgcccccca	tcgacagcta	840
cagcaccctg	gacttcggca	agttcaacga	gatctgcgaa	gtgggctacc	agcacgggcg	900
cacggtgttt	gacatctggg	gccgcagcgg	cgtgctggag	aagatgctcc	gcgaccagca	960
ggggccgagc	aagaagcccg	cgagtgcggt	cctcacctgt	ccaacgcct	ccttcacgga	1020
ccttgccgaa	attgtgtctc	gcattgagcc	gcccaagccc	gcatgg		1067

<210> 233
 <211> 704
 <212> DNA
 <213> Homo sapiens

<400> 233						
tttcgtgtga	gggagagccg	agggaaaccag	cgcggtgctc	agcggaaactc	cagggctgga	60
atccccagac	acaagtgcac	ctgctagctg	ttagcacttg	gcagacggag	ttctcctcta	120
gggtagtctc	aactttgggt	aataatgttt	gtcagctacc	tgatattaac	attgctccac	180
gttcaaacag	cagtgttagc	aagacctggg	ggagagagca	ttggctgtga	tgactactta	240
ggctccgaca	aagtcgtgga	caaagtgtggg	gtgtgtggag	gagacaacac	gggctgtcag	300
gttgctcgg	gcgtgtttaa	gcatgccctc	accagcctgg	gctaccaccg	cgctgtggag	360
attccccagg	gagccacgaa	aatcaacatc	acggagatgt	acaagagcaa	caactatttg	420
gccctgagaa	gtcgttctg	acgtccatc	atcaatggga	actgggcaat	tgatcgacca	480

ggaaaatac	aggggcggagg	gaccatgttc	acctacaagc	gtccaaatga	gatttcgagc	540
actgccggag	agtccttttt	ggcgggaaggt	cccaccaacg	agatcttgga	tgtctacgtg	600
agtttgatg	tttctggact	gttctttgga	ttttgaatct	tgtcacttct	aaggaacata	660
ctctgaacaa	ataagcaaca	aatcattgcc	catactcaat	aaaa		704

<210> 234
 <211> 420
 <212> DNA
 <213> Homo sapiens

<400> 234						
atctcaggag	ggaccagaag	cgcaggcccc	ctcaggagga	attacaactt	catcgccgcg	60
gtgggtggaga	agggtggcgc	atcgggtggtt	cacgtgcagc	tgtggggcag	gaaccagcag	120
tggattgagg	tggtgctcca	gaatggggcc	cgttatgaag	ctggtgtcaa	ggatattgac	180
cttaaattgg	atcttgccgt	gattaagatt	gaatcaaatt	ctgaacttcc	tgtactgatg	240
ctgggaagat	catctgacct	tggggctgga	gagtttgtgg	tggctttggg	cagcccattt	300
tctctgcaga	acacagctac	tgcaggaatt	gtcagcacca	aacagcgagg	gggcaaagaa	360
ctggggatga	aggattcaga	tatggactac	gtccagattg	atgccacaat	taactatggg	420

<210> 235
 <211> 1057
 <212> DNA
 <213> Homo sapiens

<400> 235						
cccacgcgtc	cgagaactca	aagaaattct	ggataggaaa	gggcatttct	cagagaatga	60
gacaaggtgg	atcattcaaa	gtctcgcatc	agctatagca	tatcttcaca	ataatgatat	120
tgtacataga	gatctgaaac	tggaaaatat	aatgggttaa	agcagtcctt	ttgatgataa	180
caatgaaata	aacttaaaca	taaaggtgac	tgatthttgg	ttagcgggtg	agaagcaaag	240
taggagtga	gccatgctgc	aggccacatg	tgggactcct	atctatatgg	cccctgaagt	300
tatcagtgcc	cacgactata	gccagcagtg	tgacatttgg	agcataggcg	tcgtaatgta	360
catgttatta	cgtggagaac	cacccttttt	ggcaagctca	gaagagaagc	tttttgagtt	420
aataagaaaa	ggagaactac	atthttgaaa	tgcagttctg	aattccataa	gtgactgtgc	480
taaaagtgtt	ttgaaacaac	ttatgaaagt	agatcctgct	cacagaatca	cagctaagga	540
actactagat	aaccagtgg	taacaggcaa	taaactttct	tcggtgagac	caaccaatgt	600
attagagatg	atgaaggaa	ggaaaaataa	cccagaaagt	gttgaggaaa	acacaacaga	660
agagaagaat	aagccgtcca	ctgaagaaaa	gttgaaaagt	taccaaccct	ggggaaatgt	720
ccctgagacc	aattacactt	cagatgaaga	ggaggaaaaa	caggtaggaa	gaatcattgc	780
tgcatttctc	ccaagtgtaa	aataccctca	ccacacctgg	aacatttttt	tgcaaatctg	840
tctthttgtt	gttagtttgt	aacaaaggcc	gagcgttata	tagcaagtaa	agttctttct	900
gccttataag	gctagcatga	tttagcaggg	tggcctacat	gtttatthta	aggttggtga	960
ttatgtaggg	caggtgtctg	caaactthtt	ctgtaaggga	acaacagta	aatatthttag	1020
gctthttggg	ccctagtagt	ctthttcaca	actactc			1057

<210> 236
 <211> 467
 <212> DNA
 <213> Homo sapiens

<400> 236
 ttgagtatta gtgtcagtga tgtgtctctc tctgatgaag gacagtacac ctgttcttta 60
 tttacaatgc ctgtcaaac ttccaaggca tatctcaccg ttctgggtgt tcttgaaaag 120
 cctcagatta gtggattctc atcaccagtt atggagggtg acttgatgca gctgacttgc 180
 aaaacatctg gtagtaaacc tgcagctgat ataagatggt tcaaaaatga caaagagatt 240
 aaagatgtaa aatatttaaa agaagaggat gcaaatcgca agacattcac tgtcagcagc 300
 acactggact tccgagtgga ccggagtgat gatggagtgg cggtcactctg cagagtagat 360
 cacgaatccc tcaatgccac ccctcaggta gccatgcagg tgctagaaat gcactataca 420
 ccatcagtta agattatacc atcgactcct tttccacaag aaggacg 467

<210> 237
 <211> 416
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(416)
 <223> n = a,t,c or g

<400> 237
 ggtacaacca gaaagtggat ctcttcagcc tgggaattat cttctttgag atgtcctatc 60
 accccatggt cacggcttca gaaaggatct ttgttctcaa ccaactcaga gatcccactt 120
 cgcctaagtt tccagaagac tttgacgatg gagagcatgc aaagcagaaa tcagtcatct 180
 cctggctggt gaaccacgat ccagcaaac ggcccacagc cacagaactg ctcaagagtg 240
 agctgctgcc cccaccccag atggaggagt cagagctgca tgaagtgetg caccacacgc 300
 tgaccaacgt ggatggaaag gctaccgca ccattgatgg gccagatct tttcggcagc 360
 gcatctcccc tgccatcgnt ttacacctat gaccagcgc atattgaagg gcaact 416

<210> 238
 <211> 739
 <212> DNA
 <213> Homo sapiens

<400> 238
 ggaccaaggac tacaagtacg acagtacctc agacgacagc aacttcctca accccccag 60
 ggggtgggac catacagccc caggccaccg gacttttgaa accaaagatc agccagaata 120
 tgattccaca gatggcgagg gtgactggag tctctggtct gtctgcagcg tcacctgcgg 180
 gaacggcaac cagaaacgga cccggtcttg tggctacgcg tgcactgcaa cagaatcgag 240

gacctgtgac	cgtccaaact	gcccaggaat	tgaagacact	tttaggacag	ctgccaccga	300
agtgagtctg	cttgccgggaa	gcgaggagtt	taatgccacc	aaactgtttg	aagttgacac	360
agacagctgt	gagcgctgga	tgagctgcaa	aagcgagttc	ttaaagaagt	acatgcacaa	420
ggatgatgaat	gacctgcccc	gctgcccctg	ctcctacccc	actgaggtgg	cctacagcac	480
ggccgacatc	ttgaccgca	tcaagcgcaa	ggacttcgcg	tggaaggacg	ccagcgggcc	540
caaggagaag	ctggagatct	acaagcccac	tgcccggtac	tgcatccgct	ccatgctgtc	600
cctggagagc	accacgctgg	cggcacagca	ctgctgctac	ggcgacaaca	tgagctcat	660
caccaggggc	aagggggcgg	gcaagcccaa	cctcatcagc	accgagttct	ccgcgaggct	720
ccactacaag	gtggacgtc					739

<210> 239
 <211> 611
 <212> DNA
 <213> Homo sapiens

<400> 239						
ggaatcggaa	gaaaatggag	agagtgcaat	ggacagcaca	gtggccaaag	aaggcactaa	60
tgtaccatta	gttgctgctg	gtccttgtga	tgatgaaggc	attgtgacta	gcacaggcgc	120
aaaagaggaa	gacgaggaag	gggaggatgt	tgtgactagt	actggaagag	gaaatgaaat	180
tgggcatgct	tcaacttgta	cagggttagg	agaagaaagt	gaaggggtct	tgatttgtga	240
aagtgcagaa	ggggacagtc	agattggtac	tgtggtagag	catgtggaag	ctgaggctgg	300
agctgccatc	atgaatgcaa	atgaaaataa	tgttgacagc	atgagtggca	cagagaaagg	360
aagtaaagac	acagatatct	gctccagtcg	aaaagggatt	gtagaaagca	gtgtgaccag	420
tgacgtctca	ggaaaggatg	aagtgcaccc	agtccagga	ggttgtgagg	gtcctatgac	480
tagtgctgca	tctgatcaaa	gtgacagtca	gctcgaaaaa	gttgaagata	ccactatttc	540
cactggcctg	gtcgggggta	gttacgatgt	tcttgtatct	ggtgaagtec	cagaatgtga	600
agttgctcac	a					611

<210> 240
 <211> 1090
 <212> DNA
 <213> Homo sapiens

<400> 240						
tttttttttt	ttaagcttga	aataaaattt	ttattttggt	ttgaattaaa	tcaaccatga	60
ttattcacag	tgacgtaagt	gtgtatcadc	tgtttgatat	ttcatatta	cagttttgat	120
agtgctcttc	agtctgcgaa	atcttctttg	ggtggaatg	atgaactgtc	agctactttc	180
ttagaaatga	aaggacattt	ctatatgtat	gctggttctc	tgctcttgaa	gatgggtcag	240
catggtaata	atgttcaatg	gcgagctctt	tctgagctgg	ctgcgttgtg	ctatctcata	300
gcatttcagg	taagtcttcc	acttgagca	attgacattt	cacggagtct	tgatgtgttt	360
taaatgaagg	tgtgctctgg	tatgtaatga	caatatgtga	acaaacctgt	ggaattaaag	420
ttaaaatgaa	atagtcaatt	tgatacagtg	gaaaataact	aagcatacac	aatactgggtg	480
aggctggtga	aacagggatg	ttgaatgcac	tcttgctgaa	agcctgcatt	gccatgattt	540
gtttgtagac	aaatttgaag	agtttgatct	ttttactctg	ccatttttgg	gaacatgata	600
aagatgtaat	ctcgtattat	gggtaaagct	tgattcaaaa	agatgtgtta	cttgacaaa	660
atcctaataa	gtagacgtag	ggcaatggct	ttatagccta	tgatagaaga	atatgattgc	720
aatttaacat	gttaattgaa	acacatgtat	ataacattta	tgactgtatt	gtgtatatgt	780
aacagtatat	ctattaatct	ttgaaaacat	aaaacctttt	cttatttttt	atttttttat	840

```

ttttttttga gaccaagtct ctctctgtcg ccaggctgga gtgcagtggg gtgatctcgg 900
ctcactgcag cctccacctc ctgggttcga gtgattctcc tgcctcagcc tcccagatg 960
ctgggactac aggcccatgc taccaagccc agctaatttt ttgtattttt aatagagatg 1020
gggtttcacc atgttggcca ggatggtcgc aatctcttga cctcttgatc tacctgcctt 1080
ggtctcccaa
    
```

```

<210> 241
<211> 680
<212> DNA
<213> Homo sapiens
    
```

```

<400> 241
gcaacaccca tcccaggaaa agccacaagt cctgaccccc agccccagga agcagaagct 60
gaacagaaaag tacagggtccc accatgacca gatgatctgc aagtgcctct ccctgagcat 120
atcctactcc gctaccattg gcggcctgac caccatcacc ggcacctcca ccagcctcat 180
cttctctggaa cacttcaaca accagtatcc agcctcagag gtgggtaact ttggcacctg 240
gttctctcttc agcttcccca tatccctcat catgctggtg gtcagctggg tctggatgca 300
ctggctgttc ctgggctgca attttaaaga gacctgctct ctgagcaaga agaagaagac 360
caaaagggaa cagttgtcag agaagaggat ccaagaagaa tatgaaaaac tgggagacat 420
tagctaccca gaaatgggta ctggatTTTT cttcatcctg atgaccgtac tgtggtttac 480
ccgggagcct ggctttgtcc ctggctggga ttctttcttt gaaaagaaag gctaccgtac 540
tgatgccaca gtctctgtct tccttggett cctcctcttc ctcatccag cgaagaagcc 600
ctgctttggg aaaaagaatg atggagagaa ccaggagcac tcactgggga ccgagcccat 660
catcacgtgg aaggacttcc
    
```

```

<210> 242
<211> 491
<212> DNA
<213> Homo sapiens
    
```

```

<400> 242
cttgaaagag aaggggacaa aggaacacca gtattaagag gattttccag tgtttctggc 60
agttgggtcca gaaggatgcc tccattcctg cttctcacct gcctcttcat cacaggcacc 120
tccgtgtcac ccgtggccct agatccttgt tctgettaca tcagcctgaa tgagccctgg 180
aggaacactg accaccagtt ggatgagtct caaggctctc ctctatgtga caaccatgtg 240
aatggggagt ggtaccactt cacgggcatg gcgggagatg ccatgcctac cttctgata 300
ccagaaaacc actgtggaac ccacgcacct gtctggctca atggcagcca ccccctagaa 360
ggcgacggca ttgtgcaacg ccaggcttgt gccagcttca atgggaactg ctgtctctgg 420
aacaccacgg tggaggtcaa ggcttgccct ggaggctact atgtgtatcg tctgaccaag 480
cccagcgttt g
    
```

```

<210> 243
<211> 983
<212> DNA
    
```

<213> Homo sapiens

<400> 243
 tgcgcccga ccatgagcga catccgccac tcgctgctgc gccgcgatgc gctgagcgcc 60
 gccaaaggagg tgttgtacca cctggacatc tacttcagca gccagctgca gagcgcgccg 120
 ctgcccacg tggacaagg ccccgaggag ctgctggagg agttcgtgtt ccaggtgccc 180
 aaggagcgca gcgcgcagcc caagagactg aattcccttc aggagcttca acttcttgaa 240
 atcatgtgca attatttcca ggagcaaacc aaggactctg ttcggcagat tattttttca 300
 tcccttttca gccctcaagg gaacaaagcc gatgacagcc ggatgagctt gttgggaaaa 360
 ctggctcca tggcgggtgc tgtgtgtcga atcccggtgt tggagtgtgc tgcctcctgg 420
 cttcagcggc gcgccgtggt ttactgtgtg aggttagcca aggccctgt agatgactac 480
 tgctgttgg tgcgggatc cattcagacg ctgaagcaga tattcagtgc cagcccgaga 540
 ttctgtgcc agttcatcac ctccgttacc gcgctctatg acctgtcatc agatgacctc 600
 attccaccta tggacttgct tgaatgatt gtcacctgga tttttgagga cccaaggttg 660
 attctcatca cttttttaa tactccgatt gcggccaatc tgccaatagg attcttagag 720
 ctacccccgc tcgttggatt gatccgctgg tgcgtgaagg caccctggc ttataaaagg 780
 aaaaagaagc ccccttacc caatggccat gtcagcaaca aggtcacaaa ggaccggggc 840
 gtggggatgg acagagactc ccacctcttg tactcaaac tccacctcag cgtcctgcaa 900
 gtgctcatga cgtgcagct gcacctgacc gagaagaatc tgtatgggcc gcctggggct 960
 gatcctcttc gaccacatgg tcc 983

<210> 244
 <211> 526
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(526)
 <223> n = a,t,c or g

<400> 244
 cggctcgtcc mnatttgaac cccttctttg atcggcctgc agtaccgggc cggaattacc 60
 cggtcgagcc acgcgttcgc tcacgcgtcc ggccaaccag aagggttgcg acggggaccg 120
 cctgtactac gacggctgtg ccatgatcgc catgaacgga agcgtctttg ctcaaggatc 180
 ccagttttct ctggatgacg tggaaatcct gacggccacg ctggatctgg aggacgtccg 240
 gagctacagg gcggagattt catctcgaaa cctggcgggtg agtgctccag tagacacctg 300
 tgtgggatgc tcatcaaaga cgtggaaagt ggccccattc gtgcgggct ggtggaggcc 360
 gtgagggtgc agtgccctgaa aagtctgaca ggaagttcc ggacttccc agcgtggaaa 420
 gggcctggtg ccgcagacag aacctgctc catctgttcc ccgtcatcct ctgcttgggc 480
 caggccctga gctgggtgta gctggggaca ggcaggcagg tgtatt 526

<210> 245
 <211> 418
 <212> DNA
 <213> Homo sapiens

<400> 245
 ggggaggggc ccccaggtag gcatggctgc tgccccccagc ccatttcttt tgaatctggt 60
 cactcctatt cactcctact tgccactcct tctattcatt actcactgcc cctgccccta 120
 gtccccatgg taccctgag ccatgggcat ttcttgagcc cactcagca ggctctgctt 180
 cccccagtc ctgggtgaac agggcggtgg ctttgaccgg gcctctggct ccttcgtagc 240
 ccctgtccgg ggtgtctaca gcttccggtt ccatgtggtg aagggtgtaca accgccaac 300
 tgtccagtg acctcagcac tggcccccac ccccggtca ggagggtggg gagggggaag 360
 aaggggagcc oagctgacct ccgggtggac tctccattga cctgtgtcct ggacgaaa 418

<210> 246
 <211> 706
 <212> DNA
 <213> Homo sapiens

<400> 246
 acctcatatt attggagcag aagatgatga ttttgggtact gaacatgaac agatcaatgg 60
 acagtgcagc tgtttccaga gcattgaatt gctaaaatct cgccccggctc atttggtctgt 120
 tttcttacgc catgtagttt cacaatttga ccctgcgact ttgctttggt atctctatctc 180
 agacctgtat aaacatacca attccaaaga aactcgtcgc atcttccttg agtttcatca 240
 gttctttcta gatcgatcag cacacctgaa agtttctggt cctgatgaaa tgtctgcaga 300
 tctagaaaag agaagacctg agctcattcc tgaggatctg catcgccact atatccaaac 360
 tatgcaagaa agagtccatc cagaagtcca aaggcactta gaagattttc ggcagaaacg 420
 tagtatggga ctgaccttg ctgaaagcga gctgactaaa cttgatgcag agcgagacaa 480
 ggaccgattg actttggaga aggagcggac atgtgcagaa cagattggtg ccaaaattga 540
 agaagtattg atgactgctc aggctgtaga ggaagataag agctccacca tgcagtatgt 600
 tattctcatg tatatgaagc atttgggagt aaaagtgaaa gagcctcgaa atttggagca 660
 caaacggggt cggattggat ttcttcccaa aatcaagcaa agtatg 706

<210> 247
 <211> 439
 <212> DNA
 <213> Homo sapiens

<400> 247
 caagggaggg gggttgatcc cctggcacag gtcgaggccc tggaccacaca tcctttgtct 60
 gcctccccac cccacagtgc ccgttcatcg acgatttcat cctggccctc cataggaaga 120
 tcaagaatga gcccggtgtg tttcctgagg ggccagaaat cagcgaggag ctcaaggacc 180
 tgatcctgaa gatgtagac aagaatccc agacgagaat tggggtgcca gacatcaagt 240
 tgcacccttg ggtgaccaag aacggggagg agccccttcc ttccggaggag gagcactgca 300
 ccgtggtgga ggtgacagag gaggaggtta agaactcagt caggctcatc cccagctgga 360
 ccacggtgat cctggtgaag tccatgctga ggaagcgttc ctttgggaac ccgtttgagc 420
 cccaagcacg aatggcgaa

<210> 248
 <211> 730
 <212> DNA
 <213> Homo sapiens

<400> 248
 cccacgcgtc cggaataaaag atagataaga cttccgatgg accaaaactt ttcttaacag 60
 aagaagatca aaagaaactt catgattttg aagagcagtg tgttgaaatg tatttcaatg 120
 aaaaagatga caaatttcat tctgggagtg aagagagaat tctgttcact tttgaaagag 180
 tggaacagat gtgcattcag attaaagaag ttggagatcg tgtcaactac ataaaagat 240
 cattacaatc attagattct caaattggcc atttgcaaga tctttcagcc ctgacggtag 300
 atacattaaa aacactcact gccagaaaag cgtcggaagc tagcaaagtt cataatgaaa 360
 tcacacgaga actgagcatt tccaaacact tggctcaaaa cttattgat gatggtcctg 420
 taagaccttc tgtatggaaa aagcatggtg ttgtaaatac acttagctcc tctcttcctc 480
 aaggggatct tgaaagtaat aatccttttc attgtaatat tttaatgaaa gatgacaaaag 540
 atccccagtg taatatattt ggtcaagact tacctgcagt accccagaga aaagaattta 600
 attttcagag ggctggttcc tctctgggtg ccttattccc aagtgctggt tccctccag 660
 aactgcgaca gagactacat ggggtagaac tcttaaaaat atttaataaa aaacaaaaaa 720
 aaagggcggc 730

<210> 249
 <211> 466
 <212> DNA
 <213> Homo sapiens

<400> 249
 attgctgccg ctggatcgac tgctttgcct tgtacgacca gcaggaggag ctctgctggc 60
 acatcgagaa ggtccacatc gaccagcgca aaggggagga cttcacttgc ttctgggccc 120
 gttgccctcg aagatacaag cccttcaacg cccgctataa actgctgatc cacatgagag 180
 tccactctgg ggagaagccc aacaagtgtg cgtttgaagg ttgagagaag gccttttcaa 240
 ggcttgaaaa tctcaagatc cacttgcgga gccacacagg cgagaagccg tattgtgccc 300
 agcatccggg ttgtcagaag gccttcagta actccagtga ccgcgccaaa caccagcgga 360
 cgcactctga cactaaacct tatgcttgtc aaattccagg atgtacccaa cgctacacag 420
 acccaagttc cctaagaaag catgtgaagg cacattcttc caaaga 466

<210> 250
 <211> 963
 <212> DNA
 <213> Homo sapiens

<400> 250
 ggagcggctg ccacggaaaa cgctggccc gacggtggct ggcgccctg cctgggcgcg 60

gagggcggcg	gtggcgggccc	ccggggcctt	ctctcagctt	cctttctcct	cacgacggcc	120
tccacagtcc	ggagcccggc	ggagcccgga	cctggcgggg	agagctgcct	ccacggccgg	180
gcaccagac	cccaccgtcg	cagtcgccac	cacctcagtc	catccttggg	accggcaatg	240
ggcttcgtat	cctccagtgc	acttgtaact	gacttggaca	cggaatacta	agaactcact	300
tctgtectca	tcccagtcgc	gccggcggtg	accatctcgg	ctcttttggg	cttaactgcc	360
gctcctctgg	actctgtctg	actttggggg	caccatggac	caaagtggga	tggagattcc	420
tgtgaccctc	atcattaag	caccgaatca	gaaatacagt	gaccagacta	ttagctgctt	480
cttgaactgg	accgtgggga	aactaaaaac	gcatctatct	aacgtttacc	ctagcaaacc	540
agtaagtgtg	taaaagctgg	gggcagctgc	tctgacagc	agcttttcgt	gccgtgtacc	600
ctccttttcc	ctgcttctcc	cctccagtct	tgaatcaaat	aggtctcttt	tggtagaccg	660
cgaggtattt	tgagttctga	ggttgtgtct	cctgagtggt	cgaaccatca	ttaatatttt	720
octgatgagg	ttcagttaat	tagtaagagg	aagcaaaat	atcaagggac	ttaagaattg	780
gcaggcaaag	accgggcgcg	gtggctcacg	cctgtaatcc	cagcactttg	ggaggccaag	840
gcgggoggat	cacgaggtca	ggagttcgag	accagcctta	ccggcatggg	gaaaccctgt	900
gtctactgaa	aatacaaaaa	ttaactgggc	gtggtggcgc	atgcttgtaa	tcccagctac	960
tcg						963

<210> 251
 <211> 894
 <212> DNA
 <213> Homo sapiens

<400> 251						
gcggggaccc	ggatgtgtgt	ggtggcggcg	gccgaagagc	ttgtgtgctg	agctgagagg	60
cctatggatg	aggaggacgc	ggcggccccg	gtttgttctc	atgaacaaga	tggatgacct	120
caacctgcac	taccggtttc	tgaattggcg	ccggcggatc	cgggagattc	gagaggtccg	180
agctttccga	tatcaggaga	ggttcaaaca	tatcctgtga	gatggagata	ctttaagtta	240
tcatggaaac	tctgggtgaag	ttggctgcta	cgtggcttct	cgaccctga	ccaaggacag	300
caattatttt	gaggtgtota	ttgtggacag	tggagtcggg	ggcaccatg	ctgtggggct	360
ggtccctcag	tactacagct	tggatcacca	gcctggctgg	ttgcctgact	ctgtagccta	420
ccatgctgat	gatggcaagc	tgtacaatgg	ccgagccaag	ggccgccagt	tgggtcaaaa	480
gtgcaactcc	ggggaccgga	ttggctgtgg	cattgagcct	gtgtcctttg	atgtgcagac	540
cgcccagatc	ttcttcacca	aaaatgggaa	gcgggtgggc	tctaccatca	tgcccattgtc	600
cccagatgga	ctgttcccag	cagtgggcat	gcactcctg	ggtgaggagg	tgccggctgca	660
cctcaacgct	gagctggggc	gtgaggacga	cagcgtcatg	atggtggaca	gttacgggga	720
tgaatggggc	cggctacatg	atgtcagagt	ctgtgggact	ctgctggagt	acttagggaa	780
ggcaaaaagc	atcgtggatg	tggggctggc	ccaggcccg	caccactca	gcaccgcag	840
ccactacttc	gaggtggaga	tcgtggaccc	tggagagaaa	tgctacatcg	ccct	894

<210> 252
 <211> 861
 <212> DNA
 <213> Homo sapiens

<400> 252						
tccogggtog	acgatttcgt	ctggagtgtt	agcaaccagta	ctggatgtga	cagcaggcag	60
aggagcactt	agcagcttat	tcagtgtccg	attctgattc	cggcaaggat	ccaagcatgg	120
aatgctgcog	tcgggcaact	cctggcacac	tgctctctt	tctggcttcc	ctgctcctga	180

gttccaggac	cgcacgctcc	gaggaggacc	gggacggcct	atgggatgcc	tggggcccat	240
ggagtgaatg	ctcacgcacc	tgcgggggag	gggcctccta	ctctctgagg	cgctgctga	300
gcagcaagag	ctgtgaagga	agaaatatcc	gatacagaac	atgcagtaat	gtggactgcc	360
caccagaagc	aggtgatttc	cgagctcagc	aatgctcagc	tcataatgat	gtcaagcacc	420
atggccagtt	ttatgaatgg	cttctctgtg	ctaactgacc	tgacaacca	tgttcactca	480
agtccaagc	caaaggaaca	accctgggtg	ttgaactagc	acctaaggtc	ttagatggta	540
cgcgttgcta	tacagaatct	ttggatatgt	gcatcagtgg	tttatgcca	gtaagtgctg	600
atgtgtctc	attcaacttg	tccagagggt	ttcaatgtct	ttgtgtaaat	ggtttacata	660
gtctcactct	ctgaatcact	catctttaca	cttttttagag	tttgtaaagt	gtgaaagatt	720
tgaaaattaa	ggtatgattt	cagtgaaaag	taccaagtgt	tgtattgtgc	gaaggaaaag	780
tagactagag	ttatTTTTCT	ttccttgagt	gtcacttgaa	tataaaagaa	taaaaatTTT	840
tgaatagtgt	taaaaaaaaa	a				861

<210> 253
 <211> 556
 <212> DNA
 <213> Homo sapiens

<400> 253						
caggctgtta	agacaagagc	ttgtgggtgct	ttgccacctt	caccacccca	gtttgatatc	60
tttgctggca	gctgggattc	gtccccggat	gttggtgatg	gagttagcct	ccaagggttc	120
cttggatcgc	ctgcttcagc	aggacaaagc	cagcctcact	agaaccctac	agcacaggat	180
tgactcccac	gtagctgatg	gtttgagata	cctccactca	gccatgatta	tataccgaga	240
cctgaaaccc	cacaatgtgc	tgcttttcac	actgtatccc	aatgctgcca	tcattgcaaa	300
gattgctgac	tacggcattg	ctcagtactg	ctgtagaatg	gggataaaaa	catcagaggg	360
cacaccaggg	tttctgtcac	ctgaagttgc	cagaggaaat	gtcatttata	accaacaggg	420
tgatgtttat	tcatttggtt	tactactcta	tgacattttg	acaactggag	gtagaatagt	480
agagggtttg	aagtttccaa	atgagtttga	tgaattagaa	atacaaggaa	aattacctga	540
tccagttaaa	gaatag					556

<210> 254
 <211> 435
 <212> DNA
 <213> Homo sapiens

<400> 254						
caaaggccag	taatagtacc	catgagtttc	gtattggcct	acctgagggg	tgggaatccg	60
aaaaaaaggc	agttatcccc	ctggggatcg	ggccaccctt	gactttaatc	tgcttagggg	120
ttctgggggg	tattctcatc	tacgggagga	aaggcttcca	aactgcccac	ttttacttaa	180
aggacagtcc	atccccataa	gtaatatcca	cccctccacc	acctatcttt	ccaatttcaa	240
aggaggtcgg	accaattcca	ataaagcact	ttccaaagca	tgtggcaaat	ttacatgcaa	300
gtaggggggt	tactgaaaaa	tttgaaacac	tgaaaaagtt	ttaccaggaa	gggcaaagct	360
gtactgttga	cttaggtatt	acagcaaaca	gtcccaacca	cccagacaac	aggcacagga	420
atgatccctt	aattg					435

<210> 255
 <211> 698
 <212> DNA
 <213> Homo sapiens

<400> 255
 cctcatttcc tgatcgaaca gcctcacttg tgttgctgtc agtgccagta gggcaggcag 60
 gaatgcagca gagaggactc gccatcgtgg ccttggtgtg ctgtgaggcc ctacatgctt 120
 caccagccat acttcccatt gcctccagct gttgcacgga ggtttcacat catatttcca 180
 gaaggctcct ggaaagagtg aatatgtgtc gcatccagag agctgatggg gattgtgact 240
 tggctgctgt catccttcat gtcaagcgca gaagaatctg tgtcagcccg cacaaccata 300
 ctgttaagca gtggatgaaa gtgcaagctg ccaagaaaaa tggtaaagga aatgtttgcc 360
 acaggaagaa acaccatggc aagaggaaca gtaacagggc acatcagggg aaacacgaaa 420
 catacggcca taaaactcct tattagagag tctacagata aatctacaga gacaattcct 480
 caagtggact tggccatgat tggttagtct cgctctgtca cacaggctgg agggcagtgg 540
 cgggatctcg gttcacccca acctttgctt cacgggttca agggattctc gtgcctcagc 600
 cttccaagtg gctgggattg caggtgtgcg ccagtacgcc tggctagttt tagtattttt 660
 tgttacagac ggggtttcac catgttggct gggctggt 698

<210> 256
 <211> 736
 <212> DNA
 <213> Homo sapiens

<400> 256
 gtttgaacag cccggaaacc cgggagacc acgcgtacga actccgccc catggggggc 60
 ccactttttc gctttgattc cttcttcccc caaagaggte ccagctacc catcctccag 120
 aagggacccc attgccccea cagcgactct tctctctaaa aagaccccag caactctagc 180
 ccccaaagag gccctcattc ccccagctat gactgttccc tcccctaaaa agaccccagc 240
 aattccaacc cccaaagaag ccccagctac cccatcctcc aaagaggcct ccagtcccc 300
 agcagtgact ccttccactt acaaaggggc cccatcccc aaagagctcc tcattccacc 360
 agctgtgact tctccttccc ccaaagaggc acctactcct ccagctgtga ctccctccatc 420
 ccccgaaaag ggcccagcaa ctccagcccc caaagggact cccacttccc cacctgtgac 480
 tccttctctc ctcaaagact cccctacttc cccagcttct gtcacatgta aaatgggggc 540
 cactgttctt caagcatcta aagggcttcc agcaaagaaa ggccccacag ctctgaaaga 600
 agtacttgtt gccccagctc cagaaagcac gccaatcctc acagctccca ctcgaaagg 660
 tccacagacc aaaaagagtt ctgctacttc acctcctata tgcccagatc cctcagctaa 720
 gaatggttct aaagga 736

<210> 257
 <211> 77
 <212> DNA
 <213> Homo sapiens

<400> 257
 ctccgcctcc caaagtactg ggattacagg tgtgagccac cgtgccccagc caagaccttg 60
 tatctttaa aaaaaaa 77

<210> 258
 <211> 499
 <212> DNA
 <213> Homo sapiens

<400> 258
 aatgctcctt tggtaagaac aattatatgg ctaaattaat ctcagccacc tagttctaaa 60
 tntagagcaa ggattgcaag ggattattta gacaagttca tcaattaagt aaaattagac 120
 atgaaggata taagaatgaa tgataaagca agctaaaaat ggtgaaacaa gggatgtctg 180
 attggaagta gaagatattt atttaggttc taggacatta gtatcagtga ggacagtaat 240
 ttctgcttg tttgtatttc agtgatcaca tacacttctt tacctgataa cgtctctctt 300
 ctctaggctg gttttgggta cggcttgcca atttctcgtc tgtatgcaa gtactttcaa 360
 ggagatctga atctctactc tttatcagga tatggaacag atgctatcat ctacttaaag 420
 gtatcccttg aattcaatag caaaatcctg tttctaaaac cattgctcct tttatagccc 480
 tgagtgcctat ggtccggag 499

<210> 259
 <211> 621
 <212> DNA
 <213> Homo sapiens

<400> 259
 tttcgtgact gtagtcagcc cttagtgat gagagcgcct atgcttcaga aacagcaggc 60
 tcccaggatg gacaccccgc cccctgaaga acgcttagag aagcaaaatg aaaaactgaa 120
 caaccaggaa gaggagacgg agtttaagga actggacggg ctgaggggaag ccttgccaaa 180
 cctccgggga ctgtcagagg aggagaggag cgagaaggct atgcttcgct cccgcattga 240
 agagcagtcc cagctcatct gcatcctgaa gcggagggtca gatgaggccc tggagcgtg 300
 ccagatccta gagctgctca atgcagagct ggaggagaag atgatgcagg aggctgagaa 360
 gctcaaggcc caggggtgagt acagtggaa actagaggaa cgctttatga ccctagcagc 420
 caaccacgag ttgatgctcc gcttcaagga tgaatacaag agtgagaaca tcaagctgag 480
 ggaggagaat gagaagctga ggctggagaa taacagcctc ttcagccagg ctctgaagga 540
 tgaggaggcg aaagtattac agctcacagt ccgggtgtgag gcctcactg gggagctaga 600
 aacgctgaag gagaggtgtg c 621

<210> 260
 <211> 414
 <212> DNA
 <213> Homo sapiens

<400> 260
 agatccgggt gcgagccacg cgtccgtgca ggtgcaggta ctgaaagagc aactttttgc 60
 tgggcgtatg ccttcaccct tccgctcctg cgcactcatg ggaatgtgtg gcagtagaag 120
 cgctgataac ttgtcatgcc cttctccatt gaatgtaatg gaaccagtaa gcttctttcc 180
 tcttaaataca ctggggaagg gaatgataca acatttcaga cacatagttt ccctagttta 240
 gatgaaatat atgtttatatt taaatacata atttgataaa ttattgttga ttggaagtga 300
 ctttcacctt tgaaagtcca ttgctgtctg aagccactag aaagccacct gaattgcaat 360
 agtgatttat ctttctgact aaaggaggta atgcaccata aaaacatgta cagt 414

<210> 261
 <211> 620
 <212> DNA
 <213> Homo sapiens

<400> 261
 gtaaccacca ctactcatag cgttggacga gggcatgagc tacagttgct taatgaagaa 60
 ctgagaaaca ttgagcttga gtgtcagaat atcatgcagg ctcacaggct ccagaaagtg 120
 acagaccagt atggagacat ctggacattg catgatggag gattccggaa ttataacacc 180
 agcatagata tgcaaagggg aaagctagat gacatcatgg agcatccaga aaagtctgac 240
 aaggacagtt ctagtgttta caacacagct gagagctgca gaagtactcc gctcactgta 300
 gaccgttccc ctgacagttc ccttccaagg gtgatcaacc tcaccaataa gaaaaacctg 360
 agaagcacia tggcagccac ccagtcctct tccggacaga gcagtaaaga gtcgacctcc 420
 accaaagcca aaaccactga gcaaggttgt agcgtgaaa gcaaggagaa ggttttagaa 480
 ggcagcaagc ttctgatca agagaaggca gtcagcgaac acatccctta cctctctcct 540
 taccacagct cctcatatag atatgcaaac atcccagcac acgcccggca ttatcaaagc 600
 tacatgcagt taattcaacg 620

<210> 262
 <211> 418
 <212> DNA
 <213> Homo sapiens

<400> 262
 gggctctgggg ggcctggcc accgtgtcca cccacaagaa gatccaagga ctgccatttg 60
 ggaactgcct gcccgtcagt gatggcccct tcaacaatag cactgggatt cctttcttct 120
 acatgacagc caaggacccc gtgggtggctg atctgatgaa gaaccccatg gctcgcgtga 180
 tgctgccaga atcagaaggg gagttctgca gaaaaacat cgttgatccg gaagatcccc 240
 gatgtgtcca gttaacgctc actggccaga tgatcgcagt gtctccagaa gaagtagaat 300
 ttgccaagca agccatgttt tcaaggcacc cagggatgag gaagtggcct cgccaatatg 360
 aatggttcct tatgaagatg aggatagaac atatctggct tcagaaatgg tatggagg 418

<210> 263
 <211> 441
 <212> DNA
 <213> Homo sapiens

<400> 263
 tttcgtcaga gccgcgggag gacggttgcc tggattatt agcaagcagc aaatatggcg 60
 gtggcgcgcg tggacgcggc tttgcctccc ggagaaggat cagtgggtcaa ttggtcagga 120
 cagggactac agaaattagg tccaaattta ccoctgtgaag ctgatattca cactttgatt 180
 ctggataaaa atcagattat taaattggaa aatctggaga aatgcaaacg attaatacag 240
 ttatcagtag ctaataatcg gctggttcgg atgatgggtg tggccaagct gacgttgctt 300
 cgtgtattaa atttgcctca taatagcatt ggctgtgtgg aagggctaaa ggaactagta 360
 catctggaat ggctgaattt ggcaggaaat aatcttatag ccatggaaca gatcaatagc 420
 tgcacagctc tacagcatct c 441

<210> 264
 <211> 832
 <212> DNA
 <213> Homo sapiens

<400> 264
 tatttcgagc ggcagttggg gcggtaccag aggggtgcctg gaaggatagc gccagctcc 60
 acaagagcga ggaggcgaag cgggtgctgc ggtattacct cttccagggc cagcgctata 120
 tctggatcga gaccagcaa gccttctacc aggtcagcct cctggaccat ggcgctctt 180
 gtgacgacgt ccaccgctcc cgccatggcc tcagcctcca ggaccaaagc gagaggaagg 240
 ccatttacgg ccccaacgtg atcagcatac cggtcaggc ctacccccag ctgctggtgg 300
 acgaggcctt cagcatcgcg ctgtggctgg ctgaccacta ctactggtac gcctgtgca 360
 tcttcctcat ttcctccatc tccatctgcc tgtcgtgta caagaccaga aagcaaagcc 420
 agactetaag gfacatggtc aagttgtcca tgcgggtgtg cgtgtgcccg ccagggggag 480
 aggaagagtg ggtggactcc agtgagctag tgcccggaga ctgctggtg ctgtcccagg 540
 aggggtggct gatgccctgt gatgccgcc tgggtggccgg cgagtgcagtg gtgaatgata 600
 gctctctgac aggagagagc attccagtgc tgaagacggc actgcccggag gggctggggc 660
 cctactgtgc agagacacac cggcggcaca cactcttctg cggaaacctc atcttgcagtg 720
 cccgggccta tgtgggaccg cagtcctgg cagtgggtgac ccgcacaggt atgagccggg 780
 aggtcgggct tgagagagat ccgggctcag cacccttgaa gaggtggagt gg 832

<210> 265
 <211> 714
 <212> DNA
 <213> Homo sapiens

<400> 265
 tttcgtcggg ggcgggctcc accttcacct ctgccttctg ctctgcttca tgctgccga 60

ggacgctgcc	atggctgtgc	tgaaggcctc	caaccacgtg	agcaacgtca	ccgtgaacta	120
caacatcacc	gtggagcggg	tgaacaggat	gcagggcctg	cgggtctcta	cagtgccagc	180
cgtgctgtcc	cccaatgcca	cgctggcact	gacggcgggc	gtgctggtgg	actcggccgt	240
ggaggtggcc	ttcctgtgga	cctttgggga	tggggagcag	gccctccacc	agttccagcc	300
tccatacaac	gagtccttcc	cggttccaga	cccctcgggtg	gcccagggtgc	tgggtggagca	360
caatgtcacc	cacacctacg	ctgccccagg	tgagtacgtc	ctgaccgtgc	tggcatctaa	420
tgcttctcag	aaccggacgc	agcagggtgt	gatccgcagt	ggccgggtgc	ccattgtgtc	480
cttggagtgt	gtgtcctgca	aggcacaggc	cgtgtacgaa	gtgagccgca	gctcctacgt	540
gtacctggag	ggccgctgcc	tcaattgcag	cagcgggtcc	aagcgagggc	ggtgggctgc	600
acgtacgttc	agcaacaaga	cgctgggtgt	ggtatgagacc	accacatcca	cgggcagcgc	660
aagcatgtga	ctgggtctgc	ggcggggcgt	gctgcgggac	ggcgagggat	acac	714

<210> 266
 <211> 1872
 <212> DNA
 <213> Homo sapiens

<400> 266						
cccggaattc	ctgggtcgc	tatttcgtgg	aaaggctgcc	actctgcatg	tgcacagtga	60
ccagaagccc	cttcacgatg	gggcoctcgg	gtcgcagcag	aacttggttc	gcatgaagga	120
ggcgctgagg	gccagcacca	tggacgtcac	cgtggtcctg	cctagtgggc	tggagaagag	180
gagcgtgctc	aatgggagcc	atgcgatgat	ggacctactg	gttgaacttt	gccttcagaa	240
ccacctgaat	ccatcccacc	atgcccctga	aattcggctc	tcagaaaccc	aacaaccttt	300
aggttttaag	ccaaatactt	tgattgggac	cctgaatgtg	catactgtgt	ttctgaaaga	360
aaaagtccct	gaagagaagg	ttaagcctgg	tcccctaag	gtgcctgaga	aatctgtcgg	420
tttggtcgtg	aattacctgc	ggacacaaaa	agctgttgtg	cgtgtgagcc	ctgaggttcc	480
tctccagaat	attctcccag	tcatttgtgc	aaagtgtgag	gtcagcccag	agcacgtggt	540
tctcctcagg	gacaacattg	ccggagagga	gctggagctg	tccaagtccc	tgaacagact	600
cgggataaag	gagctctacg	cgtgggacaa	cagaagagaa	acctttagga	aatcatcact	660
tggcaatgat	gagacagata	aagagaagaa	aaaatttctg	ggatttttca	aagttaataa	720
aagaagcaat	agtaaggcct	gtttaacgac	cccccaattc	ccatccatgc	actcacgttc	780
tcttacgttg	ggatccatccc	tctcgtggg	cagcatctca	ggggtgtccg	tgaagtccga	840
gatgaagaag	cgccgagccc	ctcctcctcc	aggttcaggg	ccacctgtgc	aagacaaggc	900
atcggaaaag	gtatctcttg	ggtcacagat	tgatttacag	aagaagaagc	ggcgagcgcc	960
agctccccct	ccaccacagc	caccaccacc	gagtcccctg	atcccacacc	gcactgagga	1020
taaggaggag	aacaggaaga	gcacgatggt	ttattgctgt	gcgtcattcc	ctactcaggg	1080
caagcgcttc	tgatggacgg	gcctcttctc	gacctcggac	ctttcccagt	gtctcttctg	1140
cctggctctc	gattttcctg	ttgttcttcc	tcctttcagg	ataaaagggc	tcattgtata	1200
cccagaattt	acttcctttg	gggtttacat	ataaatgcat	taataacaga	gatttgtttg	1260
attgaggttt	atattttttt	gaaggaggta	aattatatgc	aaattttagg	ttgataatat	1320
tcacctgtct	gaaattcact	gatacttgga	aatgttcttg	tgaagaactc	tgctttattt	1380
taattcatta	ttaattcatg	tttttcttat	tggatattca	gttccagaat	ttattgccaa	1440
tttttcttaa	aactagattg	tatccataaa	tgaccagta	tagtcaattt	ggatagaact	1500
gaaactttct	gtctacctgg	taaaactaag	tgcttaaaaa	catgaactat	aaatgtagtt	1560
actaggaact	cacaacttat	atatactatc	cattcaatga	tacataggac	ccaatgtctt	1620
tgtgtttttg	aggttttcct	gttactgtgt	actttgccat	ttacatagtc	tcactaaaaa	1680
gaaagaagtg	ggagaagaag	gggggtctat	tcattattct	atattatgat	tctcttctct	1740
attctgttct	cttcattatt	ctattcattt	cttcaccat	ttattcacta	aacagtgaca	1800
tagtacttac	ttgatgctag	gtattacacc	agttttgtgg	gctataagag	tgaataacaa	1860
gcacgtgacc	tt					1872

<210> 267

<211> 684
 <212> DNA
 <213> Homo sapiens

<400> 267
 tgtagataca gagtagctaa ttctaaaatt catatggaag gcaaagaaac taaattagcc 60
 aaaacaattt tgaaaaagat ttcaaaaaaa ttttgaagga atcatgctgc ccagttttaa 120
 gacttactat aaagctgtga taatcaaggc aatctgggat ttatgaaagg ataaacacat 180
 agatcaatgg aataaagtcc aaaaccagac tcacataaat agcaattgat ttctgacaaa 240
 ggtgaaaaga caactcaatg gggaatggag agtttttcaa cagatgattt taaaacaact 300
 gaacatccat atgcaaaaaa ataaacctac ctaaatttca cagcttatac aaaaattaac 360
 ctaaaatgga tcacggatct aaatgtagaa ctaaatttat aaaattttta gaagaaaaaa 420
 atccataggc cgggcacggt ggctcatgcc tgtaatccca gcacttcaga ggctgaggcg 480
 ggcagatccg ttgaggtcag ttcaagacca gcctagccta tgtggtgaaa tccaactct 540
 actaaaaata aaaaataaaa aaaaaatggg ctgggagtggt tgggtgcacac ctgtagtccc 600
 agctacttgg gagactgaag cacaagaatc acttgaaccc agcaggcaga ggttgcagtg 660
 agtggagatt gtgccactgc accc 684

<210> 268
 <211> 453
 <212> DNA
 <213> Homo sapiens

<400> 268
 ggtcgacgat ttgccccgc gtcggacgag gagcgggagc cgtgggagcc gtggacgcag 60
 ctgcgctgt cgggccacct gaagccgctg cactacaatc tgatgctcac cgccttcag 120
 gagaacttca ccttctccgg ggaggtcaac gtggagatcg cgtgccgaa cgccaccgc 180
 tacgtagtgc tgcacgcttc ccgagtggcg gtggagaaag tgcagctggc cgaggaccgg 240
 gcgttcgggg ctgtccctgt agccggtttt ttccctctacc cgcaaaccct ggtcttagtg 300
 gtggtgctga ataggacact ggacgcgcag aggaattaca atctgaagat tatctacaac 360
 gcgctcatcg agaatgagct cctgggcttc tttcgcagct cctatgtgct ccacggggag 420
 agaagattcc ttgggggttac tcagttttcg cct 453

<210> 269
 <211> 525
 <212> DNA
 <213> Homo sapiens

<400> 269
 ggcacgagaa ctggtgctta atttaatgcc aattcatgat gtaggtttct aagcagcaca 60
 taaaaggggc tttttaggtg gcaactgagta ctttactaaa aatacaaaaa ttagccaggg 120
 gggggggtgc acgtctttaa tcccagctac tcaggcgagg gggcaggggg tggggtaggg 180
 tgggggctga gacaggagaa gcacttgaac ccaggaggcg gaggttgcag tgagctgaga 240
 ttgtgctact gtactccaac ctgggcaaca aacagagtga gacactgtct caaataaata 300

aataaataga	taaataaaat	aaaataaaat	aaaagaact	cgaccctttt	tacaatagct	360
aaaggaaaat	aaaataactta	agaatatact	taaccaagga	ggtgaaagac	ctctacaaag	420
aaaactacaa	aacactgctg	aaagaaatca	cagatgacac	aaacaaaaac	acatcccaag	480
ctcatggaca	ggtagaatca	atactgtgaa	aatgactata	ctgcc		525

<210> 270
 <211> 880
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(880)
 <223> n = a,t,c or g

<400> 270						
cccagtccca	cattgagccc	tgatcccatc	caagtccata	gacttggcct	ctgaccaaac	60
ctgaccctgc	acttgtcact	taaggtggtc	ccatattcag	ctcagaccct	gaaccgagct	120
ctgaccctgg	cttctgactg	aatctgtgac	agactaaggc	ctgaccctgg	ccctatacca	180
cgctccacc	cgtgtcctca	actgagtgct	gaccccaaac	ctagacagcc	ctacctgatc	240
cttccccag	gcctgtcccc	gocgcttcat	ctcaaaagtt	gaaggtgagg	agccggtaaa	300
caggtctgga	gcctggcttc	agactcagcc	tgagcaagct	cagtctgggg	tcattgggcc	360
tgtaaccccg	ggcagccct	tgttagggat	gcagggcttc	accctagggg	tataagggat	420
ttctgtgccc	atcagaactt	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	480
nnnnnnnnnn	nnnnnnnnnn	atthtctgt	tagcatatgt	gatgaccttg	acttcacctc	540
cctggcgcca	atctctctt	ctgtaaaatg	gcttatgcat	tacaaagtga	ggtcctgcca	600
gtgactacac	ctagaggcat	taagtgcctt	tgtggactcc	tgccctgcac	ctcacctctc	660
ccagcttttt	aacccctga	ggaaccttct	taccttgagt	ccctcacceg	ctacaggcca	720
tccatgagca	gatgaactgc	aaggagtatc	aggaggacct	ggccctgcgg	gctcagaacg	780
atgcygctgc	ccggcgccg	tcagagatgt	ttaaggtgag	gctggctcag	ggtcgtggcc	840
tagcatcttt	aagttctggg	atccagctctg	gggtagggag			880

<210> 271
 <211> 1066
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1066)
 <223> n = a,t,c or g

<400> 271						
tgaccctcgt	aagngcgttg	gaattccctc	acctgtgtgg	tcctcacctt	cctgggccac	60
cgctgctga	aacggtttct	ggtgccaaag	ctgaggaggt	ttctcaagcc	tcagggccat	120
ccccgcctgc	tgctctgggt	taagaggtga	gtgagctcac	agccccgagg	cagggcaggg	180
gagggcccct	gagctgaggg	gttggctcca	gggttatggc	cagggctgga	ggaggaggaa	240
ggctctgtgt	catggagaac	tctctggcgc	cccagggcag	gagccagtgg	gtggcttcaa	300

acaagcagc	atctttgtgg	tgtttcacca	gttcttagtc	ccagttacag	caggtgactg	360
tgggtggacga	aaactggact	caacagtttc	ctccattcag	ggatcccagg	ccatggagca	420
aggagggccc	gaatcagtac	ctccctcaga	tcacctggac	agtgtgagac	aaaaagccgc	480
agggaccatc	cctggagggg	gattcagcag	gctcgatcgg	ggfccagggtg	ctggtatttt	540
tcattagcct	ccaggggatt	ctgatgtagc	cagcagcgtc	cttggacaac	agtttgagat	600
ctgctgcttt	tcaaactgga	ttccttggag	cgctggaaat	ctcagcgatg	tcacagggca	660
ggagagggag	gttgtggagg	gaaaattcag	acttcccgc	cagcccacca	tttcaccagg	720
cagctctaaa	tttatgtgtt	ttataagcca	aggttcacac	aaaaaagaa	attcgcctggg	780
gggaaaaaaaa	cagtttctat	ggcttaaaaa	aaagtctgaa	gaccaccagt	ctatttcaat	840
actctatttt	gttgatgaag	aagctgggtg	ccaagatac	caaagacta	agtcaggggg	900
atgcaggggt	acaggggtgc	ctctcacttt	cccaaagtga	gatccacata	ccacagcaaa	960
atgatttgag	ccagcctgtg	gatgaacaca	tttaaaat	tatttataaa	tacatttact	1020
gttacatttg	acttctcttt	attaaatata	tttgtgattt	ataaaa		1066

<210> 272
 <211> 659
 <212> DNA
 <213> Homo sapiens

<400> 272						
tacggggaat	tcgtcaccta	ccaaggggtg	gctgtgacgc	ggagccggaa	agaaggcatc	60
gcacacaact	acaaaaatga	gacggagtgg	agagcgaaca	tcgacacagt	gatggcgtgg	120
ttcacagagg	aggacctgga	tctggtcaca	ctctacttcg	gggagccgga	ctccacgggc	180
cacaggtacg	gccccgagtc	cccggagagg	agggagatgg	tgccggcaggt	ggaccggacc	240
gtgggctacc	tccgggagag	catcgcgcgc	aaccacctca	cagaccgcct	caacctgatc	300
atcacatccg	accacggcat	gacgaccgtg	gacaaacggg	ctggcgacct	ggttgaattc	360
cacaagtcc	ccaacttcac	cttccgggac	atcgagtttg	agctcctgga	ctacggacca	420
aacgggatgc	tgctccctaa	agaagggagg	ctggagaagg	tgtacgatgc	cctcaaggac	480
gcccaccca	agctccacgt	ctacaagaag	gaggcgttcc	ccgaggcctt	ccactacgcc	540
aacaaccca	gggtcacacc	cctgctgatg	tacagcgacc	ttggctacgt	catccatggg	600
gtgagtcgcc	tgctggaggc	accacctcca	ggggctccct	cccaggctc	tgggtcttc	659

<210> 273
 <211> 412
 <212> DNA
 <213> Homo sapiens

<400> 273						
acgcgacttc	tcgggtcgac	ccacgcgtcc	gcacatataa	cacatcacgc	accttttgag	60
tggctacctt	ggttctcgcc	tttcttttca	agagaccatt	cttcaacaga	actgtaagga	120
ttcttcttgg	ctgaatcaga	tgtgacgcat	cccacttctg	cgtttgaggt	ctagcacata	180
ccgctccaag	ggctttgacg	tcacagtgaa	gcactcacac	ggaagctgga	cgggcttcgg	240
tggggaagac	ctcgccacca	tccccaaagg	gttgaatact	tattttcttg	tcaacattgc	300
cactattttt	gaatcaaaga	atctcttttt	gcctgggatt	aaatggaatg	gaatacttgg	360
cctatcttat	gccacacttg	ccaagccatc	aagttctctg	gagaccttct	tc	412

<210> 274
 <211> 522
 <212> DNA
 <213> Homo sapiens

<400> 274
 gaattaagag ttactccggg ccaaatggcc ggagttgtca gatctggcag cgtcttcgct 60
 ggggctccag ggagctgctg ctgggggtgga agctctcaca ctctttctec acgtgccctt 120
 tccagttccc tgacatcgtg gagttctgcg aggccatggc caacgccggg aagaccgtaa 180
 ttgtggctgc actggatggg accttcocaga ggaaggtaag gcgtctgac caggtctgga 240
 gctgggattg aggagggcaa gaggttctg gatgggcaca gagacaccag ctctgggtga 300
 ccagggctca gccaccacag ggttacggcc gagctgetca ggcttgget gagccaagg 360
 actccatggt ctgtgcagac tgcgtgcat ctgttgccgc aggtgctttg aattggcaaa 420
 gggacagagc cgggcatggt gctctggggg ttgggggaag gactaaggtc agagcaaaact 480
 ctcctggcct cagtacttgt gaatcagagg gtttaaaaga aa 522

<210> 275
 <211> 650
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(650)
 <223> n = a,t,c or g

<400> 275
 gaattctgct tatgcaccaa tttgcagctc ctgcaacat gatgcagcct caccggacc 60
 tttcaacatt ttcctttca cctaaaactg tattttctc tgctaagacc ggctacccta 120
 ctttcathtt ctttctactc ttcttggtc ttttgggect ttttaggaatt tgggatgatt 180
 caggctctga caggcatggt actagattta ttttaggctg ctcttttgct gttgtccaac 240
 aggccaaagga gagattttaa tgatttatcc aatatttgc aaatagtcac gtgtttcatt 300
 tateccatat atagttcagc cttaatatg tttttgttt gatttgttac actagtgcac 360
 acatagagac gtgaagccag aaaatatacct catcacgaaa cattccgtga ttaagctttg 420
 tgactttgga tttgctcggc ttttgactgg accgagtac tactatacag actacgtggc 480
 taccaggtgg taccgctccc ctgagctgcn ggtgggggac acgcagtacc ggcccccg 540
 tgggatgttt ggggcaattg gctgtgtctn tgctgagctn gctgtcaggg aagtgcctct 600
 ggtggccagg aaaatcggaa tgttggatca gctgtatctg atttaggaaga 650

<210> 276
 <211> 497
 <212> DNA
 <213> Homo sapiens

<400> 276
 cccttgatga ccatctagtc agtgcggtgg aattcccatg acagacgtat ctgactggtc 60
 atgtggtcag caagcctcgc ctttggtcag gccctggagg gtacagctga cccatagggc 120
 cacttccatg gcaactggca agtggctgta ttggaaatga agtcggtgcc cccgatttct 180
 ttggggccag gttgagcttt cctgcccaga gcacggaggc taaagggggt gggctttgga 240
 ctggattggg gctgacctca gcctacacct gcaggaggag gtggagacag aggtggcctg 300
 ggaggaatgt gggcacgtcc tactgtcact gtgctacagc tctcagcagg gtggcttgcct 360
 ggtagggtgt ctgcgctgcg cccacctggc ccccatggat gccaatgggt actcggacct 420
 cttcgtgctg ctgtgagtga actggggtag gcaggcggga ggtgaggata aggcggtgac 480
 tctcacctc tccaggg 497

<210> 277
 <211> 428
 <212> DNA
 <213> Homo sapiens

<400> 277
 tgggtggaatt ctgcgcatgg aatatgcacc aggcggcact ctggctgagt tcatccaaaa 60
 gcgctgtaat tccctgctgg aggaggagac catcctgcac ttcttctgtc agatcctgct 120
 tgcactgcat catgtgcaca cccacctcat cctgcaccga gacctcaaga cccagaacat 180
 cctgcttgac aaacaccgca tggctgtcaa gatcgggtgat ttcggcatct ccaagatcct 240
 tagcagcaag agcaaggcct acacgggtggg ggtaccacca tgctatatct cccctgagct 300
 gtgtgagggc aagccctaca accagaagag tgacatctgg gccttgggct gtgtcctcta 360
 cgagctggcc agcctcaaga gggctttcga ggctgcgaac ttgccagcac tgggtgctgaa 420
 gatcatgg 428

<210> 278
 <211> 427
 <212> DNA
 <213> Homo sapiens

<400> 278
 gtccagtgtg gtggaattca ccagggtgccc ggggcagtgg tagtatctgg gctgctgcag 60
 ggcattgatg ggctgctggg gactcccggc cacgtgttcc cccactgtgg gccctgggtg 120
 ctggctccca gcttgggtgt ggcagggtctc tctgccaca gggaggtagc ccagttctgc 180
 ttcacacct ggggggttggc ctgctgtac gtgagtoctg agaggcgtgg gatggtgccc 240
 agtgggggtg tatgggggga ctaggggagg gcagaactgc tggtoctatc agattcagca 300
 ggcactggaa tagggacata ttttatattt ggaatccaag acttttctct gattcatctg 360
 gtctccttga atttcacact gttttctgct gtcctccaag gtcacttctc attccttcca 420
 tgggagt 427

<210> 279

<211> 561
 <212> DNA
 <213> Homo sapiens

<400> 279
 cccagaatga ccgggtcgac ccacgcgtcc gcacccagct atggaggcag ctgcaggaac 60
 aacttgtttt accgagaaga aacctacact ccaaaagctg agacggacga gatgaatgag 120
 gtggaaacgg ctcccattcc tgaagaaaac catgtttggc tccaaccgag ggtgatgaga 180
 cccaccaagc ccaagaaaac ctctgcggtc aactacatga cccaagtcgt cagatgtgac 240
 accaagatga aggacagggtg cataggggtcc acgtgtaaca ggtaccagtg cccagcaggc 300
 tgcoctgaacc acaaggcgaa gatcctttgga agtctgttct atgaaagctt cgctagcata 360
 tgccgcgccg ccatccacta cgggatcctg gatgacaagg gaggcctggt ggatatcacc 420
 aggaacggga aggtcccctt ctctcgtgaag tctgagagac acggcgtgca gtccctcagg 480
 taactactct gtgatcgggg ctctgtgaaa cggttttcct gtttatgacg gtgtttgtga 540
 aatthtgaaa aataccacac a 561

<210> 280
 <211> 792
 <212> DNA
 <213> Homo sapiens

<400> 280
 atthttgatg ccatgtggct acattggttt tagaatacta ataaaatcca ttgctthtaa 60
 aataaataaa taaaccccat agcacatcct ccatacaaca tctgttgctc ctcaagatac 120
 aattgttacc actatcatct aaccattatt ttatgataac thtaaaatat caacttgga 180
 agaaaatatt ccacaaaaca cactctgcct thttacttta aagagtcctt ggctacctgg 240
 gccaatatta ttctcatttg taggatttag gttccacaga atataaatag tgcothtttc 300
 tgtgttccct gcagatttgc aagtaccatc cctthttggg gccttacttt gcacctccag 360
 catctgggaa acaatgthtt cctgttgacg actctctttg gtgcagtcac cctcctggcc 420
 aattgtgttg caccttgggc actgaatcac atgagccgtc gactaagcca gatgcttctc 480
 atgttccctac tggcaacctg ccttctggcc atcatatttg tgcoctcaaga aatgcagacc 540
 ctgcgtgtgg thttggcaac cctgggtgtg ggagctgctt ctcttggcat tacctgttct 600
 actgcccacg aaaatgaact aattccttc ataatcaggg gaagagctac tggaaatcact 660
 ggaaactttg ctaaatattg gggagccctg gcttccctcg tgatgatcct aagcatatat 720
 tctcgacccc tgccctggat catctatgga gtctthtgcga tctctctggt ccttgttgtc 780
 ctctctcttc cg 792

<210> 281
 <211> 1047
 <212> DNA
 <213> Homo sapiens

<400> 281
 ggtcttggtt tcaagggatc atatgaaaag tgcccagcag thcttccagt tgggtggagg 60

atcagctagt	gaatgtgata	caataccagg	gaggcagtg	atggcttcct	gtttcttcct	120
gcttaagcaa	tttgatgatg	ttttgattta	cctcaactca	tttaagagcc	acttctataa	180
tgatgacatc	tttaacttta	attatgcccc	agccaaagct	gcaacaggca	ataccagtga	240
ggcggaagag	gcgttcctct	tgatccaaag	tgagaagatg	aaaaatgatt	acatttacct	300
cagctgggta	gctcggggct	atattatgaa	taagaaacca	agactagcct	gggaacttta	360
tcttaagatg	gaaacctccg	gcgagtcctt	cagtctctta	cagctcattg	ctaatactg	420
ctacaagatg	ggccagtttt	actattctgc	caaagctttt	gatgtccttg	agaggctgga	480
tcctaaccct	gaatattggg	aaggcaaacg	gggtgcctgt	gtgggcattt	tccagatgat	540
catagctggg	agagaaccca	aagagaccct	tcgagaagtg	ctccatttac	tgagaagcac	600
aggtaacacc	caagtagaat	acatgatccg	gatcatgaag	aaatgggcca	aagaaaacag	660
agtggtccatc	ctaaaatagc	gccagtcac	taggaaccag	cttctacttt	gacataaaac	720
tggaaatcat	tttcaactcca	gctttaatct	gtgatacagg	gctctgtttt	attgacattt	780
tccttccttg	ctctttaagc	ctcaagggtca	gagactgact	tgctgagact	tagtctcctg	840
gctgaacaga	gtgccatagt	ctgtgaccct	gtatgatcct	agttagcaata	agattttgga	900
cttatctggg	gcctttcttc	caaaaatgct	cagagtactt	ttatgcaatt	tactgacttt	960
aaggaaaaca	gtataacttt	ttttgttag	cattttatgg	cattgtctcc	tggctgcaat	1020
aacaacatc	tttgatgttc	aagaatc				1047

<210> 282
 <211> 357
 <212> DNA
 <213> Homo sapiens

<400> 282						
ctttaaaagt	ttctgatgaa	ttagtgcagc	aatatcaaat	taaaaaccag	tgtctttcag	60
caatagcatc	tgatgcagaa	caagaaccta	aaattgatcc	atatgcattt	gttgaaggag	120
atgaggaatt	cctttttcct	gataaaaaag	atagacaaaa	tagtgagaga	gaagctggaa	180
aaaaacacaa	ggtaagagaa	atcacagtac	accaaaggg	caactgttgat	ttttagcac	240
tgcatatagt	aacactctta	ctaccacagt	tatctcactt	cttttgtctt	agaatagaaa	300
gagtaatcat	ttattttagaa	aaacctattt	ttgcccggct	gcggtggctc	atgcctg	357

<210> 283
 <211> 536
 <212> DNA
 <213> Homo sapiens

<400> 283						
ctggggtgcc	ccgcaacctg	ccttcagcc	tggagtatct	gctgttgtcc	tacaaccgca	60
tcgtcaaact	gggcctgag	gacctggcca	atctgaccgc	cctgcgtgtg	ctcgatgtgg	120
gcggaaattg	ccgccctgc	gaccacgtc	ccaacctctg	catggagtgc	cctcgtcact	180
tccccagct	acatcccgat	accttcagcc	acctgagccg	tcttgaaggc	ctggtgttga	240
aggacagttc	tctctcctgg	ctgaatgcc	gttggttccg	tgggctggga	aacctccgag	300
tgctggacct	gagtgagaac	ttcctctaca	aatgcatcac	taaaaccaag	gccttcagg	360
gcctaacaca	gctgcgcaag	cttaacctgt	ccttcaatta	ccaaaagagg	gtgtcctttg	420
cccacctgt	ctctgggccc	cctttccttc	ggggaagcct	gggtcgcccc	ttgaagggag	480
ctgggacatg	gcacgggcaat	ctttctttcc	cgctccactt	cgaaatggggg	aagacc	536

<210> 284
 <211> 440
 <212> DNA
 <213> Homo sapiens

<400> 284
 gtatcttatt tgcggcgctg atctggagtt cgttcgatga gaatatagaa gcttcagccg 60
 gaggcggcgg tggttcgtcc atcgacgctg tcatggttga ttcaggtgcg gtagttgagc 120
 agtacaaaacg catgcaaagc caggaatcaa gcgcgaagcg ttctgatgaa cagcgcaaga 180
 tgaaggaaca gcaggctgct gaagaactgc gtgagaaaca agcggctgaa caggaacgcc 240
 tgaagcaact tgagaaagag cggttagcgg ctccaggagca gaaaaagcag gctgaagaag 300
 ccgcaaaaaca ggccgagtta aagcagaagc aagctgaaga ggccggcagcg aaagcggcgg 360
 cagatgctaa agcgaaggcc gaagcagatg ctaaagctgc ggaagaagca gcaagaagaag 420
 cggctgcaga cgcaaaagaaa 440

<210> 285
 <211> 119
 <212> DNA
 <213> Homo sapiens

<400> 285
 gcgatggaaa tcgtccacga gccgcgcgac ctccagcgtt acatgcgcga ggccgtgaag 60
 gtgtcgaacg attcgcgggt gctgctcgac cgcttctcga acgacgcgat cgagtgcga 119

<210> 286
 <211> 398
 <212> DNA
 <213> Homo sapiens

<400> 286
 aaacagggga tttaagtgtg tcttttgtgt ttgcaaggca ctaacaccac tcccgtctgt 60
 atttaaatgc tgtccccagg ttacgactat ggctatgtct gcgtggagtt ttcactcttg 120
 gaagatgcc a tcggatgcat ggaggccaac caggttgctt tatacttcgg tcaaatgatg 180
 ctggaaggat atatTTTTTT atatatgggg agggagggtt tcaaatgatt ttactttgga 240
 aaggatcaag aagtctatct gtggagcata ctgtattcca accatcggtt gtgaggaaaa 300
 tctttaaaaa ggctggaaaag ctttctctag aaaacttaat gggcacagag tgcattttaa 360
 aagctagagc ccagttgctt ttggactaga ttccaaaa 398

<210> 287
 <211> 1177
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1177)
 <223> n = a,t,c or g

<400> 287
 cccacgcgctc cgctcctctg ggggtcaaga ggaccccgcc agccagcagt gggcacgacc 60
 gcgcttcaca cagccctcca agatgaggcg ccgggtgatc gcacggcccg tgggtagctc 120
 cgtgcggctc aagtgcgtgg ccagcgggca ccctcggcc gacatcacgt ggatgaagga 180
 cgaccaggcc ttgacgcgcc cagaggccgc tgagcccagg aagaagaagt ggacactgag 240
 cctgaagaac ctgcggcccg aggacagcgg caaatacacc tgccgcgtgt cgaaccgcgc 300
 gggcgccatc aacgccacct acaaggtgga tgtgatccag cggacccggt ccaagcccgt 360
 gctcacaggc acgcaccccg tgaacacgac ggtggacttc ggggggacca cgtccttcca 420
 gtgcaaggtg cgcagcgcag tgaagccggt gatccagtgg ctgaagcgcg tggagtacgg 480
 cgccgagggc cgccacaact ccaccatcga tgtgggcggc cagaagtttg tgggtgctgc 540
 cacgggtgac gtgtgtcgc ggcccgcgg ctctacctc aataagctgc tcatcacccg 600
 tgcccgccag gacgatgcgg gcatgtacat ctgccttggc gccaacacca tgggctacag 660
 ctctcgcagc gccttctca ccgtgctgcc agacccaaaa ccgccagggc cacctgtggc 720
 ctctcgtcc tcggccacta gcctgcctg gcccgtggtc atcggcatcc cagccggcgc 780
 tgtcttcac ctgggcaccc tgctcctgtg gctttgccag gcccagaaga agccgtgcac 840
 ccccgcgct gccctcccc tgctgggca ccgcccgcg gggacggccc gcgaccgcag 900
 cggagacaag gaccttcct cgttggccgc cctcagcgt ggccctggtg tggggctgtg 960
 tgaggagcat gggctctccg cagccccca gcacttact ggcccaggcc cagttgctgg 1020
 ccctaagttg taccaccaac tctacacagg acattccaca ccacacacat acacacaccc 1080
 cccaccctcc tgccaattaa acagtagcca ttcccnaaa atnnnnnnnn nnnnnnncnn 1140
 nnnnnnnnnn nnnnctcgg ccccgccta ttcaccg 1177

<210> 288
 <211> 100
 <212> DNA
 <213> Homo sapiens

<400> 288
 tgaattttca ttttacaggg aagtgtttgt ttatgtcagg gctcagtgag gtccagctga 60
 cccatatgga tgatcacact ctaccaggt attgaagctc 100

<210> 289
 <211> 406
 <212> DNA
 <213> Homo sapiens

<400> 289
 cggcaccgagc ggcaccgagag tcagaggggtt ttaatttact tgtgaagctc aactatttga 60
 aactaattgc aatgcttgac tttattttct ttagagtcca agaaagagaa aaacaaggca 120
 tagcacaat cccctctag agtgtcatgt tggttgggta atggattcca gagaccatgg 180
 gccaggaaca tcctctgtca gcacttcaaa tgcttcacct tcagaaggcg caccactagc 240
 aggaagttat ggatgtactc ctcattcatt cccaaagtcc cagcatcctt ctcatgaact 300
 tttgaaggaa aatggcttta cccaacaagt gtaccacaag tatcgtcgaa gatgcctaag 360
 tgagagaaaa cgcttgggaa ttgggtcagtc ccaagaaatg aatacc 406

<210> 290
 <211> 359
 <212> DNA
 <213> Homo sapiens

<400> 290
 cccggcagcg gcggcagcgc ggggggcccga gacggcagtg cctaccaggg cgcgctgttg 60
 cctcgagaac agttcgcggc cccgcttggg cggccggtgg ggacctcgta ctccgccacc 120
 taccggcct acgtgagccc cgacgtggcc cagtcctgga ctgccgggccc cttcgatggc 180
 agcgtcctgc acggcctccc aggcgcagc cccaccttcg tgtccgactt cttggaggag 240
 ttcccgggtg agggctcgtga gtgtgtcaac tgccggggccc tgtccacacc gctgtggcgc 300
 cgagatggca ccggccacta cctgtgcaat gectgcggcc tctaccacaa gatgaatgg 359

<210> 291
 <211> 954
 <212> DNA
 <213> Homo sapiens

<400> 291
 cccagatcat cgacatgggtg cgttgtgggtg gtggtacagc tgtggagtct tacctgtcac 60
 agtgtcaaga aatgaagggg atgaacggaa ccagggtgctg accctgtatc tgtggatacg 120
 gcaggagtgg acagatgcct acctacgatg ggaccccaat gcctatgggtg gcctggatgc 180
 catccgcac cccagcagtc ttgtgtggcg gccagacatc gtactctata acaagtactg 240
 cctatctggg cccctcctct ctcttaccct tctctagact tgcccttagc tgtgggggtg 300
 tagtgatccc ctctccctac cacataacct ggttgccacg ctgcccctgga agcttttccc 360
 caggaccctt ctaagctgcc aagcactcag cccctccatg gcaccccccac tttaggctat 420
 cccagggccag cccaggtgga acgtctcctc ggaacctact gtgtggtcca gggcagatgt 480
 ctgaatcaca agggcctctc tagggcacac ttttagctct aagtctctca gggctcccc 540
 aagagcctgt ctaaggtctt ctttctccca ggacatagcc ctctggaaca ctgctttatg 600
 tctccttgac cagttccgtg tctcccagcc agcacatagc tctgcatatt ttctctgggg 660
 ccctcttaca agttttgcag atgtccccca agggaaagtca ctgtgtgtcc cggagctacc 720
 tctgggttct gcagaggcct ttttatacat cctctggcta cgtctgtgtc ccttctggcg 780
 ccttcaggca ccacccttc caggcctcga aaggcagcgg gtctctctag gtgcaactca 840
 ccctctgtgt tgctttgttc tgaaaacaag aatcaaatta acgaaaaaaa aacaagcaca 900
 agtttattta tttatttgag acacagcctg ggcaagagag tgagacttca tctc 954

<210> 292
 <211> 595
 <212> DNA
 <213> Homo sapiens

<400> 292
 tacgcactga ctggtgcggt ggattattgtc accgggatgg tgatgggaaa tatcgccgat 60
 tatttcaatc tgcctgtttc cagtatgagt aataccttca ccttcctcaa cgccggcatt 120
 ttaatctcta tcttcctcaa cgctggctg atggaaatcg tcccgttgaa aacgcagtta 180
 cgttttggct ttctcctgat ggtgctggcg gttgcccgtt tgatgttcag ccacagcctg 240
 gcgctgttct cggcggcgat gttcattctc ggggtggtca gcggcatcac catgtcgatt 300
 ggtacattcc tggtaacaca aatgtatgaa gggcgtcagc gcggttcccg cctgttattt 360
 accgactcct tcttcagtat ggctgggatg attttcccaa tgatcgccgc gtttctactg 420
 gcgcgcagca ttgagtggta ctgggtttat gcctgcatcg ggctgggtga tgtcgctatt 480
 tttattctga ccttcggctg tgagttcccg gcgctgtgca gccatgcgac taagttgggt 540
 accgccagta gttatcccag tctggacggt gtacagctac ggacattgaa tgcgt 595

<210> 293
 <211> 552
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(552)
 <223> n = a,t,c or g

<400> 293
 tcttgaagag ccgctgctga tcaacaccag cttaagcaaa gaacagcgtc gggaaaaagc 60
 cctgtcgatg atggcgaag tcggcctgaa aaccgagcac tatgaccgct atccgcatat 120
 gttctccggc ggtcagcgtc agcgtatcgc catcgcccgt ggtctgatgc tcgacccgga 180
 tgtggtgatt gccgatgaac cggtttccgc gctggatggt tcagtgcgcg cgcaggtgct 240
 gaactctgatg atggatttgc agcaggagtt ggggctgtct tatgtcttta tctcccacga 300
 cctgtcggtg gtggagcaca ttgctgatga agtgatggtg atgtacctgg gccgctgcgt 360
 ggagaaggga acgaaagacc aaatcttcaa taaccgcgcg catccgtaca ctcagggcgt 420
 actttccgcg acgcccgcgc tgaaccggga cgatcgccgc gagcgcata agctcagcgg 480
 tgaactacca agcccactga atccaccgcc gggttgcgcc ttcaacgccc gctggtgtcg 540
 gcgnttcggc cc 552

<210> 294
 <211> 426
 <212> DNA
 <213> Homo sapiens

<400> 294
tagcgccacc cttgaacggg tactaaatca cctgacgaa acgcaagccc gacgcttaat 60
gacgctggaa gatatcgta gtggttattc caatgtgttg atttccctgg cagatagta 120
gggtaaaacg gtgtatcaact cccccgggtc gccggatata cgcgagttta cgcgtgacgc 180
catacccgat aaagacgctc aggggtggcga ggtgtatctc ctttcoggcc cgacgatgat 240
gatgccaggc cacggtcacg ggcataatgga acacagcaac tggcggatga ttaacttgcc 300
ggttggcccg ttgggtggacg gcaaaccgat ttatacgctc tacatcgcgc tttcgatcga 360
ttttcatctt cattacataa atgatttgat gaataaactt attatgaccg catcggtaat 420
catcat 426

<210> 295
<211> 340
<212> DNA
<213> Homo sapiens

<400> 295
gggtgctggc gtatccgggg attaaagtct cgacggcaga agccagggct attttaccgg 60
cgcagtatcg ccgccaggat tgcattgccc acggggcgaca tctggcaggc ttcattcacg 120
cctgctattc ccgtcagcct gagcttgccc cgaagctgat gaaagatggt atcgctgaac 180
cctaccgtga acggttactg ccaggcttcc ggcaggcgcg gcaggcggtc gcggaaatcg 240
gcgcggtagc gagcggatc tccggctccg gcccgacctt gttcgctctg tgtgacaagc 300
cggaaaccgc ccagcgcggt gccgactggt tgggtaaaat 340

<210> 296
<211> 281
<212> DNA
<213> Homo sapiens

<400> 296
cgggcagcag cagcgcgtgg ogctggcccg cgcgctgata ctcaagccga aagtgtgct 60
gtttgatgag ccgttgagta acctcgacgc caacctgctg cgcagcatgc gcgacaagat 120
ccgcgagttg caaaagcagt ttgatatac ctcgctgtac gtcacccacg atcagagcga 180
agcctttgcg gtttctgata ctgtgctggt gatgaacaag gggcacatca tgcagatcgg 240
ctcaccgcag gatctccggg tacggagatt gaattggtaa t 281

<210> 297
<211> 155
<212> DNA
<213> Homo sapiens

<400> 297

tgccggtgca	ttacctagag	cgggtgagaa	ttgccgaaca	tgcgcataag	tttcccggac	60
agatttcagg	tggtcagcag	caacgcggtg	ccattgcgcg	ttcgcctgtg	atgaagccga	120
aaattatggt	gtttgatgag	ccaacgctcg	cgctc			155

<210> 298

<211> 217

<212> DNA

<213> Homo sapiens

<400> 298

gctccctatg	acgccgaaaa	ttatthttgat	tatgacaatc	tgaataacgg	accttctttg	60
cagcactggg	ttggcgtcga	ttcactgggg	cgtgacattt	tcagccgtgt	cctggttggg	120
gcgcaaatct	cgctggcggc	gggcgtgttt	gccgtgttta	tcgggtgcggc	gatcggggacg	180
ttgctgggct	tgctcgctgg	atattatgaa	ggctggg			217

<210> 299

<211> 568

<212> DNA

<213> Homo sapiens

<400> 299

aggtattctg	tctgatcgct	gaccttgacc	cgatcgatga	gcttgtggac	ttcccgatcg	60
tttacgcttc	tgcgctgaac	ggatcgcgg	gtctggacca	cgaagatatg	gcggaagaca	120
tgaccccgt	gtaccaggcg	attgttgacc	acgttctctg	gccggacggt	gaccttgacg	180
gtccgttcca	gatgcagatt	tctcagctcg	attacaacag	ctatgttggc	gttatcggca	240
ttggccgcat	caagcgcggt	aaagtgaagc	cgaaccagca	ggtcactatc	atcgatagcg	300
aaggcaaaaac	cgcacaacgcg	aaagtcggta	aagtgcggg	ccacctcggt	ctggaacgta	360
tcgaaaccga	tctggcggaa	gctggcgata	tcgttgcat	cacgggcctt	ggcgaactga	420
acatttctga	caccgtttgc	gacacgcaaa	acgttgaagc	gctgccggca	ctctccggtg	480
atgagccgac	cgtttctatg	ttcttctgcg	ttaaacacctc	gccgttctg	ggtaaagaag	540
gtaagttcgt	aacgtctcgt	cagatcct				568

<210> 300

<211> 366

<212> DNA

<213> Homo sapiens

<400> 300
 caaggcaccc gcgctgaatc tcaaggttcc tccaaagata aaaccctgtc tgccttcgct 60
 ggcctgaaat tcggtgacta cggctccatc gattacggcc gtaactacgg tgtagcatac 120
 gacatcgggt cgtggactga cgtcctgccca gaattcgggtg gtgacacttg gactcaaacc 180
 gacgtgttca tgactcaacg tgcaactggt gttgcaacct atcgtaaaca cgacttcttt 240
 ggtctggttg atgggtctgaa ctttgctgct cagtaccaag gcaaaaacga tcgtagcgat 300
 ttcgataact acactgaagg taacggccac ggcttcgggt tctctgctac ctatgaatac 360
 gaaggg 366

<210> 301
 <211> 199
 <212> DNA
 <213> Homo sapiens

<400> 301
 gcgataccta ttccgtttct attccgctgg gagccaccat caatatggcg ggcgagcaa 60
 tcactattac cgtgttgacg ctggctgcgg ttaatacgtc gggtatccg gtcgatctgc 120
 ccacggcgct gctgttgagc gtgggtggct ctctgtgtgc ctgtggcgca tccggcgctg 180
 cgggggggtc tctgctgct 199

<210> 302
 <211> 140
 <212> DNA
 <213> Homo sapiens

<400> 302
 gccaacgcgc agcaagggtc gcccagtggt atcaccctga agctaaataa ccttgctgat 60
 aaaggcctgg ttgatcgtct gtatgcggcc tccagctcgg gcgttcgggt taatctgctg 120
 gttcgcggaa cgtgttcgct 140

<210> 303
 <211> 441
 <212> DNA
 <213> Homo sapiens

<400> 303
 cgcgcaatg acgctcatcc ccggcacaca tctgctggaa aacatccaca acatctgggt 60
 gaacggggta ggcacgaata gcgcgccgtt ctggcggatg ttgottaaca gctttgtgat 120

```

ggcgttcagc attacgctcg gcaaaattac cgtctcgatg ctctcggcat ttgccattgt 180
ctggtttctg tttccgctac gtaacctctt cttctggatg atttttatca ccctgatgct 240
gccggttgaa gtacgtatct tcccgcggtt ggaagtcatc gccaacctgc agatgctcga 300
cagctacgcc ggtttaacgc tgccgctgat ggcctcggcg accgctactt tcctgttccg 360
caagttaaat atgtcggggc cggacaaggt ggtgccagcc gcgcggatct ccgggtacgg 420
acctagagtt cgtaagcaag a 441
    
```

```

<210> 304
<211> 402
<212> DNA
<213> Homo sapiens
    
```

```

<400> 304
ctgtgcgaaa tgtttgctg atgcggatga atgcccctcc ggggcgttt aacggattgg 60
tcgcgatatc agccttgacg ctctggaacg ggaagtgatg aaagatgaca ttttctttcg 120
cacgtccggc ggcggcgtca cgctttctgg cggcgaagtg ttaatgcagg cggagtttgc 180
taccgtttt ttacagcgac tgccgctgtg ggggtgtgtca tgcgccattg aaactgccgg 240
agacgcacca gccagcaagc tattaccgct ggcgaaattg tgcgatgaag tgtgttcga 300
tttaaaaatt atggacgcga ctcaggcgcg ggatgtggtg aagatgaacc tgccacgcgt 360
gctggagaat ctgcgtttgc tggtgagtga gggcgtcaac gt 402
    
```

```

<210> 305
<211> 346
<212> DNA
<213> Homo sapiens
    
```

```

<400> 305
tacctgttat tgtttgctg ctctcctgtg atgtctctgc tggttgggct ggtgtacaaa 60
tttaccgccg aacgcgcggg caaacagtcg ctggatgatt tgatgaacag ttcgctgtat 120
ctgatgcgca gcgaattgcg tgagatcccc ccacagact ggggtaaac tctgaaagag 180
atggatttaa atctctctt cgatctgcgt gtcgagccac tgagtaata ccatcttgat 240
gatatttcca tgcaccgact gcgtggcggc gaaattgtcg ccctggacga tcagtacacg 300
tttttgcagc gtatcccgcg cagccactac gtgctggcag ttggtc 346
    
```

```

<210> 306
<211> 207
<212> DNA
<213> Homo sapiens
    
```

```

<400> 306
    
```

```

gttgaattat tcctcagcga tgaaggcga gatgtggtga ttgaagtcgc cgatcagggc    60
tgcggcgctc cagagtctct acgagacaaa atatttgagc agggggtcag tacgcgtgct    120
gacgagcccc gtgaacatgg cattgggttg tacttgattg ccagctacgt aacgcgctgc    180
ggtggtgta  tcaactctga agataat                                     207
    
```

```

<210> 307
<211> 214
<212> DNA
<213> Homo sapiens
    
```

```

<400> 307
tcgacgccat tatcgcccc gatgccaacg cctgcccgc tgccgcacaa gccgcagaaa    60
acttgaaaaa tgacaaagta gcgattgtcg gattcagtac gccaaatgtg atgcgcccgt    120
atgtagagcg cggcacggtg aaagaatttg gcctgtggga tgtggttcag caaggcaaaa    180
tatcagtgtg tgtggcggat gcattacagt aaaa                               214
    
```

```

<210> 308
<211> 129
<212> DNA
<213> Homo sapiens
    
```

```

<400> 308
tacatcgtag tgacggggaa aacacattgc ggtacgccac ttactaccgt tacaggagac    60
gcaacgcaat cgggttatct gacgctgaac ctgcctgaaa tgtgggaagt gtcaggttat    120
aacctggtt                                     129
    
```

```

<210> 309
<211> 358
<212> DNA
<213> Homo sapiens
    
```

```

<220>
<221> misc_feature
<222> (1)...(358)
<223> n = a,t,c or g
    
```

```

<400> 309
gccggttttg cgcgatcaat ggtgcttagc gatgactcaa cgtaccagtg gcccgactgc    60
aaatctgccc gccgggccag taaggagtac cccagttcat caagaagctg gcttgccact    120
ttcggcaacg cgaccggatt aagcttcaat gactttgtct ggttatttgt aagtgcgctt    180
    
```

aaccgtgcct caataatddd cattttcccc gcgacatcgt tgagctgctg cggggttttg 240
 ctggcattaa tatcgggttc cacaccttca actgaagaag taatcccgtt ctgatatagc 300
 tggcgatcgg tcgcgataat ggcgntctgc tctttttcta tttgctgcaa gaccgtgg 358

<210> 310
 <211> 253
 <212> DNA
 <213> Homo sapiens

<400> 310
 tggcggcctt cctgagagaa tattgccgag gagtacgcga ctaaaccgta tcgttctaac 60
 gtcacaaact gggggatggt accgctgcaa atggcggaag taccaacctt tgaagtgggg 120
 gattacattt acatcccctgg cattaaagcg gcgctggata atccgggtac gacgtttaa 180
 ggttatgtga tccatgaaga tgcgcccggta acggaatta cgctctatat ggaaagtacg 240
 gaagccagaa cag 253

<210> 311
 <211> 304
 <212> DNA
 <213> Homo sapiens

<400> 311
 gctgcaaaact gaaattggca gcatgggtcta tgcggtgaaa ccaggcgatg gttctgcgcg 60
 tgaacaggcg gcgagctgcc agcgtgtgat tggcggctctg gcgaatattg ccgaggagta 120
 cgcgactaaa cgctatcgtt ctaacgtcat caactggggg atgttaccgc tgcaaatggc 180
 ggaagtacca acctttgaag tgggggatta catttacatc cttggcttta aagcggctaa 240
 gtatagtcgg ggcacggcgt ttacagtcta tgcgatctcc gggtaaggac ctccaatctg 300
 ataa 304

<210> 312
 <211> 344
 <212> DNA
 <213> Homo sapiens

<400> 312
 actctagagg atctgctgat ggcgttagat ggagagcaac atcttcagca acaggtatcg 60
 gaaaaagtat tagccgataa tgtgttaatt gccccctgggt ctgttaaacc tgatgcgaca 120
 ttctggtcgg ccttaatcca ggatcgctat aacgtgatga cctgtattga aaaagacgcc 180
 tgcgtcctgg tcgagcaaga tctgaatagt gatggtcagg cggagcggat cctgtttgct 240
 tttaatgatg acagagtcac tgtctatggc tttgactcag acagaaaaga atgggacgcg 300

cttgatatga gtttacttcc gaacgaaata acgaaagaaa aatt

344

<210> 313
 <211> 630
 <212> DNA
 <213> Homo sapiens

<400> 313
 agagtcaaat agcagatgca ggaagatgcc aggtgaaaga tgccgggggtg gccagctcg 60
 gctgtccctg ctgcttgacc tgcccactcg cctcttccc caccoccgac aggtgattga 120
 cttcggatcc gccagcattt tcagcgaggt gcgctacgtg aaggagccat acatccagtc 180
 gcgcttctac cgggcccctg agatcctgct ggggctgccc ttctgcgaga aggtggacgt 240
 gtgggtccctg ggctgcgtca tggatgagct gcacctgggc tggcctctct accccggcaa 300
 caacgagtac gaccaggtgc gctacatctg cgaaaccag ggctgccc a gccacacct 360
 gttgcacgcc gcctgcaagg cccaccactt cttcaagcgc aacccccacc ctgacgtctgc 420
 caaccctgg cagctcaagt cctcggtga ctacctggcc gagacgaagg tgcgccatt 480
 ggagcgcgc aagtatatgc tcaagtcgtt ggaccagatt gagacagtga atgggtggcag 540
 tgtggccagt cggctaacct tccctgaccg ggagggcgtg gcggagcacg ccgacctcaa 600
 gagcatgggt gagctgataa gcgctgctc 630

<210> 314
 <211> 2285
 <212> DNA
 <213> Homo sapiens

<400> 314
 cgccttgtaa agaaacgagt tgagtgtagg cagtgtggga aggccggcag gaaccagtca 60
 acgctgaaga cgcacatgcg aagccacacg ggggagaaac cgtacgaatg cgatcactgt 120
 ggtaaggcct tcagcatagg ctccaacctg aatgtgcaca ggcggatcca caccggggag 180
 aagccctacg aatgccttgt ctgcggggaa gccttcagcg accactcatc cctcaggagc 240
 cacgtgaaaa ctaccggggg agagaagctc tttgtgtcat ccgtgtggaa aaggctccag 300
 tgagcgcgcc tgctttagag acacaggatg attcagaccg gaaacagacc tcgtgggtgt 360
 aagaggaagc ctctgtgagc tcgcacctta ctgggtgcaa aagaatccac ggaacttggg 420
 agaagtccag ttctgtgtaa aactgggaag acgaggcgtt ctcatcccat aggaggtttg 480
 tgagaactca cgccgggggt gaaaatgtac gtctgtagca tggagaagcc ttcagggtac 540
 attcagctct taacaaacac aggaggactt aatggcagct tggcatttaa tgtcaaaatc 600
 caagccgtgg catttaatgt caaaatgact tcagaccact tctagccttc tgggccccatg 660
 agtaataatg agcacactag ggagcatctc tgtaaacaca gtggctgggg aaacccttc 720
 tagtctcact tgattcctca tgacggaaat cacactaaag agagaaatca gtgaagtaag 780
 gaacgtggaa ggtcatgaat gggccgcaaa ccacggccag ctgcttgtct ttgtatggct 840
 tgccagctaa caatagtgggt tccatcttta aggaagaaga atgtttgatg gagaaaattt 900
 gtggccaatg aagtctgaaa tacttctctg catctgcccc tttccagaaa aacttggccg 960
 acccttggtc tacagcacgg gttctcagtc gggcgacgat ttggctgtgt aggcgtcatt 1020
 tggcaatgct tagagacatt tttggtagtt agaatggggg gaagatactc ctgacttgta 1080
 ataagaagac atcagagatg ctgctaagtc ggctccagca cacaggagcc ccccaaacg 1140
 aagagttagt gccccaac gtcactgttg ctgaggttga aaataatcat gcagtcattc 1200
 ctcaattact gcctccagca attcctccat ttttatgaat cttgtgagca cttacgctag 1260
 gagaaatttc ttttcaaaa cttttaaat acagttagt ctgataatc ctatgtggaa 1320

atgattccag	ccatgggtccc	ctcacttgag	catgtgaata	ttctcacgga	gagaagcccc	1380
agcgagattt	tccgggtgaat	acgggattgc	acttactctt	tcatcacgga	aacagacccc	1440
cgagagaagc	cccaacgaga	ttttccggtg	aatacgggac	tgacagtact	ctatcatcat	1500
gaaaacagag	ccccgttcat	aaatTTTTca	tctttatTTT	taagggtata	ctcctctaaa	1560
taacccttaa	gcctcatcaa	gaaaggtttg	tttatagtat	ttttactata	gcttcatcct	1620
tgataacgtc	ctaatttccct	tctggacaac	ctccttgacc	aatggcatat	tgagatctat	1680
gtgacatgag	gatatttctc	agtaccactt	tgttactggg	acctgatgca	cacggattgc	1740
gaccagagca	tgatgcctcc	atcaagtggg	aatatgtttg	cagcctgctg	tccagccaag	1800
agtgacagat	acttctagtg	acttccccgg	tatccactct	catcttcttc	caatatcaag	1860
agaatccagg	ttctgtcaga	ttagtaagggt	gtgctaactc	aaatTTTaaa	aaatctctta	1920
caggTTTTct	tgacagtggg	accatccatg	tctcacagcc	ctggccactg	acagatcagc	1980
agatgtcacc	acatgggctt	ctgagaaagc	tcttgaatgg	ggatcgttct	taaacaatgaa	2040
ttcctccctg	tatgttttgt	tctttgcttt	acttttcacc	tgcaaagag	atccagtacc	2100
tagtattgga	agatccacct	taacgacctg	gcataatgaa	accacagtct	aaggaagtga	2160
ctgcagaaag	ctcacagcga	ccctggcctc	cctctgtggc	tctttgagtg	tctgcagcag	2220
ccctggactt	ccagacttct	atcacatgag	aaaaaataaa	actgattatt	ggtttaaaaa	2280
aaaaa						2285

<210> 315
 <211> 1316
 <212> DNA
 <213> Homo sapiens

<400> 315						
ggctgtctat	cagtggataa	ggtgggggct	gtctatcagg	ggagaagggtg	ggggctgtct	60
atcagtggag	aaggtggggg	ctgtctgtca	gtggagatgg	tgggggctgt	ctgtcagtgg	120
agatgggtgg	ggctgtctgt	cggtggagat	ggtgggggct	gtctgtcggg	gtagatgggtg	180
ggggctgtct	gtcgggtggg	atgggtgggg	ctgtctgtcg	gtggagatgg	tggggctgtg	240
ctgtcgggtg	agaagggtga	agcttgtact	cagagcaggg	gataattaga	cttgaagggg	300
ccagggagga	aggtactggg	tctactaagc	cccattgtca	ctgggcagcc	actaagttag	360
ggaccgtgtg	tgtaccgagt	ggattccgac	aaagaagctg	tctcaggagc	cccagccagc	420
tgacaggggg	ggcccaagct	ccaaggctgg	gtgtcagggt	tgccagggtg	tggctccgct	480
aggggcccga	ggctgcgctg	ggcgggactg	ggctgggctg	gtacctgtgc	ccgggtgcag	540
gccagctgta	gttgcagcgg	tcagctgccg	ctctctggcc	ccatgcgaac	tgctgtgcca	600
ggtgcaccct	gggggaccag	gctgcctggg	cttctctggg	ctggtgaagc	tgccgccact	660
tcctctatgc	tgtctccagc	aggcaattct	gggtaaacga	tcttcatttg	cctataaage	720
tgacacagtc	acaggccttg	gaccgtttct	gccccagccc	cagcattggc	cctttggaca	780
gactctgaaa	ccgtgcgcag	aacgcaccct	gtcattacaa	atgactcctg	gaggcagtc	840
ccgggggctt	ggcaggagca	cctgtgtttc	tgtgggggtc	gaaaatgaca	gaccaatcgc	900
ttgaaccctg	gaggcgggaa	ttgcagtgag	ccgagatcga	gacattgccc	tccagcctgg	960
gcaacaagag	caaaactcca	tctcaaaaaa	aagaaaaaag	tgccgagtg	agtcgtcacg	1020
cccgtaatcc	tagcactttg	ggaggcagag	gtgggctggg	cacctgaggt	cgggagttcg	1080
agaccagcct	gaccaacatg	gagaaacccc	atctctacta	aaaacacaaa	aattagccgg	1140
gcgtgtgcat	gcctgtaatc	ccacctactc	aggaggctga	gggaggagaa	tcgcttgaaa	1200
ccgggagccg	gaggttgtag	tgagccgaga	tcgtgccatt	gcactccagc	ctgggcaaca	1260
agagcaaaaa	ctccatctca	aaaaaaaaaa	ggagagagag	aaaccgggac	cgcaag	1316

<210> 316
 <211> 2486
 <212> DNA
 <213> Homo sapiens

<400> 316
 tttttttttt ttaaacaataa ctttatttgg aatagttttc aaatatgttt acaacagcac 60
 actgttcaag aggaagtctc gtccttcgca gcacacaggt tgaatcgccc cgcacccac 120
 ccggggcccc accccaggcc tgagaactcc tcctgggatg gggagaagtt atgagagggg 180
 gaaatacggg gatgaatggg gtggctcccc agcggctccc cacttttcta ttacgagaga 240
 aaaaagcaca aatgagaaag tgggggagag gtgatggaca gctgacagct aagctggagg 300
 agggggcgccc aggatggggg aggcggaagc tgggtgggta gtaaacaggg cagcccctcc 360
 ccagcagctc tagccttgaa cccggggccg tggcttgggg ggacttgccc tcttctgttc 420
 ctttttgcag ggatgccctc cccactcagc tgagggaaag ctggacgtta aatctagcg 480
 gagaaataaaa ttaaggagtt ggggggaaac gctgctggga ggaaagactt gggcttgggg 540
 ctccccctct gtctttttgg gggatgactc ctctttggca gggagagggg cagctgcttt 600
 gtctggcttt caaagcccaa ggggtgaagac aggtctgttg gggaaaaaga gagcggaggc 660
 ttccctaaagg gcctagacc ctgcaggat tggcagagag gattccccgg ggagggggccc 720
 aggggagatt agcagcgggg aggttcaaac ccacgcctc cctttccaa agtcagctg 780
 cttctcttta aatggattt gaggaatggg gggacatggg aggggtggga gtagaggaag 840
 gagggagggg ggactgggtg gaacttaaat aagattttaa attgttgttt ttttaaaaaa 900
 attctagcaa gcaaccact gaacatgtca ctaaaaatct ctcttccca ggcaggatta 960
 ctccgaaagg aaggttggcg ctctgtcat ttgcccttag caagtggggc ctgtgggttg 1020
 gtgggatggg ggtgtgggtg ggggctggag ttaagcgtga gcccctcttt ccataccctg 1080
 tccttgata caccagcaag acctggtctg actggagtg agaaactcgt ttaaacagg 1140
 cagaagtggg ctgggagggc tgaagggctg gggggctgtg gggaaagaga aagggaaag 1200
 tgggagaggg ggaggaggg tgaaggggat gagggggagc agctggtgtt tctgtccctc 1260
 tgattatctg ggcttctctc tccccctacc cctggagggt ggggtggggg tgaattaga 1320
 tgcaaggaac tctggggccc tctggctgtt caatccaacc ctcccacccc ccgaccaa 1380
 aaaaagaaaa aagaaaaaag aaaaccatg ggggacagc catgccccta aaactcagaa 1440
 aactccttgc ccaaaacttct cattgatgga aaaccggat ttcttcttcc tcatagctg 1500
 caaagttaac tcgtatcccc agggccttta aactttggta tgaagggagc ttccacctt 1560
 ctctggtaga tggcaatcca gtcagtgtg gcaaaccact tgtggttctt gatctgtg 1620
 acccattct tgaggttccc aaagcgttg gtgagatcta cctgcaggag gttccgcagc 1680
 aggtccttca agtcagagct gaagtgggaa gggaaagcga ccttcccaga gacgatctt 1740
 tcatagatct ggtgggctg gtctgcgaag aaggcgggt agccagcggc catttcatag 1800
 ataagaacct ccagggccca ccagtcacg gccttgtgt agcctttgct caggataatc 1860
 tcaggggcca ggtactcagg ggtgccgcac aaggccaag tgcggccctt cacgcgctt 1920
 gcgaaaccga agtctgtcac ctgaatgtag ccctgctggt caatgagcag attctcggc 1980
 ttcaggtccc tgtagatgag atccagcgag tgcagatac caaagtcag gacgatctgg 2040
 gccgcgtaga aacgggcatg gggctcactg aacctccga tccgcttag gtgtgagaac 2100
 atctccccgc cgggcaagta ctccatgacc atgtataagt ttgagttgtc cttgaaggag 2160
 aactcgagtt tgacgaggaa cggaaagtg acagcttgc ggatgcgctt ttcattcagg 2220
 gtgtgttcga tctgtttcag tttccccacc ttctgttagt cgaggatctt catggcatag 2280
 tggttcccgg tctccttgtg tttaccagc atcaccgcc cgaaggagcc cgtgccagg 2340
 gtcttgattc gttcaaaact atccaagtgg gctgtgttct gagcgggact ttcccattt 2400
 ttaagaaat cttctttggc tttggctaag aattcttca cgtctcctg ctgctgccc 2460
 ttcttggcgg cggcggcgtt gcccat 2486

<210> 317
 <211> 867
 <212> DNA
 <213> Homo sapiens

<400> 317
 ttttttttaa gtttatataa ctttattata agtattaatt tgtttgaatt aagtttata 60
 aactttaata taagcattaa tttgtttgaa atataaagta ttataaata ttgtaattaa 120

gcttacagat	aatTTTTTaaa	atatatacat	tatgactaat	ataccaaaat	tattttatatg	180
tacacattta	tattttaatac	ccaaagaaaa	tttactacca	cattgctaca	gtagatatta	240
acctgacatg	tttattaatt	gatcctatag	gtataattat	aggtcagcat	aatTTTtacg	300
tctattcttt	tattttacta	aattaggaat	gccactattc	ccggacaaat	aatgacaggt	360
gatgtggcca	ccaagaatc	atagtagctc	ttcagttagc	tatcttgcaa	tctctgatat	420
aattctacta	tgtgaataga	gtgaattcca	attcttcac	aaaaagtgt	ggtggaggtt	480
gtcagggtgt	ttccagtata	gattcccaat	ccaacggccg	gcagatggga	gagcagcaga	540
gatggaaatt	gtgctcagaa	taagccctct	ttctcataat	acttgtattt	ctcatgctga	600
gagtagctgt	gcacttttgg	tgtttagaga	agaacttctt	tggaagaata	ttttctggtc	660
aaattgggca	atgttacatg	taatctgaat	tagtctgtaa	gattctttca	acctcttttc	720
ttctctcaat	acggTTTTac	tcagactgag	agctgtcttt	ctcttcaatg	ctttgggaat	780
tcagtgtctt	gtgtctaagc	ccctattagt	atcacatggt	gtctgtgagt	gaggggggct	840
gtcaccgtga	gaactcctgg	agctgct				867

<210> 318
 <211> 1683
 <212> DNA
 <213> Homo sapiens

<400> 318						
ggcacgaggt	aggaaccagt	ggtctatgtc	ccgaccacta	cttggcttga	tagggcttaa	60
tgaaaagggtg	agagagccag	ctccctgggtg	ccaacccaga	agcagtggca	accacgcact	120
tggtatcacc	aagccctggg	agaaatgtgt	atagaaacac	cccacgggtg	tgaacacagg	180
aaaatgggtc	atttactgag	caagtcccat	ttgtgctttc	agtatcacat	aatcatttaa	240
ctgttagaag	tcagcatgtg	tggtagctca	cagacacagg	ataaaggagt	gtttccccta	300
ggcagtaaga	gaaacctttc	aaggaaataa	tgtacctggg	tatcagagga	cctaagacct	360
aagtctctagt	tctagctctg	ctataaacia	gtcttgagat	tctggtaaaa	gaaaggtctg	420
gataagatga	ccctTTTTaaa	gtgctttaca	atTTaaaaat	tcttgatatt	cttagtagga	480
tgaagccata	ttatcccaca	agtgcttgcc	tgaatttctt	ttttaagggt	ccaattttag	540
tagacattcc	attcctcctt	agagaagaac	attcttcaac	cctgcagatg	acggagggct	600
aatctgcctt	cccctgcttc	tctaaccttc	tgtccactc	cttgccccac	agtatttttc	660
tgacctaaaga	aacagtattg	tgaacagcca	gccaccggag	aagcagcagg	ccatgcacct	720
gtgttttgag	aacctgatgg	aaggcatcga	gcgaaatctt	cttacgaaaa	acagagacag	780
gtgagtataa	agcgtcctgc	ctagaaatct	cagacaattg	ctatttttca	aatcaacgaa	840
acaggcagtt	gctTTaaagt	ctttgacatc	tgtgtttgga	ggccatctaa	agcaatgcaa	900
tccaatagaa	aagtgagcca	tgTTaaacag	gcaaaattca	ttttaataat	atattttatt	960
taaccattg	tatctaaaat	attgtatcag	tgtgtaatca	gtattttaaa	attgtggggt	1020
ttcacattct	ttttgtacta	catttccaaa	atcctgtgta	ctttacattt	aacagcatat	1080
ctcagttcat	acgttttcat	cagaaatact	tgattctgat	ttagatttca	taaatttaca	1140
gttgacaaag	tagattcctg	taataaccag	attgtttcaa	acacacctag	ggactttcca	1200
gtaactgcat	tgagtatctg	ggctttgcaa	ttaaactttta	aattttattt	aattttaatt	1260
aattttaaac	aaggcatttt	aattttaaat	taagatgcag	ttggggagct	gaatgttaaa	1320
ttgtatttaa	tttggattca	tgTtctcagt	cacactggcc	ataattcagg	ggcacggtag	1380
ccatatgtgg	ttaggcagcc	gccctattgg	gacaggcata	gcaactgcacc	acctgggtct	1440
tgctggcatt	aaggaaatga	ggatgggctt	cattgggctt	tactggcoct	tcactgttga	1500
gggcaacttc	ctacttctgt	cagtgagatt	tcttttgtgc	tgccatgagc	ccaagtgagc	1560
cctcagggcc	ccagatttga	ccagatctct	aagccaactt	ttctcttaga	gtcttaagac	1620
tgaattaac	tgatctttga	aacagaacct	atcaattcat	acattctact	tcccatgctt	1680
taa						1683

<210> 319
 <211> 1606

<212> DNA
 <213> Homo sapiens

<400> 319
 tttttttttt ttcgtatttc aagggttttt attctgagca gtaggtacaa aaaataatga 60
 catagttgtg tctaattctg tatagttcag gcaccctcca caggctgtca atctctgatt 120
 tgatctactt ttaccagatt taacagatcc ttgaatttac tttactgtat atacttcctt 180
 cttgctcaca ttgggaatca aactaatgct ggaaacatgc atcttcagac ttcattgagg 240
 aattccagat tgagacacgc tgggatgtgg attgagtcca tggttagaga agatggatta 300
 aatggaaaaca aaacagggaaa catgtgcttg gcatctaata gcagttgctg agggtcattc 360
 cgctcttgta gttgtgcctg gattgttcgt ataaaggcca ctggtaccgg ttcttcaaat 420
 tcattcaggg gagtataaag gtttaaaatt ttgacaatct gctgggtgct gaggagggta 480
 cacagggagc agatagcctc tgcgtcctcc tgggttttct tctttaattg caggagctgg 540
 gctgcttgga tcagaggttc catggtctga actgctccac tctggtgaag gtttcttccc 600
 cgaagccact cctcaagctg acttatattg tacctgagtt gcatgcctgt gctccaagag 660
 cagacgtcct tccgcaggag caggtcatta agagtactg cgttgatcat gtagaagagc 720
 tgtttgaata cctgcaggat gatctcaggg tccaagccct ggtcacacat gactgtatga 780
 aaggcattca tctggcggat gatagcttcc aggcggtatg agttatcctc atctgccatg 840
 ctggaggagt gcttctggga gccagtgggc ttcacaccag atagaccctg aatgctctaa 900
 tttccaaca tggcagaaac tatcatcggc tgaacacac cctcggcaat tttaatgagc 960
 tgctggtaga tctgaatgga aaggtcacgt caggcacctg acggtattcg gtgaggtaa 1020
 aattcttaag acagtgttca attctgcttt gcagtgttct gagtcatgaa gccctcatcc 1080
 ccgctgtact gcttcagaca gtgaagaagg cgggcagggtg ttggataacc agaatgacgt 1140
 catctcaaag tcatcattgt gctttttcag gactttctta atgccgttga tgggtggagg 1200
 cagcagggag tgcaccttga gatcgtcgtt ggtgtagtcc cgcgtgccgg atgcacatgt 1260
 agaggatgta ggcgggggaga cagggcactg tgcgccagac catctggggc ttcaagtctg 1320
 tcaccaggtt ccggatgagg agggcctcgt cctctttgtg gtactccagc atgccctgga 1380
 aatccttctc tttccgctgg accgtgacct gctgttgag ctcatggcgc ttcctctcac 1440
 tctgggcaa tgctgggca gcttctaggt cctgggcttt ctctcatgaa atcttcagtt 1500
 gctttttgag ctccctctca ttcttttcca gctttctac cagttcttta aggtccagat 1560
 tctcgttggg cagccgggat atttctgct gaacgcogct cgtgcc 1606

<210> 320
 <211> 676
 <212> DNA
 <213> Homo sapiens

<400> 320
 ggcacgagga gaatactatt cttaaagctg ctgaagtgca ggtcccacca aatgagtag 60
 taacacctga agcaaaggcg tttatthgac gatgtttggc ctaccaaag gaggactgca 120
 ttgatgcca gcaactggcc tgtgaccccc tacttgctgc attatatcca aaaattggtc 180
 tttgtgagta gccctgctgg ggctgctatt gcatcaacct ttgggggtgtc caacagctgt 240
 tcttcgaatt gagactgact ccaaggccac aaactgttca acacacacaa agtggacaaa 300
 tagcatttag cagcaggttt ggaacgtaga gaatctgaat ggatctgatg aaacctgaac 360
 cagggtctta tttgtttgct tttttcccat ccaactgagca tgacagcatg gattctcttt 420
 aaggagaaac catggggcagc tccagccagg cctcatagga aaaggcccgg catgagggtc 480
 tggcgtcaat ggccactgtg tatggctgct ctgagtgagg aaaaaactaa aaagaaaaac 540
 tggttccatg tactgtgaac ttgaaaacat tgaaaacat gcagactcac gggggttcct gatgcaatgc 600
 ttcagatgaa gattgtggac ttgaaaatac agactagaag gccggggcaca gtggctcatg 660
 cctgtaactc cagcac 676

<210> 321
 <211> 1502
 <212> DNA
 <213> Homo sapiens

<400> 321
 tttttttttt ttttctattg cttaatagaa aacatatttt tattccgtac tttaaaaata 60
 tagactttct agcaacttat aaatttctat tataataata aattgatact ttgagccaag 120
 aaaacaatat aaccaaaaat tcatttggtc cctttgttta ggggtgtttt acatttatgc 180
 ataattttgc ttttataaaa gatgattggt acaatcaggt atacaactac ttggttatgt 240
 ctaagtctcg tctcttaaaa tatgttcttt tagagaattc atttaatcat cttattcttt 300
 tcttcaattt tctccaaaca gtggtagaag tactatttga tagacagaat aaagaaaatt 360
 gtttttggtc acaccagat cactactgata tctacagcat agtctggct acaggggagc 420
 tcaactctaa ctctggaagc gggcctggt tagaaagtaa caatgaggta gtaactcatg 480
 atagtgttag ctgttatcaa aaattaacaa cttaggtat ttttgtttg ggtttttgcg 540
 gtttaggtac atccaaaatt tcttcatagt ctgactcat tccctttgcc cagcgaccaa 600
 ctgtgacct togtctgaa ttctgacttt cagggcaatc tttctttaa tgttccacag 660
 agccacaaag tttgcaaccg ccaccatcag catagagtc tttgggatta tcaggacaag 720
 atctagacag gtgccccatt tctccacaaa caaacattt tgcaaaagga aattcgccaa 780
 gagccgggtc tacttttagc ttacacttgg ttatttctgt ctctgtggac ccacacctgt 840
 aacatatccc agtgcccatt tcttgatttt caagggcggc ggggcaatct gcaattccat 900
 gaccaggttt tctacaatgg aaacacacca ttgcattttt ctttgccgct tgtcttttta 960
 atcttcttcc ttcccgtcga ctgtctttct ttaaagcaac tgcaatttct tcccttactt 1020
 cctcactgtc tgttgctata atttgccat tgtgaacct ctgtgaattc tgtcttaggt 1080
 attccatgaa tccattcaca tcttcattta agtactcttt tttctttttg ttctttttat 1140
 gttttgcttg ggggtgcatca tttttgaggg atagcctatt ggcttcaagt tgtttacgct 1200
 ttggtaggtt ttggcttgtt cctcaaagg atcccttctt catgtctctc catgatgttg 1260
 caggcaaggg tctcttgta tatgtgttac taactcgggc ccacctggtc ataatttcat 1320
 cagtggtaac ttatcaattt ttaagacaag caggggtggt tagccatcaa caacaaaaac 1380
 aacaaaacta aagagacatg ctatatcact atatgtcaca tatgccata tgttaaactt 1440
 ttaattatta aaacactttt tatttcagtt agatatctgt atacatattt aatggctata 1500
 at 1502

<210> 322
 <211> 989
 <212> DNA
 <213> Homo sapiens

<400> 322
 gttgggtct cactctgtcg cctaggtcgg agtgcagtg cgtggatctc tgctcactgc 60
 aagctccgcc tcccgggttc atgccattct cctgactcag cctccggagt agcggggact 120
 acaggcgac gccaccaggc cgggctaatt tttttttttt gtatttttag tagaaacggg 180
 gtttcaaccg gttagccaga atggtttcta tctcctgacc tcatgatccg cccacctcgg 240
 cctcccaaag tgctgggatt acaggcgtga gccactgtgc ctggccaaac gctggtaggt 300
 ttgggagtga gaccacatta catttaaat tatttacaat gttttctgct ctattcttta 360
 gtgactttt cctcacgtgg tctacgcct ttcttctaa gtttatttct atatagccta 420
 tccctgtcta caattttaat tgggatcttc tatattctag ttattatttg taaataagaa 480
 aactactgac ttttttctag tatattttct cagaatagga ttttctattt ttctataaaa 540
 tgaccaatgt tatgaagctt cgtaagtttt gtcaaagtga tacacacata cagcaaaaaa 600

tcaaatagta	cagaagtata	aaagcaacaa	cctctgcctt	gcccttctc	caccttcagg	660
ccccctccc	agatacaata	atTTTTtagct	ttttattttt	aattattctg	gttgttacct	720
acataactct	gggcaatatg	gaaaagttat	tgattttgta	tattaatttc	ataatcagtt	780
accttgatga	attctcttgt	ttctagtagt	ttttctttag	ggttttaaag	ggatacaatc	840
ataccatttg	cagttagtaa	ccatTTTTatc	tcctcttatt	tccaacttcg	tactgttttc	900
tcttgtctaa	tttgTTTTta	attggTgggt	acttctagaa	caaggttaaa	taaaagtggg	960
gttggTgggc	gtccttattt	ctgatatta				989

<210> 323
 <211> 1106
 <212> DNA
 <213> Homo sapiens

<400> 323						
tcggacgcgt	gggegacgc	gtgggctcgg	tcgcttagtg	tgtctcctag	ttcctatcct	60
gaactacaca	ctgaagttcc	actgtctgtc	ttaattctgg	gattgcttgt	tgTTTTcacc	120
ttatctgtct	gttttggggc	tggtttattc	gtctttgtct	tgaaacgccg	aaagggagtg	180
ccgagcgttc	ccaggaatac	caacaactta	gacgtaagct	cctttcaatt	acagtatggg	240
tcttacaaca	ctgagactca	cgataaaaaca	gacggccatg	tctacaacta	tatcccccca	300
cctgtggtac	agatgtgcca	aaacccccatc	tacatggcag	gaaggggaag	gagacccagt	360
agcctattac	cgaaacctgg	caaggagttt	cagctattag	gcaacctgga	ggagaaaaaa	420
gaagagccag	ccacacctgc	ttacacaata	agtgccactg	agctgctaga	aaagcaggcc	480
acaccaagag	agcctgagct	gctgtatcaa	aatattgctg	agcaggtcaa	ggaactcccc	540
agcgcaggcc	tagtccacta	taacttttgt	accttaccta	aaagggcagt	ttgccccctc	600
ctatgaatct	cgacgccaaa	accaagacag	aatcaataaa	accgttttat	atggaaactcc	660
caggaaatgc	tttgTggggc	agtcaaaacc	caaccaccct	ttactgcaag	ctaagccgca	720
atcagaaccg	gactacctcg	aagttctgga	aaaacaaaact	gcaatcagtc	agctgtgaa	780
ggaaatcatt	tacaacctta	aggcatcaga	ggatgctgct	ccgaactggt	ggaaacaagg	840
acattagctt	ttgtgtttgt	ttttgttctc	cctttcccag	tgTTaatggg	ggactttgaa	900
aatgtttggg	agataggatg	aagtcatgat	tttgcttttg	caagttttcc	tttaaattat	960
ttctctctcg	ctctctctct	cccactccca	cactgaaaaa	caaagaagaa	aaaagaaaca	1020
aaaccataaa	caaaatctat	gaagaaatgc	attgtagaaa	cattcatgtc	cactgatggg	1080
tcctaagaag	agaagggaaa	aagaaa				1106

<210> 324
 <211> 2366
 <212> DNA
 <213> Homo sapiens

<400> 324						
gcactatgtc	acattgccgt	ggggcagcag	atgaacctgc	actggctgca	caagatcggg	60
ctggtgggtca	tcctggcttc	cacggtgggtg	gccatgtcgg	ccgtggccca	gctgtggggg	120
gacgagtggg	aggtgctgct	gatctccctg	cagggcacag	cgccattcct	gcatgtgggg	180
gctgtggcag	cagtcacat	gctctcctgg	atcgtggcag	gacagttcgc	ccgtgcagag	240
cggacctcct	cccaggtgac	cattctctgt	accttcttca	ccgtgggtgt	tgccctctac	300
ctggccccctc	tcaccatctc	ctctccctgc	atcatggaga	agaaagacct	cggcccccaag	360
cctgctctca	ttggccaccg	cggggcccc	atgctggctc	cagagcacac	gctcatgtcc	420
ttccggaag	ccctcgagca	gaagctgtac	gggctccagg	ctgacattac	catcagcctg	480

gacggcgtgc	ccttcctcat	gcatgacacc	accctgcggc	gcaccaccaa	cgtggaggag	540
gagttcccg	agctggcccg	caggcctgcc	tccatgctta	actggaccac	cctgcagaga	600
ctcaacgctg	gccagtgggt	cctgaagact	gaccccttct	ggacagccag	ctccctgtca	660
ccctccgacc	acagagaggc	ccagaaccag	tccatctgca	gcctggcaga	gctcctggag	720
ctggccaagg	gcaatgccac	actgctgctc	aacctgctg	acccgccccg	ggagcacccc	780
taccgcagca	gttttatcaa	cgtgactctg	gaggcctg	tgactccgg	cttccccag	840
caccaggtca	tgtggctgcc	tagcaggcag	aggccctgg	tgcggaaggt	ggctcccggc	900
ttccaacaga	catcaggctc	caaggaggca	gtgcgagcc	tgcggagagg	ccacatccag	960
cggctgaacc	tgcgctacac	tcagggtgcc	cgccaggagc	tcagggacta	cgcgtcctgg	1020
aacctgagtg	tgaacctcta	cacagtcaac	gcaccgtggc	tcttctccct	gctgtgggtg	1080
gcgggggctc	catccgtcac	ctctgacaac	tcccacacc	tgtcccaggt	gccttcccc	1140
ctctggatcc	tgccccgga	cgagtactgt	tcctatgtgg	tcactgccga	cctgggtctcc	1200
ttcacctca	tcgtggcat	cttcgtgctc	cagaagtggc	gcctgggtgg	catacggagc	1260
tacaacctg	agcagatcat	gctgagtgtc	gcggtgccc	ggaccagccg	ggacgtcagc	1320
atcatgaagg	agaagcttat	tttctcagag	atcagcgatg	gtgtagaggt	ctccgatgtg	1380
ctctccgtat	gttcagacaa	cagttatgac	acatatgcc	acagcaccgc	cacccctgtg	1440
ggccccgag	ggggtggcag	ccacaccaag	accctcatag	agcggagtgg	gcgttagctg	1500
aagacatgtc	tgtcccacct	gtacctgaca	cagaagctgg	ggagcctagg	agagctgggt	1560
gaagtgtgtc	tgaactcgg	gtgctctggg	agcgggctcc	acagcctcct	tgtgggctcc	1620
agcccttgt	cagccgcagc	ctctcttgag	ggggactccc	tgtctcctga	ggcccagctg	1680
ggccaggact	ccatcctttc	agatgccctt	gcaggcctgg	ggctccttct	gggaagtatg	1740
gggcctaggg	cttggctccc	ctcttctgag	gcctctcct	gtatcccagc	ctggaagctt	1800
tgatgggtca	tgggcatg	cataccccct	gtggcaatgg	agtgtgtgga	tgctcacctg	1860
tgccatctgt	cctcctgtct	gtgccaggag	gcacctgagt	tctctgctgt	tatcctgccc	1920
caagggcctg	ggccgagcct	ctacctgaag	caactctgct	cttctgttca	gtctcaaagc	1980
acaaggaggt	tcagccagg	aggaagccag	ctgcaatgtg	gagacacgtc	ctcctcccca	2040
accacctca	tgccaccgc	aacccctg	cccaggagcg	ggcctgagcc	acgtccccta	2100
ggagcagctg	gagatggcca	aaagagtgag	ctcaggacta	ctggatccca	tgcccagggtg	2160
tccagcagac	ctcaaggcag	aagggtcacc	taaccagga	gttccacaga	ctgatgtgac	2220
ctcaggttcc	cacatcagtg	gccaccaggc	agggcccacc	tggtagaagt	gttctggata	2280
tggcccaggg	tgggtgtgtg	gctaagtggg	cctgaacaga	gggaacccta	gggccccttg	2340
ccaatgtgat	taaagctgcc	atcttg				2366

<210> 325
 <211> 1925
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1925)
 <223> n = a,t,c or g

<400> 325	ttttttgaaa	tctggtccca	aagtttcaaa	agaatactaa	tgcaacaaaa	agaaataacc	60
	tctctgtata	aagtgattat	agagatgtgt	gttgaggtaa	acagcttcat	aaaaaccgtt	120
	gagcagggaa	gcacagccac	tgctatagaa	attttttaggt	aagtctgggtg	ctagcattat	180
	tctacaaaac	tgtttacacc	cattataaat	agggagcagt	tcttattgct	cctggagctt	240
	gtagctccaa	tctgttccag	ctccactgaa	aaatgatttt	tctcaacaat	tggtagcaaa	300
	gatttccaaa	tttacaaaa	gtcattacca	atgcactact	ttttgattaa	tttctgattg	360
	ccatatagat	atggactaca	gtatgcatgt	ccttgacacc	aagtacagaa	aaaaagctta	420
	gaaaagtctg	tttatcaaag	tcagttcaa	tgaaaacat	gaaaaagtgc	aaaatatgta	480
	caattcctgg	cagttctcac	acgggatttt	tttgactaca	gaccataaaa	gtttacattt	540
	gtgtaaatgaa	atgacgatgg	atttcacatc	actgttaata	tacaagtttt	tgcttcaaag	600
	tgcttacttt	atttataaaa	gagaagatca	agagggttgc	aggaattttt	ttttttaac	660
	aacaaatcaa	tgggtatgtg	cccaatctcc	ttcttctct	tcctttagtg	caacatggcg	720

cagcagcctc	atggataagg	tctgatttca	aaagacattc	ctgaaacctc	acctacagca	780
gcactctagg	gggtcccatta	gggggtggctc	tctttttctt	ctgcagccga	ttctgaacct	840
ttcagagattt	tactactttc	attctcacct	caaaaacttc	atgaatggcc	ttccggaage	900
aatgaaaatt	atagtcaatt	agcccttttc	tttcaaagct	ttcctctctg	acaagcaaaa	960
cgagagccag	gaactttgtc	acctctttta	aataaagcac	ggttgattta	ttaagcttta	1020
tgatggctgt	ggattccttg	tcataggggg	ttcctgctcc	atcttctttg	agaccataaa	1080
tacaagagat	gtcaataaacc	acatctatca	tatcacagca	gagctcatag	gtttgcatat	1140
ccaccggagt	actatcagtt	gcaatataaa	ttttactgac	cacatcaaat	agaaatgcct	1200
tttcaattcc	agaatttgag	ataaagatgt	tcagcaaatt	ctccagagtt	gggagttgtg	1260
gaatcagttt	ctgaacaact	ttgctaaaag	cttcaaatat	tgaatgatca	tatatgcttg	1320
tcagataaaa	gtcaggtga	atTTTTTcta	atccagcctc	tgcaagggtca	tcgtttgccc	1380
tctggtgaat	atctctttgg	gtttcaattt	tgtggctcct	tgacagacca	tccactttat	1440
gaataaacac	ctcgaagttg	atgtcagtat	tcactttgta	ggccctggctc	accgtgaggt	1500
ggagcctggc	cagggcttcc	atgtaatcat	cctgtgagtc	aatgacaaat	atcagtgctc	1560
ctgttccccg	gaagatcatc	tcatagtcaa	atgtagggtc	aaaaaagtca	atctgtcctg	1620
ggaagtccca	aatctgaaaa	ttgacaaaag	agctgttgga	aacatcttcc	cgccatatct	1680
tattagtgtc	ctccaagaac	agagtttctg	tgggagacat	tttgtgaaag	acaactttct	1740
gaatagacga	cttcccgctt	ctcctcaggc	ccatgagcag	gattctcggc	ttcacttcag	1800
tgctgaaggg	gtcactgaag	tccagaactc	cctcctctgt	gccgctgtcc	ggatcggcgt	1860
cggaggagtc	gggcccgtct	ccgtagtccg	ctgaattccn	ccgcngtgac	tgagtctcat	1920
tccca						1925

<210> 326
 <211> 1181
 <212> DNA
 <213> Homo sapiens

tttttttttt	ttgagatttc	ccaggactgg	ctttaatttg	aaaaatctga	ttgggggtctc	60
ttcccgtatc	agagaaggaa	cagcccaagc	tatgacccca	gggccagggg	attcagtcctc	120
caccagaccc	tgatcattca	tactagggg	gtaattccag	gctccccctg	ccagccctga	180
gacaggagga	cggatgtgaa	gttgcccagg	actagattct	gtctctccaa	agtggcccaa	240
gccctgttct	ctgtactagg	gaagccagct	gtgtcttttc	gaggacagtt	ggtccagcca	300
gcaggctcag	ttcagatacc	agacaacat	tcagcacga	gggctcagcg	ccctggcccc	360
ggcggctcgt	ccagtgcctg	tgtgcccacc	agcacatcca	tgaggtagtc	caattcggcc	420
tcgtccagct	ccggagcttc	ctccttgccc	ggccccatcct	cagggcctgg	tttgaggccc	480
tcagaggctg	gtgccc aaag	ttcattgtca	tacatagagg	tgtcaatctc	ctcaaacagg	540
ccctcaagcc	catcgtccag	tagacagcca	gtggctgggc	ccagcaggtc	caaggcaccg	600
aggctggggc	ctgctcccc	gatgctacgg	cctgggtggc	cctcgtctgc	caagggttg	660
ggagcctgac	tcaggccctc	aatgtggctg	aggctctcca	ggaggctggc	catggaggct	720
gaaagggcag	cgtccgagct	tgccagtaag	ttgtcagcca	cactgggggc	tgagggtggg	780
ctaggcacag	gtggcagggc	agcccggggt	gccatggacg	cctggatgcg	ccgcagagtg	840
ttcacgacca	gcaccaggtg	ccgcaggtcc	ggctcactct	gctgcaggct	gtggtggagc	900
ttgagcactg	agaggtcaaa	gagggagcta	gaggccacgg	ccgggggtgc	ctgtgccacc	960
gctgcgtggc	caggatctag	ccaccaggag	togactgcca	gaggttcctt	ctcctcctcc	1020
tctctccgtt	tccgcttcag	acccttgctc	agcatcttgc	tactagcgg	ccaatcagaa	1080
cgaagaggtg	gccaccaca	accaatcagg	aaacggcggc	ggcagcatcg	cttgttggct	1140
gtcctccgga	aaccgcgcgc	tgggtcgcgc	ccacgcgtcc	g		1181

<210> 327
 <211> 1842
 <212> DNA

<213> Homo sapiens

<400> 327

```

aagtacaaaa taatatttta ataacatagg aacatgaaca tgaaaacaat gtaaacaggt      60
tagaattttt ggatatgata cctaccaaac gtgatttggg accgtaccgc aactgggtaa      120
aatttctatg gcaaaaggat taaccaaggc atatcatagg aaatccactt tgcccaatat      180
aagcagttct cagcacatac tcaaatgcac acaaacatga aaatcggaaa taaaggaaatg      240
ttaaaaaaat aacttaggca gacacaaata aaaccacccc actagtgtat gaatgatgcc      300
acgtttctta tgatcttaat tacatttaag gatttaaaaa atgccactga tctcacagtt      360
tacaatatcc aaatcttcaa acctgctgga agaagtccca cagcacagcc tggaaattcg      420
catcogtgcg attctctcgt gcagttacct gcttatgggc tgtaccttct gccttgatat      480
gtagtcagtt cttcctgaag gatggaagct ctcttttgca gaaaattaac ctgtgatttt      540
agggaggaaa tgggtgtctc aagttcttgt cttagggatg ctggcatcaa tcctttcaat      600
tttgtttcat attcttgcg tatgtaagtt atctgttccg gtgactccaa ttctttgtgt      660
tgtaattttt tctctgcaca tcgcacctga ttagaacggt tttctaatto atcttgtaaa      720
accttgattg cttggtcatt atctotaatc agctgcttct tctcatcttc aaacttttgt      780
ctaacatcct ggagccgctt ttctgcagca agctgctgct ggctgttctc ttctttcaga      840
gaggaaatgg ttgtctgaag ttctgctatg atctgtgaag atttggcaag cttctgagtg      900
tattccttct caatctgctt cagcttgctg ttggcctttt ccagtgctcat ctctgtctca      960
gcagcatgag tctttttcag ctctattttc atcttttctg attcagcctt cagtttattg     1020
acgacaactc catgttccct tgtagccctt tgcttttctc cttcacgaag aagaccaagc     1080
tctaccagct gctgtttccg ctgtgagttc acattgatca attcttctct caacttgtga     1140
acctgggctc ccatgtgggc aataacctgt gcatctcggt tcttgaactc ctgaatttga     1200
ttttcgtgct ccatattggc agcgcgaagc tgtttttcca ggttttcaat ttcccgttca     1260
tggctcggga ctaggctatc cttctctgcg ttatgctgct gtaataggtg cgtcttctcc     1320
tgttcatgct ccagcttcag ctctactatc tgttgttcat accgctgtct gatgtcctcc     1380
agttgccata aaaactcctt tgattgtttc tcacgaagag atttggatct agttagatct     1440
gcctccactt tttccatttc aaagcttctc caaatttatg aattttcttt tgagtatctt     1500
cttttcttt atcaagtcca ctctgcaagt catgacctt ttttcatag atgtgtttta     1560
gatgactttt ctccatctga aacttatttt cttgatccct tagttgttgc tttctttgaa     1620
gttctgattc ctgtaactgc tgttttaatt gacagacatt ctgctctaat tcttcaatca     1680
tactagatgc cttagaagct gaaagagcat gttcttgttt tagaaggttt atatcagcat     1740
catatttggg ttgtaacagt tcatgtttt gctcataatc atttacaaga tggtccttct     1800
ctttatgcag tgtgttaacg cttgccttta cttcttgtaa tt                               1842
    
```

<210> 328

<211> 1293

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(1293)

<223> n = a,t,c or g

<400> 328

```

tttttttttt ttgacgcggg gagagattta atttcatag cagccacttg gggccagtc      60
agagctgggg cagtggggga atctataacc ccagagggta cccccagac ccccccccc     120
gggagaccag tctcaccaa cccttggatg ggctcccaag gttgtgcaga agatgctcca     180
gtcaaaaggg tagagacatt tgggaaataa aggctgtccc caaagtggg gggaaagtcc     240
acggcctggg agtgatagc ctacatggg gccccagggg gtctgagaga ccagtcccat     300
gtccctgggc gagtccttca gcttgggtgg ccctagagga aagccttctc gggcgggaaac     360
    
```

tgttccctgg	aggagggcgc	ggtactggtc	aaaatccttc	ctttccacac	gggtgacgcc	420
gccttcctta	gcataccac	aacttcccg	cacaccagcc	ttgataaagc	gcttcattcg	480
tgggacacca	gaatcacacc	aaccctgaa	attgtttgaa	ggcaaggccc	cagagcctca	540
atggctctcc	catgtccaag	gtgggtttgt	gggttcatcc	cagaatgtag	aaagtggggg	600
cagggcaata	gtccatctga	gcaaaaggcc	acttcggctt	ctttctggcc	cccaagacag	660
gctggcaaa	aggacgcatg	gccagttct	ccggagatgc	ccataccgaa	cccaagctgg	720
tgacnggtac	tcctcctcag	gccgccccag	gaaaacttgc	gtgcccagca	agttcccaca	780
agcactgaac	gttttaggtcc	cagctgctcc	cacatgggtgc	tggtgaaat	agccaatctt	840
cagattcctg	tgagcgtgtc	tgatgccccg	aacagggtgc	aggtccccc	aaagcagctt	900
cagcatggta	gacttcccag	cccattctc	tccaaccaca	cagatgcgag	actcgagatc	960
agcagacaca	gagaggcgac	tgaagatgac	gtgcttcgga	tcgtagtaga	aatccacctc	1020
atctagctgc	agaattggcg	gcgagaactt	ctcaaacc	tcagggaaact	tcattacgac	1080
ctctgattcc	ttgtccacag	gcttcagctc	aggcctggga	gaagagatga	ggtagactag	1140
atattact	taaaaaata	acttcctaca	cgagtaatat	atgttcagag	aaaacttaga	1200
aaggccttgt	actcctacca	ctcaggtatc	attactttag	agtccattct	tctcatttac	1260
tgtatgctaa	aaaatagaat	taggcttttt	gtg			1293

<210> 329
 <211> 1734
 <212> DNA
 <213> Homo sapiens

<400> 329						
aaattgtat	ttcgataacc	attagtgag	tgccgtggaa	gtcaagatgg	cggcgcggac	60
agcgttcggt	gctgtgtgcc	ggcgcctctg	gcagggattg	gggaattttt	ctgtaaacac	120
ttctaagggc	aatacagcca	aaaatgggtg	cttgcctctc	agtaccaata	tgaagtgggt	180
acagttttca	aacctacag	ttgatgttcc	aaaggatttg	accaaacctg	tggtaaacaat	240
ctctgatgaa	ccagacatat	tatataagcg	cctctcggtt	ttggtgaaag	gtcaccgataa	300
ggctgtattg	gacagttatg	aatattttgc	tgtgcttgc	gctaaagaac	ttggtatctc	360
tattaaagta	catgaacctc	caaggaaaat	agagcgattt	actcttctcc	aatcagtgca	420
tattacaag	aagcacagag	ttcagtatga	aatgagaaca	ctttacagat	gtttagagtt	480
agaacatcta	actggaagca	cagcagatgt	ctactggaa	tatattcagc	gaaacttacc	540
tgaaggggtt	gccatggaag	taacaaagtt	ttgtttcttt	atttttttag	acacaattag	600
aacagttacc	agaacacatc	aaggagccaa	tctgggaaac	actatcagaa	gaaaaagaag	660
aaagcaagtc	ataaagcctc	agggaggcca	tttttgctta	aatttgaaat	gaggggtgggc	720
cagatgagta	tgtttaagtg	gagagtgcct	ccagctgaga	tgatttgagt	ctgtcctaac	780
tgctccattg	agttctcgtg	ccctcatcag	ctgagggcag	ggaatggaac	tttaatggaa	840
gaaccacttt	tatctattct	ttttattcat	tgtttcagtt	ctgatttcag	caaacatgag	900
caaaccactt	tgactgaaag	cagaaagagt	gaaaattcta	ttttgttacg	ctactggtgt	960
tcaattatta	gtttgtacca	tttttaattt	atgtcagttg	atgcatctga	aaataagtgc	1020
ttggagtgtt	cgtaccctta	ttttttttta	agattcctag	aaggaatctt	tggttaattc	1080
agattgagca	gttaaagttt	ttgctattta	cctttgtgca	ggctggcata	tgctaatttg	1140
ggggtggtaa	ccaaccgatt	ttatctcatg	taagcattac	attttgaa	ctgaatatac	1200
ttcacagcag	atcaaacaca	tttatggcat	gcactgacct	cttcttggag	cccagaactt	1260
tatagagttg	ctaccaggg	ttactgtaat	ggaatttatg	atcttaagaa	attactagtt	1320
gtattattta	tcctatgatt	cattcattca	ataagctttt	actgcataaa	ctttacatcc	1380
agcactgtag	taaagtacc	aaaattgaa	agaaataatg	gcttttga	attgcacaaa	1440
gcagggcagg	cacggtggct	cacgcctgta	atcccagcac	tttgggaggc	cgaggcaggc	1500
ggatcacgag	gtcaagagat	ccagaccatc	ctggctaaca	cggtgaaacc	ccgtctctaa	1560
taaaaataca	aaaattagct	ggacatgggt	gcacgtgcct	gtaatcccag	ctactcagga	1620
ggctgaggca	ggagaatcgc	gtgaaccctg	gcccggtgga	ggctgcagtg	agaccgagatc	1680
gcgccactgc	actccagcct	ggcgacagag	cgagacaccg	tctcaaaaa	aaaa	1734

<210> 330
<211> 2105
<212> DNA
<213> Homo sapiens

<400> 330

tttttttttt	ttatgtcatt	cagcctttac	tgtaaaaaag	gaaacaataa	aaacaaaacc	60
ctattaataa	acacaatgca	aacaaatgcc	gagattatca	taaaaacata	ctagcaagcc	120
acaagtacca	gagaggggtg	aacaggcata	tctgctagct	ctcctcttgc	agtcctcagc	180
ctcccacagg	aggcacaagg	tccaaactat	tctcaaaaaa	aaaggacagc	ctctttatgc	240
tgaaatagga	acttttaaagg	aagctcttct	tgtagtccaa	atggacgtac	cttgtgggtat	300
ggctgtaagg	actcgatttt	acggcttggt	tattcctaac	tatagctagg	cctgtcacct	360
gctgttctctg	tgatctcagc	ttfacctaga	agagctcctg	aaacagaatg	ggtacacgaa	420
aatctgggaat	gaatagctat	ctgctcaaaa	acgattgttt	aaaaacagat	gattggggcc	480
gggcgcgggtg	gctcatgcct	gtaatcccag	cactttggga	ggccgaggcg	ggcggatcac	540
gaggtgagga	gatcgagacc	atcctgggca	acatggtgaa	accccgctctc	tactaaaaat	600
acaaaaatta	gctgggcgtg	gtgatgccag	ccactcggga	ggctgaggca	ggagaatcgt	660
ttgaaccagg	gagtcagagg	ttgcagcag	ccgagactgc	gccactgcac	tccagcctgg	720
cgacagagcg	agactccgtc	tcagaacgaa	caaagaaaca	aaacaaaccag	atgactggga	780
gactgaagag	gaaaaaagat	gggagaaaac	gtagggaaag	gatggggcct	cacagactca	840
gctgtgggtg	gggggttaa	tcattacctc	aggagaagcc	caaggaattg	tccccagggt	900
gagctttgga	aagaaaacaa	aaacaaaaac	aaaaacacca	aaaaacacct	aaatttcctg	960
tattaaagtg	acacataatc	atgttttctg	attctcttca	ctgtctgcct	gcggggagggg	1020
ggtggggaag	gtgttaatga	tgctgatcpc	tacttctgct	tcaaggagat	ctggtgggga	1080
attcttccac	cagtccagag	tttgctggtg	ctgacctcat	ccctgtatca	cgggcctaga	1140
atgtgggagg	ctaataggat	gggtgggttg	caggaggtag	aagaggggat	ggcctagaga	1200
gtttctccat	tcagagctgg	agagtgtgtg	aagggagggg	tattttaaaa	gggctccacc	1260
caccctagc	cccagcccct	cagctgtggg	gagagggcac	ctcctctgat	ggggtctcga	1320
tgctgctgct	ctgttcctgg	tctggcacgt	cctcctcttc	ctgctccaag	ctgaagtctc	1380
cgagctcctg	aaaaatctca	tccatgaagt	cctgggagtt	ctgtttgtaa	gacacagcta	1440
atcgaattgc	atcattgaag	agcttcacaa	cattggtacc	atcagcagcc	gagacgaaat	1500
acaggggcag	ggagaacttc	ttggcaaaat	tgaagctttt	ttgggtcacg	tttatgtctg	1560
ctgtagagag	aaggtaggac	attggtctgt	ctgtcaaggg	aagggagaa	ggtttggagg	1620
ggggggccac	tggaggcctt	cattccagaa	agtgggatag	gcagggatga	ttgggaaaca	1680
ggcctagaa	agagctcagt	taatagggat	ctgtgtcttg	gaaagagggc	aggtcggcct	1740
agctggccttc	tttataaggt	gggaagaatg	caagcaacca	accaagggtt	gtatcttacc	1800
gtgggagggga	ggaccaatca	ctgaagggtg	cctgcccggg	gaatggagga	ggaaatgtat	1860
gagggcaggt	ccccagtga	ttgctaacac	ccaggtgcag	ggatggcccc	accatcaatt	1920
ttattggcca	ccacgatgca	tgggatctct	ggcctgaact	cccgaagctc	tgtataccag	1980
gtgtcaggt	tctatgggt	gactttcctc	tggacatcaa	acaccatgat	gcaagcgtgg	2040
gtcttggtg	agtaggaggc	atgcatgctc	tggaaaccgtt	cctggcctgc	cgtgtcccaa	2100
aagtc						2105

<210> 331
<211> 5654
<212> DNA
<213> Homo sapiens

<400> 331

ggagcgacgc	cgctcgggtc	agtcggcggc	cggactggga	agatggacgc	agctactctg	60
acctacgaca	ctctcgggtt	tgctgagttt	gaagattttc	ctgagacctc	agagcccgtt	120

tggatactgg	gtagaaaata	cagcattttc	acagaaaagg	acgagatctt	gtctgatgtg	180
gcatctagac	tttggtttac	atacaggaaa	aaactttccag	ccattggggg	gacaggcccc	240
acctcggaca	caggctgggg	ctgcatgctg	cggtgtggac	agatgatctt	tgcccaagcc	300
ctgggtgtgc	ggcacctagg	ccgagattgg	agggtggacac	aaaggaagag	gcagccagac	360
agctacttca	gcgtcctcaa	cgcattcadc	gacaggaagg	acagttacta	ctccattcac	420
cagatagcgc	aaatgggagt	tggcgaaggc	aagtcctatg	gccagtggtg	cgggccaac	480
actgtcgcgc	aggtcctgaa	gaagcttgct	gtcttcgata	cgtggagctc	cttggcggtc	540
cacattgcaa	tggacaacac	tgttgtgatg	gaggaaatca	gaaggttggtg	caggaccagc	600
gttccctgtg	caggcgccac	tgcgtttcct	gcagattccg	accggcactg	caacggattc	660
cctgcgggag	ctgaggtcac	caacaggccg	tcgccatgga	gaccctggt	acttctcatt	720
ccctgcgcgc	tggggctcac	ggacatcaac	ggagcctacg	tggagacgct	gaagcattgc	780
ttcatggatg	ccccagtcgc	tgggcgtcat	cggaggggaag	cccaacagcg	cccacttatt	840
tcatcggcta	agttgggtga	ggagctcadc	tacctggacc	cccacaccac	gcagccagcc	900
gtggagccca	ctgatggctg	cttcatcccg	gacgagagct	tccactgcca	gcaccgcgcg	960
tgccgcatga	gcatcgcgga	gcttgaccgg	tccatcgctg	tggtacgtgg	cggccacctg	1020
agcacacagg	catttggtgc	tgaatgctgt	ttgggaatga	cgaggaaaac	tttcggattt	1080
ttgctgtttt	ttttcagcat	gttgggataa	gtactgtggt	cacgtgggtg	ggaatctgaa	1140
gggtataaga	gcccgaactg	tgtccttgca	ccctcacgctc	cctccccag	gcaccacctc	1200
ctgtgcagcc	ttcatggcct	tcgagtgccc	cagagagcgt	gtgtctggat	gtgagcgtgt	1260
gtgggcgctg	gctgagtggt	catggatgag	tgtgagccat	ggtgagtggt	tccccctcac	1320
acctacattt	aaacacacgg	gcggccccctc	caccaccccc	tgaccacct	tcgtcacacc	1380
cacatttaaa	cacgggcggc	ccctccaccc	accactcct	gcaccacctt	ttgtttccg	1440
gaggctctga	cttgacctct	ctgggggatt	tcctaagaag	gagcttccct	gtttttccat	1500
tttgattacc	tagttgtgat	ttttgggtgtg	tgatttatgc	agacctgct	gccctcaaat	1560
atatttgatg	gggaaagagg	caaaaaaac	cccctagaaa	tcatgaatga	cggtgacatg	1620
ctcagggaaag	cagttaaccg	aatcgggggc	tctgttggtg	atgctccgce	ccatttagga	1680
ggaagaagyc	agatctgggc	ctgaaatggg	acggctctctg	agctgtggcg	cagccccaga	1740
gtgcacacca	cgctccatgc	acctcctggg	cagggtggca	gtagtgggga	acatgggctg	1800
gagctctgtg	gctcacactt	tttgtttggt	tgtttgtttt	tgagacggag	tctcactctg	1860
tcgcccagyc	tggagtgcag	tggcgcgac	tcggctcact	gcaagctccg	cctcccaggt	1920
tcacgccatt	ctcctgcctc	agcctctgga	ttagctggga	ctacaggcac	ccgccaccac	1980
gocctgctaa	ttttctgtat	ttttaataga	gacgggtttt	caactgtgta	gccaggatag	2040
ctttgatctc	ttgatcctcat	gatccaccca	cctcggcctc	caaagtgcct	gggattacag	2100
gcgtgagcca	ctgcgcgcag	cctggcgcac	acttcttacc	agaacctagt	cacgaattcc	2160
tcgtcgaact	agaattaggt	atgtttgtta	ctgtaaaccg	agcttggtgg	cttacagtga	2220
ttggcactct	aacagtcagg	tcaggctaga	gagccagcca	ccgcagacag	aggagtggac	2280
gcgtgaaagt	tgagttgaga	ccaaaggggc	cacctgggtg	gataactgtc	ctcaccogtg	2340
aggaggagga	atgtccccctg	tccccggggg	agagtgcctc	tacaccagcg	ccgaggcggc	2400
agaattggtg	cttcagggga	agagagtccc	cagtttgagc	ttctcccccc	atctcgtttc	2460
ttttgatgtc	aacatctgcg	catctggcag	cgttgagaat	tcctagtgc	tgctattaca	2520
ggcggcagct	ttaaggatgt	gattgcccgt	gaccttggc	cggctcccctg	tctcctggct	2580
cctcagcagg	aggctccccg	tgtcacgggtg	tccttgggca	gttctcgggtg	gcctttgcgc	2640
ccaagcttcc	agggagctgc	tgggcgaagg	ctgagaccca	gcggccccgt	ctcacagtca	2700
cagagagaag	agctccccac	ttggccctaa	ctcataacct	gccccaatcc	cggaacactc	2760
ggtgaggttt	gagagatgca	caaccacgtaa	catctcgtgg	gcgaatcaag	gcacagcaac	2820
gcagtggagc	ctgaggggag	ccgggcactg	gtgcagggga	ccatgcacag	ggcaccctcg	2880
gagctccatt	cccggccaca	ggagccaagg	caggctggaa	tgtccagcac	ctgcatgctg	2940
ggggcctctg	ctgcgccact	ggcagtgggg	atgggaagccc	ccacctctta	tccgactgca	3000
gatgggggtg	tcgtgttctg	ctcatcgtca	ttctgtttta	ggggtttttc	tgtaagactg	3060
aagatgactt	cagtgattgg	tgccagcaag	tcaaaaagct	gtctctgctt	ggaggtgccc	3120
tgcccattgt	tgagctgggtg	gagcagcagc	cttcacatct	ggcctgcccc	gacgtcctga	3180
acctgtccct	aggtagagagc	tgccaagtcc	aggtaggggtc	cctcggaggt	acgatctgtg	3240
ccctgtcttc	cccagtcctg	gcccccttgg	ttttgaccat	taaggtgtgt	gtgagcctga	3300
gccgtgagca	cttggcagtg	gttcgcctgt	gagaccaggt	atggagtggg	gcgtccccctc	3360
ctccaagctt	gcgcccagca	gcccaggacc	caactcgtct	tccccaccag	cgctgcctgc	3420
cggggcctg	tggagctggg	cgtgctacca	tggagtcctc	aggggtctgg	agcagacaga	3480
acatgcaggc	tctgtgggtg	cgcagtcctg	ggtgggggac	tggttcactt	gggcaccact	3540
ggccatgggt	ggcgtagacc	cctcggacca	tggccagcgt	gccgcaggag	ccggcctggg	3600
ctcgtgcagt	gaagtgagtg	gccgtgagcg	cgtcctcctc	atctctgtct	ccctgtggga	3660
aactctacaa	acaaggcaat	ggcaatggaa	ccactcctga	tgaccacagag	ggtcagacgc	3720
gggacagagg	cccctcaggc	ctgagattgt	gccggccgcc	ccctgcctc	ctcaccctgc	3780
cctgtcactc	ttctctgctc	cctcccccca	tattgcaggt	tctgcacaac	ccccggacct	3840
gttcacacc	gcatggggac	agctgtctgt	gggctgcaga	gcaggcactg	ctcagctgc	3900
cccacgcaa	gggcccctga	ctcacaccca	ggtggccacc	ccaagatgcc	tgatgcgcta	3960

tgtcctgttc	cttctagatt	cttctgatgt	agagcgactg	gaaagattct	tcgactcaga	4020
agatgaagac	tttgaatcc	tgtccctttg	aaaatcctgg	ggtcgggggt	ggcacctgtg	4080
agagcctggg	gctcctgggt	ccgctgcggt	tcatccatcc	cgcccgcctcg	cctgccgagg	4140
gctgcgcccc	gtgctgcctc	ccccagagg	gccacccgct	gtgctcgtgg	actgaggctg	4200
cgctgccccg	gaggccttac	tgcttggtgt	cagactgccc	agctcagagt	gccccgcagg	4260
gcctgtgcat	ccgcacgcgg	agccgtctgt	taggagcttc	cagagcgttc	tctcgcacct	4320
gccagccccg	tgtttagcacc	tgggcctcag	tcccacttgc	tcccaggcgc	cggttctgtg	4380
gttggtttg	aattaaagtc	ctgtttgaag	ttgtcagaca	cagacatgaa	tttctggggc	4440
gctccctgag	tcagtctcag	aagacctgtg	caggctggcg	tgagaggagc	ggcagccaca	4500
ctgcggcccc	agcccaagg	actgggctgc	tctcgagggg	ggcgcgcccc	ccgctgtgtc	4560
ctctctgccc	agcctggcct	accaagggt	acctcagtg	gagatgaggt	tggaggaacg	4620
aaggcgaggt	tcctccttgc	tttggggaga	aaagtattca	ggaagtgggt	gtgtgggaaa	4680
cctgaagatg	gcgtgcacag	gacacagcgt	ggtcggcctg	ggcagaagg	cggtctggctg	4740
tcctggagct	gctgctggag	cctgccctca	gagtgtccct	ttccagtgt	gtggcattct	4800
gtggcagctt	ccccaggtgt	ggtgacgggg	ggggggcggg	gcctccacct	gtgacagcca	4860
ggcttgaggg	tggacggcgt	gcctctccca	ggagccttcc	ccatgtcctt	gccttgctga	4920
gaattgcct	cccattgccc	tgaggtgta	ggtggtttag	ggccaaaagg	ggaaaaccac	4980
ttgagctctg	tgggtgtgtg	tgggcagaca	ccacaggtg	gcatcacctg	gtggcatttc	5040
cagaacctca	gccccgattc	cagcaccac	caccgcctga	ccctgtgtaa	cctgctgtcc	5100
cggttcccag	agtgcactct	gccccactgc	tctgctgcct	gtcctgggaa	agtagctttg	5160
ccccactagg	aaatgtaaac	aggagggcct	ggggagcgtg	ggcacttttc	tcatgagcag	5220
ctactgcggc	gttggcagga	ctcgtgctg	ctgctgctgc	tgcttggtga	ggtcggggag	5280
ccggagatcc	ccgaggacgc	gcgcccggaca	gtcggcactg	accggcccab	ctggtagcag	5340
aggacacccc	cagcccccca	agcattgaag	acatagtgtg	tttctcgtg	tcctttctcc	5400
cttgggtgta	gttgggggtg	ggaagcaggg	aaggctgggt	cgatctccat	tccttgggct	5460
ccgcgtccga	gttcatggtg	cgccgctgtg	ctgggagctg	cagtgggaat	gtgtgggaca	5520
ccttgaccaa	aggggagcct	tgtctcgtgt	gttttgaaaa	aggcttaatg	aagagaatgt	5580
tgttcattct	tagtagtata	gtttgcaatt	cttaatggca	aataataagt	ttcagtagaa	5640
acccaaaaaa	aaaa					5654

<210> 332
 <211> 283
 <212> DNA
 <213> Homo sapiens

<400> 332						
ggagccaccg	cgccccccgc	caaatttaga	ctttttgagc	tctgtgcggt	gtgcctttca	60
acacttttca	caatggattt	tctgcttctt	gataaggaag	gcacccttga	tectgtcatg	120
gattcattta	gcacacattg	gaccacgata	ggccctgctg	acatgttttt	ttcattgtag	180
acagcattat	aagaacttta	aatctcacgg	cacaaacccc	tcgaagtctg	tctgggcaca	240
tgccacatgc	caatcttgtg	cctttcccaa	ccttcttggg	tgg		283

<210> 333
 <211> 1759
 <212> DNA
 <213> Homo sapiens

<400> 333

gacccgcctt	gcggaattcg	gcacgagggg	cccctgtgcc	caggctccgt	gcgagcagca	60
gtgtgagccc	ggtgggccac	aaggctacag	ctgccactgt	cgcctgggtt	tccggccagc	120
ggaggatgat	ccgcaccgct	gtgtggacac	agatgagtgc	cagattgccg	gtgtgtgcca	180
gcagatgtgt	gtcaactacg	ttggtggctt	cgagtgttat	tgtagcaggg	gacatgagct	240
ggaggctgat	ggcatcagct	gcagccctgc	aggggccatg	ggtgccccagg	cttcccagga	300
cctcggagat	gagttgctgg	atgacggggg	ggatgaggaa	gatgaagacg	aggcctggaa	360
ggccttcaac	ggtggctgga	cggagatgcc	tgggatcctg	tggatggagc	ctacgcagcc	420
gcctgacttt	gccctggcct	atagaccgag	cttcccagag	gacagagagc	cacagatacc	480
ctacccggag	cccacctggc	cacccccgct	cagtgcctcc	agggtcccct	accactctc	540
agtgetctcc	gtcaccgggc	ctgtgggtgg	ctctgccacg	catcccacac	tgccttctgc	600
ccaccagcct	cctgtgatcc	ctgccacaca	cccagctttg	tcccgtgacc	accagatccc	660
cgtgatcgca	gccaaactatc	cagatctgcc	ttctgcttac	caaccgggta	ttctctctgt	720
ctctcattca	gcacagcctc	ctgcccacca	gccccctatg	atctcaacca	aatatccgga	780
gctcttccct	gcccaccagt	cccccatggt	tccagacacc	cgggtcgctg	gcaccagac	840
caccactcat	ttgcttggaa	tcccacctaa	ccatgccctt	ctggtcacca	ccctcgggtc	900
ccagctaccc	cctcaagccc	cagatgcctt	tgtcctcaga	accaggcca	cccagcttcc	960
cattatccca	actgccagc	cctctctgac	caccacctcc	aggctcccctg	tgtctcctgc	1020
ccatcaaate	tctgtgectg	ctgccaccca	gcccagacc	ctccccaccc	tectgcctc	1080
tcagagcccc	actaaccaga	cctcacccat	cagccctaca	catccccatt	ccaaagcccc	1140
ccaaatccca	aggggaagatg	gcccagtcct	caagtggcc	ctgtggctgc	cctcaccagc	1200
tcccacagca	gcccacaacag	ccctggggga	ggctggctctt	gccgagcaca	gccagagggg	1260
tgaccgggtg	ctgctgggtg	cactcctggt	gccaacgtgt	gtctttttgg	tggctcctgct	1320
tgcactgggc	atcgtgtact	gcacccgctg	tggcccccat	gcacccaaca	agcgcatacc	1380
tgactgctat	cgtcgggtca	tccatgctgg	gagcaagagc	ccaacagAAC	ccatgcccc	1440
caggggcagc	ctcacagggg	tgcagacctg	cagaaccagc	gtgtgatggg	gtgcagagcc	1500
ccctcatgga	gtatggggcg	ctggacacat	ggccggggct	gcaccagggg	cccagggggg	1560
ctgcccagct	ggacagatgg	cttctctgctc	cccaggccca	gccagggtcc	tctctcaacc	1620
actagacttg	gctctcagga	actctgcttc	ctggcccagc	gctcgtgacc	aaggatacac	1680
caaagccctt	aagacctcag	ggggcgggtg	ctggggctctt	ctccaataaa	tggggtgtca	1740
accttaccca	aaaaaaaa					1759

- <210> 334
- <211> 2852
- <212> DNA
- <213> Homo sapiens

<400> 334						
ctacgagtac	gtcggcgccc	gcacctcccc	gcaccgcccg	cgtcgcgcgc	ccggaggagc	60
gaccgccgca	gttctcgagc	tccagctgca	ttccctccgc	gtccgcccc	cgcttctccc	120
gctccgggcc	ccgcaatggc	ccaggcagtg	tggctcgcgc	tccggccgat	cctctggctt	180
gcctgcctcc	tgccctgggc	ccoggcaggg	gtggccgcag	gcctgtatga	actcaatctc	240
accaccgata	gccctgccac	cacgggagcg	gtgggtgacca	tctcggccag	cctggtggcc	300
aaggacaacg	gcagcctggc	cctgcccgcct	gacgcccacc	tctaccgctt	ccactggatc	360
cacaccccgc	tgggtgcttac	tggcaagatg	gagaagggtc	tcagctccac	catccgtggt	420
gtcggccaag	tgcctgggga	attcccggtc	tctgtctggg	tcactgccc	tgactgctgg	480
atgtgccagc	ctgtggccag	gggctttgtg	gtcctcccca	tcacagagtt	cctcgtgggg	540
gaccttgttg	tcaccagaaa	cacttcccta	ccctggccca	gtccttatct	cactaagacc	600
gtcctgaaag	tctccttccc	cctccacgac	ccgagcaact	tctcaagac	cgcttgttt	660
ctctacagct	gggacttcgg	ggacgggacc	cagatggtga	ctgaagactc	cgtggtctat	720
tataactatt	ccatcatcgg	gaccttcacc	gtgaagctca	aagtgggtggc	ggagtgggaa	780
gaggtggagc	cggatgccac	gagggctgtg	aagcagaaga	ccggggactt	ctccgcctcg	840
ctgaagctgc	aggaaacctt	tgcaggcatc	caagtgttgg	ggccccacct	aattcagacc	900
ttccaaaaga	tgaccgtgac	cttgaacttc	ctggggagcc	ctcctctgac	tgtgtgctgg	960
cgtctcaagc	ctgagtcctt	cccgtggag	gaaggggag	gccacctggt	gtccgtggcc	1020
agcacagcgt	acaacctgac	ccacaccttc	agggacctg	gggactactg	cttcagcacc	1080
cgggccgaga	atatcatcag	caagacacat	cagtaccaca	agatccaggt	gtggccctcc	1140

agaatccagc	cggetgtctt	tgctttccca	tgtgctaac	ttatcaactgt	gatgttgccc	1200
ttcatcatgt	acatgacctt	gcggaatgcc	actcagcaaa	aggacatggt	ggagaaccgc	1260
gagccaccct	ctggggtcag	gtgctgctgc	cagatgtgct	gtgggccttt	cttgctggag	1320
actccatctg	agtacctgga	aattgttctg	gagaaccacg	ggctgctccc	gcccctctat	1380
aagtctgtca	aaacttacac	cgtgtgagca	ctccccctcc	ccaccccatc	tcagtgttaa	1440
ctgactgctg	acttggagtt	tccagcaggg	tgggtgacac	caactgaccag	gaggggttca	1500
tttgctgtgg	gctgttgccc	tggatcatcc	atccatctgt	acagttcagc	caactgcaca	1560
agccccctcc	tctctgtcac	ccctgacccc	agccattcac	ccatctgtac	agtccagcca	1620
ctgacataag	ccccactcgg	ttaccacccc	cttgaccccc	tacctttgaa	gaggettctg	1680
ggcaggactt	gatgcttggg	gtgttccgtg	ttgactccca	ggtgggcctg	gctgcccact	1740
gcccattcct	ctcatattgg	cacatctgct	gtccattggg	ggttctcagt	ttcctcccc	1800
agacagccct	acctgtgcca	gagagctaga	aagaaggcca	taaagggtta	aaaatccata	1860
actaaaggtt	gtacacatag	atgggcacac	tcacagagag	aagtgtgcat	gtacacacac	1920
cacacacaca	cacacacaca	cacacagaga	aataataaca	catgcgtcac	atgggcattt	1980
cagatgatca	gctctgtatc	tgggtaagtc	ggttgctggg	atgcaaccctg	caactagagct	2040
gaaaggaaat	ttgacctcca	agcagccctg	acaggttctg	ggccccgggc	ctccccctgt	2100
gctttgtctc	tgcagttctt	gccccttcta	taaggccatc	ctagtccctg	ctggctggca	2160
gggggctgga	tggggggcag	gactaatact	gagtgattgc	agagtgcttt	ataaatatca	2220
ccttatttta	tcgaaaccca	tctgtgaaac	tttcaactgag	gaaaaggcct	tgcagcggta	2280
gaagaggttg	agtcaaggcc	gggcgcgggtg	gctcacgcct	gtaatcccag	caactttggga	2340
ggccgaggcg	ggtggatcac	gagatcagga	gatcgagacc	accctggcta	acacggtgaa	2400
accccgtctc	tactaaaaaa	atacaaaaag	ttagccgggc	gtggtggtgg	gtgcctgtag	2460
tcccagctac	tcgggaggct	gaggcaggag	aatggtgcga	accggggagg	cggagcttgc	2520
agtgagccca	gatggcgcca	ctgcaactca	gcctgagtgga	cagagcgaga	ctctgtctcc	2580
aaaaaaaaaa	aggccggggc	cggtggctca	cgcttgaat	cccagcactt	tgggaggccg	2640
aggcggcgcg	atcacgaggt	caggagatcg	agaccatcct	ggctaaccacg	gtgaaacccc	2700
gtctctacta	aaaatacaaa	aaaaattagc	cgggcgtgat	ggtgggcgcc	tgtagtccca	2760
tctactcggg	aggctgaggc	aggagaatgg	cgtgaaacccg	ggaggtggag	gttgcagtga	2820
gccgagattg	cgccactgca	ctcccgcctg	gg			2852

<210> 335
 <211> 865
 <212> DNA
 <213> Homo sapiens

<400> 335						
gtcgtggaat	tgccttcca	gctgtcttct	gtgagtgct	gcctgacagt	ttcctttggc	60
tggcagctag	gcactgtgtc	ttcctgtctc	tctagggact	ggttcttgaa	gggaaacctc	120
ctcatcatca	tcgctcagtg	gttaatcatc	ctgcccctcg	ccctcatgaa	acacttgggc	180
tacctggggt	acaccagtgg	tctctctctg	acctgcatgc	tgttttctct	tgtttcgggc	240
atctacaaga	agttccaact	tggctgtgct	ataggccaca	atgaaacagc	aatggagagt	300
gaagctctcg	tgggactccc	cagccaagga	ctcaacagca	gctgtgaggc	ccagatgttc	360
acagttgact	cacagatgtc	ctacacagtg	cccattatgg	cttttgcttt	tgtctgccac	420
cctgaggtgc	tgccatcta	tacggagctc	tgcggccct	ccaagcgcag	gatgcaggcc	480
tggcccaacg	tgtccattgg	ggccatgttc	tgcattgatg	ggtcacagc	aacctttgga	540
ctctcacct	tctacagcag	tgtgaaggcg	gagatgctgc	acatgtacag	ccagaaggac	600
ccctcatcc	ctgtgtgcg	cctggccgtg	ctgctcgcgg	gtgacctca	ctgtgcagct	660
cgtgctgttc	cctatccgcc	gggcccctgca	gcagctgctt	ttcccaggca	aggccttcag	720
ctggccacga	catgtggcca	tagctctgat	cctgcttgtt	ttggtcaatg	tccttgtcat	780
ctgtgtgcca	accatccggg	atatctttgg	agttatcggg	tccacctcag	ccccagcct	840
catcttcatc	ctccccagct	gtatt				865

<210> 336
 <211> 1126
 <212> DNA
 <213> Homo sapiens

<400> 336
 gtggcgccgg gagcaaaagc agcatgatgc agctcatgca cctggagtcc ttttatgaaa 60
 aaacctcctc ctgggcttat caaggaagat gacactaagc cagaagactg cataccagat 120
 gtaccaggca atgaacatgc cagggatttt ctggctcaca caccaactaa aggactttgg 180
 atgccactgg agaagaagt caaagttaag cacttacttt tcattggatt gcttcataat 240
 ttcttggtga tggaaaattc attcctaag caacaagatt aaaggatggt tgggtaagca 300
 attagtttac ctgtcttttc tgggacctta cacggttcat ccatgattgc attttctttt 360
 agaattggag tttaatgaat aaaaacttta atataatcta ctgattcttt atctcactaa 420
 ggtgaaacac ttttatctta cagaaatatt tccccttttc tttgctttta ggttggcatt 480
 gcaaatggta cggtcaccga acaggctaca aagaatgcc tttctttatc aaagacaacc 540
 aaaagttaca acagttcaga gtagcacatg aggatttcat gtatgacatc atacgagaca 600
 ataaacaaca tgaaaagaat gtaaggatac agcagttaaa acagttactg gaggattcta 660
 cctcaggtga agataggagc agctccagtt cctctgaagg taaagagaaa cacaagaaaa 720
 agaagaagaa agaaaagcat aagaaaagga agaagaaaaa gaaaaagaa aaaaaacgga 780
 agcacaaatc ttccaagtca aatgaggggt ctgactcaga gtgacaagga tgtgacttgt 840
 tcaacattct cttctcaaac actgaccaag gaacagagga agatgcagtc agagaaaagca 900
 gcaggataga gacgccgaga gaggagtata tgtgggtcac agcagtgagc tcccaccgc 960
 cttgcagtga agatgtgacc ccaggagagg gagtgtctcc ttccaggtgc tagctctgga 1020
 cagcagctga ttttaggcag gaaagtttct tcatcgttgt cctccctgct ggtcacatga 1080
 gtttacgatt cctttgaagt gtctcccaca ggggtgcagg actggg 1126

<210> 337
 <211> 4280
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(4280)
 <223> n = a,t,c or g

<400> 337
 aagaaattgc aggtgctgca gcagagaaca tgttaggcag tttgctgtgc ctcccaggtt 60
 cagggtcagt gcttcttgac ccctgcactg gttctaccat atcagagaca acaagtgaag 120
 cttggagtgt agaggattg ccaagtgact cagaggcccc agacctaaag caggaggagc 180
 gtctgcaaga actggagagc tgttctggac tgggtagcac atctgatgat acggatgtca 240
 gggaggtcag ttcccgcacc agcacaccag gcctcagtggt tgtgtccggc ataagtgcaa 300
 cctctgagga tattcccaat aagattgaag acctgagatc tgagtgcagc tctgattttg 360
 ggggtaaaga ttctgtcact agtccagaca tggatgaaat aactcacgat tttctttata 420
 tacttcagcc aaaacaacat tttcaacaca ttgaagcaga agcagacatg agaatccagc 480
 tgtcttctag tgeccaccag ctgacctctc ctecttctca gtcagagtct ctgctggcca 540
 tgtttgatcc actgtcttca catgaagggg cttctgctgt ggtaaggcca aaggttcact 600
 atgctaggcc atogcatcca ccaccagatc cccaatcct ggaaggagct gtgggaggaa 660
 ctagggccag gttgccaaac tttggttccc ccatgtttta actcccagct gaaatggagg 720
 attcaagca aaggcattcc ttaccctgta gagactagtt cgaagcagga gctctgaata 780
 tagtatcttc tctccggaga cccatgagtg accccagctg gaaccggcgt cccaggaat 840
 gaagagcgag aactccctcc agctgcagcc attggtgcta cttctttggt ggctgcacct 900

cattcatcat	cttcatcccc	gagtaaggac	tcctcaagag	gagagactga	agaacgcaaa	960
gatagcgatg	atgagaaatc	agacaggaac	agaccttggg	ggagaaaaacg	ttttgtttca	1020
gccatgccta	aagctcctat	accatttaga	aagaaagaaa	aacaagaaaa	agacaaagat	1080
gatctggggc	ctgacagatt	ctcaacactc	acagatgatc	ccagccctag	actcagtgca	1140
caagctcagg	tggtcgagga	tattctggac	aaatacagga	atgccattaa	acggaccagc	1200
cccagtgatg	gagcaatggc	aaactatgaa	agtacagagg	ttatgggtga	tggtgaaaat	1260
gcacatgatt	ctccccgtga	cgaagcactg	cagaacatct	cggctgatga	tctcccagac	1320
tctgcaagcc	aagcagccca	cccgcaggat	tcagctttct	cttacagaga	tgcaaaaaag	1380
aaactaggag	ttgctctttg	ctctgoggac	tctgttgcc	tcccagtgt	gacccccatc	1440
aaacaagaa	ggtttaccag	accacacaga	cccagaagac	aatgaaattg	tatgcttctt	1500
aaaagttcaa	atagctgaag	caattaattt	acaagataag	aatctaattg	ctcaacttca	1560
agaacaatg	cgctgtgtgt	gccgttttga	taataggact	tgtaggaaac	tgctggcttc	1620
gattgctgag	gactacagaa	aaagagcccc	atatattgct	tatctcactc	gttgtcgaca	1680
aggactacag	accacacagg	ctcacctgga	aaggctattg	caaagagttt	tgccgggaca	1740
agaagtggcc	aatcgatact	ttaccactgt	ctgtgtgaga	ttactgcttg	agagcaaaag	1800
aaagaagatc	agggaattca	ttcaagactt	tcagaaactc	accgcagctg	acgataaaac	1860
tgctcaggta	gaagattttc	tgcaagttct	ttatggtgca	atggcccagg	atgtcatatg	1920
gcaaaacgcg	agtgaagaac	agcttcaaga	tgacagctg	gccattgagc	gaagcgtgat	1980
gaaccggatt	ttcaagctcg	ccttctaccc	taatcaagat	ggggacatac	ttcgcgacca	2040
ggttcttcat	gaacatatcc	agagattgtc	taaagttagt	actgcaaatc	acagagctct	2100
tcagatacca	gaggtttatc	ttcgagaagc	accatggcca	tctgcaaat	cagaaatcag	2160
gacaataagt	gcttataaaa	ccccccggga	caaagtgcag	tgcatcctga	gaatgtgctc	2220
taogattatg	aacctcctga	gcttgcccaa	tgaggactct	gtccctggag	cggatgactt	2280
tgttcctgtg	ttgggtgttg	tggtgataaa	ggcaaatcca	ccctgtttgc	tgtctactgt	2340
gcagtatatc	agtagctttt	atgctagctg	tctgtctgga	gaggagtctc	attggtgat	2400
gcagttcaca	gcagcagtag	aattcattaa	aacctcgat	gaccgaaagt	gaccaagacc	2460
aaggcccacc	aaggcagcag	actgttaatc	agacaaacag	atctctgaga	aggtgcatca	2520
gctgctttga	aggctgaaga	ttgttttgta	tgatactgca	cagcatcagg	cattttaaag	2580
cagatcttta	ctaaacaggt	taatgagcta	acaagcaggt	tctctcgtct	ttgggctctt	2640
tcctttctga	gttgcatatt	ctattttctt	gtccccaaat	agagactagt	actacaaaaa	2700
gggaccacat	ttttcaagta	tttctaagta	taaaaaaca	aacaaaaatc	tcttaggaaa	2760
tgtctagacc	tacttctttg	gattcccttt	ctttcctttt	attttaaaaa	agaacagtac	2820
ccctctttta	agatgctgtc	ttacattaat	gagcatctaa	tggaagaag	gtatgagttg	2880
cactgaggat	tagaatagtg	gtgcgttagt	ggcattatct	ataaatacac	tcacctaaat	2940
tgaaagctaa	gaaggaaatg	taaataata	atatatttat	atgtgatgta	atatggacat	3000
ctgcagattc	taataaaca	ggactattgc	tgatagtagg	ctgtgacata	ctgtcctgtg	3060
aaatggtttc	cttgacaaaa	tttaagctga	gcttaaaagc	aaaaaaaca	aaagtacaca	3120
gaaatattta	ttaaaatgta	atacagttta	ttgaactttc	taggtatgga	gtttgatgga	3180
cagggctgcc	tttaatgagt	gtgaaggta	cttaagcact	tagacatctc	accgtggaag	3240
ttgtgagcc	tgcaattgga	gatagactga	ttaccataca	tgacataaaa	aggaacagtg	3300
gatagctcat	actttatggt	ggttcttctc	ctccgaaata	atatactgca	gaaatcccag	3360
acagagctcc	ttacaaacct	tttaattgta	tataattttg	atgattattc	acattgaaat	3420
cacagaccaa	gaattcagtg	aatgtcattt	tttaaaaaac	taatttgat	tgtctgctct	3480
agtatacaaa	gttttactag	tgataaaacta	ttttaatcaa	ccatactatt	cttatggaaa	3540
aaaatatcta	ttttggcagg	ttctctgtgc	tttatttccc	tcttctgaaa	aaaagtctgt	3600
gttttcatag	tttggtttgc	attgtatata	aataattaat	caggaatggg	ttttggtgcc	3660
tgaaaaattg	gccatggagg	cacaccaag	cctcaagcac	aagtcttgta	catgggcat	3720
cactgtcttg	tttcaactcg	tgtgtttcct	aaacaattt	agctgctttt	ttaacaaact	3780
cagcccata	cttgagtccc	ttgttgttgg	gagcatttcc	aggcatcttt	taagggaact	3840
gtgacaaa	gcctcgggca	gatgaacacg	gaggctctct	gttgtctgtc	tctgagatct	3900
ttgtgtcttg	gaatgcctaa	agattttatt	ttttttctt	tggttttatt	ttattttatt	3960
ttattttttt	gagacagagt	ctcaccctgt	tgcccaggct	ggagtgcaat	ggtgcgatct	4020
tggtctactg	caacctccac	ctcccagttc	aagtgattcc	cctgcctcag	cctcccagat	4080
agctagggac	tacagggcga	tgtcacccaa	gcccggctaa	atttttgtat	ttttagtagg	4140
aaacgggggt	tttccactg	ttgggcccag	gtggatcctc	aatctcctga	acctcgtgga	4200
tccacccgcc	ttngggcttc	ccaaagtgcc	gggatttaca	agcgtggaac	cacctgnccc	4260
agccagaat	taggattttt					4280

<210> 338
 <211> 1796

<212> DNA
 <213> Homo sapiens

<400> 338

tggccatctt	tactgtgggc	tgaagcctgt	gcgcttactc	gcgcatgtgc	aagccttccc	60
tcgctttcct	cttccaagta	gccttgcccta	gagcggagcc	tcccgcgcca	tttctgtcgg	120
cctgcgtagc	gtgaccctgc	gcagcctggg	aggcgggtct	tagctccagg	tgcgtacggc	180
atctgacttg	acgtggccca	caactgaaag	gtctggggag	aaggcgcctg	gtccgggtgt	240
ggagaggggc	gtcgtggaag	cgagaagagt	ggcccgtccc	tctcctccc	ctttccctct	300
ttcggaaagt	ggtttctgcg	gggcccggga	gcctcggagt	accgaacctc	gatctccggg	360
gcggggtcct	tgggtggggac	tgagcgcccc	ctcccgggga	cgggcggtct	ggccgcggag	420
tcccctgcgg	gagcgtgatt	ggctggaaac	ggtcccgaac	cccaggggga	gcccgatccc	480
tgggggacct	tggcttcgga	ctccagtatc	tgtcgtcgca	gggtccctgc	cctagtggcc	540
tatgtccctt	gctcggggcc	atggagacac	tgcggccagt	acggcggcgc	ctctgtctga	600
agaaggggaa	gtgacctccg	gcctccaggg	tctggcctg	gaggataccg	gaggcccctc	660
tgcctcggcc	ggtaaggccg	aggacgaggg	ggaaggaggg	cgagaggaga	ccgagcgtga	720
ggggtcccgg	ggcgaggagg	cgcagggaga	agtccccagc	gctgggggag	aagagcctgc	780
cgaggaggac	tccgaggact	ggtgcgtgcc	ctgcagcgac	gaggaggtgg	agctgcctgc	840
ggatgggcag	ccctgggatg	ccccgccctc	cgaaatccag	cggctctatg	aactgctggc	900
tgccacggt	actctggagc	tgcaagccga	gatcctgccc	cgccggcctc	ccacgcccga	960
ggcccagagc	gaagaggaga	gatccgatga	ggagccggag	gcccagaag	aggaagagga	1020
aaaaccacac	atgccacagg	aatttgattt	tgatgatgag	ccagtgcac	caaaggactc	1080
cctgattgac	cggagacgca	ccccaggaag	ctcagcccgg	agccagaaac	gggaggcccg	1140
cctggacaag	gtgctgtcgg	acatgaagag	acacaagaag	ctggaggagc	agatccttcg	1200
taccgggagg	gacctcttca	gcctggactc	ggaggacccc	agccccgcca	gccccccact	1260
ccgatcctcc	gggagtagtc	tcttccctcg	gcagcggaaa	tactgattcc	cactgctcct	1320
gcctctaggg	tgcagtgtcc	gtacctgctg	gagcctgggc	cctccttccc	cagcccagac	1380
attgagaaac	ttgggaagaa	gagagaaacc	tcaagctccc	aaacagcacg	ttgcgggaaa	1440
gaggaagaga	gagtgtgagt	gtgtgtgtgt	gttttttcta	ttgaacacct	gtagagtgtg	1500
tgtgtgtgtt	ttctattgaa	cacctataga	gagagtgtgt	gtgttttcta	ttgaacatct	1560
atatagagag	agtgtgtgag	tgtgtgtttt	ctattgaaca	cctattcaga	gacctggact	1620
gaattttctg	agtctgaaat	aaaagatgca	gagctatcat	ctctaaaag	gaggggctgt	1680
agctgtagct	caacagttag	gccccacttg	aaggagaggg	cagaattgta	ctcaccacaga	1740
ttggaaaatg	aaagccagat	gggtagaggt	gccctcagtt	agcacctgtc	ccatct	1796

<210> 339
 <211> 1771
 <212> DNA
 <213> Homo sapiens

<400> 339

cttgggcccga	gggacgtttg	ggcaagtggg	ttagtgtcgg	aaacggggca	ccaatgagat	60
cgtagccatc	aagatcctga	agaaccaccc	atcctatgcc	cgacaaggtc	agattgaagt	120
gagcatcctg	gcccggttga	gcaaggagag	tgccgatgac	tataacttcg	tccgggoccta	180
cgaatgcttc	cagcacaaga	accacacgtg	cttgggtcttc	gagatgttgg	agcagaacct	240
ctatgacttt	ctgaagcaaa	acaagtttag	ccccttgccc	ctcaaataca	ttcggcccagt	300
tctccagcag	gtagccacag	ccctgatgaa	actcaaaagc	ctaggtctta	tccacgctga	360
cctcaaacca	gaaaacatca	tgctgggtgga	tccatctaga	caaccataca	gagtcaaggt	420
catcgacttt	ggttcagcca	gccacgtctc	caaggctgtg	tgctccacct	acttgcagtc	480
cagatattac	agggcccctg	agatcatcct	tggtttacca	ttttgtgagg	caattgacat	540
gtggctccctg	ggctgtgtta	ttgcagaatt	gttctctgggt	tggccgttat	atccaggagc	600
ttctgagtat	gatcagattc	gtatatttca	caaacacagg	gtttgcctgc	tgaatattta	660

ttaagcgcgc	ggacaaagac	aactaggttt	ttcaaccgtg	acacggactc	accatatacct	720
ttgtggagac	tgaagacacc	agatgaccat	gaagcagaga	cagggattaa	gtcaaaaagaa	780
gcaagaaagt	acattttcaa	ctgttttagat	gatatggccc	aggtgaacat	gacgacagat	840
ttggaaggga	gcgacatggt	ggtagaaaag	gctgtccggc	gggagttcat	tgacctgttg	900
aagaagatgc	tgtccattga	ttctgtcaag	agattctctc	cagtcggatc	cctgaaccat	960
ccctttgtca	ccatgtcact	ctttctcgat	ttccccaca	gcacacacgt	caaatcatgt	1020
ttccagaaca	tggagatctg	caagcgtcgg	gtgaatatgt	atgacacggg	gaaccagagc	1080
aaaaccctt	tcatcacgca	cgtggccccc	agcacgtcca	ccaacctgac	catgaccttt	1140
aacaaccagc	tgaccactgt	ccacaaccag	ccctcagcgg	catccatggc	tgcatgggcc	1200
cagcggagca	tgcccctgca	gacaggaaca	gccagattt	gtgcccggcc	tgacctgttc	1260
cagcaagctc	tcatcgtgtg	ttccccggc	ttccaaggct	tgacggcctc	ttcctctaag	1320
cacgctggct	actcgggtcg	aatggaaaat	gcagttccca	tcgtcactca	agccccagga	1380
gctcagctc	ttcagatcca	accaggtctg	cttgcccagc	aggcttggcc	aagtgggacc	1440
cagcagatcc	tgcttcccc	agcatggcag	caactgactg	gagtgggccac	ccacacatca	1500
gtgcagcatg	ccgcccgtgat	ttcccagacc	atggcaggca	cccagcagct	ggcggactgg	1560
agaaatacgc	atgctcacgg	aagccattat	aatcccata	tgacgagcc	tgactattg	1620
accggtcatg	tgacccttcc	agcagcacag	cccttaaattg	tgggtgtggc	ccacgtgatg	1680
cggcagcagc	caaccagcac	cacctctctc	cggaaagagta	agcagcacct	gtattgctggc	1740
cgcgctagag	tatccaagat	tgcgctctgc	t			1771

<210> 340
 <211> 2725
 <212> DNA
 <213> Homo sapiens

<400> 340						
ggaattcgct	atatgccgct	atcctctggg	catgtcagga	ggccagattc	cagatgagga	60
catcacagct	tccagtcagt	ggtcagagtc	cacagctgcc	aaatatggaa	ggctggactc	120
agaagaagg	gatggagcct	ggtgccctga	gattccagtg	gaacctgatg	acctgaagga	180
gtttctgcag	attgacttgc	acaccctcca	ttttatcact	ctgggtgggga	cccaggggcg	240
ccatgcagga	ggtcatggca	tcgagtttgc	ccccatgtac	aagatcaatt	acagtccggga	300
tggcactcgc	tggatctctt	ggcggaaccg	tcatgggaaa	caggtgctgg	atggaaatag	360
taaccctat	gacattttcc	taaaggactt	ggagccgccc	attgtagcca	gatttgtccg	420
gttcatcca	gtcaccgacc	actccatgaa	tgtgtgtatg	agagtggagc	tttacggctg	480
tgtctggcta	gatggcttgg	tgtcttacia	tgctccagct	gggcagcagt	ttgtactccc	540
tggaggttcc	atcatttata	tgaatgattc	tgtctatgat	ggagctgttg	gatacagcat	600
gacagaagg	ctaggccaat	tgaccgatgg	tgtgtctggc	ctggacgatt	tcaccagac	660
ccatgaatac	cacgtgtggc	ccggctatga	ctatgtgggc	tggcggaaacg	agatggccac	720
caatggctac	attgagatca	tgtttgaatt	tgaccgcac	aggaatttca	ctaccatgaa	780
ggtccactgc	aacaacatgt	ttgctaaagg	tgtgaagatc	tttaaggagg	tacagtgcta	840
cttccgctct	gaagccagtg	agtgggaacc	taatgccatt	tccttcccc	ttgtcctgga	900
tgacgtcaac	cccagtgctc	ggtttgtcac	ggtgcctctc	caccaccgaa	tggccagtgc	960
catcaagtgt	caataccatt	ttgcagatac	ctggatgatg	ttcagtgaga	tcaccttcca	1020
atcagatgct	gcaatgtaca	acaactctga	agccctgccc	acctctccta	tggcaccac	1080
aacctatgat	ccaatgctta	aagttgatga	cagcaacact	cggatcctga	ttggctgctt	1140
ggtggccatc	atctttatcc	tcctggccat	cattgtcatc	atcctctgga	ggcagttctg	1200
gcagaaaatg	ctggagaagg	cttctcggag	gatgctggat	gatgaaatga	cagtacgctt	1260
ttccctgcc	agtgattcta	gcatgttcaa	caataaccgc	tcctcatcac	ctagtgaaca	1320
agggccaac	tcgacttacg	atcgcattct	ttcccctcgc	cctgactacc	aggagccatc	1380
caggctgata	cgaaaactcc	cagaatttgc	tcagggggag	gaggagttag	gctgcagcgg	1440
tgttgtgaag	ccagtcagc	ccagtgggcc	tgaggggggtg	ccccactatg	cagaggctga	1500
catagtgaac	ctccaaggag	tgacaggagg	caacacatac	tcagtgcctg	ccgtcaccat	1560
ggactgctc	tcagggaaa	gatgtggctg	tgggagggag	tttccccccag	ggaaactcct	1620
aactttcaaa	gagaagctgg	gagaaggaca	gtttggggag	gttcatctct	gtgaagtggga	1680
gggaatggaa	aaattcaag	acaagattt	tgccctagat	gtcagtgcca	accagcctgt	1740
cctggtggct	gtgaaaatgc	tcggagcaga	tgccaacaag	aatgccagga	atgattttct	1800

taaggagata	aagatcatgt	ctcggctcaa	ggaccecaaac	atcatccatc	tattatctgt	1860
gtgtatcact	gatgaccctc	tctgtatgat	caactgaatac	atggagaatg	gagatctcaa	1920
tcagtttctt	tcccgccacg	agccccctaa	ttcttctctc	agcgatgtac	gcaactgtcag	1980
ttacaccaat	ctgaagttta	tggttaccca	aattgctctc	ggcatgaagt	acctttctctc	2040
tcttaatttt	gttcaccgag	atctggccac	acgaaactgt	ttagtgggta	agaactacac	2100
aatcaagata	gctgactttg	gaatgagcag	gaacctgtac	agtgggtgact	attaccggat	2160
ccagggccgg	gcagtgctcc	ctatccgctg	gatgtcttgg	gagagtatct	tgctgggcaa	2220
gttcactaca	gcaagtgatg	tgtgggcctt	tgggggttac	tttgtgggaa	aactttcacc	2280
ttttgtcaaa	gaaaaggccc	ctattcccca	gctgtccaga	tgaaacaggt	tattgaagaa	2340
atactggaga	gttcttcccg	agaccaagg	gagggcagac	ttacctccc	tcaaccagcc	2400
catttgctcc	tgactcctgt	gtaataaagc	tgatgctcag	ctgctggaga	agagatacga	2460
agaaccgtcc	ctcattccaa	gaaatccacc	ttctgctcct	tcaacaaggc	gacgagcgat	2520
gctgtcagtg	cctggccatg	ttcctacggc	tcaggctctc	cctacaagac	ctaccactca	2580
cccattgccta	tgccactcca	tctggacatt	taatgaaact	gagagacaga	ggcttgtttg	2640
ctttgccctc	ttttctgtgt	cacccccact	ccctaccctc	gactcatata	tacttttttt	2700
tttttacatt	aaagaactaa	aaaaa				2725

<210> 341
 <211> 916
 <212> DNA
 <213> Homo sapiens

<400> 341						
cgctccagga	gcaactgcca	caggccgagc	cggggcctcc	cgcaagagga	aggaggtgcc	60
ctcaaggcta	cggacctggg	gtcccgggtg	tggacgcccc	atggggctca	ggcctaaaga	120
ggccgagagg	gcctcgggga	cccagtgcat	gccccacgct	gagcagcaca	ggctgccccca	180
ccgtgggctc	cccgatctct	ctctggatca	ccgagacctc	gcagggaggg	tcatcagggg	240
cgccaggccc	agggccacca	cagtggaagg	tctccccttc	cccaggcacg	taatcttoca	300
ggtcagccag	tgctcagcatg	gggcccgttt	gcgtgaggat	cttgggggtca	cgatccccaa	360
ggctgtgtgt	gtcctgggac	tctctcgtca	caaaggcgctc	tccgtcttcc	ccctcttctc	420
ctcccgcctc	ctccatggtg	ccctcctcct	ccaggctgcc	catgccagaa	gcagcccagt	480
ccacactgcc	tctggcatcc	acgcggaaga	caaggggctc	tctgacgccg	accatggctg	540
tgccctgggc	ccaggcctcc	tgggccagca	gcttggtggt	ggagttggtg	gaattggggg	600
cccctccggg	ggctcgcaccg	ggcagtggtga	agagatgcc	cgatgagctc	ctgggcaact	660
ctgtgggtgg	agacacaccc	tgcgggcccc	tcttcttcac	ccggacttca	atggtctcct	720
ccacctccac	ccacttgggc	tggggccccg	agagtcggg	cagagctgga	gagtgggctc	780
cggcctccgt	cacatacagt	gtgggcacca	cgggcttctg	gcttggttct	gcctccggcc	840
tgcggggctg	gccagcacct	ggcaggtaca	gcaggtcggg	ggccagtagg	cctggcctca	900
gcgggctggc	agagca					916

<210> 342
 <211> 860
 <212> DNA
 <213> Homo sapiens

<400> 342						
caagatcccg	acaggettaa	tcgctccctt	aaggaaaaag	ttattccttg	catccgcggg	60
aaacttgggc	cccccaagg	atcctttaa	cgggcgcccc	cttttttttt	ttttcaattt	120

```

cttcaacagg tcatgttcaa tttcttcaaa gttttaacat aaaaataatg agagccagga 180
gtggggccgg ggectggggg gacgaaggtg gtatgtgaaa caaggttggc acacaggcct 240
cacctcctc tgcctcagat tcccaagtgg gcaggtgggg gtgaatgggg ctccgggtag 300
cacctcagct cctctcagct cccctcagcc tgttctcctt ccagaccag agagctgaga 360
agagtagctg tgaggctcag ggcagaggct ctctgccttt caggaacagc ccttaaccct 420
gctccccttg cttgggcctc aggaaggtgc gcgagactct cctgccgtcc ctgggcccgc 480
ctggctctgc tgtgtccaga tggtcaggct actgccagct ggggccttgc tgctctgaag 540
tcccaggaag ccaggggtct gcaggagcct cttgcctcca ggctggttgg ggaagacgtc 600
ctccaggaag tagtagatat ggcccaccgc aatcccagc aggtccacga ggatggagtt 660
gcccagcagc agcgagaagc ccatgagcgc ccaaggcagg aacggtgctt ggaacttccg 720
gaacacaagg tgcgggttga agtagagttg aaaggggctg aggagctcca gctgcaccgc 780
ggcgggtggtg aggacacagg ctgcgggtga agcccgcgtc accgccggca cctgcaggaa 840
ctcggccgct agtcctctgc
    
```

```

<210> 343
<211> 3658
<212> DNA
<213> Homo sapiens
    
```

```

<220>
<221> misc_feature
<222> (1)...(3658)
<223> n = a,t,c or g
    
```

```

<400> 343
tttttttttt ttttaagatag aaatctatgc actttaatga ttgccagaat tgcccagcat 60
agcttcagta aaatagagaa ttgtctagaa aatacaatct ccaaaatgtg tgcaagtact 120
gcaaaccgga cagaccgggg cagggcaagg cccttgaaac caagtctcc ttgagcact 180
ttcccagggt agaaaccctt ctctcagcctg tgcctcgcac gtttccttca gcgtgccgc 240
cattcagact gcgccaaact acgtccccag tgcaccagcc tgngtggatc aagtgtccaa 300
ggggaaagta tgagttaggg caagcgcttt tttttaagc tghtaaacgt tcacatgact 360
gggcccctga aggaaattgt ggggagctta ggatgagcct gggagctttt tcagggactt 420
ggatgaggac tctgtacaca aatgtgtact ggcagagagt ctgcaccagc atcattctct 480
gttgcccctca gcatgtccag cactctcggg atgtccagca cctcattgtg ttccaggcag 540
gcatcatga tctccgacaa aatcaccacg ccagtctctc ctaccacagc actgcagtgg 600
accaacaacg gagggttggg gctttgggga tcacttgtgc tatttgtatg gcgtcgaaac 660
gactggatct cttcaagata tgataaaaaat cccttgagggt cttctggaca gccatgttca 720
ggccagtctg tgtattggag gtgccagacg gtccctctct gcccgtaag gaggtgcttc 780
atcttcaggc ctgtggtggc atagcagcca gactctgtgc ggaaccgggt cgtgatctta 840
aaccttccat aggtgacagt gttgtgctg gaaccaagtc gtggccagta cctaaagctc 900
ttctcccttc caccctcctc ttctgctgtc accattgcta taattgcaat tccctgttcc 960
cataccatct gccaaaaatc ttgacaggta ttctgtaatg gtccctgtgt ggcaatataa 1020
tcccattcga ttccactgac agagacctta atatgtgatg cgttgatgta accagtgttg 1080
ttttctttag ttgggaccaa ctccactctc acatcatcat aaggaagaac atcttggaa 1140
cgatttcttt ctgcattttc agggagtctg gctgttgagc actccccatc aactagccgt 1200
ttcttaagaa ttctttcata ttctgtgaat accattcctt gttctaactg ttgttcaga 1260
attttacacc ttctcatatt cgttgcctg gtagccactt ccttcccttc atcaggcaga 1320
ggcactcgag atagggagag tccatttagg gcagccagtt taagaggacc aattttttt 1380
gcatctactc gagtcttttt cattccccct agaggcggga gcccttccac gatgttcttc 1440
ttcccagaga gaaggtccga caccggcctt ttcttcagag agtccctccg ggctcggtag 1500
cggcctgacg tggtgaggtc ggactccgac atggagggca tcagcagccc gtctctccag 1560
ggccgctggg cctctgcggg cgtgcggacg gggctgetgt ccatcatcct cttctccgcg 1620
tctgggacgt gggccttggg ctccaggatg tgcaggggcc cggcgagcag gacgcgaggg 1680
cagccaggtg ggtcctgggc caggccgggc cgagctcgc gcgcacgtgc agggggcgc 1740
cgggcccgcg tctcctcctc gaagtctctg tctctcctc cctcgtctgt gttgattagc 1800
atgggtggcgt ccgacagggg cttcttatgg ccgtacctca agccctccg ctcctccggc 1860
    
```

ccttctcgct	gtgtcctctc	ggtgaaaacg	ctggggctgg	gagcccacog	agacggctcg	1920
cggcgccac	ctctgccc	gacgcggata	gggtgcgctc	cttgagccgc	aggccctcca	1980
ggcctggct	gagcccggcc	acctcgatgc	tgttccgttt	gtgcagctgc	gcgtggcgcg	2040
cggcggtgag	gggctcgctg	acctcctgca	gcgagtgcgc	cacgggcagg	ctgtcctcct	2100
ggaacgttg	caccgagtgg	tgcacgcgcc	gcgtgatgag	gtcggggttg	ctgctgtgta	2160
tgtaaagtg	gcgggacagg	tctggcgtgc	tgttggcggg	cctggggggc	gggtagggtg	2220
gggggtggccg	gtacacctgc	gtccgcata	tgttgggaga	eggtagtcc	tgcgcctgca	2280
gctgcgcatt	ggtcagctcc	ggcacgctga	cgcgcgccac	cacgggcccgc	cgctcggcag	2340
ggtagggta	gggagacggg	ctgtggaagc	tgtagctcag	gctgaacggg	cagtgtgcgg	2400
ccgctggcga	ggggagctgt	gcgtgctcgc	ggatctcggg	ctggctgtag	accagcgccg	2460
cgggcctgct	gtaggcgtac	gagctgccga	tgttgaggtt	tcgcagcgag	tggctctgcc	2520
gttccgcatg	caccaggccc	ctgttgagct	gcttcatcac	agtctcatag	tctggggttg	2580
ggcggtagga	cgggggtatc	acggcgctgt	gccgatggga	cgggaggtag	tcaggcctca	2640
tgacgtcact	cccggtgatg	ctagggttgg	acgacatcgg	cgggggctgc	aagtagggct	2700
gaggattatt	taaggagtgg	gtgctgtgtg	cactgtagac	actggcattt	acggatccga	2760
ccgttgaagt	caatctgggc	tctattcaag	cttgtctgaa	attgaccata	gtatcccttc	2820
ctgggtggc	acaaagaggt	tatcttggga	agaagcatat	ggttctgtat	aatgtccatt	2880
atagtcaac	tggcgggtgg	ggaggcatca	cgtagggctg	gggtttaggc	agagacatcc	2940
ttgaagaaga	cctcctcctg	attgggttca	ctgtgacagt	ctgagtttgc	aggttacact	3000
ggtttagtct	gtaaaacttg	tgtcgcgcaa	cacagagtct	ccaaatgtat	tttctgtttt	3060
ccatgtcttc	agtttgaaat	tgaatggtct	cctctttatt	tgccagctct	aatgcaaaaa	3120
aggacttggt	gtgggacatg	ttggcaatgt	catgccacct	aaataccaca	ggatgccttc	3180
cattcttgtg	tttcacaaaag	ataccttcaa	gacacgctcc	aatggatatg	tcacttcctt	3240
ggctatcctt	agcagggtag	ctctcttctc	catagccatc	cattctctct	acctcctgca	3300
tgtacagcat	ttcagcatca	ggagctgtga	gccctctgta	tttctgatgt	agtaaggcca	3360
ctttttgggt	tgcttcttcc	aatacttttt	catcttgtaa	ccatcccaca	ggaaacaagg	3420
caaatttctg	aagaaagtcc	tgggattcat	actgatcaaa	gtcaccaaaa	atcgcttgaa	3480
cagctaagcc	tgctaggtga	attggctgtt	ccaaggtaca	agggatacct	tcttcccaga	3540
tatccttctc	cagttgcaga	taatactggt	acccggtaat	cctctgctgg	aagcagggaa	3600
cctgagggcg	ttaaaccccc	attccaaaat	agacggtagg	ttccaaggcg	tttttttc	3658

<210> 344
 <211> 419
 <212> DNA
 <213> Homo sapiens

<400> 344	aataaagaaa	gaaacagaag	ctggccgagg	agtgagttga	gctttccaag	ttagctgacc	60
	ttaaagatgc	tgaagctgtc	cagaaattct	tcttgggaaga	gatatagctt	tgggtgaagag	120
	atcctagcta	aagggttaga	ccacctgaca	aatccaagtg	ctgtgtgtgg	acagccacag	180
	tggttactgc	aagtgttaca	acaaactctt	ccactaccag	tgatccagat	gcttctgaca	240
	aagcccctac	cagttaatca	gagacttgta	agtgctggcg	cttggccaaa	gacgatgtgg	300
	aatgagaaac	aaatgtcaac	ataataaaat	ctcagttaaa	atacttgaaa	aattcttaac	360
	ttggtagttg	agcagaaggg	caaatatgct	tgttatgaac	tattctacat	tgaaatcta	419

<210> 345
 <211> 1253
 <212> DNA
 <213> Homo sapiens

<400> 345
 ggaattcctc tgtcccgcca tacacagggg gggacggggc agggcgggca ttgagctttg 60
 tgtcctgggg tcagggtgct tcccctgccg gcctcacccc accaagcgga tctcatgggtg 120
 ctccctctggc tgggccacc cgcagtggtg tctttctggg gcccttatg ggagcctgcc 180
 gggggtgcag atcctgccgg ggggtgcagag cctgctgggg gtgcagatga tttctgggtc 240
 ccaggaccat gagggggctg ctctacacac agccggaaga tgctgcggac ccaaactggc 300
 cttttccctc ccacaccacc ccaggaccaa tgggctggct ggaggccacc catgctaaaa 360
 taggctcaag ggcctacttt agcttctggg caaaggctct ggctggggcc tgactctgtg 420
 gccttctga gctgcctccc cagtaggcct cagtgtggg ctacaggcct cctccattcc 480
 ctccattcat gtgacccac cctcccagc agaaactctc ttccgtagcc caggagcagc 540
 tgttgagggt ttcacctgcc catgccccag cctaaggccg gcttccccag agcagacggg 600
 ttgcaactct ctgcccctca ggcccactct gtcattcaac aagctcactg caactggccc 660
 atcttaaaaa caacaccggc tggtcacgct ggctcacacc tgtaataccca gcgctgtggg 720
 aggcgggggc ggggggatca cttaaagtca ggagttaag accagcctgg gcaacatggt 780
 gaaaccggag ctccactaaa aacacaaaaa caaattaagg cacctgagt ggtggtgggt 840
 gcctgtggtc ccagcgactc gggaggctga ggcagattg ctgagccca ggagtgagg 900
 gctgcagtga gccacgatcg catcacgcac tccagcccgg gcaacctggc aagacctga 960
 ctctaaaaag aaaaaaaca caaaaaaaaa aagcccactg tcaagggcag cactattcaa 1020
 aagagggaag caactcagga atccaaacgc gcaggaggga acacatcggg gttcatccac 1080
 aggggaacac gattcaccca aaaaaaggaa ggaaaccggc ccggccccgg gacttgaatg 1140
 cacctggagg agactgtgat gaacaaaagc acccaacc ccaagggcag ggacgggggtg 1200
 atctgactga ggtgaggacc ccagccagcc aaattcatgg agacagaaag aag 1253

<210> 346
 <211> 807
 <212> DNA
 <213> Homo sapiens

<400> 346
 ttctgctcga ggcgggcgcg ggcgcgtccc tgtggccagt caccgggagg agttggctcg 60
 acaattatga aagactcggc ttctgctgct agcgcggag ctgagttagt tctgagaagg 120
 tttccctggg cgttccctgt ccggcggcct ctgctgccgc ctccggagac gcttcccgat 180
 agatggctac aggccgcgga ggaggaggag gtggagttgc tgcccttccg gactccgccc 240
 cgtgaggaga atgtcccaga aatcctggat agaaagcact ttgaccaaga gggaatgtgt 300
 atataattata ccaagtcca aggaccctca cagatgcctt ccaggatgtc aaatttgtca 360
 gcaactcgtc agacggggtt tcaactgtgt agccaggatg gtctcgatct cctgacctcg 420
 tgatccacc cctcgggtt cccaaagtgc tgggattaca ggctgagcc accacgccc 480
 gccaatattt tgtaattttt agtagagatg gggtttctact atgttggccca ggctagtctt 540
 aaactcctgt cctcgtgatc ctcccacctc ggccctccaa agtgctgaga ttacagggtg 600
 gagccactgc atccagccaa taatatgctc tttaacaaac aatggatcaa aggagaaatc 660
 acaagggaata tagaaaaata cttaaaaatg aatgaacatg aaagaaaaca taccaaacgt 720
 atgggaaaca gtgaaaacag tgcaaacgag gcaatttata gctatacacc attaaattta 780
 aagataagaa agacgtcaaa ccaacaa 807

<210> 347
 <211> 918
 <212> DNA
 <213> Homo sapiens

<400> 347
 tttttttttt ttagaatata tttcatttta ttataaagca gtgctcccaa acttttcaca 60
 gcgtacacct cgaggggtgga gaactaacat ccaagcacac ctggatggtg gatgggacc 120
 acttctgggt aacctgatga ggaagctcta gtgaagaaat tcaggacgcg gtcttcagag 180
 cagagggctt ggttcaagtc cctgttctgc cacttactaa ctgcatgacc ttgagcaagc 240
 cacttaattt ctctgctcct tctctgtgaa atgggtacaa tgtggtcagc agtaaaggaa 300
 ctaatacatg tacagcactc agcacaaaagc ctggcacaca gcaggctctc accagggtcc 360
 attctcagca caactgcttg gttgagctac tgtggcagtg gcaggttgtg cccaagggg 420
 gtgggctcag gagcccgtgc agcaagagggc agtgaccaag gaggcagggg acaatagccc 480
 tatcttttca ggatctctgc cttggacctg gagaatggag agactttgct cctatcacgt 540
 cccaagttgg gaaaactaag gacgaagccg gtgactgaca tctgaaatgg aatcctctgc 600
 atctccaagt ggccctatac ctgacaatat cattaactagt gaaaaccaag tgacaaaacac 660
 actcctcgag cccaagttct tccacatgtc ccattgagga gagcacagcc aataacgcag 720
 agtgatttta tgcgcagggc tggctaaaca ggctggctac gagtccggaa cagtctcag 780
 atctggcttc ccattggccg acatgacaga atccttctcg cgttgctctc tgatgtactg 840
 gtccaacagc gtgggtcagct ggaggggctg gtgctggagc agggagtggg tctgggctgt 900
 gaggcaggtg gagttctg 918

<210> 348
 <211> 1893
 <212> DNA
 <213> Homo sapiens

<400> 348
 ctgaatccat ggaaaaacgc tttacaggac ttctgcttac cttttctcag aatcaccagc 60
 cttcttcagc accacctttt tggggaagat ttacctagct gccaggaaga agaagaattt 120
 tcagttcttg ccagctgcct gggacttctg ccaacgtttt accaaacaga acatccattc 180
 atcagtgcct cctgtctgga ttggccagtt ccagcatttg atattataac tcattggtgt 240
 tttgagataa aatcatttac tgaaagacat gcagaacaag gaaaggcctt gcttatccaa 300
 gagtcaaaaat ggaaattacc acacctacta cagttgcctg agaattataa caccattttt 360
 cagtactacc acagaaaaac ctgtagtgtc tgcaccaagg ttctaaaga tctgctggt 420
 tgccttgtgt gtggtacttt tgtatgcctg aaaggacttt gctgcaagca acaaagtac 480
 tgtgaatgtg tactgcactc tcagaactgt ggtgcaggaa caggtatttt ccttttgatc 540
 aatgcatcgg taattatcat cattcgaggt caccgcttct gectctgggg ttcctgtgat 600
 ttggatgctc atggagagga agaccgggat cttaggcgag gcaaacctct ctacattgt 660
 aaggaaagat acaaagttct tgagcaacag tggatttctc atacttttga tcacatcaat 720
 aaaagatggg gtccacatta caatgggctg tgactctcca cctcagcatt gcacgtatc 780
 atcattttcg ctacgaattt atttttcaac aataagcttt aacttaattt gggggattaa 840
 cacttttctg gagggagaaa aagaaaacat acattatgaa gcctttccaa aattaggtgc 900
 ttggtaatca cgttaatggt ataatttttt ttttttaata tctggagAAC attaataaca 960
 agttaaatta ttcttttagtg gtcatttttt aagtgcacaa ttaataagaa gcacaacttg 1020
 ttcacaaact cattcagaaa tgattctccc acaaatgcat atcagctatt cattgatact 1080
 tagatgggtg gtgatttatt tgacatttta ctgcttcttt ctgtctgtgt gttttaattt 1140
 gcatctgcca agcataatgc atcttttttc ctctgccatt cttgtgttga ttggagaatt 1200
 tttctgtatg taattagaaa aaaatgtaaa acatgattta tgtgaaatac tgtatagtaa 1260
 aagttggtct aatagtagaa ctttaaaatt ttttcttatt gtgaggaaac tgttaaaagt 1320
 ttaaagcttt gctgaaaact gaattcattc tcaggaattt cataaatctt ctcccagggt 1380
 aaataattga aatagctgta aaataagtag atagctgctg ttaataataa acagtacatt 1440
 ttggggggca tatgtgtggt tgggggggtcc ttaaaaatca aaatttgcca tttcagttgg 1500
 atgaattact agaggttaata acaaatctta ctataaaatc aagaggttta agaacataca 1560
 ctgggcagat gttgattccg tgcatgcccc ccttttatta ccaaaacagg ttttgtttat 1620
 atgattgtat tagaaatgct cagacttccc cagaaatgaa ccataaattt tggaaactcc 1680
 tttcagctca agaggttcag ctatattgta tttgtgcagt ggtaatcaat acctatttct 1740

ggctcggggtt	tcctataaag	gaaaaaaaaag	gcggcagtgg	gtgatgacct	tcattggaatg	1800
agccacgctt	cctgcattcc	tccttaggaa	ctggctgtgg	aaaaccaatt	tatggtttgc	1860
aggggtttaa	aaatccagta	aaaatggggg	atg			1893

<210> 349
 <211> 1433
 <212> DNA
 <213> Homo sapiens

<400> 349						
gcaaggggca	gttggtgaac	ttgctgcctc	cagagaatth	tccttgggtg	ggaggcagcc	60
agggacccag	gatgctccgg	acctgttacg	tgctctgttc	ccaagctggt	ccccgctcca	120
ggggctggca	gtccctgagc	tttgatggcg	gggccttcca	ccttaagggc	acaggagagc	180
tgacacgggc	cttgctggtt	ctccggctgt	gtgcctggcc	cccactogtc	actcacgggc	240
tgttgctcca	ggcctggtct	cgggcactcc	tgggctcccc	gctctcaggc	gcatttctcc	300
gagcatccgt	ctatgggcag	tttgtggctg	gtgagacagc	agaggaggtg	aagggtctgc	360
tgcagcagct	gcgaccctc	agcctccgac	cactgctggc	agtgccact	gaggaggagc	420
cggactctgc	tgccaagagt	ggtgaggcgt	ggtatgaggg	gaacctcggg	gctatgctgc	480
ggtgtgtgga	cctgtcacgg	ggcctcctgg	agccccccag	cctggctgag	gccagcctca	540
tgcagctgaa	ggtgacggcg	ctgaccagta	ctcggctctg	taaggagcta	gcctcgtggg	600
tcagaaggcc	aggagcctcc	ttggagctga	gccccgagag	gctggctgaa	gctatggact	660
ctgggcagaa	cctccaggtc	tcctgcctca	atgctgagca	gaaccagcac	ctccgggctc	720
ccctcagccg	cctgcacatg	gtggcacagt	atgcccgggc	ccagcacgtg	cggctcctgg	780
tggatcgcca	gtacacctca	ctgaaccctg	cgctctcgct	gctggtggct	gccctggctg	840
tgcgctggaa	cagcccgggt	gaaggcgggc	cctgggtgtg	gaacacctac	caggcctgtc	900
taaaggacac	attcgagcgg	ctggggaggg	atgcagaggg	tgcgcacagg	gccggcctgg	960
ccttcggagt	gaagctggta	cgaggtgcat	atctggacaa	ggagagagcg	gtggcccagc	1020
tcccatggaa	atggaagacc	ccccactca	ggctgactat	gaggccacca	gttcagagtt	1080
acagcccgtc	gcctggaact	gatgctgacg	cacgtggccc	gccatggccc	catgtgccac	1140
ctcatggtgg	cttcccacaa	tgaggaatct	gttcgccagg	caaccaagcg	ggcaggccgg	1200
ctatgtagtg	tataagtcca	ttccctatgg	ctccttggag	gaggtaatcc	cctacctgat	1260
ccggagggcc	caggagaacc	ggagcgtgct	tcaggggtgcc	cgcagggaac	aggagctgct	1320
cagccaaaaa	ctgtggcgcc	ggctgctgcc	aggatgccga	aggatacccc	actagcacc	1380
ctgagggggg	catgtggtca	ataaaagtcc	ttaggtgctg	cctaaaaaaa	aaa	1433

<210> 350
 <211> 1062
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1062)
 <223> n = a,t,c or g

<400> 350						
tttttttttt	ttccagtcac	taatgatctg	tccttttgag	atcttttact	tcagaggaag	60
atttaggcaa	gagagcaaca	tataatagtc	agtgatacaa	agaagggcat	ggaacatttg	120

gggaacacag	gggtttggag	ggcctgaagc	acaggggtgg	tggtattaga	aatgtgggaa	180
atatgggcca	tgagcctccg	gacagaatgg	ggtccaggaa	ggacagcatc	acacactggt	240
gctggaattt	ggggatcctt	ctgtgggcaa	cctcagcagt	ctggttattg	gccctttttt	300
cttacagcct	ggaaaactgg	accaagtttc	tattgatctc	agcgaccgac	cggcagcctg	360
taaggggcca	tggaagtgtg	gaactcattt	gttaaaatgt	tcaaaacttc	cttaacacca	420
tgttcaccct	tgcaaggcaag	gccccatagg	attggtctcc	caagaaaaat	gcacttagct	480
ccaagggcca	gagccttctg	cacatcattg	ccagttctga	ccccggcatc	caggtagtac	540
ttcatgttcc	cctattcagc	agctcctact	tctgtcaaa	catcaattga	agcaagaacc	600
tcatcaagct	gcctcccacc	atggttggaa	acaatgatac	cctggacatt	gtgcttcaca	660
gctaactctg	catcctcttt	tgtcaaaatc	cctttcagga	tgatgggcaa	tcgagttatg	720
ctctgaaacc	aggagagatc	attccagcag	agagaagtgc	tgataggagt	catctgaaa	780
taaggtattg	catttccctt	tttaggtgat	tgaagatctg	ttagtgttaa	gttcctctc	840
aactggtttc	gaatgtcatg	tcgcctgttg	ccacatacag	gtgtatccaa	agttattacc	900
aaagctttga	aacctagggg	ttctaccctc	tggatcaact	gtttgttcag	ctgcaggctc	960
ggatgcacat	agagttggaa	ccatcggagg	cctcggggag	ctcttctgtg	gctcatttcc	1020
ccgaattcca	ccacnctgga	ctagtgttct	caaaaanntc	ga		1062

<210> 351
 <211> 1227
 <212> DNA
 <213> Homo sapiens

<400> 351						
cagttttttt	tttttttttt	tgctgcatga	ttttattact	ataaatatac	agtaaaaacg	60
aaccaacgat	gagcccatct	gagcacatca	gacggcagca	catgggagtc	ccagcgggcc	120
actctgcgcc	ccgaacttca	cgcaaagctc	tggcaccagg	actgatggcc	agaggctggg	180
gccttggtgg	gggcgggggg	cgggcggtgc	agggggctgt	gtgtgttgtt	ggggagaggt	240
gcatgggggg	agagaggtgc	ttgggggtgg	gtagaggtgc	gtgggagatg	ctcggtcoga	300
gtgcacacac	atgcatggga	acatgtgcag	gagtatgtgc	gtgtgtgtat	gcgtgacagc	360
atgtgtgagc	gtgagtgtgc	atgtgtgaac	gtgtgcgtga	gcatgtgcaa	gtgggcgtgc	420
atgtgtgtgt	gtgtacgtgt	gagcgcactc	gcgtgcctgt	gcacgagcgg	gaggggtggc	480
tggcctgggt	gtgcaggag	ctgggtgtga	ggaccgtgct	gtccactgct	gggtctcgcc	540
caggaggcag	agctcatgct	cggagccacc	gtgagcctca	gggagggtac	tgagctgccc	600
cacagccgac	ctgtccccag	gccccactg	cagggcagcc	ctccagagcc	aggtgagcag	660
cagacacctt	gcctggccca	aggctccgca	gggggtggatc	catgccctgg	gtcaccacgg	720
cccaggcact	ccctttgcca	tctgcgggcc	caggagggtt	acctataaaa	aaaacaaca	780
aacaaacaaa	caaaacagga	cgaggtcgcc	cagaggccaa	gcctccccgg	ccgggacccc	840
attccccagg	tgtgctgctg	gcttccctct	ccctggggcc	agcctgccac	agaaaagcct	900
agacagaaca	aaccaaatca	gagagaactg	caagggggcc	gggcgaggag	gctcacgcct	960
gtaatctcag	cactctggga	ggccgaggca	ggtggatgac	cttaggagtt	tgagaccagc	1020
ccggccaaca	tggtgaaatc	ccttctctac	taaaaataca	aaaaaattag	ccgagcatgc	1080
tggtaggcac	ctgtaatccc	cagctactca	ggagcctaag	gcaggacgat	cacttgaacc	1140
cgggaggcgg	aggttgcagt	gacccgagat	tgagccactg	cactccagcc	tgggcagcaa	1200
gagtgaaact	ccatctcaaa	aaaaaaaa				1227

<210> 352
 <211> 1194
 <212> DNA
 <213> Homo sapiens

<400> 352
 tttttttttt ttatgatttt aatatacttt atttatttaa aaagtacaca gttttaaatt 60
 ggtttcaata ggtttcaagc agaagggaca ctgcctacca cttgctgtcc cttttctgat 120
 gaaggggatgat tatcatgtgg caaactcaca tttgcatgac tggcaaagta aaaagataga 180
 taactttttg tcaacataatc ttttaagagtt tatatcacgc acagtttaaa atcatgacga 240
 gatgctgatg gttggactat attcatgtct cgtatgttgc accatatttt ggttcacagt 300
 ttatccatga tttagcatgc caagagaaca tctcagtcag taagagaaca tctcagtcag 360
 tgtcaccttg agaagagcat caaaagcaga gggagcagaa ggaggaccgt ctgggcttgg 420
 agactcggcg cccccccaca ctccctcgca ttctcctcag gatggaagcc atgacaagat 480
 tctgggagcc ttctgatctt ctgggccttt agacgttcac acttaagggga ttcattatgt 540
 tgactgtagt taaggcatgt ttccaaggat tgcttttttc tactctgcat ttcagaggtc 600
 aaaatttggc aatgacaact ctcttaacta ctctctctct ccaacagtgg aaaggatgta 660
 attttctctc tctaataattt ctccccaggg tttccttacc actgataacc cttactgggt 720
 tccgtggtag tgagtggacc tgcacacaaa aggatatacc tgatttcaat ggggtccatg 780
 gtgatggggg ccacagattc acagaggcag ctgctgtcca ccaccaccat gaacaggttg 840
 ctgcttggga tttgctggat gacaaaggac ctggtggaac aagaggtagc gaggcagtca 900
 tttaccatcc gtcaattaata gagccatgag gaagacttct ctctggggtg gtagcaacta 960
 ccatattttg taaagcaaat tttggagact attttactac taatgttacc ttctttctcc 1020
 atgaggctct tcaattacaa atacctagct tcaactaggaa aacaacaata gctatgacga 1080
 catgctgctc atacaactca ccttggaaag actgaagtgc tgtatgtaca aaacacaaga 1140
 gtcagagttg gctgaatcac ctgttcccaa ggtttaaagag gtcagacttt caaa 1194

<210> 353
 <211> 1140
 <212> DNA
 <213> Homo sapiens

<400> 353
 acttcacaa ttaaaacatt tggaaaggaa ttaatggtgt atttccatta gggaaagtgc 60
 tgacaagccg caagggatcc cttgatggtt ctgggcatgg gcgcccagcc tgggctctgg 120
 ctttgggagc agcgagggga atgtgtctct caccctagg cctcctggtc tggctcctgc 180
 tcaggccaca cggcgaccc acccccagcg cgcctcagtc caggctactg ggcaggggtg 240
 ttactgctgc gtcceaacc aagcatgtag atttcagaag gggactagga cccccggcag 300
 gtgtttgaga ccaccggctc ccaagtgcgt cgccttgggg gtttgcatcg gtcctcagc 360
 ctccccaggg aatctctgtg tagggctggg agcgggaggt ctgagttgag ccgggtgcct 420
 gagatctccg gtgcaggtcg ggggagggga gccccctcg ggctgtgggt agagcgggag 480
 aggaacttcc cagactagct ggcacagagc ctcggaagg cggcgggac tgcaggtggt 540
 ttacgggaag tgctgcagcc ttggggtggg gacagctgg ccagaccac cgcctcatct 600
 gcacacctgg gctcaagcgc taatgacgac aggggactga gtgaatggga cccccatgga 660
 cccgcgcgcc tgccccacgc catggcctgg gtttcgggag ccttgcttta ttctgcctcg 720
 ggtcggaggc tgggggagcg agacctccag tgcccgtgcg gctgggggag aggggtggagg 780
 ggccaactag atgtaggagt catcaccacc gggcgcactg tagggacccc caccctccc 840
 cgcgcccctc cctcatcgc cgctgcggga gtcactggcg ccatccacgt ccaggggtggg 900
 cggttgaga acgaccagct ctgcctccgt cccgatgtcc tgcaccaacc agacagcctt 960
 gtaccgccc tctggccgcc gtccttggg caggatggac ctaccgccc tggggcttcc 1020
 gccagctcgg gcccgtcggg ggggctcaag ggcaccgct ggggagggag ggccgggggg 1080
 tgccggctat gcgggcatcg gtgcctccgc gggcttgggg tctgtcgtgg ggctggggac 1140

<210> 354
 <211> 2401

<212> DNA
 <213> Homo sapiens

<400> 354
 agttaatctc tttggctggg cctacagatg acatacagag tacaggcccc caggttcatg 60
 ctttaaataat ccttagagca ttgttcagag atacgcgcct gggagaaaat attattcctt 120
 atgttgctga tggagctaag gctgcaattc tgggttttac atcacoggtc tgggcagtg 180
 gaaattcatc cacacttctc tttagtgcct tgatcacaag aatttttggg gttaaaagg 240
 caaaggatga acattccaaa acaaatagaa tgacaggagg agagtttttc tctcgtttcc 300
 cagaactcta tccttttctt ctcaaacagt tggaaactgt agccaatata gtagacagt 360
 atatgggaga accaaatcgt catccaagca tgtttctctt acttttggg tgggagagac 420
 tctacgcttc ccogatggat ggtacttctt ctgctctcag catgggacct tttgttccct 480
 tcattatgag gtgtggtcac tcacctgtct accactcccg tgaatggca gctcgtgcct 540
 tgggccatt tgttatgata gatcacattc ctaataccat tcgaaactctg ttgtccacac 600
 tccccagctg cactgaccag tgtttccggc aaaaccacat tcatgggaca cttctccagg 660
 tttttcattt ggtgcaagcc tactcagact ccaaacacgg aacgaattca gacttccagc 720
 acgagctgac tgacatcact gtttgtacca aagccaaact ctggctggcc aagaggcaaa 780
 atccatgttt ggtgaccaga gctgtatata ttgatattct ctctctattg acttgctgcc 840
 tcaacagatc tgcaaaggac aaccagccag ttctggagag tcttggcttc tgggaggag 900
 tcagagggat tatctcagga tcagagctga taacgggatt cccttgggcc ttcaagggtc 960
 caggcctgcc ccagtacctc cagagcctca ccagactagc cattgctgca gtgtgggccc 1020
 cggcagccaa gagtggagag cgggagacga atgtcccat ctctttctct cagctgttag 1080
 aatctgcctt ccctgaagtg cgctcactaa cactggaagc cctcttggaa aagttcttag 1140
 cagcagctc tggacttggg gagaagggcg tgccaccctt gctgtgcaac atgggagaga 1200
 agttcttatt gttggccatg aaggaaaatc acccagaatg cttctgcaag atactgaaa 1260
 ttctccactg catggacctt ggtgagtggc ttcccagac ggagcactgt gtccatctga 1320
 ccccaaagga gttcttgatc tggacgatgg atattgttc caatgaaaga tctgaaattc 1380
 agagtgtagc tctgagactt gcttccaaag tcatttcca ccacatgcag acatgtgtgg 1440
 agaacagggg attgatagct gctgagctga agcagtgggt tcagctggtc atcttgtcat 1500
 gtgaagacca tcttctaca gagtctaggg tggcctcgt tgaagtcctc accagtacta 1560
 caccactttt cctcaccaac ccccatccta ttcttgagtt gcaggataca cttgctctct 1620
 ggaagtgtgt ccttaccctt ctgcagagtg aggagcaagc tgtagagat gcagccacgg 1680
 aaaccgtgac aactgccatg tcacaagaaa atacctgcca gtcaacagag tttgccttct 1740
 gccaggtgga tgctccatc gctctggccc tggccctggc cgtcctgtgt gatctgtctc 1800
 agcagtgagg ccagtggcc cctggactgc ccatcctgt gggatggctg ttgggagaga 1860
 gtgatgacct ctggcctgt gtggagagca tgcatcaggt ggaagaagac tacctgtttg 1920
 aaaaagcaga agtcaacttt tgggcccagaga cctgatctt tgtgaaatac ctctgcaagc 1980
 acctctctg tctcctctca aagtccggct ggcgtcccc aagccctgag atgctctgtc 2040
 accttcaaag gatggtgtca gagcagtgcc cacctcctgt ctcagttctt cagagagctt 2100
 ccaccagctg ctgagtttgt gaagacagtg gagtccaaa gactacgcat tcaagaggaa 2160
 aggactttgg cttgcttgag gctgctggcc tttttggaag gaaaggaagg ggaagacacc 2220
 ctagtctca gtgtttggga ctcttatgca gaatcgaggc agttaactct tccaagaaca 2280
 gaagcggcat gttgaagaaa atctggggga ttgggatggg ggtatgtgtg gatttttct 2340
 ccactaaatc tgcaggaac atgttgaaca taaattcaaa aattttatcc caaaaaaaaa 2400
 a 2401

<210> 355
 <211> 2186
 <212> DNA
 <213> Homo sapiens

<400> 355

eggataaaga	cgctgggaga	ttgacatgca	tttcgaccaa	tagcattgca	gagaggcgta	60
tcatttcgcg	gatgttccaa	tcagtagcga	gagagtcgcc	gtctccaagg	tgaaagcgga	120
agtagggcct	tcgcgcacct	catggaatcc	cttctgcagc	acctggatcg	ctttcccgag	180
cttctggcgg	tctcaagcac	tacctacgtc	agcacctggg	accccgccac	cgtgcgccgg	240
gccttgacgt	gggcgcgcta	cctgogccac	atccatcgcc	gctttggtcg	gcattggcccc	300
attcgcacgg	ctctggagcg	gcggetgcac	aaccagtgga	ggcaagaggg	cggctttggg	360
cggggtccag	ttccgggatt	agcgaacttc	caggccctcg	gtcactgtga	cgtcctgctc	420
tctctgcgcc	tgctggagaa	ccgggccctc	ggggatgcag	ctcgttacca	cctggtgcag	480
caactctttc	ccggcccggg	cgctccgggac	gccgatgagg	agacactcca	agagagcctg	540
gcccgccttg	cccgcggcg	gtctgcggtg	cacatgctgc	gcttcaatgg	ctatagagag	600
aacccaaatc	tccaggagga	ctctctgatg	aagaccaggg	cggagctgct	gctggagcgt	660
ctgcaggagg	tggggaaggc	cgaagcggag	cgctccgcc	ggtttctcag	cagcctgtgg	720
gagcgcttgc	ctcagaacaa	cttctgaag	gtgatagcgg	tggcgtgttt	gcagccgctc	780
ttgtctcgtc	ggccccaa	agagttggaa	ccggcctacc	acaaatcacc	tggagagggg	840
agccaagtgc	tagtccactg	gcttctgggg	aattcggaag	tctttgctgc	cttttgtcgc	900
gccctcccag	ccgggctttt	gacttttagt	actagccgcc	accagcgct	gtctcctgtc	960
tatctgggtc	tgctaacaga	ctgggggtcaa	cgtttgcact	atgaccttca	gaaaggcatt	1020
tgggttggaa	ctgagtccca	agatgtgcc	tgggaggagt	tgcaaatag	gtttcaaagc	1080
ctctgtcagg	cccctccacc	tctgaaagat	aaagttctaa	ctgccctgga	gacctgtaaa	1140
gcgcaggatg	gagattttga	agaacctggt	cttagcatct	ggacagacct	cttattagct	1200
cttcgtagtg	gtgcatttag	gaaaagacaa	gttttgggtc	tcagcgcagg	cctcagttct	1260
gtataggcaa	tgctgtgtta	ttacttgaat	atagaatata	tagtttataa	aatgaaaatt	1320
ccaatgttct	caccaaatat	atgccttcgt	gtgtccaaag	tataattatt	ttagatgcta	1380
atthtgaata	gtttattaaa	cagttataaa	tatgcaaagt	agctggcatg	tagtgtcacg	1440
gattttctgg	atagaggaag	tgattggaag	tattccactt	aaagccatgg	aattagcaat	1500
agtttgcttt	ttaatagaag	gcccatttgt	aagaatgttg	aaaatatgtg	taccgtttaa	1560
agaaaaagca	gctttaaagt	gacaaacaaa	ataccctttt	tcttttagta	tgggttattt	1620
ttctaggttt	tctgtccctc	cctcagtagt	gaagagtttt	ctttattcct	ggcagtgta	1680
ggaatattgg	tttgaaaagc	tggtggccta	tctggagttt	ggccttgta	acctagtatt	1740
ctaaccagtt	aaccagcctt	agtatgcatt	aaaattgtat	tgttcagaaa	gtttgtttct	1800
cattttctgc	aaattcttac	tttgaaaatg	aatcaccaca	tagtatgtcc	ctttaaagca	1860
ttgacgcaca	gacaaatggt	taaagcacag	taaatacaaa	tatatgcctt	tggatattaa	1920
attaatgctt	gatataaaa	gaatcaaact	ttttttttt	tgaaagggag	tctcgctttg	1980
tcacccaaac	tgaggggcag	gggggggatc	actgttaagg	gcaacctttg	cctcccagga	2040
tcaagcaatt	ttgactcacc	ctcccaagta	gctgggatta	caggggcagg	ccaccatgcc	2100
cggctaattt	tttgtatttt	tagtaaaaac	ggggtttaac	catgctggcc	aggctggtct	2160
caaacactg	accttgggat	ccgtcc				2186

<210> 356
 <211> 1142
 <212> DNA
 <213> Homo sapiens

<400> 356						
atccacatct	tattcagcat	caaagaattc	acacatgaga	gtaagcacat	gaatgtaatg	60
aatgtggaaa	agctttcagt	caaacctcat	gccttattca	gcatcacaaa	atgcatagga	120
aagagaaatc	gtatgaatgt	aatgagtatg	agggcagttt	cagtcatagc	tcagatctta	180
tcttgcaaca	agaagtccct	accagacaga	aagcctttga	ttgtgatgta	tgggaaaaga	240
actccagtca	gagagcacat	ctagttcaac	atcagagcat	tcataccaaa	gagaactcat	300
gaatgtaatg	aagatgggaa	gatattttatc	aaattcaggc	ttcattcagc	atctgagagt	360
tcacaccagg	gagaaatcat	gtatgtactg	catgtggtaa	agccttcagt	catagctcag	420
ccattgctca	gcatcagata	atccacacca	gagagaaacc	ctctgaaatg	gacgaatgaa	480
gaaaaggtat	tagtgtttaa	ctcttaatcg	actcctgcaa	atctatacca	gtgagaaatc	540
ttacaatgtg	attgaaatgtg	gcaaattttt	catgctatta	gtattttcat	accttagtca	600
catttggagc	atccacatgg	gaataaaaat	ccattgctgc	aatgaaatgtg	aaaaagccat	660
cagtcaaaga	aactaccttg	tttagtatca	aattcacgcc	atgcaaaaag	attataaatg	720

taataagcat	gtatgtgtgt	gaggagattc	agtcataacc	caacgctcat	tcaacatcaa	780
agaatttata	cctaagagaa	cttatttggg	tgtagtaaat	ggcagatctt	tcaataggag	840
tttaactagt	ctttgtcata	tcagaatata	catagtagac	aagaatttga	tgtaacgcaa	900
atggaaaaac	tcgacaccac	atctcaggct	ttaccaaca	tcgaaataat	ggagagaaaa	960
ttgttgatta	tttgtttatg	aaattgttaa	tacatagtcc	caatcttttt	cattgcacaa	1020
aaatctaggg	ttgacttggg	aaatgcagtg	acatctttctc	atggagtcc	tttatttaat	1080
atgtattcta	agtaggtacg	tttattttta	ctttttttatt	ataattttga	tattaaaaag	1140
aa						1142

<210> 357
 <211> 3167
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(3167)
 <223> n = a,t,c or g

<400> 357						
ggaattcgcg	agcgcagggc	gcatgactgg	caggcagctc	cacctgcagc	cctggtgccg	60
gatccactag	gtgaagccag	ctgggctcct	gagtctgggtg	gggacgtgga	gagtccttat	120
atctagctca	gggattataa	acacaccaat	cagcaccctg	tgtctagctc	aaggtttgtg	180
agtgcaccaa	tcgacactgt	atctagctgc	tctgggtggg	ccttgagaa	cctttatgcc	240
tagctcagg	attgtaaata	caccaatcag	cacctgtgt	ttagctcaag	gtttgtgaat	300
gcaccaatcg	acactctgta	tctagctgcc	ctgatgggga	cgtggagAAC	ccttgtatct	360
agctcaggg	ttggaaacgc	accaatcagc	gccctgacga	aacaggccac	tcggctctac	420
caatcagcag	gatgtagggt	gggccagata	agagaataaa	agcgggctgc	ccgagccagc	480
attggcaacc	cgctcgggtc	cccttcocaca	ctgtggaagc	tttgttcttt	cgctccttgc	540
aataaatctt	gctactgttc	actctttggg	tccacaactgc	ttttatgagc	tataaactc	600
accgcaaagg	tctgcagctt	cactcctgaa	gccagcgaga	ccacaagccc	actgggagga	660
acgaacaact	ccaggcgcgc	aatgaacaac	tccaggcgcg	cgccttaag	agctgtaaca	720
ctcaccgcga	aggtctgcag	ttcactcct	aagccagcga	gaccacgaac	ccaccagaag	780
gaagaaactc	caaacacatc	tgaacattag	aaggaacaaa	ctccagatgc	gccaccttaa	840
gagctgtaac	actcaccgcg	agggtccacg	gcttcattct	tgaagtcagt	gagagaccaa	900
gaaccacca	attccggaca	cattttggcg	accatgaagg	gacttccgcc	tattgccaag	960
cggtgagaca	atcgctgagc	agtgagacca	tcacctattg	ccgagcgggtg	agaccattgc	1020
ctatcgccaa	gcaaatcgag	gccatcaagc	tacagatggt	cttacaatg	gaacccaaa	1080
tgagttcaac	taacaacttc	taccgaggac	cctggactg	accagctggt	cctggcactt	1140
cccctggcct	agagagttcc	cctctgaagg	acactacaac	tgcaaagccc	cttcttcgcc	1200
cctatccagc	aggaagttagc	tagagcagtc	atcggccaaa	ttcccaacag	cagttggggg	1260
gtcctgttga	ttgaggggtg	acagcatgct	ggcagtcctc	acagccctca	ctcgctcgct	1320
cactctcggc	acctcctctg	cctgggctcc	cactttggca	gcacttgagg	agcccttcag	1380
ctctgtatct	agctactctg	atgggtcctt	ggagaacctt	tatgtctagc	tcagggattg	1440
taatacacca	tcagcaccct	gtgtctagct	caggtttgtg	aatgcaccaa	tggacactct	1500
gtacttagct	actctgggtg	ggccttggag	aaccttgtgt	caactctg	tatctaacta	1560
acctgggtgg	gatgtggaga	acctgtgtc	tagctcaggg	atgtaaagc	accaactcag	1620
gccctgtcaa	accactcggc	tctaccaatc	agcaggatgt	gggtggggcc	agataagaga	1680
ataaaagcag	gctgcccag	ccagcagtg	caaccgcctc	aggtcccctt	ccacactgtg	1740
gaagctttgt	tcttttgctc	tttgcaataa	atcttgtact	gctcactctt	tgggtcccca	1800
ctgcttttat	gagctgtaac	actcactgcg	aaggtctgca	gcttactctc	tgagccagtg	1860
aaacctatgaa	cccaccagaa	ggaagaaacg	ctgaacacac	ctgaacatca	gaagaaacaa	1920
actccagacg	cgccacctta	agagctggaa	cacttacccg	aagggtcctg	ggcttcattc	1980
ttgaagttag	tgagaccaag	aacccccaa	tctccgatac	aatatcgaca	aaacatgcac	2040
ctttgatgtc	tgatagttac	agagagaaga	aattagtctc	tgtggtttac	ceccattcta	2100
gcaactcctc	cttccagtaa	ttcctggaag	gagggagtg	accaatcgac	actctgtatc	2160

tatctactct	ggtggggcct	tggagaacct	ttatgtctag	ctcagggatt	gtaaatgcac	2220
caattggcac	tctgtatcta	gctcaagggt	tgtaaacaca	ccaatcagca	ccctgtgtct	2280
agctcaggg	ttgtgaatgc	accaattgac	actctgtatc	tagctgtctc	ggtggggcct	2340
tggagaacct	ttatgtcgac	actctgtatc	tagctaactc	ggaggggatg	tggagaaact	2400
ttgtgtctag	ctcagggatt	gtaaacgcac	caatcagcgc	cctgtcaaaa	caggccactc	2460
agctctacca	atcagcagga	tgtgggtggg	gccagataag	agaataaaa	caggctgccc	2520
caaccagcat	tggcaacccc	gctcgggtcc	ccttgcacac	tgtggaagct	ttgttctttc	2580
gctctttgca	ataaatcttg	caactgtctc	ctctttgggt	ccacgctgct	tttatgagct	2640
gtaaacactca	ccgcaagat	ctgcagcttc	actcctgagc	ccagcagagc	catgagccca	2700
ccggcaggaa	cgaacaactc	cagacacggt	gccttaagag	ctgtaacact	ccccgtgaag	2760
gtctgcagct	tcactcctga	gccagcgaga	tcacgaacct	accagaagga	agaaactccg	2820
aacacatccg	aacatcagaa	ggaacaaact	ccggaggcgc	caccttaaaa	gctgtagcac	2880
tcactgcgag	ggtccgcggc	ttcattcttg	aagtcagtga	gaccaagaac	ccaccaattc	2940
cggacacaaa	accctgtctc	tactaaaaaa	tacaaaaaaa	ttagcgcggt	gggggtggccg	3000
gcgctcttag	tccggctact	cangaggctg	aggcaggaga	atggcgggaa	cccgggaggc	3060
ggagcttgca	gtgagccaag	atggcaccac	tgactccag	cctggtggac	agagtgcacat	3120
tctgtctcan	aaaaaaaaaag	aaaaaaaaacc	attggttaaa	aacaaaa		3167

<210> 358
 <211> 4747
 <212> DNA
 <213> Homo sapiens

<400> 358						
tttttttttt	ttgaattaat	tgatgaggtt	tatttgattg	tctttcttat	aaaatacatt	60
aaaaatactg	cttttaactg	taggcacaca	attaaaacaa	atgtaaacct	atgtttaatt	120
taaaatata	taaaatgatt	taataaaggt	cttttattat	tttacacatc	aaatttcatg	180
caatcagtac	tccactgaag	gagaaaagga	ttatgaaaaa	acaatgaaag	cacagggtag	240
gaaaataaac	aacacaaaag	actaattctg	gatttttttt	ctgtgtcctt	aataccctgt	300
gctgtctttg	acaacaaaaga	tgcttactt	atgtgattca	gaggcccggga	agtgaaaaaa	360
atacaagtag	ttaatgaata	atgcatatgt	tcatagcaat	ggtcaaatta	tactgtttcc	420
taatggatac	catttttctt	tatcgagtgg	gacactacag	agtcggatgt	taattgtctc	480
cacaaataca	gttttactct	tcacaataag	cattaagaca	tgtccttggga	gctctgtgac	540
ttcatcatat	actacaattt	cattgtaagt	ggggtcgta	cattttggaa	cagattttgt	600
tttctccta	cgaacttcac	tgggatatgg	taaaagataa	aattcaacat	gtgcactggg	660
cgcagagcca	tctgggagat	gaatgttttt	catgtgtttc	actagtatgg	tcagcttcac	720
atcctcgtag	gatatgacta	actgcacctt	aggcttcttg	tctggaaact	tctcacttag	780
gtacacaggt	gatgattctt	caactgtttg	ttgccagcc	tcagagagga	aaaagetaag	840
tacacaatca	ctgtttgtaa	cttcatgtga	tacatttaat	atctgttoca	tgtaatgatt	900
tagatctctg	aatcttctgt	gatctgaatt	tgtaaaaggt	aggtgccacc	aatgaggaaa	960
ctctgggaga	gtcagtgatg	caaactgctt	ctgaagttgg	ctgtgaagtt	ttgaaaactg	1020
ctcaaatgat	ttttctgtca	ggcttgtttc	gttgttgctg	tgtgtcacct	ggatcagata	1080
cagattactg	gatttcttgc	tgaaccctaa	aattgttgct	ctttcaatcg	acctagtgtg	1140
actcagcaaa	caggattcct	gaggaaaagt	ctgtgaagta	gatttggcag	ggcttatggc	1200
tgacatttgt	gcaagtgtgt	ggatcaagtt	attcaattta	acagggaaac	actccagact	1260
ttcctttatt	ttcttggtaa	aatgacttgt	tgcttccagg	tctgtgtctt	gtggacgaag	1320
attattatac	acataattca	ggtcttgaaa	tcccacttag	ctcaggcagt	ccctgcatac	1380
agcatcattt	cccagcaggt	tccaagagca	gttggctgtg	ctttctgata	atattataag	1440
cacgacagca	aagttcccac	aaaatcttga	aaatgctgtg	ggtttttccc	cacctctgtg	1500
aataaagtat	tcccatctct	gaagtaaaaa	tgaaggagc	tcggtcctct	tttatccctc	1560
caaatgtttg	tgcatgacct	aagaattttc	caaagtcaat	atgaaacatg	tggcccagct	1620
ttgtcagcat	gatattatca	ttgtgacggt	cacatactcc	caggatgaat	gttaccacac	1680
accagccagc	acaggagtag	aaaaagttcc	tcaaggcctt	ttcataatct	gcctttaagt	1740
ggttgtgctg	actgaaccac	tttttaatgg	tattttcttt	caatggctct	atcagtccag	1800
aatggcgatg	aatctttgct	agggtcacag	catcaggtac	catctgcacc	aatcgttggt	1860
cttttctgtg	ggatagacat	ctataaatga	tcatttgcac	atccaagcct	tcctgcagcc	1920

aaatattgtc	catcacttga	ataagctgca	gaacaagcat	atcctgacga	agatcatctc	1980
cagccttaaa	aataatgctg	atgtttttgc	ccatcagatt	agcattgatg	aaagtaatct	2040
tcaatggcaa	agcattagat	gtaaaatatg	aacatgcatc	gtgatcaatc	ccttttatac	2100
atagggcagg	gttcagagga	agatgacaag	tatttacatc	ttgaaagaac	tcttctagtc	2160
tgccaatttc	tttcttcagt	acctcctgtc	tttgatggtc	actggcagac	ttgactcttt	2220
ccccaatatc	tcccagaatt	ttgataagtt	tctgctcctt	ggaaaactca	tcattcaagg	2280
ctttacctgc	acagaattgg	agagcagcta	gtagcttctg	ataccagctt	ttaaaataag	2340
cttcattttc	tgcatttttt	agcagccagt	aaagacgatg	ggcaacctgg	atgctctgca	2400
aggagcggg	gagtagaagt	tgactaaag	gactctcaag	gttccattca	aacttgacag	2460
cctgaactag	ctgtgggaga	tattccagta	gttcatcatt	caagaggttg	tctaattggt	2520
gaactgccac	tttacgaatt	tcttgatctg	gaaaactgga	agtcaaaaag	ccaagagcct	2580
ctaaagggtg	agaaaatgtc	catcttctca	aatgggtatg	catttctgaa	acagtccttt	2640
catcccatcc	aggggcacta	cccaggacta	aaggaagggg	gcagttttca	ttattgcagt	2700
agaagcgata	aaaccataaa	tatcttttct	tttcttcaga	gagtagtagg	ggagtctggt	2760
tctgtgaaag	tctggcaata	tgttttatac	actcctttag	tggctcttca	agattacttc	2820
tattctcttc	agaatcaggt	ttcatatact	cccaccaggt	agctggaaaa	tcaatctgca	2880
gggtcaccgg	ggatggctga	cttacatccc	acactcctgg	agttatcatt	tctacgggag	2940
tctcactctg	taatgtcatg	ctgaacagca	tagaccgag	aatggatttt	tcttttggaa	3000
acagtggaag	acaagtccac	gccagtaaat	ttgcattggt	ggttgcacag	gcaatcccaa	3060
acagttttac	agtgagcatg	gattcccttg	gaagtgactt	tatttcaagg	ggaaaattga	3120
tctctgtcac	ccaggtttct	ggaatgttgt	gtgctgcata	cactgtgaag	ctgaggtggg	3180
aaggaagccc	gggatttaga	taggaagtgc	atctaggtac	atttacaggc	tgaaaatctg	3240
cataaaagct	gttacagtag	acattgatta	gctggtagat	ggatgtggat	agttcagttg	3300
ttaccttctc	tatcaagcct	tttgtctgaag	tctctgaact	ttgataaaaa	ttctctcctt	3360
ttctctgaag	aattagactt	agttcattta	ctgcatctgt	aattgttttg	gtttccacac	3420
accctagaac	actgcatatt	tttttaactt	cttcaataat	attatacacg	tttctctggg	3480
ttttcaatag	gtatttccag	tggaagtcat	atthttctgat	gagtgttaag	agacattgtc	3540
tggatacttt	ccaaatatgc	ataaattcta	gaagttgatt	cagataaaac	tgactgtggt	3600
cctcttcatg	ctttcgagat	agctttcctg	gagcttccct	acttttctgc	aggtggagct	3660
gaataacaga	tttatctttt	tgaaacatth	tgtggctccc	caaacagtgg	tcgttttgta	3720
aaaattcttc	agagccccat	acacttagaa	tatgatcttt	ggggagtagc	tggtcatttg	3780
tgcaaaaatg	cagaatttct	gcaattagat	ctttgacaag	ataattagca	catggcataa	3840
aatgaagagg	ttgtgttgag	ttatcaataa	aaatagttat	attaaacttg	gtcttagaaa	3900
agagctgata	cggaaatgct	gtagtagtgc	tccagatctt	cccagaattg	aaattaacat	3960
cagctgcatg	atatctttct	ctgatttttt	ttactttggt	gcaaaaagag	gccagactcg	4020
tattgctgct	ttgaggtact	tccactagct	gaatggaaca	acctattgac	tctatattct	4080
tctgcccagt	actttcccac	attccgggtt	gaagagagcc	tttcaaaagc	atcaaagatg	4140
gttccacaat	gttcacatgt	ccactccttt	tattctcttc	tttcggcatg	aagtcacttg	4200
agaaggatga	atthgttgga	ggaatgctac	tttcaaatcc	tataatggtag	ttatgatttt	4260
cattttctaa	ttctttctct	agattaattt	tatccaaact	tgtgaatgat	ggagctaaaa	4320
tactgaatct	ggaatcatca	gcacctgat	gttttctctat	ggggcttccc	caggagcatt	4380
ctttattcgt	atthttgaggt	tttggttaaca	cagaaggact	aaaaccaatt	gctggtgctt	4440
tgctaacttg	atgccaggag	agttcacggc	ttttagaagt	gaattcattc	aaggatattt	4500
gggtgtgctc	atthaatgaa	tgccctggtg	agtcccattt	tgggtgcagtg	ggcacaaaaa	4560
aggtgttttc	atcaatttca	ctctcgtagt	gtggaatttt	gccactgatc	tcactacta	4620
tctgatcaaa	accagactg	acttggtctag	aagaatgggg	ttgatttaca	aagagaaatt	4680
cttgggttcc	atactgcttt	tctgtgtgatt	cattaggatt	tggatccggt	tgccaagaat	4740
atgccat						4747

<210> 359
 <211> 679
 <212> DNA
 <213> Homo sapiens

<400> 359
 ccagacatca tcttagcact taaggagctg gaagcagagg tatcatttaa actacttctt 60

ctgcttccag	acatcatcct	agcacttaag	gagctggaag	gttgaacaga	aattcttctt	120
ggaatccttg	aaggtttaga	ctccattctt	aaagattgga	ttctgaatat	caggtaacat	180
ttttatttgg	aatatatgta	tacagccttt	ttcaaaatcc	ctagggccac	tcttttgggg	240
gtatttaaaa	aatgtgttag	ctggatctga	ggcatcctgt	aatcaaaacc	aatatatatg	300
tagcaaaatg	aataacattt	ttcaaacttt	ttggacttca	gaattatgga	taacagattg	360
taacctcata	taaaatcata	cttttgcgct	ggggaacggt	cgtcacgcct	gtaatcccag	420
cactttggca	ggctgagact	ggcagatcat	ttgaggtcag	gagttcgaga	ccagcctggc	480
caacatgacg	aaaccccgtc	tcgactaaaa	atacaaaaaa	attagctgga	catggtggca	540
cccactctcta	ctcccagcta	cttgggagggc	cgaagagggg	ggattgcttg	aaccaggag	600
gtggaggttg	cagtgagctg	agatcatgag	actgcactcc	agcctgggtg	acagagtcca	660
gactccatct	caaaaaaaaa					679

<210> 360
 <211> 2017
 <212> DNA
 <213> Homo sapiens

<400> 360

tttctgtcgg	gagatcagag	gtcccgcctg	cccgcgcctg	acctcgctg	aggacaggca	60
ccgccatggg	ccacacgcac	acagcccgga	gttgcagcgg	accggcagag	attacagcct	120
ggactacctg	cccttccgcc	tatgggtggg	catctgggtg	gctacctttt	gcctggtgct	180
ggtggccaca	gaggccagtg	tgtctggtcg	ctacttcacc	cgcttcaactg	aggaaagttt	240
ctgtgccttc	atcagcctca	tcttcatcta	cgatgctgtg	ggcaaaatgc	tgaacttgac	300
ccatacctat	cctatccaga	agcctgggtc	ctctgcctac	gggtgcctct	gccaataccc	360
aggcccaggga	ggaaatgagt	ctcaatggat	aaggacaagg	caaaaagaca	gagacgacat	420
cgtaagcatg	gacttaggcc	tgatcaatgc	atccttgetg	ccgccacctg	agtgcacccg	480
gcagggagge	caccctcgtg	gccttggctg	tcatacagtc	ccagacattg	ccttctcttc	540
ccttctcctc	ttccttactt	ctttcttctt	tgctatggcc	ctcaagtgtg	taaagaccag	600
ccgcttcttc	ccctctgtgg	tgcgcaaagg	gctcagcgac	ttctcctcag	tcctggccat	660
ctagctcgge	tgtggccttg	atgctttcct	gggcctagcc	acaccaaaagc	tcatggtacc	720
cagagatctc	aagcccacac	tccttgggcg	tggtctgctg	gtgtcacctt	ttggagccaa	780
cccctggttg	tggagtgtgg	cagctgcctc	gctgcctctg	ctgctgtcta	tcctcatctt	840
catggaccaa	cagatcacag	cagtcactct	caaccgcatg	gaatacagac	tgcagaaggg	900
agctggcttc	cacctggacc	tcttctgtgt	ggctgtgctg	atgctactca	catcagcgtc	960
tggactgcct	tggatgtct	cagccactgt	catctccctg	gctcacatgg	acagtcttcg	1020
gagagagagc	agagcctgtg	ccccggggga	gcgcccacac	ttcctgggta	tcagggaaca	1080
gaggctgaca	ggcctgggtg	tgttcatcct	tacaggagcc	tccatcttcc	tggcacctgt	1140
gctcaagttc	attccaatgc	ctgtgctcta	tggcatcttc	ctgtatatgg	gggtggcagc	1200
gctcagcagc	attcagttca	ctaatagggt	gaagctgttg	cttgatgcca	gcaaaacacc	1260
agccagacct	gctactcttg	cggcattgtc	ctctgaccag	ggtccaacctc	ttcacagcca	1320
tcagctttgc	cctgtctggg	gctgctttgg	gataatcaag	tctaccctcg	cagccatcat	1380
cttccccctc	atgttgctgg	gccttgtggg	ggtccgaaag	gccctggaga	gggttttttc	1440
accacaggaa	ctcctctggc	tggatgagct	gatgccagag	gaggagagaa	gcatccctga	1500
gaaggggctg	gagccagaac	actcattcag	tggaagtgc	agtgaagatt	cagagctgat	1560
gtatcagcca	aaggtccag	aaatcaacat	ttctgtgaat	tagctggagt	aggagtctgg	1620
gagtgagagc	cccagaaac	agcttaggtg	gcttactcag	gaagtcagga	catttttggc	1680
ctttggctta	acttccagat	gctcagtcgg	cttggggaag	gactgaaggg	cagctgccaa	1740
gacctcagtt	acctcctgac	ctgaggggtg	agagtgccag	gaagcaagca	tgtttgetgt	1800
gcacttagga	aaggtctggtg	agccagaggg	actgatcagg	ccccattcac	tctctactca	1860
ttaaaaggtc	ctgagccacg	aagcgcttcc	cattttgaac	tttctgtcct	cacagattct	1920
gtttgacaga	atctaagggc	catcagggaa	ctcttttcat	cttgcaaaga	gaaaaagcca	1980
gtctttccag	aataaatatt	catctgtttg	aaataaa			2017

<210> 361
 <211> 2900
 <212> DNA
 <213> Homo sapiens

<400> 361
 atggggctca aggcgcgcag ggcggcgggg gcggctggcg gcggcggcga cgggggcggc 60
 ggagggcggcg gggcggctaa cccagccgga ggggacgcgg cggcggccgg cgacgaggag 120
 cggaaagtgg ggctggcgcc cggcgacgtg gagcaagtca ccttggcgct cggggccgga 180
 gccgacaaag acgggaccct gctgctggag ggcggcggcc gcgacgaggg gcagcggagg 240
 accccgcagg gcatcgggct cctggccaag accccgctga gccgcccagt caagagaaac 300
 aacgccaaat accggcgcat ccaaactttg atctacgacg ccctggagag accgcggggc 360
 tgggcgctgc ttaccacag cgttgggtgt cctgattgtc ctagggggtgc ttgattctgg 420
 ctgtcctgga ccacattcaa ggagtatgag actgtctcgg gagactggct tctgttactg 480
 gagacatttg ctattttcat ctttggagcc gattttgctt tgaggatctg ggctgctgga 540
 tgttgctgcc gatacaaagg ctggcggggc cgactgaagt ttgccaggaa gccctgtgc 600
 atgttgaca tctttgtgct gattgcctct gtgccagtgg ttgctgtggg aaaccaaggc 660
 aatgttctgg ccacctccct gcgaagcctg cgttccctgc agatcctgcg catgctcgg 720
 gatggaccgg gagaaggtgg cacctggaag cttctggggc tcagccatct gtgccacag 780
 caaagaactc atcacggcct ggtacatcgg tttcctgaca ctcatccttt cttcatttct 840
 tgtctacctg gttgagaaag acgtcccaga ggtggatgca caaggagagg agatgaaaga 900
 ggagtttgag acctatgcag atgccctgtg gtggggcctg atcacactgg ccaccattgg 960
 ctatggagac aagacacca aaacgtggga aggccgtctg attgccgcca ccttttctct 1020
 aattggcgtc tcttttttg cccttccagc gggcatcctg gggtcggggc tggccctcaa 1080
 ggtgcaggag caacaccgtc agaagcactt tgagaaaagg aggaagccag ctgctgagct 1140
 cattcaggct gcctggagggt attatgctac caacccaac aggatgacc tggtgccgac 1200
 atggagattt tatgaatcag tctctctttc tctttcttc aggaagaac agctggaggc 1260
 agctaccagc caaaagctgg gtctcttggg tgggttcgc ctttctaate ctctggtag 1320
 caatactaaa ggaaagctat ttaccctctt gaatgtagat gccatagaag aaagtcttc 1380
 taaagaacca aagcctgttg gcttaacaa taaagagcgt tccgcacgg ccttccgcat 1440
 gaaagcctac gctttctggc agagtcttga agatgccggg acaggtgacc ccatggcggg 1500
 agacaggggc tatgggaatg acttcccat cgaagacatg atccccacc tgaaggccgc 1560
 catccgagcc gtcagaatc tacaattccg tctctataaa aaaaaattca aggagacttt 1620
 gaggccttac agtgtgaagg atgtgattga gcagtattct gccgggcatc tcgacatct 1680
 ttccaggtat aagtacctc agacgagaat agatattgat ttacccttg gacctcctc 1740
 cacgcaaaaa cacaagaagt ctcagaaagg gtcagcattc accttccat cccagcaatc 1800
 tcccaggaat gaaccatag taggccagac catccacatt cagaaattcg aagaccaag 1860
 gcattgatgg gggaagtttg ttaaagttt gaaaggacag gtttcaggga ctggggagga 1920
 agctggactt cctcgtggat atgcacatgc aacacatgga acggttgag gtgcaggtca 1980
 cggagtatta cccaaccaag ggcacctcct gcggagctga agcagagaag aaggaggaca 2040
 acaggtatc cgatttgaaa accatcatct gcaactatc tgagacagg cccccggaac 2100
 caccctacag cttccaccag gtgaccattg acaaagtcag ccctatggg tttttgac 2160
 atgacctgt gaacctgcc cgagggggac ccagttctgg aaaggttcag gcaactctc 2220
 ctctctcagc aacaacgtat gtggagaggc ccacggctct gcctatctg actctctcg 2280
 actcccgagt gagctgccac tcccaggctg acctgcagg ccctactcg gaccgaatc 2340
 cccccggca gagacgtagc atcacgcgag acagtgcac acctctgtcc ctgatgtcg 2400
 tcaaccacga ggagctggag aggtctccaa gtggtctcag catctccag gacagagatg 2460
 attatgtgtt cggccccaat ggggggtcga gctggatgag ggagaagcgg tacctcgccg 2520
 aggtgagag ggacacagac acggaccctc tcacgcccag cggctccatg ccctctgtcg 2580
 tccaggggg atgggatttc tgattcagta tggccccct ccaataagcc catttaaag 2640
 aggtcactgg ctgaccctc cttgtaatgt agacagactt tgtatagttc acttactct 2700
 acaccgcagc cttaccagcg gggacaccaa tggctgcac aatgcatgc gtgtgctgg 2760
 tggcccacc caggcagggg cttcccacag cctcttctc cccatgtcac cacaacaaag 2820
 tgettcctt tcagcatggt ttgcatgact ttactactata taaatggttc ccgctaactc 2880
 cttctagat aaaaaaaaaa 2900

<210> 362
 <211> 5433
 <212> DNA
 <213> Homo sapiens

<400> 362
 cggacgctg ggatcattga atttgaccca aagtatactg cttcgaagt ggaggaagat 60
 gttgggctga tcatgatccc agtgggtgagg ctacatggaa cttatggcta tgtgacagct 120
 gatttcatct ctcagagctc ctctgccagt cccggagggtg ttgattacat tttgcatggc 180
 agtacagtca cctttcagca tgggcaaaac ttaagtttta taaatatctc catcattgat 240
 gacaatgaaa gtgaatttga ggagcccatt gaaattctac tcaactggagc tactggagga 300
 gcggtccttg ggcgccacct agtgagcaga atcataatag ctaagagtga ctctcccttt 360
 ggagttataa ggtttctcaa tcaaagcaaa atttctattg ctaatcccaa ttcccaatg 420
 atttatcac tgggtgctgga gcggactgga ggactcttgg gagagattca ggtgaactgg 480
 gagacagtag gacccaactc tcaagaagcc ttactgccac agaatagaga cattgcagac 540
 ccagtgagcg ggttggttcta ttttggagaa ggagaaggag gagtgagaac cataattctg 600
 acaatctatc ctcatgaaga aattgaagtt gaagagacat tcattattaa acttcatctt 660
 gtgaaaggag aagctaaatt agactccaga gctaaagatg ttacattaac catacaagag 720
 tttggtgacc caaatggagt tgttcagttt gctcctgaaa ctttgtctaa gaagacttat 780
 tcagagcctc tggctctgga agggcccctg ctcatacct tcttgtcag aagagtcaag 840
 ggcaccttgg gagagattat ggtttactgg gaattaagta gtgagtttga cattaactgaa 900
 gactttcttt ccaccagtgg atttttcacc attgctgatg gagagagtga agctagcttt 960
 gatgttcatt tgctaccaga tgaggtagct gagatagagg aagattatgt gatccagctt 1020
 gtttctgtag agggaggagc cgaactggat ctggagaaga gtatcacatg gttctctggt 1080
 tatgcaaatg atgaccaca tggagtatth gcctgtatt cggatcgcca gtcaataactt 1140
 attgggcaga accttattag atccatccaa attaacataa cccggcttgc tggaacattt 1200
 ggagatgtgg ctggttaacct tcgaatatca tcggatcata aagaacagcc gattgttacc 1260
 gaaaatgcag agaggcagct ggtgggtcaaa gatgggtgcca catataaagt ggacgtgtg 1320
 ccaataaaga atcaggtctt cctatcactg ggctctaatt tcactttgca actggtgact 1380
 gtgatgcttg tcgggtggagc tttctatgga atgccaaaca ttcttcagga agcaaatct 1440
 gctgtccttc cagtctctga gaaagctgcc aattctcagg tcggatttga atccactgct 1500
 tttcaactca tgaacatcac tgctggcaca agccacgtta tgatttctag gagaggcaca 1560
 tatggagctc tctcgggtgc ctggaccact ggatatgctc ctgggttaga aattcctgaa 1620
 ttcattgttg ttggcaacat gacccaaca ctggggagcc tttcattttc ccacggtgaa 1680
 caaaggaaaag gagttttcct gtggacgttt cctgagcctg gttggccaga ggctttggt 1740
 cttcacctat caggagtgca gagcagtgct cctggcggag ctcaactccg atcaggtttc 1800
 attgttgctg aaattgaacc aatgggcgct tccaatttt cactagctc aagaaatct 1860
 atagtgtcag aagatacaca gatgatcaga tcatatgtac aaagactatt tgggttccac 1920
 agcgtctta ttaaagttc ttatcagacc actgcaggaa gcgccaagcc actggaagat 1980
 tttgagcctg ttcagaatgg ggaactgttt tttcaaaaat tccaaactga ggttgatttt 2040
 gaataacca ttattaatga tcagctttct gagatagaag aattttttta cattaacctt 2100
 acttcagtag aaattagggg attacaaaag tttgatgta attgagccc acgcttgaat 2160
 ctagatttca gtgttgagc gattacaata ttggataatg atgacctggc aggaatggat 2220
 atttccttcc ccgagacaac tgtggctgta gcagttgaca caactctcat tctgttagaa 2280
 actgaatcca ccacatacct cagcacaagc aagacgacta ccattctgca gccaaccaac 2340
 gtggttgcca ttgttactga ggcaactggt gtatctgcca tcctgagaa acttgcacc 2400
 cttcatggca cacctgctgt gtctgaaaag cctgatgtgg ccaactgtaac tgccaatggt 2460
 tccattcatg gaacattcag ccttgggcca tccattgttt atattgaaga ggagatgaag 2520
 aatggcacat tcaacactgc agaagttctt atccgaagaa ctggtgggtt tactggcaat 2580
 gtcagcataa cagttaaaac tttcgggtgaa agatgtgctc agatggaacc aaatgcattg 2640
 ccctttcgtg gtatctatgg gatttccaac ctaacatggg cagttgaaga agaagacttt 2700
 gaagaacaaa ctcttaccct tatattccta gatggagaaa gagaacgtaa agtatcagtt 2760
 caaattttgg atgatgatga gcctgagggg caggaattct tctacgtgtt tctcacaac 2820
 cctcaagggg gagcacagat tgtggagggg aaggatgata ctggatttgc agcttttggc 2880
 atggttatta ttacagggag tgaccttcac aatggcatca taggattcag tgaggagtcc 2940
 cacagtgagc tagaactcag ggaaggagct gttatgagaa gattgcaact tattgtcaca 3000
 agacagccaa acagggcctt tgaagatgct aaggtctttt ggcgagtcac acttaacaaa 3060
 acagtcgtcg tgctccagaa ggatggggta aacctgatgg aggaacttca gctctgtgca 3120
 gggaccacaa cctgtacaat ggggtcaaca aaatgcttta tcagcattga actcaaccca 3180

gaaaaggta	cacaggttga	agtgtat	tttgtgga	tatatga	tactgctg	3240
gcagcaata	acaacagtg	cagattcg	cagattaaa	tcttagaa	tgatgaat	3300
caaagcctt	tgtat	tgtgggt	cggtggc	tggtcaca	gaaggcact	3360
ttaatcag	tgcaggtg	cagagatt	gggacagg	taatgatg	tgtaact	3420
agtaccagg	agttgagg	tgctgaa	attggtcg	ccatcat	tccagct	3480
tctggaaa	at	aactgaa	acattggt	ttgaa	ccagaga	3540
actgtatt	atgtcat	aacgccag	acaggat	taaattca	tcctaa	3600
ttccagatt	tcct	cccaaa	ggtgccag	ttgataa	gtatggg	3660
gccaacat	ctctgt	agatgcag	tcgcagg	tttgggg	tgcatg	3720
ctacatcag	ctgtga	tgatatt	aacagag	tcatacc	cagcatg	3780
gtggcca	aaaacac	tgaaaca	agtgccat	tgcatct	agaaa	3840
actactg	gaaaaat	agctttc	ggtgccag	gaactct	ctatgag	3900
ctttgtt	ttatta	aaagcgc	gacactag	gattcag	ctttgct	3960
ttgactg	at	ttctctg	actaatg	cttgcgg	tcctgg	4020
aaaagca	ccatcct	tagttgc	tatttgc	tattgg	tcactgg	4080
cctcagc	tcaatgg	caagttg	ggaaagg	gagatta	tcgaatt	4140
gagagct	tggtgt	ggatgcag	ataatgg	ggaaa	atgtaa	4200
gtccagtt	cagagt	cagcca	tggttt	gtggaa	tcctc	4260
ctaaaaa	aggtatt	tttgagt	aaagg	gttcaca	ctgact	4320
gacaatg	ttctct	gatttat	gctgag	gaattat	tcagac	4380
ctgtgt	tttgg	ggctg	agctgg	ctgacag	gtttg	4440
gtgattg	aaactg	ctatgt	tggtc	tacacat	tggtat	4500
gtctatg	ggactg	cttgt	tacaat	ccttct	ttctg	4560
atatgt	caggt	cttgg	ctttcc	tctctg	caggt	4620
atgtttg	ctaa	gactcac	atggc	gcttag	acagatt	4680
tttctg	ctgcata	aagtccc	ctcgtg	agagct	agctat	4740
gctgtc	attac	tctttg	tttag	tgctcat	gtctg	4800
ttctg	tgctg	gaatg	cacacag	ggcgat	gctgt	4860
cttctg	gggg	agcttt	gtgatt	tcata	tttga	4920
atctat	agagc	acagat	ggactc	atgg	gtgtt	4980
ccaa	atg	gttca	gctct	cttg	cctc	5040
gtgtt	tg	tg	gtg	agt	atat	5100
gtctt	ga	tg	attc	ttt	ctt	5160
at	cat	ggg	cacat	acag	ctgg	5220
gttct	tc	cag	ctt	cct	act	5280
tctat	ca	tag	acag	tgac	agaga	5340
agtact	tact	cct	ccag	aagg	ggtt	5400
ttcct	ct	ttt	cat			5433

<210> 363
 <211> 3569
 <212> DNA
 <213> Homo sapiens

<400> 363						
agcggccggg	gccacgat	agcgcg	ctgcgc	ggcggg	gcccgg	60
ggcggggc	gctcccc	agggccc	ggggaac	cgcgat	gcccag	120
cgctgccg	gcccggg	accgcag	ggccgc	ttgctg	ctatgg	180
gggggagg	ccgctgg	agggcgc	cgccgc	gccaagg	ccaacac	240
taaagtact	tcgctg	tgctcag	tggtgta	acaata	gttgta	300
tggttgaaa	ccaagct	ccaaga	taaaag	aaagg	gttcgag	360
aacattggg	gaactgt	tgatgt	cctgtg	gcttgg	ctgctg	420
ggattacc	gggggac	catagga	aggaaca	atggg	caacaat	480
aggttggg	gagaaa	tgaccag	cctctgt	tgttcag	actgca	540
ccagggcga	ctgcctg	tcacact	agttc	tgcca	gaagaa	600
tggggtaga	agaaccc	tgagag	ttaatg	ccacag	ccagcgg	660

ttgaaacgcc	ctccctaccc	ctccttattt	tcctttggat	ggattcaggg	cagaatattt	720
acacacttgg	ggtggacttc	ttcctgttat	tagcaaaacta	aaaaaatgtg	gaacatatac	780
taaaaacatg	agaccggtat	atccaacaaa	aactttcccc	aatcactaca	gcattgtcac	840
cggtattgat	ccagaatctc	atggcataat	caacaataaa	atgtatgac	ccaaaatgaa	900
tgcttccttt	tcacttaaaa	gtaaagagaa	atttaatcct	gagtgggtaca	aaggagaacc	960
aatttgggtc	acagctaagt	atcaaggcct	caagtctggc	acatttttct	ggccaggatc	1020
agatgtggaa	attaacggaa	ttttcccaga	catctataaa	atgtataatg	gttcagtacc	1080
atctttttac	actctgtatt	tagaagaacc	agattcttca	ggtcattcat	atggaccagt	1140
cagcagttaa	gtcatcaaag	ccttgccagag	ggttgatggg	atggttggta	tgctgatgga	1200
tggtctgaaa	gagctgaact	tgcacagatg	cctgaaacctc	atccttattt	cagatcatgg	1260
catggaacaa	ggcagttgta	agaaatacat	atatctgaat	aaatatttgg	gggatgttaa	1320
aaatattaaa	gttatctatg	gacctgcagc	tcgattgaga	ccctctgatg	tcccagataa	1380
atactattca	tttaactatg	aaggcattgc	ccgaaatcct	tcttgccggg	aaccaaaacca	1440
gcacttcaaa	ccttacctga	aacattttctt	acctaagcgt	ttgcaacttg	ctaagagtga	1500
tagaattgag	cccttgacat	tctattttgga	ccctcagtg	caacttgcat	tgaatccctc	1560
agaaaggaaa	tattgtggaa	gtggatttca	tggtctcgag	aatgtatttt	caaatatgca	1620
agccctcttt	gttggtctatg	gacctggatt	caagcatggc	atgaggctg	acacctttga	1680
aaacattgaa	gtctataact	taatgtgtga	tttactgaat	ttgacacogg	ctcctaataa	1740
cggaactcat	ggaagtctta	accaccttct	aaagaatcct	gtttatacgc	caaagcatcc	1800
caaagaagtg	caccccctgg	tacagtgcc	cttcacaaga	aaccccagag	ataaccttgg	1860
ctgctcatgt	aacccttcga	ttttgcccga	tgaggatttt	caaacacagt	tcaatctgac	1920
tgtggcagaa	gagaagatta	ttaagcatga	aactttaccc	tatggaagac	ctagagttct	1980
ccagaaggaa	aacaccatct	gtcttcttcc	ccagcaccag	tttatgagt	gatacagcca	2040
agacatctta	atgcccttt	ggacatccta	taccgtggac	agaaatgaca	gtttctctac	2100
ggaagacttc	tccaactgtc	tgtaccagga	ctttagaatt	cctcttagtc	ctgtccataa	2160
atgttcattt	tataaaaata	acaccaaagt	gagttacggg	ttcctctccc	caccacaact	2220
aaataaaaat	tcaagtggaa	tatattctga	agctttgctt	actacaaata	tagtgccaat	2280
gtaccagagt	tttcaagtta	tatggcgcta	ctttcatgac	accctactgc	gaaagtatgc	2340
tgaagaaaga	aatgggtgtca	atgtcgtcag	tggtcotgtg	tttgactttg	attatgatgg	2400
accgttgtga	ttccttaaga	gaatctgagg	caaaaaagaa	gagtccatcc	cgtaacccaa	2460
gaaaattttt	ggattcccaa	ctccacttcc	ttttattggg	gctaacaagc	tgttaaagat	2520
acatctcaga	cgectttgca	ctgtggaaaa	cctaggacac	cttaggcttt	ccattttgcc	2580
ttcacagggg	ctggattaac	agcgagacgt	gtggtgcatg	gggaagcatg	actcctcatg	2640
gggttgaaga	attcgttaaa	tgtttacaca	gagcaccgga	tcacaggatg	ttgaggcaca	2700
tcacttggtg	tcagcttcta	tcaacaaaaga	aaagagccag	tttcagacat	tttaaagttg	2760
aaaacacatt	tgccaacctt	tagccaagaa	gactgatatg	ttttttatcc	ccaaacacca	2820
tgaatctttt	tgagagaacc	ttatatttta	tatagtcctc	tagctacact	attgcattgt	2880
tcagaaactg	tcgaccagag	ttagaacgga	gcctcgggtg	atgoggacat	ctcagggaaa	2940
cttgcgtact	cgcacagca	gtggagagt	ttcctgttga	atcttgca	tatttgaatg	3000
tgtaagcatt	gtatacattg	atcaagttcg	ggggaataaa	gacagaccac	acctaaaact	3060
gcctttctgc	ttctcttaaa	ggagaagtag	ctgtgaacat	tgtctggata	ccagatattt	3120
gaatctttct	tactattggg	aataaacctt	gatgggcatt	ggggcaaaaca	gtagacttat	3180
agtagggttg	gggtagccca	tgttatgtga	ctatctttat	gaggaatttt	aaagtggttc	3240
tggtatcttt	ttaacttggg	gtttcatttc	ttttcattgt	aatcaaaaaa	aaaaaatata	3300
gcagaagcca	aaatactttt	gagaccttgt	ttcaatcttt	gctgtatata	ccctcgaaaa	3360
tccaagtatt	taatcttatg	tgttttcggt	ttaaattttt	tgattggggag	tttctttgga	3420
ttttaatggg	tccaaaggag	ttcaactttt	gaggggacga	tctttgaata	tacttaccta	3480
ttataaaatc	ttactttgta	tttgtattt				3540
						3560

<210> 364
 <211> 832
 <212> DNA
 <213> Homo sapiens

<400> 364

tccctctatg	ottattcggg	ggggcggcaa	ggcatgtttc	ccagttttta	agatcttgcc	60
ccccccata	atztatgagg	accgttctgt	gtccgggcat	cagtgatggg	gcccctgcat	120
ttcggggtgc	tctttggagg	gcgtgtttgt	tgaaaaacca	cccccaacc	cctgcccgcc	180
ggccccggac	ctggccacca	tggaaggtgc	tgcggatggg	ggatccgcgt	gccaggcggc	240
tccgctcccc	tgatgggggt	gccaggctgt	gactggaggg	ggaggcaggg	ggcaccctgt	300
gggtgcctga	gctgttttct	ttcccatttg	gcaacagtga	cggggcgctca	gccccggggc	360
gttctgtgca	aacgtaggtg	ttcctgctgg	tcatcatgct	aggaggggagg	ttgttggggg	420
tgctcgtgct	gtccttccgc	cgctctggga	tctctgcctt	gttggggttg	tgggcgctgc	480
tgaccatggg	gctgaagggg	gggcagccct	cgactccac	tccccgcggt	gctgcagctc	540
gccttccggc	ctggcagccg	ctcctccttc	agctccgcct	cccccgctgt	cgtcgggctg	600
cgtttggggc	gcaggggtgc	aggggatggg	ccacctgggg	gagggggtag	cgtttagagc	660
tggcatcacc	acggaaaccc	agaactgact	ctgggggatc	gttggaaacct	gagaattcct	720
cacgtggggt	gcaatctctg	tgtgggcat	tctgacaata	tctgtcaaaa	ttacctcaag	780
attaccaacg	cacatatact	gacttagaaa	ctccaaatca	atgacatcat	gc	832

<210> 365
 <211> 1321
 <212> DNA
 <213> Homo sapiens

<400> 365						
cacacactgc	accacagctc	tcccacctct	gaggccgagg	agttcgtctc	ccgcctctcc	60
accagaact	acttccgctc	cctgccccga	ggcaccagca	acatgacctc	tgggaccttc	120
aacttcctcg	ggggccggct	gatgatccct	aatacaggaa	tcagcctcct	catcccccca	180
gatgcatac	cccaggggaa	gatctatgag	atctacctca	cgctgcacaa	gccggaagac	240
gtgaggttgc	ccctagctgg	ctgtcagacc	ctgctgagtc	ccatcgttag	ctgtggaccc	300
cctgggctgc	ctgcttacc	ggccagtcct	cctgggggat	ggaccactgt	gggggagccc	360
agccctgaca	gctgggagcc	tgccgctcaa	aaagcagtcg	tgccgagggc	gctgggagga	420
tgtgctgcac	ctgggagagg	aggcgccttc	ccacctctac	tactgccagc	tggaggccag	480
tgctgctcat	gtcttcaccg	agcagctgag	ccgctatgcc	ctgggtgggag	aggccctcag	540
cgtagtacc	gccaagcgc	tcaagctgct	tctgtttgcg	ccggtggcct	gcacctccct	600
cgagtacaac	atactggtct	actgcctgca	tgacactcac	gatgcactca	acgtagtggg	660
gcagctggag	aagcagctgc	agggacagct	gatccaggag	ccactggtac	tgcaactcaa	720
ggacagttac	cacaacctgc	gcctatccat	ccaagatgtg	cccagctccc	tgtggaagag	780
taagctcctt	gtcagctacc	aggagatccc	cttttatcac	atctggaatg	gcacgcagcg	840
gtacttgca	tgcaacctca	ccctggagcg	tgtcagcccc	agcactagtg	acctggcctg	900
caagctgtgg	gtgtggcagg	tggagggcga	cgggcagagc	ttcagcatca	acttcaacat	960
caccaaggac	acaaggtttg	ctgagctgct	ggctctggag	agtgaagcgg	gggtcccagc	1020
cctggtgggc	cccagtgctt	tcaagatccc	cttctcatt	cggcagaaga	taatttccag	1080
cctggaccca	ccctgtaggc	gggggtgccga	ctggcggact	ctggcccaga	aactccacct	1140
ggacagccat	ctcagcttct	ttgcctccaa	gccagcccc	acagccatga	tcctcaacct	1200
gtgggagcgc	cggcacttcc	ccaacggcaa	cctcagccag	ctggctgcag	cagtggctgg	1260
gactgggcca	gcaggacggt	ggcttctttc	acagtgttcg	gaggctgagt	gctgaggcgc	1320
g						1321

<210> 366
 <211> 777
 <212> DNA
 <213> Homo sapiens

<400> 366
 gggctccgctg cagggcaggt tcagcagcaa cagcagcggc gacaccagca gggaaaagtg 60
 acagtgaat acgatcgtaa ggagcttcgg aagcggctgg tgctggagga atggatcgtg 120
 gagcagctgg gtcagctcta cggctgcgag gaagaagaaa tgccagaggt agaaattgac 180
 attgatgatc tttttgatgc atacagtgat gaacagagag ctcaaaatt acaggaagct 240
 cttgtagact gctacaaacc aacagaggaa ttatcaaaag agctgctttc tcggataaga 300
 ggcattgagga aactgagccc ctccgcagaa gaagagtgta tgattctgga acagggtgaa 360
 actctcccag agatgaagaa agagtccctgg gatttgact tcatgaagac ttttgtaaa 420
 gaatagggtg ccttatgaac aacgtttttg tttttttttt ttcttttttg ggggtaagg 480
 tgggggggtc tattagacat ttattcaaga gcgttctttt ttgggtttta aaggtttttg 540
 ttaatgtaat atttaaatac caaaaatatac ttgactttag ccacagccta cccagggttt 600
 atcaaggag ggggaccctc agggaagggc cccccaggt tgcgttctct gcagggactc 660
 aatgttaat tcccttatga tcccggaaaa atagtttttt tacaagaagt tgggcaaaa 720
 ttttttcta aagttggaca ttggactcaa ttggcaaaatt tttcaacctg gtatttt 777

<210> 367
 <211> 2056
 <212> DNA
 <213> Homo sapiens

<400> 367
 aattatgta gatggccggg tgcggtggt cacgcctgta atctcagcac tttgggaggc 60
 cgagatggaa gacgtcatag cacggatgca agatgaaaaa aatggaatte ctattcgtac 120
 ggtcaaaagc tttctttcca agatacctag cgtctctctt ggttcagaca ttgttcaatg 180
 gttgataaag aacttaacta tagaagatcc agtggaggcg ctccatttgg gaacattaat 240
 ggctgccac ggctacttct tccaatctc agatcatgtc ctcaactca aggatgatgg 300
 caccttttac cggtttcaaa cccctatatt ttggccatca aattggtggg agccgaaaa 360
 cacagattat gccgtttacc tctgcaagag aacaatgcaa aacaaggcac gactggagct 420
 cgcagactat gaggtgaga gcctggccag gctgcagaga gcatttgccc ggaagtggga 480
 gttcattttc atgcaagcag aagcaaacg aaaagtggac aagaagagag acaagattga 540
 aaggaagatc cttgacagcc aagagagagc gttctgggac gtgcacaggc cegtgcctgg 600
 atgtgtaaat acaactgaag tggacattaa gaagtcatcc agaatgagaa acccccacaa 660
 aacacggaag tctgtctatg gtttacaaaa tgatattaga agtcacagtc ctaccacac 720
 acccacacca gaaactaaac ctccaacaga agatgagtta caacaacaga taaaatattg 780
 gcaatacag ttagatagac atcggttaa aatgtcaaaa gtcgctgaca gtctactaag 840
 ttacacggaa cagtatttag aatacgacc gtttcttttg ccaactgacc cttctaacc 900
 atggctgtcc gatgacacca cttctggga acttgaggca agcaaagaac cgaggcagca 960
 gagggtaaaa cgatggggtt ttggcatgga cgaggcattg aaagaccag ttgggagaga 1020
 acagttcctt aaatttctag agtcagaatt cagctcggaa aatttaagat tctggctggc 1080
 agtggaggac ctgaaaaaga ggcctattaa agaagtacc tcaagagttc aggaaatag 1140
 gcaagagttt ctggctccc gagccccag tgctattaac ttggattcca agagttatga 1200
 caaaaccaca cagaacgtga aggaacctgg acgatacaca tttgaagatg ctcaggagca 1260
 catttacaaa ctgatgaaaa gtgattcata cccagtttt ataagatcca gtgcctatca 1320
 ggagcttcta caggcaaga aaagagggga atctctcac gtccaagagg ttaacaagcc 1380
 ttgctcagtc ttactaaacg gatcatcttg gatcatgaat gcagactgga gtcactgcac 1440
 acactttgta gctcaatggt gtgacctgga gcagaggaca ttagaacaag atgttgcatg 1500
 agcaaaggac ctaaattggt atttttgtgt gtacattcca tctccaatgg actcttccgt 1560
 ctcaatgcct ccattccaaa ctgttgtctg ctttctttct ctttctacta tgctggatct 1620
 gtgtctcttc ctttttaaca agttcaagtg aagtaaaacc ttttctttt ttctctctt 1680
 ctctctctct ctctctcaa gcttcagtta gacacacagt tcaactgaaa ttcagtcagt 1740
 caaaaactgg aagaactgta aaagaaaaaa gtatatatca ataagtatac atgtggcttc 1800
 acatttatta aacaataaat tccgcacaga aagtttcatt tcaccaatgt gtcacagca 1860
 gaacaaact catgtcttcg gtctgtgtc tgtacattct ccgttaatgt ttctcgaatt 1920
 tatttttata ccatatttaa agaagaaaca ctttttactc caaatgtatt aaagttgatc 1980

ccttctctgt aaatttgtgt atgtttatat tgttgtttta tctttcatta aaagatgtca 2040
 gaatctcaaa aaaaaa 2056

<210> 368
 <211> 460
 <212> DNA
 <213> Homo sapiens

<400> 368
 ggcacgaggg actatccacy cattgtgaac cacctggacc acacctatgt cactgcgccc 60
 caagccttca tgatgttcca gtactttgtg aagggtgtgc ccactgtgta catgaagggtg 120
 gacggagagg tactgacgac aaatcagatc tatgtgacca gacatgagaa ggctgcctat 180
 gtgctgatgg gcgaccaagg ccttcccgga gtcttcatcc tctatgagct ctgcgccatg 240
 atggtgaacc tgacggagat acacacgttc ttctctctct tcttgacaat tgtggggcgt 300
 caccataggt ggcattgttct ttgagcattt tgtcattaat tacttaacct ataagtgggg 360
 gcttgggttc tatttcaaaa atgaaaactc ttacaggggt ggccatagga ctttatatgg 420
 agtgaacttt tttatgtatt ggagtttacg ggggggctct 460

<210> 369
 <211> 2355
 <212> DNA
 <213> Homo sapiens

<400> 369
 gtccgtgtgg tggaaattcgc agcggcagtt cgtggtgctg gcttggggct gcgcgggccc 60
 ttgcggcccg gcagtccttc tggccttcgg gctagggctg ggctcatcg aggaaaaaca 120
 ggcggagagc cggcgggctg tctcggcctg tcaggagatc caggcaattt ttaccagaa 180
 aagcaagccg gggcctgacc cgttggacac gagacgcttg cagggccttc ggctggagga 240
 gtatctgata gggcagtcga ttggtaaggg ctgcagtgct gctgtgtatg aagccaccat 300
 gcctacattg ccccagaacc tggaggtgac aaagagcacc gggttgcttc caggagaggg 360
 cccaggtacc agtgcaccag gagaagggca ggagcgagct ccgggggccc ctgccttccc 420
 cttggccatc aagatgatgt ggaacatctc ggcaggttcc tccagcgaag ccatcttgaa 480
 cacaatgagc caggagctgg tcccagcag cagagtgccc ttggctgggg agtatggagc 540
 agtcacttac agaaaatcca agagaggtcc caagcaacta gccctcacc ccaacatcat 600
 ccgggttctc cgcgccttca cctcttccgt gccgctgctg ccaggggccc tggctgacta 660
 cctgatgtg ctgccctcac gcctccaccc tgaaggcctg ggccatggcc ggacgctgtt 720
 cctcgttatg aagaactatc cctgtaccct gctccagtac ctttgtgtga acacaccag 780
 cccccgctc gcgcctatga tgctgctgca gctctggaa ggcgtggacc atctgttca 840
 acagggcatc gcgcacagag acctgaaatc cgacaacatc cttgtggagc tggaccagga 900
 cggctgcccc tggctggtga tcgcagattt tggctgctgc ctggctgatg agagcatcgg 960
 cctgcaattg cccttcagca gctggtacgt ggatcggggc ggaacaggct gctgatggc 1020
 cccagaggtg tccacggccc gtcctggccc cagggcagtg attgactaca gcaaggctga 1080
 tgcttgggca gtgggagcca tcgcctatga aatcttcggg cttgtcaatc ccttctacgg 1140
 ccagggcaag gccacccttg aaagccgcag ctaccaagag gctcagctac ctgcaactgc 1200
 cgagtcagtg cctccagacg tgagacagtt ggtgagggca ctgctccagc gagaggccag 1260
 caagagacca tctgcccag tagccgcaaa tgtgcttcat ctaagcctct ggggtgaaca 1320
 tattctagcc ctgaagaatc tgaagttaga caagatgggt ggctggctcc tccaacaatc 1380
 gcccgcact ttgttggcca acaggctcac agagaagtgt tgtgtggaaa caaaaatgaa 1440

gatgctcttt	ctggctaacc	tggagtgtga	aacgctctgc	caggcagccc	tcctcctctg	1500
ctcatggagg	gcagccctgt	gatgtccctg	catggagctg	gtgaattact	aaaagaactt	1560
ggcatcctct	gtgtcgtgat	ggtctgtgaa	tggtaggggt	gggagtcagg	agacaagaca	1620
gcgcagagag	ggctggttag	ccggaaaagg	cctcgggctt	ggcaaatgga	agaacttgag	1680
tgagagttca	gtctgcagtc	ctgtgctcac	agacatctga	aaagtgaatg	gccaagctgg	1740
tctagtagat	gaggctggac	tgaggagggg	taggcctgca	tccacataga	ggatccaggc	1800
caaggcactg	gctgtcagtg	gcagagtttg	gctgtgacct	ttgccctaa	cacgaggaac	1860
tcgtttgaag	ggggcagcgt	agcatgtctg	atttgccacc	tggatgaagg	cagacatcaa	1920
catgggtcag	cacgttcagt	tacgggagtg	gaaattaca	tgaggcctgg	gcctctgcgt	1980
tccaagctg	tgcttctgg	accagctact	gaattattaa	tctcacttag	cgaaagtgac	2040
ggatgagcag	taagtaagta	agtgtgggga	tttaaacttg	agggtttccc	tcctgactag	2100
cctctcttac	aggaattgtg	aaatattaaa	tgcaaattta	caactgcaga	tgacgtatgt	2160
gccttgaact	gaatattttg	ctttaagaat	gattcttata	ctctgaagg	gagaatattt	2220
tgtgggcag	tatcaacatt	ggggaagaga	tttcatgtct	aactaactaa	ctttatacat	2280
gatttttag	aagctattgc	ctaaatcagc	gtcaacatgc	agtaaaggtt	gtcttcaact	2340
gaaaaaaaa	aaaaa					2355

<210> 370
 <211> 1333
 <212> DNA
 <213> Homo sapiens

<400> 370						
gccaggccgg	caccaggcac	agacacttat	gccttggtg	ggagaacaga	gagaggtct	60
cttgctccact	gcctgtcttc	ggttccaact	gctggttctc	ctagaggcct	ctcctcagac	120
tcgcagagct	gcctgatcat	tgctacagaa	tgaactctag	cccagctggg	accccaagtc	180
cacagccctc	cagggccaat	gggaacatca	acctggggcc	ttcagccaac	ccaaatgccc	240
agcccacgga	cttcgacttc	ctcaaagtca	tcggcaaagg	gaactacggg	aaggtcctac	300
tggccaagcg	caagtctgat	ggggcgttct	atgcagtgaa	ggtactacag	aaaagtcca	360
tcttaaagaa	gaaagagcag	agccacatca	tggcagagcg	cagtgtgctt	ctgaagaacg	420
tgcggcaccc	cttcctcgtg	ggcctgcgct	actccttcca	gacacctgag	aagctctact	480
tcgtgctcga	ctatgtcaac	gggggagagc	tcttcttcca	cctgcagcgg	gagcgccggt	540
tcctggagcc	ccgggcccagg	ttctacgctg	ctgaggtggc	cagcgccatt	ggctacctgc	600
actccctcaa	catcatttac	agggatctga	aaccagagaa	cattctcttg	gactgccagg	660
gacacgtgg	gctgacggat	tttggcctct	gcaaggaagg	tgtagagcct	gaagacacca	720
catccaacatt	ctgtggtacc	cctgagtact	tggcacctga	agtgtctctg	gaaagagcct	780
tatgatcgag	cagtggactg	gtggtgcttg	ggggcagtec	tctacgagat	gctccatggc	840
ctgccgcctc	tctacagcca	agatgtatcc	cagatgtatg	agaacattct	gcaccagccc	900
ctacagatcc	ccggaggccg	gacagtggcc	gcctgtgacc	tctgcaaag	ccttctccac	960
aaggaccaga	ggcagcggct	gggctccaaa	gcagactttc	ttgagattaa	gaaccatgta	1020
ttcttcagcc	ccataaactg	ggatgacctg	taccacaaga	ggctaactcc	acccttcaac	1080
ccaaatgtga	caggacctgc	tgacttgaag	cattttgacc	cagagttcac	ccaggaagct	1140
gtgtccaagt	ccattggctg	tacccctgac	actgtggcca	gcagctctgg	ggcctcaagt	1200
gcattcctgg	gattttctta	tgcgccagag	gatgatgaca	tcttggattg	ctagaagaga	1260
aggacctgtg	aaactactga	ggccagctgg	tattagtaag	gaattacctt	cagctgctag	1320
gaagagctgt	att					1333

<210> 371
 <211> 2457
 <212> DNA
 <213> Homo sapiens

<400> 371
 agcggccgca gaccctgaag ggacaccagg agaagattcg gcagcggcag tccatcctgc 60
 ctctcccca gggcccggcg cccatcccct tccagcaccg cggcggggat tccccggagg 120
 ccaagaatcg cgtgggcccc caggtgccac tcagcgagcc aggtttccgc cgtcgggagt 180
 cgcaggagga gcccggggcc gtgctggctc agaagataga gaaggagacg caaatcctca 240
 actcgcctct ggacgacatc gagtggtttg tggcccggct gcagaaggca gccgaggtct 300
 tcaagcagct gaaccagcgg aaaaagggga agaagaaggg caagaaggcg ccagcagagg 360
 gcgtcctcac actgcgggca cggccccccc tctgagggcg agttcatcga ctgcttccag 420
 aaaatcaagc tggcgattaa cttgctggca aagctgcaga agcacatcca gaaccccagc 480
 gccgcggagc tcgtgcactt cctcttcggg cctctggacc tgatcgtcaa cacctgcagt 540
 ggcccagaca tcgcacgctc cgtctcctgc ccaactgctc cccgagatgc cgtggacttc 600
 ctgctggccc acctggtccc taaggagatg tcgctgtggg agtcaactggg agagagctgg 660
 atgcggcccc gttccgagtg gccgcgggag ccacaggtgc ccctctacgt gcccaagttc 720
 cacagcggct tggagcctcc tgtggatgtg ctgcaggagg cccctgggga ggtggagggg 780
 ctggcgtctg ccccatcga ggaggtgagt ccagtggacc gacagtccat aagaaactcc 840
 cagaagcaca gcccacttc agagcccacc ccccggggg atgccctacc accagtccagc 900
 tccccacata ctacagggg ctaccagcca acaccagcca tggccaagta cgtcaagatc 960
 ctgtatgact tcacagcccg aaatgccaac gagctatcgg tgctcaagga tgaggtccta 1020
 gaggtgctgg aggacggccg gcagtgggtg aagctgcgca gccgcagcgg ccaggcgggg 1080
 tacgtgcctt gcaacatcct agggcaggcg cgaccggagg acgcccggcg cccgttcgag 1140
 cagccggctc agaagtactg gggcccgcgc agcccgacct acaagctacc cccaagcttc 1200
 ccggggaaca aagacgagct catgcagcac atggacgagg tcaacgacga gctcatccgg 1260
 aaaatcagca acatcagggc gcagccacag aggcaacttc gcgtggagcg cagccagccc 1320
 gtgagccagc ogctcaccta cgagtcgggt ccggacgagg tccgcgcctg gctggaagcc 1380
 aaggccttca gcccgcggat cgtggagaac ctgggcatcc tgaccggggc gcagctcttc 1440
 tccctcaaca aggaggagct gaagaaagtg tgcggcgagg agggcgtccg cgtgtacagc 1500
 cagctcacca tgcagaaggc ctctcctggag aagcagcaaa gtgggtcggg gctggaagaa 1560
 ctcatgaaca agtttcattc catgaatcag aggggggggg aggacagcta ggcccagctg 1620
 ccttgggctg gggcctgctg aggggaaagcc caccacaat gcatggagta ttatttttat 1680
 atgtgtatgt attttgtatc aaggacacgg agggggtgtg gtgctggcta gaggtccctg 1740
 cccctgtctg gaggcacaac gcccatcctt aggccaaaca gtaccaagg cctcagcca 1800
 caccaagact aatctcagcc aaacctgctg cttggtggtg ccagcccctt gtccaccttc 1860
 tcttgaggcc acagaactcc ctggggctgg gcctctttc tctggcctcc cctgtgcacc 1920
 tggggggtcc tggcccctgt gatgctcccc catccccacc cacttctaca tccatccaca 1980
 ccccagggtg agctggagct ccaggctggc caggctgaac ctgcacaca cgcagagttc 2040
 tgcctcctga gggggggccc ggaggggctc cagcaggagg ccgtgggtgc cattcggggg 2100
 aaagtggggg aacgacacac acttcacctg caagggccga caacgcaggg gacaccgtgc 2160
 cggcttcaga cactcccagc gcccaactct acaggcccag gactggagct ttctctggcc 2220
 aagtttcagg ccaatgatcc ccgcatggtg ttgggggtgc tgggtgtgtc tgggtgctgg 2280
 acttgagtct caccctacag atgagaggtg gctgaggcac cagggctaag caattaacc 2340
 agttaagtct caaaaaaaaa aaaaaggggg ggccgtttta aagaaccctt gggggggccc 2400
 aagttaacgc gggctggcaa ggtaaaagtt ttttccttat agggagccgt ataaac 2457

<210> 372
 <211> 1333
 <212> DNA
 <213> Homo sapiens

<400> 372
 aagcttggca cgagggtctt gtcagcagcc cggccattgg agcatatctt tctgccagtt 60
 acggagacag cctcgttgtg ctggtggcca cagtgggtggc tcttctggac atctgcttca 120
 tcttagtggc tgttccagaa tctctgctg agaaaatgag accggtttcc tggggagctc 180

agatttcttg	gaaacaagca	gacccttttg	cgctcgttgaa	gaaagttgga	aaagattcta	240
ctgtcttact	aaatctgcat	caccgtgtgt	ctttcatacc	ttcctgaagc	tgggacagta	300
ttcaagtttt	ttttctctat	ctcagggcag	gtcatagggg	ttgggatctg	ttaaaattgc	360
agcattcata	gctatggtag	gaattctgtc	tattgtggct	cagacggcct	ttcttagcat	420
cttgatgaga	tcattaggaa	ataagaatac	tgtcctcctt	ggcttgggct	tccagatgct	480
ccagttagcc	tggtacgggt	ttggatcaca	ggcctggatg	atgtgggcag	cagggaccgt	540
ggctgccatg	tccagcatca	cgtttccggc	aatcagtgcc	ctcgtctctc	ggaatgcaga	600
gtcagatcag	caaggagtgt	cccaggggat	cataactgga	ataagaggac	tatgcaatgg	660
cctggggcca	gcactgtatg	gcttcatatt	ctacatgttc	catgtggaac	tgactgagtt	720
gggcccgaaa	ttgaattcta	acaacgttcc	cctgcaggga	gctgtcatcc	cagggccgcc	780
gtttttattt	ggggcatgta	tagtccttat	gtcctttctg	gctgccttat	tcattcctga	840
atacagtaaa	gccagtggag	ttcaaaaaca	cagtaacagc	agcagcggca	gcctgaccaa	900
caccccagaa	cggggcagtg	atgaggacat	tgagccacta	ctgcaagaca	gcagcatctg	960
ggagctctct	tcatttgagg	agcctgggaa	tcagtgcact	gagctgtaaa	ctcggcagaa	1020
agtgggattc	tgcatacgcc	atctctgaga	gccatggagg	gagccacacc	cctggtgact	1080
tcattggtgct	ggatgggaga	cgctagcggc	atccttcagg	gccaagtttg	ataaaatacca	1140
tccgccatcat	tctgtctatc	ctcctcctgt	tttttttttt	ctcttacatt	cttttttttt	1200
cccgcttaa	tccttaaac	cagaaaaaac	ttggaaaaac	ttctttgcaa	aaagggggca	1260
actccaggg	ggaacctcaa	ataaaaaaag	cattcttttg	tgaaaaaagg	agggcttcc	1320
tgaaaggaca	aaa					1333

<210> 373
 <211> 2578
 <212> DNA
 <213> Homo sapiens

<400> 373						
atggcggcag	gcctggccac	gtggctgcct	tttgctcggg	cagcagcagt	gggctggctg	60
ccccggccc	agcaaccct	gcccccgca	ccgggggtga	aggcatctcg	aggagatgag	120
gttctgggtg	tgaacgtgag	cggacggcgc	tttgagactt	ggaagaatac	gctggaccgc	180
taccagaca	ccttgctggg	cagctcggag	aaggaattct	tctacgatgc	tgactcaggc	240
gactacttct	tcgatcgcga	ccctgacatg	ttccgccatg	tgctgaactt	ctaccgaacg	300
gggcggctgc	attgccacg	gcaggagtgc	atccaggcct	tcgacgaaga	gctggctttc	360
tacggcctgg	ttcccagct	agtcgggtgac	tgctgccttg	aagagtatcg	ggaccgaaag	420
aaggagaatg	ccgagcgcct	ggcagaggat	gaggaggcag	agcaggccgg	ggaccggcca	480
gccctgccag	caggcagctc	cctgcggcag	cggctctggc	gggccttcga	gaatccacac	540
acgagcaccg	cagccctcgt	tttctactat	gtgaccggct	tcttcatcgc	cgtgtcggtc	600
atcgccaatg	tggtggagac	catcccattg	cgcggctctg	caagcaggtc	ctcaagggag	660
cagccctgtg	gcgaacgctt	cccacaggcc	ttttctcga	tgacacagc	ctgtgtactc	720
atattcacag	gtgaatacct	cctcggctg	tttgccgcc	ccagccgttg	ccgcttctctg	780
cggagtgtca	tgagcctcat	cgacgtgggt	gccatcctgc	cctactacat	tgggcttttg	840
gtgccaaga	acgacgatgt	ctctggcgcc	tttgtcacc	tgctgtgtgt	ccgggtgttt	900
cgcatcttca	agttctccag	gcactcacag	ggcttgagga	ttctgggcta	caactcaag	960
agctgtgcct	ctgagctggg	ctttctcctc	ttttccctaa	ccatggccat	catcatcttt	1020
gccactgtca	tgttttatgc	tgagaagggc	acaacaaga	ccaactttac	aagcatccct	1080
gcggccttct	ggtataccat	tgtcaccatg	accacgcttg	gctacggaga	catggtgccc	1140
agcaccattg	ctggcaagat	tttcgggtcc	atctgctcac	tcagtggcgt	cttggctcatt	1200
gccctgcctg	tgccagtcat	tgtgtccaac	tttagccgca	tctaccacca	gaaccagcgg	1260
gctgacaagc	gccgagcaca	gcagaagggt	cgcttggcaa	ggatccgatt	ggcaaagagt	1320
ggtaccacca	atgccttctt	gcagtacaag	cagaatgggg	gccttgagga	cagcggcagt	1380
ggcgaggaac	aggctgtttg	tgtcaggaac	cgttctgcct	ttgaacagca	acatcaccac	1440
ttgctgcact	gtctagagaa	gacaacgtgc	catgagttca	cagatgagct	caccttcagt	1500
gaagccctgg	gagccgtctc	gccgggtggc	cgcaccagcc	gtagcacctc	tgtgtcttcc	1560
cagccagtgg	gacccggaag	cctgctgtct	tctgtctgcc	ctcgcagggc	caagcgcgcg	1620
gccatccgcc	ttgccaaactc	cactgcctca	gtcagccgtg	gcaggcatgc	aggagctgga	1680
catgctggca	gggcttgcgc	aggagccatg	ccccttcaga	gccgctccag	ccttcaatgc	1740

caagccccat	gacagccttg	acctgaactg	cgacagcggg	ggacttcgtg	gctgccatta	1800
tcagcatccc	taccctcct	gccaacaccc	cagatgagag	ccaaccttc	tcccctggcg	1860
gcggtggcag	ggccggcagc	accctcagga	actccagcct	gggtaccct	tgcctcttc	1920
ccgagactgt	caagatctca	tccctgtgag	gggtaggcct	gctgattcag	agggctctct	1980
tcatttttgg	gaactccttt	ccaaagccat	atttttggga	ggcagagagg	ggcaggcttg	2040
ggcaccctt	ctgcccccc	actgagaac	tatgcaatgg	agtttcatga	aatggctccac	2100
atagtgggga	agtagccagg	aaatgagaaa	cttctccca	cccagacat	tttctctggt	2160
gggagctgaa	gcactgggct	tccacaggcc	cctggcctcc	ttgccttagc	acactgggac	2220
tggccccact	ctcccagctg	gactcctgca	tgctcctccc	cttgggctct	cagatgaagg	2280
caaagctttg	atccgacatc	tgagctctag	cctaagaagg	agagttgaga	tttctctctc	2340
cctctggctg	ggatatggag	ctttggagg	tcagagaaga	gaaccctcac	ctctgatctg	2400
gcctctacga	gaggtcctca	tctccatctg	gccaacaat	tcccagattc	tgaagcttgg	2460
gaatgcaaac	acaggcttca	tggggctgtg	gccttctggc	aggcgacctg	ccatccccag	2520
ggccttgct	gagggggttc	aggcttgct	tttccaaca	cacactcaga	taggcaca	2578

<210> 374
 <211> 664
 <212> DNA
 <213> Homo sapiens

<400> 374

tgaggctggg	gcaagccttt	taaggactgg	accacgggtg	ggcaggatac	cgggggagaa	60
cccgccctgt	tagttggggc	tggggagggc	cgcgcaccga	gactaaattg	tccttccggg	120
cagatcogct	caccaggccc	tggcgacctg	agcatctacg	acaactggat	ccggtacttc	180
aaccgcagca	gcccggtgta	cggcctggtc	cccagagcaa	gacttcagcc	aggatctacc	240
ccacctacca	cacagccttt	gacacctttg	actatgtgga	caagtttttg	gacccgggtg	300
aggaggggaga	caaggggcat	cctgagacca	ggacaggaga	ggctgaagac	tgagccctgg	360
ccttgtcacc	ttgccgcagg	cttcagcagc	catcaggctg	tggcccggac	agcggggagt	420
gtgattctcc	ggctcagtga	cagcttcttc	ctgcccctca	aagtcaagtga	ctacagtgag	480
acactcegca	gcttctctga	ggcagcccag	caagatcttg	gggcctgtgt	ggagcagcac	540
agcatcagcc	tggggcctct	ggtgactgca	gtggagaagt	ttgaggcaga	agctgcagcc	600
ttgggccaac	gcatatcaac	actgcagaag	ggcagccctg	accccctgca	ggtccggatg	660
ctca						664

<210> 375
 <211> 1495
 <212> DNA
 <213> Homo sapiens

<400> 375

ggaattcgag	gcgggggcag	cctcgcagc	gggggccccg	ggcctggcca	tgcctcactg	60
agccagcgc	tgccctctca	cctcgcagc	agctggaacc	agtgcgacct	agtggctctc	120
acctgcttcc	tcttgggcgt	gggctgcccg	ctgaccccgg	gtttgtacca	cctgggcccg	180
actgtcctct	gcatcgactt	catggttttc	acggtgcggc	tgcttcacat	cttcaaggctc	240
aacaaacagc	tggggcccaa	gatcgtcctc	gtgagcaaga	tgatgaagga	cgtgttcttc	300
ttcctcttct	tctcggcgt	gtggctggta	gcctatggcg	tggccacgga	ggggctcctg	360
aggccacggg	acagtgaact	ccaagtatc	ctgcgcggg	tcttctaccg	tccctacctg	420
cagatcttcc	ggcagattcc	ccaggaggac	atggacgtgg	ccctcatgga	gcacagcaac	480

tgctcgctcg	agccccggctt	ctgggacac	cctcctgggg	cccaggcggg	cacctgcgtc	540
tcccagtatg	ccaactggct	ggtgggtgctg	ctcctcgta	tcttctgct	cgtggccaac	600
atcctgctgg	tcaacttgct	cattggccatg	ttcagttaca	cattcggcaa	agtacagggc	660
aacagcgatc	tctactggaa	ggcgcagcgt	taccgcctca	tccgggaatt	ccactctcgg	720
cccgcgctgg	ccccgccctt	tatcgtcac	tcccacttgc	gcctcctgct	caggcaattg	780
tgcaggcgac	ccgggagccc	ccagccgtcc	tccccggccc	tcgagcattt	ccgggtttac	840
ctttctaagg	aagccgagcg	gaagctgcta	acgtgggaat	cggtagcataa	ggagaacttt	900
ctgctggcac	gcgctagggg	caagcgggag	agcgactccg	agcgtctgaa	gcgcaagctc	960
cagaaggtgg	acttggcact	gaaacagctg	ggacacatcc	gcgagtagca	acagcgctcg	1020
aaagtgctgg	agcgggaggt	ccagcagtg	agccgcgtcc	tggggtgggt	ggccgagggc	1080
ctgagccgct	ctgccttgct	gccccaggt	ggcccgccac	ccctgacct	gcctgggtcc	1140
aaagactgag	cctgctggc	ggacttcaag	gagaagcccc	cacaggggat	tttgcctcta	1200
gagtaaggct	catctgggcc	tggcccccg	cacctggtgg	ccttgtcctt	gaggtgagcc	1260
ccatgtccat	ctggggcact	gtcaggacca	cctttgggag	tgtcatcctt	acaaaccaca	1320
gcatgcccgg	ctcctcccag	aaccagtccc	agcctgggag	gatcaaggcc	tggatcccgg	1380
gccgttatcc	atctggaggc	tgcagggtcc	ttggggtaac	agggaccaca	gaccctcac	1440
cactcacaga	ttcctcacac	tggggaata	aagccatttc	agaggaaaaa	aaaaa	1495

<210> 376
 <211> 373
 <212> DNA
 <213> Homo sapiens

<400> 376	gcctcataaa	actctgcaaa	tctaaggcca	aaagctgtga	aaatgacctt	gaaatgggca	60
	tgctgaattc	caaattcaag	aagactcgct	accaggctgg	catgaggaat	tctgaaaatc	120
	tgacagcaaa	taacactttg	agcaagccca	ccagatacca	ggcgagctga	aggaaatcaa	180
	gcaagatatic	tccagcctgc	gctatgagct	tcttgaggaa	aaatctcaag	ctactggtga	240
	gctggcagac	ctgattcaac	aactcagcga	gaagtttggg	aagaacttaa	acaaagacca	300
	cctgaggggtg	aacaagggca	aagacattta	gcagcccaca	tccgctctg	tgactttctac	360
	cagcattcca	agg					373

<210> 377
 <211> 2867
 <212> DNA
 <213> Homo sapiens

<400> 377	cttcctcttc	tccacgcagg	cttcaacagg	agatttatgg	agaatagcag	cataattgct	60
	tgctataatg	aactgattca	aatagaacat	ggggaagttc	gctcccagtt	caaattacgg	120
	gcttgtaatt	cagtgtttac	agcattagat	cactgtcatg	aagccataga	aataacaagc	180
	gatgaccacg	tgattcagta	tgtcaaccca	gccttcgaaa	ggatgatggg	ctaccacaaa	240
	ggtgagctcc	tgggaaaaga	actcgctgat	ctgccccaaa	gcgataagaa	ccgggcagac	300
	cttctcgaca	ccatcaatac	atgcatcaag	aagggaaagg	agtggcaggg	ggtttactat	360
	gccagacgga	aatccgggga	cagcatccaa	cagcacgtga	agatcacccc	agtgattggc	420
	caaggaggya	aaattaggca	ttttgtctcg	ctcaagaaac	tgtgtgttac	cactgacaat	480
	aataagcaga	ttcacaagat	tcatcgtgat	tcaggagata	attctcagac	agagcctcat	540
	tcattcagat	ataagaacag	gaggaaagag	tccattgacg	tgaaatogat	atcatctcga	600

ggcagtgatg	caccaagcct	gcagaatcgt	cgctatccgt	ccatggcgag	gatccactcc	660
atgaccatcg	aggctcccat	cacaaagggt	ataaatataa	tcaatgcagc	ccaagaaaac	720
agcccagtca	cagtgcgga	agccttggac	agagttctag	agattttacg	gaccacagaa	780
ctgtactccc	ctcagctggg	taccaaaagt	gaagatcccc	acaccagtga	tcttgttggg	840
ggcctgatga	ctgacggcct	gagaagactg	tcaggaaaacg	agtatgtggt	tactaagaat	900
gtgcaccaga	gtcacagtca	ccttgcaatg	ccaataacca	tcaatgatgt	tcccccttgt	960
atctctcaat	tacttgataa	tgaggagagt	tgaggacttca	acatctttga	attggaagcc	1020
attacgcata	aaaggccatt	ggtttatctg	ggcttaaagg	tcttctctcg	gtttggagta	1080
tgtgagtttt	taaactgttc	tgaaaccact	cttcgggcct	ggttccaagt	gatcgaagcc	1140
aactaccact	cttccaatgc	ctaccacaac	tccaccatg	ctgccgacgt	cctgcacgcc	1200
accgctttct	ttccttgaaa	ggaaagagta	aaaggagacc	tcgatcagtt	ggatgaggty	1260
gcagccctca	ttgctgccac	agtccatgac	gtggatcacc	cggggaaggac	caactctttc	1320
ctcctgcaat	gcaggcagtg	agcttgctgt	gctctacaat	gacacctgct	gttcctggag	1380
agtcaccaca	ccgccctggc	cttcacgctc	cacggtcaag	gacaccaaaa	tgcaacattt	1440
tcaagaatat	tgacaagggg	accattatcg	aacgctgcgc	caggctatta	ttgacatggt	1500
tttggcaaca	gagatgacaa	aacactttga	acatgtgaat	aagtttgtga	acagcatcaa	1560
caagccaatg	gcagctgaga	ttgaaggcag	cgactgtgaa	tgcaaccctg	ctgggaagaa	1620
cttccctgaa	aaccaaacc	tgatcaaacg	catgatgatt	aagtgtgctg	acgtggccaa	1680
cccctgccc	cccttggacc	tgtgcattga	atgggctggg	aggatctctg	aggagtattt	1740
tgacacagct	gatgaagaga	agagacaggg	actacctgtg	gtgatgccag	tgtttgaccg	1800
gaatacctgt	agcatcccca	agtctcagat	ctctttcatt	gactacttca	taacagacat	1860
gtttgatgct	tgggatgcct	ttgcacatct	accagccctg	atgcaacatt	tggttgacaa	1920
ctacaaacac	tggaagacac	tagatgacct	aaagtgcaaa	agtttgaggc	ttccatctga	1980
caggctaaag	ccaagccaca	gagggggcct	cttgaccgac	aaaggacact	gtgaatcaca	2040
gtagcgtaaa	caagaggcct	tcctttctaa	tgacaatgac	aggtattggt	gaaggagcta	2100
atgtttaata	tttgacctg	aatccattcc	aagtcaccca	aatttccatt	ccttagaaag	2160
ttatgttccc	atgaagaaaa	atatatgttc	cttttgaata	cttaaatagac	agaacaaata	2220
cttgggcaaa	ctccctttgc	tctgcctgtc	atccctgtgt	acccttgtca	atcccatggg	2280
ggctgggtca	ctgtaactag	caggccacag	ggaaggcaaa	gccttgggtg	cctgtgagct	2340
catctcccgg	gatgggtgac	taagtaggct	taggctaggt	gatcagctca	tcctttacca	2400
taaaagtcat	cattgctggt	tagcttgact	gttttctctca	agaacatcga	tctgaaggat	2460
tcataaggag	cttatctgaa	cagatttata	taagaaaaaa	aaaaaaccca	cttaaaatag	2520
gggaagcaac	taggaccaa	ttacagataa	actagtttagc	ttcacagcct	ctatgggtac	2580
atggttcttc	tgcccgatgg	tatgacacct	aagttagaac	acagccttgg	ctgggggggtg	2640
ccctctctag	actggtatca	gcagcctgtg	taaccctttt	cctgtaaaag	gggttcatct	2700
taacaaagtc	atccatgatg	agggaaaaag	tggtcatttca	tttttgggga	atccatgagc	2760
ttcctttatt	tctggctcac	agaggcagcc	acgaggcact	acaccaagta	ttatataaaa	2820
gccattaat	ttgaatgcc	ttggacaagc	ttttcttaaa	aaaaaaa		2867

<210> 378
 <211> 8053
 <212> DNA
 <213> Homo sapiens

<400> 378						
gctttccttt	ctaaagtaga	agaggatgat	tatccctctg	aagaactact	agaggatgaa	60
aacgctataa	atgcaaaacg	gtctaaagaa	aaaaaccctg	ggaatcaggg	caggcagttt	120
gatgttaatc	tgcaagtccc	tgacagagca	gttttaggga	ccattcatcc	agatccagaa	180
attgaagaaa	gcaagcaaga	aactagtatg	attttggata	gtgaaaaaac	aagtgagact	240
gctgccaaag	gggtcaacac	aggaggcagg	gaaccaaata	caatggtgga	aaaagaacgc	300
cctctggcag	ataagaaagc	acagagacca	tttgaacgaa	gtgacttttc	tgacagcata	360
aaaattcaga	ctccagaatt	aggtgaagtg	tttcagaata	aagattctga	ttatctgaag	420
aacgacaacc	ctgaggaaca	tctgaagacc	tcagggcttg	caggggagcc	tgagggagaa	480
ctctcaaaag	aggaccatga	gaacacagag	aagtacatgg	gcacagaaag	ccaggggtct	540
gctgatgcag	aacctgaaga	tgactcgttc	cactggaactc	cacatacaag	tgtagagcca	600
gggcatagtg	acaagaggga	ggacttactt	atcataagca	gcttctttaa	agaacaacag	660

tctttgcagc	ggttccagaa	gtactttaat	gtccatgagc	tggaagcctt	gctacaagaa	720
atgtcatcaa	aactgaagtc	agcgcagcag	gagagcctgc	cctataatat	ggaaaaagtc	780
ctagataagg	tcttccgtgc	ttctgagtca	caaattctga	gcatagcaga	aaaaatgctt	840
gatactcgtg	tggtgaaaa	tagagatctg	ggaatgaacg	aaaataacat	atttgaagag	900
gctgcagtg	ttgatgacat	tcaagacctc	atctattttg	tcaggtacaa	gcactccaca	960
gcagaggaga	cagccacact	ggtgatggca	ccacctctag	aggaaggctt	gggtggagca	1020
atggaagaga	tgcaaccact	gcatgaagat	aatttctcac	gagagaagac	agcagaactt	1080
aatgtgcagg	ttcctgaaga	accacccac	ttggaccaac	gtgtgattgg	ggcactcat	1140
gcctcagaag	tgtcacagaa	gccaaatact	gagaagacc	tggaaccagg	gccagttaca	1200
acagaagaca	ctcctatgga	tgctattgat	gcaaacaagc	aaccagagac	agccgccgaa	1260
gagccggcaa	gtgtcacacc	tttggaaaa	gcaatccttc	taataatatt	attcatgttt	1320
tatttaacta	agtcgctagt	tgctacattg	cctgatgatg	ttcagcctgg	gcctgatttt	1380
tatggactgc	catggaacc	tgtatttatc	actgccttct	tggaattgc	ttcgtttgcc	1440
atthtcttat	ggagaactgt	ccttgtttgtg	aaggatagag	tatatcaagt	cacggaacag	1500
caaattctg	agaagttgaa	gactatcatg	aaagaaaata	cagaacttgt	acaaaaattg	1560
tcaaattatg	aacagaagat	caaggaatca	aagaacatg	ttcaggaac	caggaacaa	1620
aatatgattc	tctctgatga	agcaattaaa	tataaggata	aaatcaagac	acttgaaaa	1680
aatcagggaa	ttctggatga	cacagctaaa	aatcttcgtg	ttatgctaga	atctgagaga	1740
gaacagaatg	tcaagaatca	ggacttgata	tcagaaaaa	agaaatctat	agagaagtta	1800
aaggatgta	tttcaatgaa	tgccctcagaa	tttccagagg	ttcagattgc	acttaatgaa	1860
gctaagctta	gtgaagagaa	ggtgaagtct	gaatgccatc	gggttcaaga	agaaaatgct	1920
aggcttaaga	agaaaaaaga	gcagttgcag	caggaaatcg	aagactggag	taaattacat	1980
cttgagctca	gtgagcaaat	caaatcattt	gagaagtctc	agaaagattt	ggaagtagct	2040
tctactaca	aggatgataa	tattaatgct	ttgactaact	gcattacaca	gttgaactctg	2100
ttagagtgtg	aatctgaatc	tgagggtcaa	aataaagggtg	gaaatgattc	agatgaatta	2160
gcaaatggag	aagtgggagg	tgaccggaat	gagaagatga	aaaatcaaat	taagcagatg	2220
atggatgtct	ctcggacaca	gactgcaata	tcggtagtgtg	aagaggatct	aaagctttta	2280
cagcttaagc	tcaagagcct	ccgtgtccac	taaagtataa	cctggaagac	caggtaaaga	2340
aattggaaga	tgaccgcaac	tcaactacaag	ctgccaaagc	tggaactggaa	gatgaatgca	2400
aaaccttgag	gcagaaagtg	gagattctga	atgagctcta	tcagcagaag	gagatggctt	2460
tgcaaaagaa	actgagtcaa	gaagagtatg	aacggcaaga	aagagagcac	aggctgtcag	2520
ctgcagatga	aaaggcagtt	tcggctgcag	aggaagtataa	aaactacaag	cggagaattg	2580
aagaaatgga	ggatgaatta	cagaagacag	agcggtcatt	taaaaaccag	atcgtctacc	2640
atgagaagaa	agctcatgaa	aactggctca	aagctcgtgc	tcagaaaga	gctatagctg	2700
aagagaaaag	ggaagctgcc	aatttaagac	acaaattatt	agatttaaca	caaaagatgg	2760
caatgctgca	agaagaacct	gtgattgtaa	aaccaatgcc	aggaaaacca	aatacacaaa	2820
accctccacg	gagaggctct	ctgagccaga	atgggtcttt	tgcccatcc	cctgtgagtg	2880
gtggagaatg	ctcccctcca	ttgacagtgg	agccaccctg	gagacctctc	tctgctactc	2940
tcaatcgaag	agatagcct	agaagtgaat	ttgactcatt	ggacgggctc	ctacctctc	3000
ctcgatggtc	agctgaggca	tctgggaaac	cctctccttc	tgatccaggá	tctggtacag	3060
ctaccatgat	gaacagcagc	tcaagaggct	cttcccctac	cagggtactc	gatgaaggca	3120
aggtaatat	ggctccaaaa	gggccccctc	cttcccaggg	agtcccctctc	atgagcacc	3180
ccatgggagg	ccctgtacca	ccaccctctc	gatatggacc	accacctcag	ctctgaggac	3240
cttttgggcc	tcggccactt	cctccaccct	ttggccctgg	tatgcttcca	ccactaggct	3300
taagagaatt	tgaccaggc	gttccaccag	gaagacggga	cctgcctctc	caccctcggg	3360
gatttttacc	tgacacgca	ccatttagac	cttttaggtc	acttggccca	agagagtact	3420
ttattcctgg	taccgatta	ccacccccaa	cccatggctc	ccaggaatac	ccaccaacc	3480
ctgctgtaag	agacttactg	ccgtcaggct	ctagagatga	gcctccacct	gcctctcaga	3540
gcactagcca	ggactgttca	caggctttaa	aacagagccc	ataaaaactat	gacctctgag	3600
gtttcattgg	aaagaaagtg	tactgtgcat	tatccattac	agtaaaggat	ttcattggct	3660
tcaaaatcca	aaagtttatt	ttaaaaggtt	tgttgttaga	actaagctgc	cttggcagtg	3720
tgcatthttg	agccaaacaa	ttcaaaaatg	tcatttcttc	cctaaataaa	aatcaccttt	3780
taagctagag	cgctcctaca	actttgaaat	gtgcaataaa	gaatacctgt	gttttagctta	3840
atgtagcata	tgtaattgca	aaatgattta	gaatgtcatg	aaaaatatga	acatttctctg	3900
tggaatgct	ttaagaacat	gtatttccat	tatcctatth	ttagtgtaca	ccagctgaat	3960
acggagcaat	ggtgtttata	agcgtttttt	taaaactatct	ggtcacaag	actgttacgc	4020
taaaaatggt	tactaaaaga	tcactaaact	atctcccctc	ttgctgaagt	tctttgtagt	4080
aatagctcat	aaaaatttgt	ttattaatat	ttcccagtg	tctgttgact	cattggactg	4140
ttatgaggct	tgtgccattt	ggggaacatg	taaactcagg	ctcccagaa	tgaagatggt	4200
ggctggtggc	acactccgg	ctgctcctcc	gtcaactgtg	aactctacaa	gtgacgtctt	4260
tttatttcaa	agaagtttta	tttcccact	tgtaatatga	ttccacatgc	ctttccttta	4320
cgatcctcat	tgtcctatth	gagaatggtt	ttcctgagag	tgagtttacc	attagtagcc	4380
aagagtgtt	tgaccctgat	gttccattg	tttttacc	ttccctgtag	aaaagggtg	4440
ccacaacaga	aaaatgaaaa	tgatgtgtca	tgcccgtaaa	agtatagaaa	tctttaaaaa	4500

ttttaaaatg	tacagtcctt	tatctatctt	tcccattcct	tgccactgat	ttttgaggaa	4560
tataataaaa	agattggaag	agtataatgc	catgagaag	aatgatttag	gactgtgagg	4620
gtataacat	gccctaggtc	agcaaccaag	ggttgaatc	agttctgttt	tagggggaaa	4680
tggggggggc	gacagatatt	attccaaaat	taatattaat	taatatttaa	acgttggtgt	4740
ttttatttta	aaatcagtaa	ctaaccatct	ggaattgcac	catacttaa	gtcctatcca	4800
ttactacact	gtctttaaaa	caatgtttct	ttaaatactc	tacaacgttt	ctaagaacga	4860
acttcagaca	ttttaattac	agtaataata	gcactccttt	taaggagttt	cagatccaca	4920
ctaaaactaa	aatcataaaa	ggctgatact	tttgtttgct	gctaggctat	attcttccat	4980
tctttgaagt	cctatgatgt	aatatTTTTg	aaacctagtg	tatgtcttgt	cactgttctg	5040
atatttaact	gattaagaat	accttgtaaa	aaggagcaaa	agcttcaatg	tgaacaatt	5100
ttctctcttt	atactaaaca	actgaagata	gatagtttag	aaagataagg	acctttgaaa	5160
gaagacaact	ctgtcaaagt	tcataaggaa	tataaaaatt	cttcaggaaa	agagaattca	5220
atctatatgt	cctcccgttt	aatatcaaga	atagaagaaa	ttaagaggaa	aactccacag	5280
aagagcatag	gccactttta	gccatgtaaa	aataagatta	agtcacaaat	acaacttttg	5340
aatttacctg	tcaatatctc	tttaggcac	aaaacaatgc	tgaagttaat	ataatttcta	5400
atTTTaaatg	tcatttaagt	gtagattatg	ccatctagga	aggtaagtag	gaaaggtaaa	5460
ttaaacttat	ttttaaaatt	caaaatatta	gagtattttt	cccctctaaa	gccttttttg	5520
gtgattatc	tgtatctgac	ataattgaga	aactggtaag	ctgtaaagat	tccagtgtag	5580
cttctctgag	aagttgtgag	ccagtccata	actgcttctc	cacatccatc	tgatttgac	5640
ccatttctctg	cagcaaacc	cccaaagcag	ggtgcccaca	tatgccagat	gggccatagg	5700
ggagtatcat	cccctcagcc	caaatcacct	tttcccatcc	tcctaaagtt	tccatcctat	5760
tttgggaagt	catctccaac	taattgtgtc	tggatttagt	tgctaaaatt	gtcctattta	5820
tttatgaagc	agcaatatc	agcctgaaa	catttctgcc	atagttgttg	tagttatata	5880
gccaatggct	gatttttttc	attggaaggt	aaatttaagt	aattcgtggg	atgtggtata	5940
ttctgttca	acttcaagat	aatcaactcat	ttctcgtta	tattcaggtc	tgaattaaag	6000
ttaagttaat	caccagtggt	tcaatttaag	cttctttaat	gttgatgaaa	ggattttgta	6060
gttcatataa	actatactta	tgtgaaggat	agcagatgct	tcataataat	tatcattttg	6120
atatacatat	cttatggttt	atgagaaaag	agaaaaata	atacatcggg	tttgctacac	6180
tttaatgggt	ttttttttta	agggattttt	tttcaggtct	tgbcagcaac	atcaaacaaa	6240
aggtactgag	tactccacag	ggtacagagt	gctgccaagc	accttagaaa	aattacatga	6300
cacggagaaa	atgpgcctct	tgctccttga	agagcttaca	gtctagggat	ttgacaactc	6360
acagcttag	gaactgggca	aagtaaggca	aatcttctat	cccctagagc	tattgtggac	6420
tgaatcattt	tagaatttgg	aatatttcca	atcaagatga	gagacaagac	taaatttggc	6480
tgagaattca	ttcaggctcg	catagttttt	attaacatcc	gtctagttaa	cagaatggac	6540
ctaacagaca	actgaaagta	aagactagat	ctcttgaagt	gcaagggcta	caacaactta	6600
attgtgggta	cttattttta	aaagcaaaaca	tactgaaatg	tatgactagg	gtgattacac	6660
tagtttaaaa	ataggccagg	tactgacact	gcattcccct	catgcattgc	tcatttaaaa	6720
tagtgaatat	taaaatatgt	gggctttaca	tctaaaccac	agaaaagcca	ccgcaaatgt	6780
tctgtgtca	aaatatccac	ctcatgtgta	actgaaagt	tttatttatg	cccctaaag	6840
tcaaaagtta	aatatagtaa	gctaattgac	tgcaattttt	catatggatg	aatgtcagta	6900
tatctaaata	ggaaataaat	ggcgatccta	tctacctata	taaaaaaaat	agaatatctt	6960
tccagatttt	gcatactcct	cactgtaaga	agaggatg	aggttttaag	gtttcacaat	7020
cagttgtcag	aaaaacagca	gttatgcctg	cagtatctcg	ttagcatctg	actcaattat	7080
ttttagatta	cattgttttag	aagacattgt	aaacccatct	aaaactttgt	aattattttg	7140
agatggttcc	aatgttaacc	ctagaatcat	catcagaaa	agtaacaatg	tgatgtagaa	7200
gaacagctaa	tcgacatgac	taaaaatatg	ctcattttca	gaaaaacaat	ctggctcatc	7260
ggaaacaatc	acagctaaa	cctagggaac	actccatgt	gggatactga	tctggccaag	7320
gcacactttc	taagcaggaa	aactatcaga	tcagggtgaa	tttaggccac	ttcagagggtg	7380
ctgcctataa	acatccagac	agaccttctt	aggcagcaga	actggtccca	ttcctctcaa	7440
agcagtttga	cactacccta	cccacatcaa	cccaaagctt	gacgttaagt	caaaagagca	7500
tattggagca	aaagtgaaca	gatgtgtaaa	ctctagcaca	ttctatttgc	tgtattaaagt	7560
ctgaagatga	gcacatccta	cccacaacag	tattgttcca	ggaagcaggg	taggagtagt	7620
ggtaaattag	aaaatagact	attaattgca	caattaatag	aaaagtaaaa	acatgtttca	7680
aaatctacaa	tgaacctgta	tccaaggag	tctatacgt	cagtgatgat	tgctggactc	7740
tgaattctgt	ggtagcagctt	tgcatgggac	tccgtccggc	ctactgggtc	gggtacggct	7800
tgcttctctg	ctgttgaagg	gtgaatatgc	tacacagagc	tatgatgggt	tctactgagt	7860
ggtaaaatc	acagaagttc	caggttcctc	atgtcaggat	cattccttgt	gcaaagtttg	7920
atgtagatga	agataaagtg	gtttcttggg	caataattgc	aatttcttct	ttttaagtc	7980
agtggtttc	ttgtatagtt	ctattacaat	tggccagggt	ttaatttcat	ccatctccat	8040
gaaagcaaaa	cac					8053

<210> 379
 <211> 4455
 <212> DNA
 <213> Homo sapiens

<400> 379
 agatggctgc cgacagtgag cccgaatccg aggtatattga gatcacggac ttcaccactg 60
 cctcggaaatg ggaaagggtt atttccaaag ttgaagaagt cttgaatgac tggaaactga 120
 ttggaaactc tttgggaaag ccactcgaaa agggatatatt tacttctggc acatgggaaag 180
 agaaatcaga tgaaatttcc tttgctgact tcaagttctc agtcaactcat cattatcttg 240
 tacaagagtc cactgataaa gaaggaaaag atgagttatt agaggatggt gttccacaat 300
 ctatgcaaga tttgctgggt atgaataatg actttcctcc aagagcacat tgcttggtta 360
 gatggatgg gctacgtgag ttcgtgggta ttgccctgct gcacacagt gacgctgttc 420
 tcagcgaatc taagtgcac cttcttctga gttctgtttc tattgcttg ggaacactg 480
 gctgtcaggt gccactcttt gtgcaaattc accacaaatg gcgaagaatg tatgtaggag 540
 aatgtcaagg tccctgggtga cgaactgatt tcgaaatggt tcatcttaga aaagtgccaa 600
 atcagtacac tcacttatca ggtctgctgg atatcttcaa atcaaagatt ggatgtcctt 660
 taactccatt gcctccagtt agtattgcta ttcgatttac ctatgtactt caagattggc 720
 agcagtattt ttggcctcag caacctccag acatagatgc ccttgttaga ggagaagttg 780
 gaggcttggg gtttggcaag ttaccatttg gtgctgcga agatcctatt agtgaactcc 840
 atttagctac tacatggcac tcatctgacc gaaggatca ttgtggataa tgatgtttat 900
 tctgatttgg atcctattca agctccacat tggctgttta gagttcgaaa agctgagaat 960
 cctcagtggt tgctaggtga ttttgtcact gaatttttta aaatttgccg tcgaaaggag 1020
 tcaactgatg agattcctgg acgatctgca tttgaggaag aaggcaaaga aactgctgat 1080
 ataactcatg ctttgtcaaa attgacagag ccggcatcag tccaattca taaattatca 1140
 gtttcaaata tggtagacac tgcaaagaag aaaatccgaa aacacagagg ttagaggag 1200
 tcaccgctaa ataattgatg tcttaatact attctctgt tcttattccc tgatgctgtt 1260
 tctgagaaac cattagatgg aactacttca acagataata ataactctcc atcagagagt 1320
 gaagactata atctctacaa tcagttcaag tctgcacat ctgacagttt aacatacaaa 1380
 ctggctttgt gtctctgtat gatcaatttt taccatggag ggttgaaagg agtggcacac 1440
 ctctggcagg aatttgttct tgaaatgcgt tccgatggg aaaacaactt tctgattcca 1500
 ggattagcaa gtggaccccc agatctgagg tgttgtttac tgcacagaa actacagatg 1560
 ttaaattgtt gtattgaaag aaagaaggca cgtgatgagg ggaaaaagac aagtgttca 1620
 gatgtcacta atatatatcc aggggatgct ggaaaagcag gagaccagt ggtgccagat 1680
 aatctaaaag aacacagataa ggaaaaggga gaggtaggaa aatcttggga ttcctggagt 1740
 gacagcgaag aagaattttt tgaaatgccta agtgatactg aagaacttaa aggaaatgga 1800
 caagagagtg gcaagaaagg aggacctaag gagatggcaa atttaaggcc ggaaggacgg 1860
 ctctatcagc atgggaaact taccctgctg cataatggag aacctctcta cattccagta 1920
 acccaggaac cagcacctat gacagaagat ctgctagaag agcagctctga agttttagct 1980
 aaattaggta catcggcaga gggggctcac cttcgagcac gcacgcagag tgctgtctg 2040
 ctctcagata tggagtcttt taaggcagct aatccaggtt gctccctgga agattttgtg 2100
 aggtggtatt cccccggga ttatattgaa gaggaggtga ttgatgaaa gggcaatgtg 2160
 gtgctgaaaag gagaactgag tgccccgtag aagattccaa gcaatatgtg ggtagaagcc 2220
 tgggaaacag ctaagccaat tctctgtaga aggcaaagga gactcttcca tgatacacgg 2280
 gaagcagaaa aggtgctgca ctatctggca atccagaaac ctgcagacct tgctcggcac 2340
 ctgttacctt gtgtgattca tgcagctgta ctcaaggtaa aggaagaaga aagtctcgaa 2400
 aacatttctt cagttaagaa gatcataaag cagataatat cccattccag taaagtttt 2460
 cacttcccca atccagaaga caagaaattg gaagaaatca ttcaccagat tactaatgtg 2520
 gaagctctca ttgccagagc tcggtaacta aaagccaagt ttggaactga gaaatgtgaa 2580
 caggagtgag aaaaggaaga tcttgaaagg tttgtgagtt gcctgctgga gcagctgaa 2640
 gtgttagtca ccggtgcagg aagaggacat gctggcagga tcattcacia gctgtttgtg 2700
 aatgcccgaga gggctgcagc tatgactcca ccagaggagg aattgaagag aatgggctcc 2760
 ccagaggaaa gaaggcagaa ctccgtgtca gacttcccac cccctgctgg ccgggaattc 2820
 attttgcgca ccaactgtgc gcgccctgct cctactcca aagctctgcc tcagcggatg 2880
 tacagtgttc tcaccaaaaga ggactttaga cttgcagggt ccttttcatc agatacttcc 2940
 ttcttctgat tcttctagca ttactcgttg gtggtctcag agacagtgtt gcctcctcct 3000
 gagggagga agttaccagg gagaacctgg aggtcctgg agaggccctt gtcagttgg 3060
 gtgatcagga atcaaaccag catcggaaag acttcccagc accaagcttg agctgtctg 3120
 tttcgtggag ggggcagcga ggatgggctt gagctgttga gagatttctg ccctagagat 3180

ggcctttgta	tatggggggg	tgggtggggg	acacaaaac	atcagacact	ccgtcctcac	3240
actggcagga	cggtgttcat	cgcattctct	tctgtgacca	gcctctaggc	tagcggctgc	3300
attcgtggtc	tgtgcaaaca	cttcgtgggt	ctatatatca	gcagcaagtg	tgcaaaataa	3360
aggacctgtt	aactcagatt	tctggatatt	ttgggtgtag	cttctagtcc	cagaatctgt	3420
gtttttaaaa	tactacatga	cattctgtct	attcaatcac	ctgggtgtca	tctttcttgt	3480
actaattaac	tgttgatgag	cattttggat	attctaggag	aaagcctata	atttcacata	3540
gtttctcttt	ttcatgtaac	tgtaacctaa	atgtattact	tctgataaaa	ctatatatca	3600
aatgtcactg	caaattagtt	ttatatctgt	catgtgagat	ttgtcttact	tatttttctt	3660
ttggttgcca	tggaagtatt	ggccctgaaa	atcgtctccc	tcccctctc	ttgctgtaca	3720
gcatgcgttc	tctttttgtg	gttgctggct	gggtactgta	tttaatgaag	tagagaatag	3780
cacttgcaaa	aatacagtct	tggtagctag	agactgtcat	gcagatagta	taatttggtg	3840
tatgtgctaa	tgcattgagt	agaggattat	tttaacacac	tattttgctt	ttgtatttta	3900
gttaaaataa	tcgatgggga	tgtgtagccc	ccccgtgtga	ggatgacatc	accacatttc	3960
tagtttcatg	gagctcaaga	tgtcttgtgt	ctgtgtggct	agatggcctc	tgcttggtaa	4020
tcttattttt	aggcctaata	ttcccactta	aatccaaagt	aaaaatgggt	atactgaagc	4080
ataaaccttg	cctgtgtaat	tttaaaaaat	taatagagct	gtgcaaacc	tgttattttt	4140
gtaaaaaaaa	aaaaaataca	tatctatata	taatatgtgt	gtgtgtgtga	catatgcaca	4200
cgtctctgtg	tatgtgaagt	aggggaggcc	ctgggggatg	acctcccagc	ctttatgaat	4260
cttttctcta	tgctgctgga	cttcattctt	actggtcacg	cgatgcaggc	ggcctgaggc	4320
cagtgtctga	ccaagtagaa	gacggttcct	aaggacagag	tttgtctggt	ttctaacaaa	4380
gaaaaattct	acaaaggagt	ggttaaagtt	acaaaggcat	tgtgaatcta	ataaaaggaa	4440
aggtgtcgct	taaaa					4455

<210> 380
 <211> 2333
 <212> DNA
 <213> Homo sapiens

<400> 380						
tttttttttt	ttctattttc	aatcaaat	ctttttaatg	aaaactaatt	tttaagggca	60
agataccaca	gcagaagaaa	aacgtcttgc	aagaaaagac	ttcatggttt	acaacgatca	120
aatgtatggg	ctatttgcct	gattgggtggc	ctggactcag	caagagattc	ctttgcagca	180
gaggttggcc	acacatctgg	gggctgcaac	accactgaaa	agacagcttt	ctaagcatta	240
gtgtaaggca	aaaagcagag	tgcctaaact	tggccatttc	caccaagaaa	aaaagtttca	300
tagcaacctt	ccttcaccag	aaaggettac	tttatgatat	gctaacagaa	cagaaaagca	360
ggttgggaca	agatacagac	tttgttgc	ttagctatga	cccttctctc	ccctctgtgg	420
atgtggcgag	ggtggggaga	ggcaggaaga	ggcagtagag	ggaaatgaca	tttgactca	480
ggcttcccgc	ccctaccac	ccctaccctt	cgcccagaca	gacgtcggat	ctatgctgca	540
ccaggggtgg	gtcatggagt	ccagctaatt	gccaggagct	gaggcgtgta	caagccatga	600
aaagagctgc	cccacggcct	ccccacatca	ctgtccttca	tgcacttgca	tctttaaggc	660
tgccagcttc	agagctccct	ggacattccc	tggccaagtg	tcacccctgt	gtcaaatgga	720
tgggatgcc	ggtaatcctt	gtactccccg	tcaatcagtt	tggcggcatt	gttccctggca	780
aaccagcagt	ctatctgctc	ttccccgttg	taaactcttc	tttgcctcca	gaccactggg	840
acttgggtgg	ctttcactgt	taggacggcc	tcagggccct	ctcccactg	aaggagcaga	900
gggtgagtga	ggttctggct	gggcccctgca	gggtcttctg	tgagtctggc	atcctgatcc	960
aggaactgac	ccagcagtc	gtggcagttg	ctggaaaggc	cctcgtctgt	ggcaatgtag	1020
aaaccaggt	ggtgtcgctg	gaagggcgcc	ggctttttgt	agaggtggat	gaggatgaca	1080
aaggctatgg	agccctggat	ggtgacgggtg	acattggcgt	tggcagacac	ggacacctcc	1140
agccccagc	tccccaccac	cacactctgg	ttgcagggga	gcaccagtct	gtccccacca	1200
tccaagatga	ctctgctcgg	tgtgatctcg	agataagatc	tctctggctt	gttgatgagg	1260
tgattgatag	tgcgaagta	agtgcgctgt	ttcttgtggc	catttgagg	ggcgggtgcc	1320
ccaattaaat	ctccgttcac	tgtgacacca	gagtcctgt	gatcagagac	cagcctgagg	1380
atgtccccgg	gctgcccac	aatgttgaag	cacacgggtga	gtctgctcag	ggggaatcc	1440
acaacaaagt	ggggatcacc	atccactgat	gttttagaga	ttttaattct	tggctggtat	1500
ggcttcttga	gcaaaggctc	tggctgctgt	ccagctcctc	gcacgctctg	caccaccggt	1560
tcgggtccca	tggcagccga	catgcccgtg	gcctcctcca	ggccatccat	gcgtgggacc	1620

ggccccctca	gcttcatgga	ggtgaagggg	gtgaggaagc	ggtagctcac	agccagggcc	1680
tgggcccgc	gcccagccg	ctccttctcc	ggttcatcgt	cactttgcag	ccaggagctc	1740
agcagctcct	ttgtgggtgag	gtagctccag	agacgctcga	tgtggttgg	gtccccctct	1800
ccatcgectc	caggcctggg	gcttctctgt	acatctttcc	ctgccttctg	aggccgcaca	1860
ggcacatctg	tcttcaggat	gatgaatttc	ttactgttgc	tggcggtgac	ctccacgtgc	1920
aggtgatcca	gcttcctgtc	caccagcttc	cccgcaatga	tgatctccga	gccgttgaag	1980
tagttgggga	acagggctct	ggtggcctgc	accactgagc	tggggggata	atcgatgcgg	2040
atgtcagaga	ggagcgggg	cctgatttca	tcgtagaacc	cgatgagctg	cgagcctgcg	2100
tctctctcct	cgtgcacgcg	ccgtgtgagg	ccacagttct	ccagcgacag	tttctccagc	2160
agctgaagt	ccacgtcgtt	gccgatgcca	atggtgaaga	tgcagacttg	gcctcgggcg	2220
gcctctcggg	tgttggtgag	gatcttgagg	gtgtgcgtct	ccccgaccgt	gggcttgctt	2280
tccgtcagga	agacgatgag	ggacacgctc	cggtctccc	tacgcgtggg	cga	2333

<210> 381
 <211> 607
 <212> DNA
 <213> Homo sapiens

<400> 381						
cctgggctg	ctccccggg	cacctactcc	taagagtacc	cattacatat	cagtttccct	60
caccaagctc	agccccctct	gccctctggt	gagtctcctg	agtcctttg	gagtcctctt	120
cttgctccca	tgcagacaac	tggaagcagg	agctgacaaa	attcatcagc	cccgaccagc	180
tgctgtgga	gtttgggggg	accatgactg	accccgatgg	caaccccaag	tgctgacca	240
agatcaacta	tgggggtgag	gtgccaaga	gtactacct	gtgcaagcag	gtgaggctgc	300
agtatgagca	cacgaggtcc	gtgggcgcg	gctcctccct	gcaggtggag	aacgagatcc	360
tgttcccggg	ctgtgtgctc	agatgtcctg	aggttttaca	acacctacag	cctggttcat	420
tctaaacgca	tcagctacac	cgtggaggta	ctgctcccag	accaaacctt	catggagaag	480
atggagaaat	tctaggtgaa	cctcatggtc	cccacacctt	cctctttgat	ctctgaatcc	540
acaatgagtt	cacagccttc	cctggccaga	cctgttcaa	cctctcagga	acagggattc	600
tacaaca						607

<210> 382
 <211> 4197
 <212> DNA
 <213> Homo sapiens

<400> 382						
gccctgctgc	ccctgagcac	acggaccctg	ccgaaccgcg	gggcagtgtg	tcctgctgct	60
ccctgctgcg	gggactgtcc	tcagggtggt	cctcacctct	gcttccggcc	cctgtgtgca	120
accctaacaa	ggccatcttc	acgggtgatg	ccaagaccac	agagatcctc	gttgctaacg	180
acaaagcttg	cgggctcctg	gggtacagca	gccaggacct	gattggccag	aagctcacgc	240
agttctttct	gaggtcagat	tctgatgtgg	tggaggccct	cagcgaggag	cacatggagg	300
ccgacggcca	cgctgcggtg	gtgtttggca	cggtggtgga	catcatcagc	cgtagtgggg	360
agaagattcc	agtgtctgtg	tggatgaaga	ggatgcggca	ggagcgcgcg	ctatgctgcg	420
tggtggtcct	ggagcccgtg	gagagggtct	cgacctgggt	cgctttccag	agcgatggca	480
ccgtcacgct	atgtgacagt	ctctttgctc	atcttcacgg	gtacgtgtct	ggggaggacg	540
tggctgggca	gcatatcaca	gacctgatcc	cttctgtgca	gctcctcctt	tctggccagc	600
acatcccaaa	gaatctcaag	attcagaggt	ctgttggaag	agccagggac	ggtaccacct	660

tccctctgag	cttaaagctg	aaatcccaac	ccagcagcga	ggaggcgacc	accgggtgagg	720
cggccccctgt	gagcggctac	cgggcatctg	tctgggtggt	ctgcaccatc	agtggcctca	780
tcaccctcct	gccggatggg	accatccacg	gcataacca	cagcttcgcg	ctgacactgt	840
ttggttacgg	aaagacggag	ctcctgggca	agaatatcac	tttcttgatt	cctggtttct	900
acagctacat	ggaccttgcg	tacaacagct	cattacagct	cccagacctg	gccagctgcc	960
tggacgtcgg	caatgagagt	gggtgtgggg	agagaacctt	ggacctgtgg	cagggccagg	1020
accagctga	ggggggccag	gatccaagga	ttaatgtcgt	gcttgctggg	ggccacgttg	1080
tgccccgaga	tgagatccgg	aagctgatgg	aaagccaaga	catcttcacc	gggactcaga	1140
ctgagctgat	tgctggaggc	cagctccttt	cctgcctctc	acctcagcct	gctccagggg	1200
tggacaatgt	cccagaagga	agcctgccag	tgcaecgtga	acaggcgctg	cccaaggacc	1260
agcaaatcac	tgccctgggg	agagaggaac	ctgtggcaat	agagagcccc	ggacaggatc	1320
ttctggggaga	aagcaggtct	gaaccagtgg	atgtgaagcc	atltgcttcc	tgcgaagatt	1380
ctgaagctcc	agtcccagct	gaggatgggg	gcagtgatgc	tggcatgtgt	ggcctgtgtc	1440
agaaggccca	gctagagcgg	atgggagtca	gtggteccag	cgggtcagac	ctttgggctg	1500
gggctgccgt	ggccaagccc	caggccaagg	gtcagctggc	ggggggcagc	ctcctgatgc	1560
actgcccctg	ctatgggagt	gaatggggct	tgtgggtggc	aagccaggac	ttggccccc	1620
gcccctctg	gatggcaggc	ctctcgtttg	ggacacctac	tctagatgag	ccgtggctgg	1680
gagtggaaaa	cgaccgagaa	gagctgcaga	cctgcttgat	taaggagcag	ctgtcccagt	1740
tgagccttgc	aggagccctg	gatgtccccc	acgccgaact	cgttccgaca	gagtgccagg	1800
ctgtcaccgc	tctgtgtcgc	tcttgcgatc	tgggaggcag	agacctgtgc	ggtggctgca	1860
cgggcagctc	ctcagcctgc	tatgccttgg	ccacggacct	cctggggggc	ctggaagcag	1920
tggaggccca	ggaggttgat	gtgaattcgt	tttcttgaa	cctcaaggaa	ctctttttca	1980
gtgaccagac	agaccaaaac	tcatcaaatt	gttctctgtc	tacgtctgaa	ctcagagaga	2040
cacctcttc	cttggcagtg	ggctccgatc	cagatgtagg	cagtctccag	gaacaggggt	2100
cgtgtgtcct	ggatgacagg	gagctgttac	tactgaccgg	cacctgtgtt	gaccttgccc	2160
aaggccgacg	gttccgggag	agctgtgtgg	gacatgatcc	aacagaaccg	ctttaggttt	2220
gtttggtgtc	ctctgagcat	tatgcagcaa	gcgacagaga	aagcccagga	cacgttcctt	2280
ccacgttga	tgctggccct	gaggacacgt	gcccatcagc	agaggagcca	aggctgaacg	2340
tccaggtcac	ctccacgccc	gtgatcgtga	tgcgcggggc	tgctggcctg	cagcgggaga	2400
tccagagagg	tgccctactcc	gggagctgct	accatcgaga	tggcttacgg	ctgagtatac	2460
agtttgaggt	gaggcgggtg	gagctccagg	gccccacacc	tctgttctgc	tgctggctgg	2520
tgaagacct	cctccacagc	caacgcgact	cagccgcccag	gaccocgctg	ttccttgcca	2580
gctgcccgg	ctccacccac	tctaaccgctg	ctgagctcac	cggaccacagc	ctggtggaag	2640
tgctcagagc	cagaccctgg	tttgaggagc	cccccaaggc	tgtggaactg	gaggggttgg	2700
cggcctgtga	gggcgagtac	tccccaaaagt	acagtaccat	gagcccgctg	ggcagtgggg	2760
ccttcggctt	cgtgtggact	gctgtggaca	aggaaaaaaa	caaggagggtg	gtggtgaagt	2820
ttattaagaa	ggagaaggtc	ttggaggatt	gttggattga	ggatcccaaa	cttgggaaag	2880
ttactttaga	gatcgcaggt	ctatccaggg	tggagcacgc	caatatcctc	aaggtatttg	2940
atatatttga	aaaccaaggg	ttcttccagc	ttgtgatgga	gaagcacggc	tccgcttag	3000
acctcttcgc	tttcatcgac	cgccacccca	ggctggatga	gcccctggcg	agctacatct	3060
tccgacaagt	gagagcaggg	ccagagccgt	ctagtgtcag	cagtgggata	cctgcgcttg	3120
aaggacatca	tccaccgtga	catcaaggat	gagaacatcg	tgatcgccga	ggacttcaca	3180
atcaagctga	tagactttgg	ctcggccgcc	tacttggaaa	ggggaaaatt	atltttatact	3240
ttttgtggga	ccatcgagta	ctgtgcaccg	gaagttctca	tggggaaatcc	ctacagaggg	3300
ccggagctgg	agatgtggtc	tctgggagtc	actctgtaca	cgtggtctt	tgaggagaac	3360
ccctctgtg	agctggagga	gaccgtggag	gctgcatac	accgcatac	cctggtgtcc	3420
aaagaactca	tgagccttgt	gtctgggctg	ctgcagccag	tccctgagag	acgcaccacc	3480
ttggagaagc	tgggtgacaga	ccogtgggta	acacagcctg	tgaatcttgc	tgactataca	3540
tgggaagagg	tgtttcgagt	aaacaagcca	gaaagtggag	ttctgtccgc	tgcgagcctg	3600
gagatgggga	acaggagcct	gagtgatgtg	gccaggctc	aggagctttg	tgggggcccc	3660
gttccagggc	aggctcctaa	tggccaaggc	tgtttgcctc	ccggggatcc	ccgtctgctg	3720
accagctaaa	caccaatttc	ttcctgctt	tctccacttg	gtttggaaaa	tcacacagtt	3780
ttcaggtcc	atctgtttg	agaaaaatac	ttctgaagca	tccccaatc	accttctaaa	3840
aactcatgtg	caggtttgat	aaacaccaga	acagaagaca	gtgatgctgt	attatlttag	3900
atltattaca	tagatlttga	atltactltt	ttcatgacct	agaaaaaac	atltccagtt	3960
tcaactgttt	tatattatta	aagggctltt	aatltgtgaa	cttctgaagg	catgagttgt	4020
ttctcttct	actlttgtat	atgtgcatgt	ttgttttct	ctgacttggg	atagctcat	4080
ctgagtgacg	gatatgtgaa	atltttagaa	ctggttagtc	aaatggccag	actatltcat	4140
taatltattt	cctcaaatgc	ttltcaaat	aaagcacctt	tgttagtaaa	cagttaa	4197

<210> 383
 <211> 1843
 <212> DNA
 <213> Homo sapiens

<400> 383
 ctggatttca tacagtgaca gagggagtgt ttttagaagt ttatagctgt ttctaggtga 60
 aaacactggg tgatttagct cccttggtaa gagcactgag cagaagaag ttccctatca 120
 aatgggtgtg tggagcagcc ctgttctccc catcccgtag agctccagga agttaaccag 180
 ggacttcagc tgcgacctgc agatttctaa gccccctgt tatttctctg tcttttacgg 240
 gcctgtgtat ttcagacttg gtggtggcag tcaacggggg ctggatcctc gtggagacat 300
 ttatgctgaa aggtgggaac ttcttctcca agcacgtgcc ctggagttac ctctctttc 360
 taactatcta tgggggtggag ctgttccctga aggttgccgg cctgggacct gtggagtact 420
 tgtcttccgg atggaacttg tttgacttct cctgacaggt gttcgccttc ctgggactgc 480
 tggcgctggc cctcaacatg gageccttct atttcatcgt ggtcctgcgc cccctccagc 540
 tgctgaggtt gtttaagtgg aaggagcgt accgcaacgt gctggacacc atgttcgagc 600
 tgctgccccg gatggccagc ctgggacctc cctgctcat cttttactac tctctcgcca 660
 tcgtgggcat ggagttcttc tgcgggatcg tcttcccaaa ctgctgcaac acgagtacag 720
 tggcagatgc ctaccgctgg cgcaaccaca ccgtgggcaa caggaccgtg gtggaggaag 780
 gctactatta tctcaataat tttgacaaca tctcaacag ctttgtgacc ctgtttgagc 840
 tcacagttgt caacaactgg tacatcatca tgggaaggcgt cacctctcag acctcccact 900
 ggagccgctt ctacttcatg accttttaca ttgtgacctt ggtggtgatg acgatcattg 960
 tcgcttttat cctcgaggcc ttogtcttcc gaatgaacta cagccgcaag aaccaggact 1020
 cggaagttga tgggtggcatc acccttgaga aggaaatctc caaagaagag ctggttgccg 1080
 tcttgagct ctaccgggag gcacgggggg cctcctcgga tgtcaccagg ctgctggaga 1140
 cctctccca gatggagaga taccagcaac attccatggt gtttctggga cggcgatcaa 1200
 ggaccaagag cgacctgagc ctgaagatgt accaggagga gatccaggag tggatgagg 1260
 agcatgccag ggagcaagag cagcagcagc aactcagcag cagtgcagcc cccgccgcc 1320
 agcagcccc aggcagccgc cagcgtccc agaccgttac ctagcccagc gccgaaagc 1380
 cgtctcttct atgcaataac acaatagtat tactctactg cgatgtacgg aactgcggtg 1440
 tgtgtacaca tactcacgta tatgcacata tttatataca ggaagaaaaa agacagacaa 1500
 gatggggctt ggtttataac caccttgccc tgtcttctt aactccagaa gccagtttg 1560
 tgaggggtgg ggggtgcggc accaggtctg agctcttct actgtggaag gctccagaag 1620
 gcccttcaca aggagacccc tcacctggat ccagtcgact gcggggcttg cccctcatgt 1680
 gggctggcct ccactggcca cgtccaaagc tgtcactgct actgcttcag gctcacatcc 1740
 ccccgactg atggcgtgac cgcctctct cctgcccggc catgccacag gtttctgtgt 1800
 tttgctttag ggacagaacc acttaggaag gaaagaactc ccg 1843

<210> 384
 <211> 1459
 <212> DNA
 <213> Homo sapiens

<400> 384
 ctggcggggc tgggaaccca ggccccgccc aggcggccag gaggtgagat ggcagctggg 60
 caaaatgggc acgaagagtg ggtgggcagc gcatacctgt ttgtggagtc ctgctggac 120
 aaggtggtcc tgtcggatgc ctacgcgcac cccagcaga aggtggcagt gtacagggct 180
 ctgcaggctg ccttggcaga gacggcggg agcccggacg tgctgcagat gctgaagatc 240
 caccgcagcg acccgagct gatcgtgcag ctgcgattct gcggggcgca gccctgtggc 300
 cgcttctctc ggcctaccg cgagggggcg ctgcccggc cgctgcagag gagctgggc 360
 gccgcgctc cccagcactc ggtgccgctg caactggtat ctgcccggc gcgccgagc 420
 gctggaggct ttgctggcgg acgaggagcg ctgtttgagt tgcacctag cccagcagc 480

```

cgaccggctc cgggatgaag aactggctga gctggaggat gcgctgcgaa atctgaagtg 540
cggctcgggg gcccggggtg gcgacgggga ggtcgcttcg gccccttgc agccccggg 600
gccctctctg tcggagggtg agccgcccgc gcccgccca cctgcccaga ctttctgtt 660
ccagggtcag cctgtagtga atcgccgct gagcctgaag gaccaacaga cgttcgcgcg 720
ctctgtgggt ctcaaattgc gcaagggtgg gcgctcactg cagcgaggct gccgggcgct 780
gcgggaccgg gcgctggact cgctggccta cgagtacgag cgcgagggac tgtacgagca 840
ggccttcag ctgctgeggc gcttcgtgca ggccgagggc cgcgcgcca cgctgcagcg 900
cctggtaggag gcaactgagg agaacgagct caccagcctg gcagaggact tgctggcct 960
gaccgatccc aatggcggcc tggcctagac caggggtgca gccagctttt ggagaacctg 1020
gatggcctta gggttccttc tggcgctatt gctgaacccc tgtccatcca cgggacctg 1080
aaactccact tggcctatct gctggacctg ctggggcaga gttgattgcc ttccccagga 1140
gccagaccac tgggggtgca tcattgggga ttctgcctca ggtactttga tagagtgtgg 1200
ggtggggggg acctgctttg gagatcagcc tcaccttctc ccatcccaga agcggggctt 1260
acagccagcc cttacagttt cactcatgaa gcaccttgat ctttgggtgc ctggacttca 1320
tcctgggtgc tgcagatact gcagtgaagt aaaacaggaa tcaatcttgc ctgccccag 1380
ctcacactca gcgtgggacc ccgaatgtta agcaatgata ataaagtata acacggattt 1440
tgatgtgaga aaaaaaaaa 1459

```

```

<210> 385
<211> 2408
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(2408)
<223> n = a,t,c or g

```

```

<400> 385
ttttttttt ttccagataa acctttttat ttatttatgc ttctccattt tgtttaaacc 60
aacaacaaca accaccctaa tgtaactgac agcccttccc cctcacctg cctcgggctg 120
ggggtagtta atggggaaat ggcccccagg gtggggctga ccagaagagc ccctcaagga 180
gctcatggag cccaaatccc ctgccctggg gaggggacct gtagtgtgtg acgggagcct 240
ctcccagacc tctgcttgta ccatcaaaga tgcccttggc caacaagggg caggaagcat 300
gggggagggg tttcggcctc ctctgtccct acccagccca atctcacgag cagggctggg 360
gggtttaaaa aggggtggagc ggggtgggggt ggctcacacg aaggagtact ggttgtaaa 420
tggcccctgg ggtggccccc ttctctcca tcaccccct agtggtagct gctgcagctg 480
caccaattgg gggcaccccc gcgtcccacc caggaccagc gcgcccttgg gcctcttgag 540
cctggggcct atggccctct cccaattcac ccaccgggac cagctaaacc acggggacca 600
gcctcttccg ggaccctctc acccgcccgc tttctcttct tcttgctctc ctttggctgc 660
tgcggtgctc tnttgcccgc cacttctctg cgcctctga cgcctcttct tccccaggc 720
tgtgggggat ctgtccatga aggggggttca gggggctggg gtgggtcatg ggaggtggtc 780
ggttacacag tcaactgctc cgaagggcat gaggggtgag gaggcattcg ggggtgcatc 840
catctccctc gcaaccccc gcattggtcc cagcctctcc cggcctcac ttctgggtg 900
caccgggacc tcctcccctg cagacctgct ctgctcaacc tgctgtcgct gggaggtagg 960
gacatagctg acaaggacaa catcactgga gcctcccagc tccaaagggg tgggtgacac 1020
ccggaagtgc tcgagcatal cgaaaatgga ctggaaccac aggtgctgga cccggcactg 1080
accctcctcg ttcagcgaca aacgcagggt cttggccttg ccctggaagt tgaaggtgag 1140
gacgtattca ccccgcttg tctcactctg gcgcaccagg aagaccctgt gggagccagt 1200
gccgcagctc agcaccaact gtgcagcctt gagccgagag agcatcccgt ggaaccaagg 1260
atacctgtag aggggctggg cccctcacc gccctctggc tccccctgg aacaggaagg 1320
accctgtggc tgtttccgga gtgtccaagg gagggtaggg ggctgagagg ggaatgactg 1380
tcctgctgg gggctcccct tcaatgggga tgcggggggg caactctggg ggaagcagtt 1440
ccatcgatgc aaaatgggag gcggcaatgg aggcagagct gggggagatg gatgccagg 1500
ggcgggtctg gagggcccca tatgcccctc gcgacaggcg gtcattgctc tcgctgggtc 1560
caagcagcag gtccctggctg ggtagactct ccgagtgatt caggcaggac agctccaggc 1620

```

tgtctgtgtt	ctcccttgta	aggaatgagg	tcccaggggc	cagagggagg	gtcatggggc	1680
ggggactggg	agcagggcag	ggtcctgggc	tcaggcattc	ttggatgtca	gacaccagg	1740
ccttcacatg	ctgggcatcc	actgtctcca	tgatatactc	ggatggacct	tccaccttaa	1800
ccacaaacgt	gttctcccgg	tcaggcatct	ccagggtctg	ggttgtccgg	acgtctgtga	1860
tagaagagca	ggggatgctg	agtcggggcc	gagaggcctt	gggtggtaca	aagaactcca	1920
gggacttcc	tectctctct	tctccttcac	ttcgaagcag	caggcgacac	ttctgccact	1980
gaggctgccc	tectccccct	gaaggaggcc	cagccacccc	tcctccccgg	cccactccgg	2040
ctgggtcagg	ggctgcctcc	tcagccccc	tgaaactcag	cagctcttcc	ctctgcacca	2100
tcctgtctcc	atccttcaag	gcgccccctc	ccgactgag	tctcagcctc	tcaaaacggg	2160
gagtccatct	ttccccagg	gacgttccat	cactgaccag	tccccacca	acggtcccag	2220
ccccgccaga	ggagttggag	ttgctgtttc	cacctaagac	tggggggcct	gacgaggctc	2280
ccaggggccc	agcggaggag	ggaggggtcaa	cggtcccccg	ccactgcagg	atgccacgga	2340
ctgagcctcg	gacagagcga	cccactgaac	gcagggaaaa	gcgcttcttg	agcttcggct	2400
tggaggag						2408

- <210> 386
- <211> 2204
- <212> DNA
- <213> Homo sapiens

<400> 386						
ttggggaacc	cccagggttt	tcccatcccc	ccggtgtaaa	accgoggccc	aggaaatgga	60
ttttgggggc	cccataaaaa	aacttttgcg	ttgccagccc	ccggacgtta	acctggatcc	120
tttaaaacgg	cccccccttt	tttttttttt	tctttaacaa	aatttttatt	taataaatgg	180
ttaaaatcgc	agtgccaaaa	atacattgac	atntagcaat	ttcactgaaa	ggaagaaact	240
acagaatgca	cggtttcaga	aagctatttt	aagttattta	caaataaagt	atctaaaact	300
caaaaaacagg	ctctgtatgc	tatatctagt	ttatcccttc	ccgaacaaaa	ttctgtttat	360
ttgggcaaat	tcttaacca	tggtttaaac	cgtaatggtt	acaaaccaca	aacacatcca	420
tcagagact	gaaaccgttt	ctatccggtc	agtgggcaaaa	ctgttgaaag	ggcaatagtt	480
gaagctgttg	ggttttatat	agtggtgaact	ctgataaata	ttcctaccag	gactaaaaca	540
cagcacgctt	tgccggcatg	gctgactcac	aaagggtgta	acaaacaaga	actactcttc	600
actcgacacc	atggctcaga	ggccaccgag	aagcacgagt	gactgacagc	tcctctgctt	660
acaaacgaat	gaaacccaaa	gtggatgtcg	ttctcacagc	actgaaagtg	cttcaggact	720
cacactgatc	caactaac	tttcttccct	attttacaca	tatttttcta	ctgtccagtg	780
gaaatcattt	tctgttttgg	ctaaacaaca	aatactagtt	tataacagga	atggtaaaat	840
ctgtgagaat	tctgctcaat	ttaatacaag	atcactactt	tctttagaat	ggtttctgcg	900
tgtttctacg	tcacctctg	tatttttagc	ttccagtttc	ctggtaagga	ataagttctc	960
cttcccagtc	acactcgggg	tcatttacac	gtttctggga	tgcccttgct	cgtccatgga	1020
ggccagggtg	gtgcagtgc	tcactctgcc	tcttccctct	tctcaggacc	agtccccgaa	1080
ccttctgcct	tgcagatcct	cctgtttccg	ccacactctc	gcgctcggaa	gcgagctcct	1140
ggatcataka	gctgcaaggc	tggccgggtc	ttgtttgcca	gtcgtctttt	tctgggtgct	1200
ggactgtcgt	cacacctctg	cgctcttccc	agtctctcca	tggcctcccc	cggagccccg	1260
ctgtcctggc	tccccttctt	ccctctgtct	tggccaggtc	ctttccccca	tctctgtctc	1320
tcctcactcc	ttctggaaag	ccgttcaggc	tcgtgggtgag	ctctgtgctt	cctgcctgca	1380
tccacatggt	atccttctg	ttcagattct	tgtttctgag	atctctccac	atccctgtgc	1440
tctttatcac	tgcctgtgtg	tgacgtctcc	tggggctcct	ccagcgagcc	ttccatgggc	1500
ctggctttta	cgactgcacc	gggggcacag	gattcctgct	tgccacctcc	agtatcaatc	1560
tcctctctcc	tttcttttgg	tttctctgtg	gttggttcct	ctcccttttc	tggtttctta	1620
agaagcttaa	tccttacttc	tttctctgca	attttcttct	gtttatctgt	ctcttttttt	1680
ttgcatcttt	cttcttctct	tcttcttctt	ttttcctctt	cccgcaaacg	tttcttttct	1740
aactctctcc	tcctccgttc	ttctcgtctc	tcttctcgaa	ttctctgctt	ttctaatttt	1800
ctatttttaa	tatatccaa	aagagggtgtg	gttcttctag	caatgagctc	tcttgctctc	1860
gcctccatct	ccccagcag	agtctcaggg	ttggcactgg	tcttctcttc	ctccacacag	1920
taggtttctc	aaaacttctt	atattctgga	tctttgctgt	caaggaagat	atatccatca	1980
aaacgatctc	taaaaagaag	gatgtcatca	ggattcctaa	aattaatgta	tgtctttgag	2040
tagagatgag	gataaagact	caggctcggcg	gcgaagaact	cgaagtagtc	gtgtgctggc	2100

agcgggcgca gctgctcctc cagctgctcc ttggtgaggc cgggaggcag gggcggatg 2160
 accacctgcg gggagcgcgc ggccgttccc accggggcac gaaa 2204

<210> 387
 <211> 798
 <212> DNA
 <213> Homo sapiens

<400> 387
 tttcgtagca aacaggtttc acgaccactg ctctctggag tcttattcct cagagtatga 60
 gcccttgacc aaggagcatg gaatgcatca cctatgtttg aacaagggcg ccagatgacc 120
 tctgceggacc cagggtttgg gaagtgctga tgtggagcca caggacttgt tttagggcgt 180
 gtggggcgtg tgtgtgagtg ggcttctgca ggtgggcagc cagcgggcac aggcgtggag 240
 agcatggtca cccatggaga caccgctcac ggggactttc ctttggcccc acatcccgca 300
 gggctctctc ttcgatgatt cctatggctt ctaccagggc caggtgctca ttggccctgc 360
 caagatcttc tccagcgtcc agtggctgtc aggtgtcaag cccgtgctca gcaccaagag 420
 caagttccga gtgggtggtg aagaggtgca ggtttagag ttgaaagtta catggattac 480
 caagagtctc tgtccagggg gcacggacag cgtcagcccc ccacgtctgt catcaccag 540
 gaaaacctag gcagggtgaa gcgtctcgga tgctttgacc atgctcagcg gcagcttggg 600
 gagcgtctgc tgtatgtctt cccagccaag gtatagccag ccaagattgc ctgggaaatgt 660
 ccagaaaaaa actgcgcccc gggggagggc tctatggcca agaaggtgaa gcgcctgttg 720
 aagaagcagg ttgtgcggat catgtcatgc tccccagaca cccagtgttc ccgggacat 780
 tccatggaag acccagac 798

<210> 388
 <211> 4530
 <212> DNA
 <213> Homo sapiens

<400> 388
 tttcgtgaca gtagccccctg ctgggccttc gagttccact gcctaagtgg cgagtgcac 60
 cactccagct ggcgctgtga tgggtggcccc gactgcaagg acaaatctga cgaggaaaac 120
 tgcgctgtgg ccacctgtcg ccctgacgaa ttccagtgct ctgatggaaa ctgcatccat 180
 ggcagccggc agtgtgaccg ggaatatgac tgcaaggaca tgagcgatga agttggctgc 240
 gttaatgtga cactctgca gggacccaac aagttcaagt gtcacagcgg cgaatgcac 300
 accctggaca aagtctgcaa catggctaga gactgcccgg actggtcaga tgaacccatc 360
 aaagagtgcg ggaccaacga atgcttggac aacaacggcg gctgttccca cgtctgcaat 420
 gaccttaaga tcggctacga gtgcctgtgc cccgacggct tccagctggt ggcccagcga 480
 agatgcgaag atatcgatga gtgtcaggat cccgacacct gcagccagct ctgctgtaac 540
 ctggagggtg gctacaagtg ccagtgtgag gaaggcttcc agctggacc ccacacgaag 600
 gcctgcaagg ctgtgggctc catgcctac ctcttcttca ccaaccggca cgaggtcagg 660
 aagatgacgc tggaccggag cgagtacacc agcctcatcc ccaacctgag gaacgtggtc 720
 gctctggaca cggaggtggc cagcaataga atctactggt ctgacctgtc ccagagaatg 780
 atctgcagca cccagcttga cagagccac ggcgtctctt cctatgacac cgtcatcagc 840
 agagacatcc aggcccccga cgggctggtg gtggactgga tccacagcaa catctactgg 900
 accgactctg tcttggggcac tgtctctggt gcggatacca agggcgtgaa gaggaaaacg 960
 ttattcaggg agaacggctc caagccaagg gccatcgtgg tggatcctgt tcatggcttc 1020
 atgtactgga ctgactgggg aactcccgc aagatcaaga aagggggcct gaatggtgtg 1080

gacatctact	cgctgggtgac	tgaaaacatt	cagtgggccca	atggcatcac	cctagatctc	1140
ctcagtgggc	gcctctactg	ggttgactcc	aaacttcact	ccatctcaag	catcgatgtc	1200
aatgggggca	accggaagac	catcttggag	gatgaaaaga	ggctggccca	ccccttctcc	1260
ttggccgtct	ttgaggacaa	agtattttgg	acagatatca	tcaacgaagc	cattttcagt	1320
gccaacccgc	tcacagggtc	cgatgtcaac	ttgttggctg	aaaacctact	gtcccagag	1380
gatatggtcc	tcttccacaa	cctcaccagg	ccaagaggag	tgaactgggtg	tgagaggacc	1440
accctgagca	atggcggtctg	ccagtatctg	tgctccctg	ccccgcagat	caacccccac	1500
tcgcccgaag	ttacctgcgc	ctgcccggac	ggcatgctgc	tggccaggga	catgaggagc	1560
tgctctcacg	agggttgagg	ctgcagtggc	caccaggag	acatccaccg	tcaggctaãa	1620
ggtcagctcc	accgctgtaa	ggacacagca	cacaaccacc	cggcctgttc	cgacacctc	1680
ccggctgctc	ggggccaccc	ctgggctcac	cacggtgag	atagtgacaa	tgtctcacca	1740
agctctgggc	gacgttctg	gcaagaggaa	attgagaaga	agcccagtag	cgtagaggct	1800
ctgtccattg	tcttccccat	cgttgtctct	cgctcttctt	tgctggggg	tcttcttct	1860
atggaagaac	tggcggctta	agaacatcaa	cagcatcaac	tttgacaacc	ccgtctatca	1920
gaagaccaca	gaggatgagg	tgcacatttg	ccacaaccag	gacggctaca	gctaccctc	1980
gagacagatg	gtcagtctgg	aggatgacgt	ggcgtgaaca	tctgcctgga	gtcccgtccc	2040
tgcccagaac	ccttcttgag	acctcgccgg	ccttgtttta	ttcaaagaca	gagaagacca	2100
aagcatggcc	tgccagagct	ttgttttata	tatttattca	tctgggaggc	agaacaggct	2160
tcggacagtg	cccattgcaat	ggcttggggt	gggattttgg	tttcttctt	tctctgtgaa	2220
ggataagaga	aacaggcccg	gggggaccag	gatgacacct	ccatttctct	ccaggaagtt	2280
ttgagtttct	ctccaccgtg	acacaatcct	caaacatgga	agatgaaagg	gcaggggatg	2340
tcaggcccag	agaagcaagt	ggctttcaac	acacaacagc	agatggcacc	aacgggaccc	2400
cctggccctg	cctcatccac	caatctctaa	gccaaacccc	taaactcagg	agtcaacgtg	2460
tttacctctt	ctatgcaagc	cttgctagac	agccagggtta	gcctttgccc	tgtcaccccc	2520
gaatctgac	ccaccagtg	tctttcgagg	tgggtttgta	ccttctctaa	gccaggaaag	2580
ggattcatgg	cgteggaaat	gatctggctg	aatccgtggg	ggcaccgaga	ccaaactcat	2640
tcaccaaatg	atgccacttc	ccagaggcag	agcctgagtc	actggtcacc	cttaatatatt	2700
attaagtgcc	tgagacaccc	ggttaccttg	gccgtgagga	cacgtggcct	gcaccaggt	2760
gtggctgtca	ggacaccagc	ctgggtgccc	tcttcccagc	ccctaccacc	ttccattccc	2820
gtggtctcct	tgcactttct	cagttcagag	ttgtacactg	tgtacatttg	gcatttgtgt	2880
tattatthttg	cactgttttc	tgctogtgtg	ggtgggatgg	gatcccaggc	cagggaaagc	2940
ccgtgtcaat	gaatgcccgg	gacagagagg	ggcaggttga	ccgggacttc	aaagccgtga	3000
tcgtgaaat	cgagaactgc	cattgtctgc	tttatgtccg	cccacctagt	gcttccactt	3060
ctatgcaaat	gcctccaagc	cattcacttc	cccaatcttg	tcgttgatgg	gtatgtgttt	3120
aaaacatgca	cggtgaggcc	gggocagtg	gctcacgcct	gtaatcccag	cactttggga	3180
ggccgagggc	ggtggatcat	gaggtcagga	gatcgagacc	atcctggcta	acaaggtgaa	3240
acccctctc	tactaaaaat	acaaaaaatt	agccgggctg	ggtggcgggc	acctgtagtc	3300
ccagctactc	ggggaggctga	ggcaggagaa	tggtgtgaac	ccgggaagcg	gagcttgag	3360
tgagccgaga	ttgcgccact	gcagtcgcga	gtctggcctg	ggcgacagag	cgagactccg	3420
tctcaaaaaa	aaaaaccaa	aaaaaccctt	gcttggggca	tcagcagccc	ttggcctctg	3480
gccaggcatg	gcgaggctga	ggtgggagga	tggtttgagc	tcaggcattt	gaggctgtcg	3540
tgagctatga	ttatgccact	gctttccagc	ctgggcaaca	tagtaagacc	ccatctotta	3600
aaaaatgaat	ttggccagac	acaggtgcct	cacgcctgta	atcccagcac	tttgggaggc	3660
tgagctggat	cacttgagtt	caggagttgg	agaccaggcc	tgagcaacaa	agcgagatcc	3720
catctctaca	aaaaccaaaa	agttaaaaat	cagctgggta	cggtggcacg	tgctgtgat	3780
cccagctact	tgggaggctg	aggcaggagg	atcgcctgag	cccaggaggt	ggaggttgca	3840
gtgagccatg	atcgagccac	tgcactccag	cctgggcaac	agatgaagac	cctatttcag	3900
aaatacaact	ataaaaaaat	aaataaatcc	tccagtctgg	atcgtttgac	gggacttcag	3960
gttctttctg	aaatcgccgt	gttactgttg	cactgatgtc	cggagagaca	gtgacagcct	4020
ccgtcagact	cccgcgtgaa	gatgtcacia	gggattggca	attgtcccca	gggacaaaac	4080
actgtgtccc	ccccagtgca	gggaaccgtg	ataagccttt	ctggtttcgg	agcacgtaaa	4140
tgcgctccctg	tacagatagt	ggggatthtt	tgttatgttt	gcactttgta	tattggttga	4200
aactgttatc	acttatatat	atatatatat	atacacacat	atatataaaa	tctattttatt	4260
tttgcaaac	ctggttgctg	tatttggttca	tgcaactatc	tcggggcctc	gtgtaggggg	4320
ttattgcctc	tgaaatgcct	cttctttatg	tacaaagatt	atltgacaga	actggactgt	4380
gtgcaacgct	ttttgggaga	atgatgtccc	cgttgtatgt	atgagtggct	tctgggagat	4440
gggtgtcact	ttttaaacca	ctgtatagaa	ggtttttgta	gcctgaatgt	cttactgtga	4500
tcaattaaat	ttcttaaatg	aacaaaaaaa				4530

<211> 2343
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(2343)
 <223> n = a,t,c or g

<400> 389
 tttttttttt ttatgtggat aatattttatt tgtatcttat ctatagaaca aatattttaca 60
 gatacaaacg gaatcacagc aaagttgcta taaaaccatc cagacctctc gatggccact 120
 tctgaaaaca tccacggtga agggcagggc caggcctggc tgtggagtgg gccagctgag 180
 tacctgggcg tcagccaagg gaaatggttg gggattatgg cttcagcact ctgccggagc 240
 acattcctga gcgctgacaa cgtggagccc tcaccgcccc cacctacccc aacctcaatg 300
 gggaaggaaa ggggcctgag ctgggcaggg ctgcccgggc tcaactatgtg cctgctccag 360
 gagtcctcctgg cccctgtgct ggcaggagca tccctgagct ggaccgggag gcctctctgg 420
 cctggggctg ctccctgccc ggcaggctgc tgtttggcag ctggagggtgg caagagctgc 480
 tgggtgctgcc agggcgtggt ggccaggaat gagctcccag ggcagccctg aggaaaggg 540
 cttaggaagc gcctcccagc tcactactag gagctgggga ctgtcagtg tgagtggggc 600
 tgggttacag gaggacctgc ctctcctttc tttggcttag aagtggggaa ggaagggcca 660
 ggaaaagggc ccaaagccgc cccagccttg gcccttaggc cgctggggga ctgtgtgtgt 720
 gctgaggggg cagtgggagg tgggcagctc tggagtcccc tgcaccctgg gatccttggg 780
 ctgctctcac tcccggggtc ccagcagggc aaggcctctg cttgggacca gtgctgctct 840
 tctctgctgc ttactccagg aggtgaaggt gacagggcgg caaggagagg taaccacagc 900
 atggctgggg acagcgctca cactgggccc cggaccagc acagggatca cagtgtcgg 960
 ctgcgcaca cacctctggc cacatgtgca caccacatac atccacagc acctccctcc 1020
 tgtctggcgg gaggctcatt ctctctgcga gccactcgcc ctctctgect ctccatatg 1080
 cggtcacaga gtgaatccga gcatcttatt gctgcagggg gcaggggctg cggcatcagg 1140
 gaaagttaat ccacgaagag cgagaacagc accattacca cgatgcccgc acagagcaga 1200
 agcagctgct gcagggagcg ccacgggtcc tcttcttcca agaggtcagg gagcaagttc 1260
 accaaggcga ttagagaaa gccgccagag gtgaagggca ggaccagggc tgcctgctcc 1320
 tctactccct tgggggactg ggtacagatg gcgaagccag cgcccagtag gccccccagc 1380
 gctgttgaga gttgcagctt ggctgcgctc catcggtcaa agccggcccg gagcaggatg 1440
 gcaaagtgcg ccacctcatg ggggatctca tgcaggagga tggccatggt tgtcaggagc 1500
 ccgatcttct tgctcacaag gaagctggca gccacagcca gcccgtaggt gaagttatcg 1560
 atgggtgtgg ccagcaggtt gaggtagccg ctgactttga tgctccggac cacggcaccg 1620
 aggccgggct ctgcagccgg ctgggcccaga cagtggcctc cattgagcgc ggcggcagca 1680
 gcagtggggg ctttgttggg ggcctggctg gtcccctcct ccttgetgtc caggaacatc 1740
 ttctccaacg ccaggaaggt caggatgccca gcaatgacct acagccccag ctgttgctgc 1800
 tgctgcaggc tctgccctc accaccaggg ctggcgctgc acgtgtaggc ccaggcttgc 1860
 ggagcagat gcagaaacac attgcccag agtccccca gggcgaagct gagcagctgc 1920
 ttcaggcgcc aggcccccagc ttctgagcgc agcatggtcc ccatctctag gggaatgaca 1980
 agcaacggga agacccccact gagccccacc atgaggggaa ccaggaggga gcagatccag 2040
 gtgtccagcc gctctccgct cagcagagcc ccccaggact cgctttcctt gttgtccagg 2100
 cgacaggccg tcgcagtccc ccggctccgg agggccggct gggaaacccc agcccttccc 2160
 aagagctcca gggcaagggc agtgaggaag agggagcctg gggcccgcct gccacagcca 2220
 gggcagggac atccaggcat gccacgtacg tgcggcgggc gcggcgggca tccggggggc 2280
 cccagccccg gaattcggtn ncggctcgtcg tgcgtacggc ttcaatnadc aaannngggc 2340
 acg 2343

<210> 390
 <211> 1325
 <212> DNA
 <213> Homo sapiens

<400> 390

gggaaagtga	gtgctggcca	ggctggggcg	gacagaacac	ttcgacgggc	tccggagccc	60
agattcagcc	aggaaccac	aggcaactcg	gcctaccccc	agctgaggcc	ctttttggac	120
ccgcagggga	gagatcttaa	accagcgct	ttggtcccac	ccaccgctc	ccacactggg	180
aggagaccat	ggctccacac	acagcccctg	ccagggcccac	aggggcgggc	atgggggccc	240
acctgcctcc	tgcatgtgtg	gacaggggcc	tggagagtga	ggagggccgc	agggagtacc	300
tggcgtttcc	caccagcaag	agctcggggc	agaagggggc	gaaggagctg	ctgaagggca	360
acggccggcg	catcgactac	atgctgcatg	cagaggaggg	gctgtgccc	gactggaagg	420
ccgaggtgga	agaattcagt	ttatcacc	agctgtccgg	cctgacggac	cacctgccag	480
tagccatgcy	actgatggtg	tcttcggggg	aggaggaggc	atagaccgtc	cggagcagtg	540
gggcctctgc	cagcccttgc	agctgcagcc	catccctggg	ccatgtccc	tccatcgagt	600
gcccgggtct	tgggggagga	gggcagggac	agggagggag	ccacagtca	tgcccgggaa	660
cctggaagct	gcgctgctct	gcgcctctgg	gcctcaactg	ggacagagga	gtcaggccc	720
ccccaggagc	ctccagctgc	ctaaccagtg	ccattcttcc	acaacacgat	tttctacaaa	780
tctacagcac	aaccgagttt	gtaaccctg	ggttagtatg	aggaccgggt	tcgtgtactc	840
tctgtatctc	ctcttaagct	tcgtccaggg	ttctttatct	ttgtctgctg	ccaatgtcgt	900
ctcgcatgcc	tgaccctcgc	catgcacgct	gcccgcagtc	cacgtgccac	gctgtagcca	960
cagaccctt	gctcgggct	cacccaaggc	caaactccaa	acacaatcag	aaccagccaa	1020
agaagcactt	cctgggcacg	gccaccagct	ctcccgcctc	cagtgtgggc	cggtcctgc	1080
agggtccgag	ggctgcatct	ctaccagcca	gcccagggt	ctcccagggt	tctcgcattc	1140
aagggaatt	acattttaa	aagaaaaaca	gaaaaagggt	aatcacaaaa	ccaacctca	1200
cttcacaggg	tctgtaagtc	actcatagaa	ctttgctctt	cccagacag	ggtcccttcc	1260
ccagctcag	cacaacagag	tctggcaggc	tctggcacc	tgggcctcct	ccgggagcct	1320
cccat						1325

<210> 391

<211> 1458

<212> DNA

<213> Homo sapiens

<400> 391

ttttttttt	ttcaggctta	aataacaaaa	tatatttcag	atatgcacag	ttttaactga	60
ggactacaca	agccttcctc	gggctgcagg	cccgcgccc	tcccagtggt	attcacagcc	120
cctgcggagt	ttgtcctcac	gcacaccaca	cacgatcggg	tataaaacac	attctataaa	180
caggttctga	tgcaaactgt	gtgtccataa	atatatattt	atgcaagttc	ctcccaccca	240
ctgcagggcc	gtacagctct	ggggacagga	ggtcacagcc	gactttaaac	cacaggttaa	300
gtagaagggt	gcagggtcaa	tagaagttcc	cgtgtgattg	catcacccaa	cggcactggt	360
ctgtcatcag	gaaatgctga	gtgcccgcg	tggccgggtg	ggcgcggggc	gtggtcagac	420
gctgctctgg	agctggctat	ctgtggcact	gtcaggggct	gaggactggc	tgggcagaca	480
agtttccagg	ccatctgaag	actccgacag	gggcttgtat	aagaagcagg	ctatggcaaa	540
gaagaggacg	cccagcacct	tgtacagag	ccccatgat	agtatgtagc	ggctcatggc	600
cgaattctgg	tacaccaagc	aggagccctg	ctggccacac	tggctctgcc	acagcagaca	660
ggccttctgc	atcaccagc	cgaaggcgat	gggcccggg	atgcccccta	gtattctaac	720
tacaatccac	tggattccca	gggcaaagga	tctctgaggg	tcacggacac	atcgtagagt	780
tgccgttagt	gcaggaatgc	tgctgaggaa	tgtaaagaaa	attacaacga	atatgaaac	840
cagaaggagg	ggctttctct	gacaagttga	agtgcatttc	cctgcagtg	catggccaaa	900
accagaggaa	agattctgag	ggatacagct	acagtctcgg	tacacctggg	aagcccaaca	960
atagctccga	ttacaagggg	aaggcacggg	ggccccttcc	caggttccag	gggaggacag	1020
gggcgttagg	cageggctcc	actcaccttc	tggcctcca	cattcgtctc	cgtggctgca	1080
gggcacctcg	cgtggcacag	tgagaagtac	atgaggccgt	ccgagccgca	cacagggctg	1140
tagtgttctg	gctggcagct	gcaggcagcg	ttgcagggag	ccgttaggtt	caggtggcct	1200
tccggcagga	ggctcccgc	gtagctggct	gtgacgccc	ccatgggcac	actggggcag	1260

tgcagtgaga	agacgaggat	gccagcagg	ctgacaacgg	tgacagaacag	gcagaacttg	1320
atgaccgcgg	agccccggag	cctgagcttg	ttcacaaaga	agccgcccag	gaaggtgccg	1380
ccaccaccgg	ctggcaccac	caggtaccca	aacaagggtg	cagcttctga	ggcactcagg	1440
ogaattccac	cacacgga					1458

<210> 392
 <211> 1667
 <212> DNA
 <213> Homo sapiens

<400> 392

tttttttttt	ttctatgtac	aaaaacattt	taattgaaat	acctgtataa	aaaaatatga	60
tctccagaca	tctcactttt	gaactgaaag	aacccccatc	tgcgatgcct	gcacacaccg	120
cattcacaca	aacacaggta	ctgaataaat	taaacgctca	ggctctggcc	ccaccaccagc	180
tttcagagcc	cacaagcaga	ctgtacaaag	tcaataattt	aaaacccaaa	ccctggggcac	240
agtgcctgga	agtgtcaggg	tcaccactc	cccttaagtt	agccactata	catgttcatac	300
ttctgacagg	cggggccagg	acagacgcca	ggcacaggaa	tcagggcctg	gggtccctgg	360
accacagcca	ccccctcccc	tgccctccca	ctgtcccctg	gggcttggga	gaggcagact	420
gctcagagga	aataacctca	acaataaat	taaacaataa	atagccccgg	tgggccgagg	480
gcacctccag	ggggtcacac	cataaataac	agagttggcg	gcgggtacgg	ctcgcgtggg	540
cgggcggggc	cggaggccag	gacttgcatt	gtgtgtgcag	gacgtgcccc	gacgcacacc	600
gcaggactga	gggcgggagg	tgggcttggg	accctgcgcc	ggcggaaaga	gctccgggtg	660
ggcaggcaga	tgggaaggcc	gcctccggac	acagcagcac	agaggggctg	ctggggttca	720
agtatccacc	cagggcaggc	gggacctcga	ccggagcgtc	tttggacaga	cagagcttga	780
gaaaaccaag	tccgcggga	ccagcgttca	aaaggcactc	aaagcgaagg	tcaccagggg	840
tcagaggtca	ctgcttccgc	aggaggagac	ggcccacgca	ggaaaaagtc	agggtctggg	900
ggcgtcccag	gtctggccaa	ggcaggtggt	cccctagctc	ccagtcaggt	gcagctcctc	960
acaagctctc	gctgctggac	gtggtgctgg	ccacgtcatc	agggtcgagg	gtgcacagcc	1020
gcaggtcaca	gctctccggg	gcgccccctg	cagccccag	catccaggga	tgggccgcaa	1080
tctgatccag	cgacggccgc	tctgagggcc	gcagggacag	gcaccaccgg	atcagctgct	1140
ggcactctgg	agagaccctc	ctccggaaga	gcaggcggcc	tcggaggatc	tctctgctct	1200
gctcgaaagg	gatgtcccca	cacaccatat	cgtagagaag	cacgcccagc	gaccacacgg	1260
tggccgagcg	cccgtggtag	cggtggttagc	ggatccactc	cggggggctg	tacactcggg	1320
tgccgtcgaa	gtcgggttag	accgtgtcct	tgagcagcgc	accggaaccg	aagtogatga	1380
gcttgagctc	tccggagcgc	aggtccacaa	gcagattttc	gtccttaatg	tgcgggtgca	1440
cgaccccgca	gctgtggcag	tggcgcaagg	cggccagcac	ctgcgcgaag	aaagcggcgc	1500
gccagcggct	cgtccagggc	gccgcgctcc	gtgataaagt	cgaagatggt	cctagcgcgc	1560
gctcggggcc	ctccagcacc	agcaggaagc	ogtcggggcc	ctcgaaccag	tccagcaggc	1620
ggatgacgcc	gcgcgcggc	cccggcgcgc	ccacctgocg	cagcagc		1667

<210> 393
 <211> 1938
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1938)
 <223> n = a,t,c or g

```

<400> 393
gtggaaagaa cagtcagaaa gcctctcctg tggatgatga acagctgtca gtctgtcttt    60
ctggattcct agatgaggtt atgaagaagt atggcagttt ggttccactc agtgaaaaag    120
aagtccttgg aagattaaaa gatgtcttta atgaagactt ttctaataga aaaccattta    180
tcaatagggg aataacaaac tatcgggcca gacatcaaaa atgtaacttc cgtatcttct    240
ataataaaca catgctggat atggacgacc tggcgactct ggatggtcag aactggctga    300
atgaccaggt cattaatatg tatggtgagc tgataatgga tgcagtcca gacaaagttc    360
acttcttcaa cagctttttt catagacagc tggtaaccaa aggatataat ggagtaaaaa    420
gatggactaa aaaggtggat ttgtttaaaa agagtcttct gttgattcct attcacctgg    480
aagtccactg gtctctcatt actgtgacac tctctaactg aattatttca ttttatgatt    540
cccaaggcat tcattttaag ttttgtgtag agaataaag aaagtatttg ctgactgaag    600
ccagagaaaa aaatagacct gaatcttcag ggttggcaga ctgctgttac gaagtgtatt    660
ccacaacaga aaaacgacag tgaactgtga gtctttgtgc tccagtactg caagtgcctc    720
gccttagag cagcctttcc agttttcaca agaagacatg ccccgagtgc ggaagaggat    780
ttacaaggag ctatgtgagt gccggctcat ggactgaaac tcagcagga ctctgggaag    840
tctgaccaag ttggagcaga tggtttgta cttgaatctc caaacactta gttgaatttt    900
tacagatatt tcagatcagt ggggtgtggg gccactattg ttacctcaa attttatttt    960
ttgcccttaa ttccatttct cccagctacc atgtactatt gtttaatggt cagtttggtt   1020
tcatttttaa ttttatggtt ctgtgcgtcc cccatattta atatttatta ttcaaacgca   1080
tgcataataga cagagcatgc agtgaagagt attaaaaaaaa aaagcttagt agatttgggtg   1140
cagcttttga aacttaggtt agacgtgaaa ctgaaataca ggtttcaaat ttacttcccc   1200
agaacctaaa aatgcaagat gtttttgata ccaaccataa cctcctgaga atagtaagtg   1260
ttccccggg gcattaaggg taagcctggg ggtggttttt gaccaaacc cagtcctgtg   1320
tttacctta cccagcggca actttcacc aacttcccct ctccaagtg agtcttagag   1380
agtgcagtc cattcctttt tgaaggggtga gatggaagtg gtcgtaaact gactggtgtc   1440
ttctgtttct gggaggcaca cttgtaaggc acagtggctg ctttgggagg agtaagggtg   1500
gagaaaaagc aaccttgag gccagtaaca atgacagatt tcaatcgtgg ttttaggaat   1560
tataatacgt ggcatacatc tcataaaggc ttttgotggg atattgaatt ccctgaattt   1620
ttctgttttc gactgtttaa aaaaatctta acatccatca aactagtggg caaacaatg   1680
agaatgcagc tgttctcaga gtaattttta agttgtcatt tcctgtggt gcctcccaat   1740
tggaagaagt taaggtttac caaatgcatt tctatttcaa gggtatctga aacgtaaaaa   1800
ttcaaaactg aaggctgact gacttnagat gttttgcagg tggctggaga gaacagggaa   1860
ggtaatagag acacacttag tcccatggga agcgcagcac cgtttaggt tctttctct   1920
gtcccattag gcacctca
    1938

```

```

<210> 394
<211> 1283
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(1283)
<223> n = a,t,c or g

```

```

<400> 394
gatttcagtt gcctgaaagc tgtaagtctg cttttttaaa agagaaattg gagttaagca    60
gacttttcat tttttgatca tgaccctgga aagagaaata tatttgacat caaaactcag    120
cacatctcct tgggtctatat atacacatga aagtttcata aaacaataca ctgatatttt   180
ccatgctgta ttctatttca ttttttaaaa tgctggttgt atoccattaa actggtttca   240
aaataaatat aacatgtaca caacaacaac aaaaaaaaaac actggggttag agggccagta   300
agctcagcga gtatcagcaa ctgagacttc atccttgtct cacaaggact aaaaagagaa   360
taatgttctc attatgtggt tcaatgccac acccatgtat ctgagatata catgtcacia   420
tctgggagaa gcctgtcctc aatttacttt aaatacccaa ttctgcctag aacatgaatt   480

```

agacacatag	taagctcttg	agtgaagtgc	agatgataat	gacacgatca	cataccactt	540
aaaaatatct	taacaccttt	acttagatct	catctcatac	ttgtagcatt	tcttcaaatt	600
tactttgaaa	aaagagcttc	actgtgtgtg	gttgtcatac	acattcttct	acccaacat	660
ggacctcttt	tttctctca	ggcgcacttc	atctaatttt	tttagcactg	gcctggcctt	720
tttgaggag	gtggagtagc	tcttcagaaa	ggcttcaaac	acagtttcag	tggtgggatg	780
ggtactgagg	aaggccttct	ccaggacata	gaggtctact	cccttatcct	ctggaagtgc	840
tgaaatgaaa	ctcagcccaa	agtctatgag	cacaatgttc	agctgttcca	gggggggttt	900
caggagcatg	ttggagggtg	tgagatcacc	atgaatgagg	tcttcatcgt	gcattcgagc	960
caaacactgc	ccaattgtct	tggctaagtt	ggagagacc	tgaggagtgt	ttttcagtct	1020
ccatagtgga	ctgaatataa	tctcgaacag	tccactgagcc	ttcaatttct	tccatatata	1080
agcagttgga	agcatagtcc	acaaaaaaga	caactggggc	agatattcca	gcgcggcgac	1140
agcggaggag	cgcccgggcc	tcttcaccgc	tccgcogtct	gccaagccgc	gcctccagcg	1200
ccgggtgccg	gtagccttgg	gaagcgggtc	tnnttnenn	ggccttgcta	gccccctggc	1260
tcattnnccc	cggcccggtc	tcc				1283

<210> 395
 <211> 2149
 <212> DNA
 <213> Homo sapiens

<400> 395						
acgagcctgc	gttttccggc	cagaggacat	gatgcagggg	gaggcacacc	ctagtgett	60
ccttatgac	agaacctca	agatgagaaa	agaacacagag	gctaggaaag	tggtccttgc	120
ctgggggactc	ctaaatgtat	ctatggctgg	aatgatatat	actgaaatga	ctggaaaatt	180
gattagtcca	tactacaatg	tgacatactg	gccctctgg	tataattgagc	ttgcccttgc	240
atctctcttc	agccttaatg	ccttatttga	tttttggaga	tatttcaaat	atactgtggc	300
accaacaagt	ctggttgta	gtectggaca	gcaaacactt	ttagggttga	aaacagctgt	360
tgtacagact	acgcctccac	atgatctggc	agcaacccaa	atccctccc	ctccaccttc	420
cccttcaatt	cagggtcaga	gtgtgttgag	ttatagccct	tctcgttcgc	ccagtaccag	480
tcccaagttc	accaccagt	gtatgactgg	ttacagccct	cagctgcaag	gtctgtcctc	540
aggtggcagt	ggttcttata	gccctggagt	gacctaactc	ccgtcagtg	gttataata	600
gttggcgagc	tttagccct	ctcctccttc	tccgtaccct	accactggtg	gaccagtgga	660
gagcagtgga	ttgagatctc	gctaccgttc	ttcaoctacc	gtctacaact	cacctactga	720
caaagaagac	tacatgaccg	acctacgaac	tttggatact	tttctcagaa	gtgaagagga	780
gaaacagcat	agggttaagc	tggggagccc	agattctacc	tctccttoca	gcagtcctac	840
ttcttggaac	tatagtctgt	ctatggggga	ttatgcacaa	actttaaaga	agtttcagta	900
tcagcttgcc	tgtaggtctc	aggccccatg	tgctaacaaa	gatgaagccg	atctcagctc	960
taaaccaagcc	gcagaagag	tctgggcaag	agtggctatg	aatagacaac	ttcttgatca	1020
tatggattca	tggaagccta	aatttagaaa	ttggatcaat	gagacaatat	tagtgccact	1080
tgttcaagag	attgagtctg	tcagcacaca	gatgagacga	atgggttgtc	cagagctaca	1140
gataggagag	gctagtatta	ctagcttgaa	acaagctgcc	ctggttaaag	cgctctcat	1200
tccgactttg	aacacaatcg	ttcagtatct	agaccttact	ccaaatcagg	aatacttggt	1260
tgaaaggatc	aaagaactat	ctcagggagg	ttgtatgagc	tcatttcgat	ggaacagagg	1320
tggcgacttc	aaaggacgaa	agtgggatac	agacctgccc	accgattctg	ctatcatcat	1380
gcctgtattt	tgcacctacc	ttgattccag	attacctcca	catccgaagt	atcccgacgg	1440
aaaaactttt	acttctcagc	actttgtcca	gacaccaaat	aaaccagatg	ttacaaatga	1500
gaatgttttt	tgcatttatc	agagtgtctat	caaccctccc	cattatgagc	tcctctacca	1560
gcgtcatgta	tacatacctg	ccaaagggca	gaaataatat	gtttcataca	ttgttgatgt	1620
ttctctacat	cataaagacc	aaagagtcag	gaatgcttgg	gagagttaat	cttggctctat	1680
ctggtgtgaa	tatattgtgg	atctttggcg	agtagcaagt	cataatatta	attctgacat	1740
ttagactatt	tactgaacc	agaagtcgaa	actaaacatc	tctgagccac	tgactcttct	1800
gaaataaaat	acacatgggt	gtatgttaca	gactctttag	atttaacaga	aaatgtagct	1860
gttatgaaat	gtaattgtaa	aaatatgtcc	cgtacttctc	atatcgagac	attgccttta	1920
atthtatatc	gcttttcaga	aatttcagtt	gactacaaaa	ctgcaaccct	tcggatthtt	1980
attgactcaa	aatagtgcca	ttccccttaa	tgaaatagat	tttgagtctt	tttttcattg	2040
taacccccaa	atgagaatca	tctacctgat	tcttgtacca	aaaaaaatt	tttttcagtc	2100

tttttttttt ttaaagaggg tttttgccaa cccaaactgg agggcaggg

2149

<210> 396
 <211> 1895
 <212> DNA
 <213> Homo sapiens

<400> 396
 actgtagacc attagtccag tgcggtggaa ttcatacaacc gaaacaacag tgtggtacag 60
 gtctgtcttg ctgctggggc tgatccaaac cttggagatg atttcagcag tgtttacaag 120
 actgccaaagg aacaggggaat ccattctttg gaagtcctga tcacccgaga ggatgacttc 180
 aacaacaggc tgaacaaccg cgccagtttc aagggtctgca cggccttgca ctatgctgtt 240
 cttgctgatg actaccgcac tgtcaaggag ctgcttgatg gaggagccaa ccccctgcag 300
 aggaatgaaa tgggacacac acccttggat tatgcccag aaggggaagt gatgaagctt 360
 ctgaggactt ctgaagccaa gtaccaagag aagcagcggg agcgtgaggc tgaggagcgg 420
 cgccgcttcc ccctggagca gcgactaaag gagcacatca ttggccagga gagcgccatc 480
 gccacagtgg gtgctgcgat ccggaggaag gagaatggct ggtacgatga agaacaccct 540
 ctggctcttcc tcttcttggg atcatctgga ataggaaaaa cagagctggc caagcagaca 600
 gccaaatata tgcacaaaga tgctaaaaag ggcttcatca ggctggacat gtccgagttc 660
 caggagcgcac acgaggtggc caagtttatt gggctctccac caggctacgt tggccatgag 720
 gagggtggcc agctgaccaa gaagttgaag cagtgcccc atgctgtggt gctctttgat 780
 gaagtagaca aggcccatcc agatgtgctc accatcatgc tgcagctggt tgatgagggc 840
 cggctgacag atggaaaagg gaagaccatt gattgcaagg acgccatctt catcatgacc 900
 tccaatgtgg ccagcgcaga gatcgcacag cacgcgctgc agctgaggca ggaagctttg 960
 gagatgagcc gtaaccgtat tgccgaaaac ctgggggatg tccagataag tgacaagatc 1020
 accatctcaa agaacttcaa ggagaaatgtg attcgcctta tctgaaagc tcacttccgg 1080
 agggatgagt ttctgggacg gatcaatgag atcgtctact tctctccctt ctgccactcg 1140
 gagctcatcc aactcgtcaa caaggaacta aacttctggg ccaagagagc caagcaaagg 1200
 cacaacatca cgctgctctg ggaccgcgag gtggcagatg tgctggtcga cggctacaat 1260
 gtgcaactat gcgcccgtc catcaaacat gaggtagaac gccgtgtggg gaaccagctg 1320
 gcagcagcct atgagcagga cctgctgccc agggggctgt actttgcgca tcacggtgga 1380
 ggactcagac aagcagctac tcaaaagccc agaactgcc tcacccagc ctgagaagcg 1440
 cctccccaag ctgctgtctg agatcatcga caaggcagc aagactcgca gactggacat 1500
 ccgggcacca ctgcaccctg agaaggtgtg caacaccatc tagcagccac ctgctgtctc 1560
 ctatgtgccc tcaccatcca ataaaggccc cttggctgtg gcatggcaaa aaaaaaaaaa 1620
 agggggggcc gtttaaaaga acccttgggg ggcccaaatt taaccggggc gggcaaggaa 1680
 aaatTTTTTT ccttatgggg ggccgaataa aaaccaacct gggaaTTTTT ggaaagaacc 1740
 cttatTTTTT gggggggaca aattgggcca acctccctac aaaaattaaa ggcttttaggg 1800
 aaaaaaaaaa tttttaaggg gaaaaggggg aaaaacaacc ggcataccct ggcggttggg 1860
 aagTTTTTgt tacggagtat gatttagaaa aattt 1895

<210> 397
 <211> 2416
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(2416)
 <223> n = a,t,c or g

<400> 397

```

tttttttttt ttttttttca caagttatat tttattttaa caccgaggatt aacatatagt      60
tacaagggtca atacaagcct ccagtggaag ctctttattt ggtttaattc catctccaga     120
gacaaaacagg caactctagg acctttacag tggcgatcgg cctccacnac agcaaaatgc     180
ctccaaagtt tagaattagt gcaacacaca tacgaacggt ttaaagggtg tcaacatcag     240
gttaaaatag aattctggac ctttttaaaa agtttttggg tgatataagc acaggaggca     300
gagccaataa gaaacatgaa accaatatatt ctggaaaaac acttagcatg aacgtcactt     360
tttgacgtcg tgtaaacttt cttctgcaat gacggatggt accaaaaggc attgagacct     420
ttgcgctgcg ctggtttagac aagccgcagg cttatctcca cgggtgagcag gataaaaacc     480
cccaaggaac agcccatgac aaccttctgt gcctttttat actttcccat cctacaaagg     540
aaaaactggg taaaggacaa gttcctccct ttcatgtcgt ttctaagaac ttttcagggc     600
aggttctttt aaaatttagt atcttacaac acaacagtat tctagcacgg tggcgaagtg     660
acaggcggga gatcggggg aggaaggaga cgttcacggg aaattccaca ttctactcta     720
tgtgaactgc tocagaaaaa tacagacatg atttcacagt aggattccca gagtaaatga     780
tgatacatag gacaactgac ctctctaaag aagcccggtt ggggcagcag tgagcttttc     840
atggagccac gcgactggc ccggaagcaa caccagggtt caacatttaa gagcactcgc     900
tataacattc tttttggacg caggtggtgg aaaagtttaa aaaacaggcg gaggagtgc      960
ggggggatag aagcatatcc tatactgggg gtgacgggtca ttcaaagagc aaattactgc    1020
agcttatatc ttttccacta tgttgcaaga aatgaatcta tctgaccca taatagtaa     1080
cctgcgacgc acatgcattc ccgaggctct aaaatcccat tttaaagaac cgtttcacat     1140
cctcgtggag tggagagtgg tccacttgac ttggtgaggt cagaagttcc tgaagatccc     1200
tgtcgtcccc gttggcgggg gagcccattg tggagctgtg gggactgcca cactcaccat     1260
gcacctgttg gtttgcaggg acagaggtgc ggcttgact cttctcacc tgtgtcatcc     1320
gggcttgtct ttcgtctgtc aagtcagtcc tctcgtgga ctgatgggtg caccacgctt     1380
aggtcacccg ttgcagggac cgggaagtcca tggctctgcc gcaaccctga gcggtttgca     1440
gtcccccccg gggaagaagc agtcagagag gctcacgctc acctacttta aaaacccaaa     1500
gccacttctc cttcacctgc ctgggcctca gcgtctctgc gcttgggtt tctcgtcccc     1560
gagggctgac tgagctgctc cggaaaggtg gtgtgtggtc aacctgggtt ggctgagagg     1620
agcaatttcc tggtttccac aagtaaagac agccccatcc cttgggacct gtccttccg     1680
tccctgtccc tttggcttct ataggacttc cttgtcttag attcataaac agcaagagga     1740
actgaggatg cttgagggga ccacctagtt accaaagcca agcaaagaat aaagctgcc     1800
gacatcatcc ccaggcttcc gtggcgctct cgttcacagg agctttaggc caatggtcc     1860
tcttgactgt ttttgcccca aatgagagga ggggctgctt tgctttaaagg cgtggcggcg     1920
gggggggggt ggtggccaca gattagggga cctcaggttt tctcaaaaaa cccacacagg     1980
gaaagaaact tggctctaaa agcaaaactca acgaattcca catgccctga agagcacgtg     2040
ataaaataca aggggtggtg cggcgggatc cctcaaagga ccacgagagg cacggggtct     2100
ttggtgatga aagtgctaac ctggcggggg tgcggtagct cacacctgta atctcagcac     2160
tttgggaggg tgaggcgggc ggatcacctg aggtcaggag tttgagacca gcctgaccaa     2220
cacggtgaaa ccctgtctct actaaaaata caaacattag ccgggctggt tgggtgcagc     2280
ctgtaatcac agctatattg gaggtgagg caggagaatc gctggaacct aggaggtgga     2340
ggttgtagtg agccgagatc atgccactgc actccagtct gaacaataga gcgagactcc     2400
cgtctcaaaa aaaaaa
    
```

<210> 398
 <211> 1495
 <212> DNA
 <213> Homo sapiens

<400> 398

```

tggccattta gggaaaaattg tcttggggga tctctaaaaa aatccttttg tgtccaatag      60
caccttaaaa aacctgggcc ccagataatt gttgaacctc agatttagga aggaaaaatt     120
ccaagctgtc agctaaaggc agtttcccc atttcacaga atatgtggta gaagttccga     180
gtaaggaatt ttttcagcag ccatgaaagc tcctgcata aggaagactc agtgtgcaac     240
    
```

atctgaaagc	agtattgcc	gagcatgact	gtggcaatga	agcaaaatgt	tccctccacc	300
tatccctccc	tcccatgtat	aatgcttgaa	gggtcagtc	ctgaaataag	tagagagaaa	360
agtgtttgct	gaaagagcta	atacataagt	caaccttcac	tggtaccaat	gaaggcttcc	420
cagttcaaaa	ttcaacaccc	agaaaaggca	gaaattttag	ctttaaatta	agtttaatt	480
ttcagttatc	ccagtggact	aggcatttaa	atctgaggag	ttccctgaga	ttccatata	540
ggaaatgaaa	aacattagct	tgtggattaa	atttaaagag	actgtaagga	gaaaaacata	600
ttttatgaca	tgctctttaa	ggactcctat	tatttcaatg	aatttgttac	agttataata	660
tgcttgtgat	aaaaaggcat	tatttattaa	gaaatctaaa	atgtaataat	atttcaatta	720
tatagtttta	gagaaccttt	cttgcccaac	acttttctga	tagcaagttg	gacatccttg	780
tttctgaggc	tataaacctat	ggggtttagt	aatggagtga	caatcgtgta	tgtcaccctc	840
accagcctgt	ctttgttggg	cacatagttt	gctgtaggcc	tcaggtagat	gaaggaagca	900
cagccataat	gaacaataac	aacactgagg	tgagaggcgc	agggtgaaaa	cgctttccgt	960
ctgccctcag	ctgaggggat	cttcaggata	gtcctcagaa	tgcaaaata	agaaacacag	1020
ataaacagaa	aggggaaccac	aagtacaaga	actccacaaa	tgaatatcac	aaatccgtta	1080
acatctgtgt	tggtacaagc	cagaagaatg	actgctgaga	tgtcacagaa	gtaatgattg	1140
actttgttgg	tgctacaaaa	agggaggctg	aaaactaaat	ttactactgt	aagagaggcc	1200
aagaagccac	caattgcaca	ggcagctgcc	agttttccac	acacctgcca	gctcataaga	1260
gtggggtaat	gcagaggggtg	acaaatggca	gcatagcgat	cataacccat	cacacccat	1320
agcaggcagt	tggtaatggc	aaaaccaagg	aagaagaaca	tttgaagagc	acaacagttg	1380
aaggagattg	tccctggccac	agaaagtaga	ttgatgagca	tcttgggtag	aatgacaaa	1440
gtgtagaagt	ctcagatggt	gagagaaagc	caggaagagg	ccattggtgt	gtgga	1495

<210> 399
 <211> 2752
 <212> DNA
 <213> Homo sapiens

<400> 399						
gcgaccgcca	gcggtacac	ggtacccgcg	tgagaagctc	aagtccatga	cgccccgga	60
caactataag	gcgggcagcc	gggaggccgc	gcgccgctgc	cgagccgccc	gtagccgccc	120
cagccgagc	cgccgctgcc	gccgaacctt	accctgtgtc	cggggccaag	cgcaagtatc	180
tgaggagctc	ggaccccag	cgagcgact	atgaggagca	gcagctgcag	gaggaggagg	240
aggcgcgcaa	ggtgaagagc	ggcatccgcc	agatgcgctt	cttcagccag	gacgagtgcg	300
ccaagatcga	ggcccgcatt	gacgaggtgg	tgtcccgcgc	tgagaagggc	ctgtacaacg	360
agcacacggt	ggaccgggcc	ccactgcgca	acaagtaact	cttcggcgaa	ggctacactt	420
acggcgcca	gctgcagaag	cgccggcccc	gccaggagcg	cctctacccc	ccggcgagc	480
tgacagagat	ccccgagtgg	gtgcaccagc	tggtgatcca	aaagctggtg	gagcaccgcg	540
tcatcccga	gggcttcgct	aacagcgccg	tcatcaacga	ctaccagccc	ggcggctgca	600
tcgtgtctca	cgtggacccc	atccacatct	tcgagcgccc	catcgtgtcc	gtgtcctct	660
ttagcgactc	tgcgctgtgc	ttcggtgca	agtccagtt	caagcctatt	cgggtgtcgg	720
aaccagtgtc	ttccctgccg	gtgocgaggg	gaagcgtgac	tgtgtcagc	ggatagtctg	780
ctgatgaaat	cactcactgc	atacggcctc	aggacatcaa	ggagcgccga	gcagtcatca	840
tcctcaggaa	gacaagatta	gatgcacccc	ggttggaaac	aaagtccctg	agcagctccg	900
tgttaccacc	cagctatgct	tcagatcgcc	tgtcagggaa	caacagggac	cctgctctga	960
aaccaagcg	gtcccaccgc	aaggcagacc	ctgatgctgc	ccacaggcca	cggatcctgg	1020
agatggacaa	ggaagagaac	cggcgctcgg	tgctgtgccc	cacacaccgg	cggaggggta	1080
gcttcagctc	tgagaactac	tggcgcaagt	catacgagtc	ctcagaggac	tgctctgagg	1140
cagcaggcag	ccctgcccga	aagggtgaaga	tgcggcggca	ctgagtctac	ccgccgccct	1200
cctgggaact	ctggctcatc	cttacgtagt	tgcccctcct	tttgttttga	gggttttgtt	1260
tttgttcatt	gggggtttt	tgttttttgg	ttttgtttt	ttttgattct	atatattttt	1320
ccttggtttt	gttgectgtt	aaggctgaac	aatagaattg	gccaggacct	agttctcat	1380
attcttggtg	ttcctcctgg	atggaaaggg	tgttggcatc	aataggggac	agaggctgat	1440
gctggagtgg	ccagttaggg	tggtggagca	gagcaccat	cttttaagtg	gggctgtatc	1500
aggctgggtt	tatttaaaag	caacaaaatg	ttttggttaa	gaaaattatt	ttgctttcag	1560
tgtaaattct	cgcagtgttc	taaacaaagt	tcagtcttct	gcttgcccct	ttccctcact	1620
gatgtctgca	cttggttgag	gtctcctgga	gcctcacagg	ctctgctgtt	ctccacttct	1680

cacctgccat	ccacgcctg	caagctcatg	caaacacct	ttcttctcc	tgccgcagag	1740
ttgttcaggt	tgccctgggca	ggggcttaaa	cagtgcagc	ccctgccatc	ccaaagctat	1800
tgtaagccc	cccaggcgtc	ctccaccac	gccactagc	ctgccatgtc	cacagttcct	1860
tggttgctg	aggggctagt	gcagtggcc	tgacctctct	tatcaagagc	acacttcttt	1920
gctgggtgct	ccttttgagc	atatgctgt	gattatttg	aacagttaga	cttgccacgt	1980
tggttcagtt	ttagaaattg	ttcttagcta	gagggactgg	tgctctcca	agtctagcat	2040
ttggggatg	gaaaattggt	gtgggtgtg	gtagggtttt	tgttttcttt	tttgagtttt	2100
ttttccccc	ttagtctccc	tggtttttc	ctttcccttc	ccttctccac	tgccagctt	2160
gggcctcatc	ctcatgtcat	cctcttagga	agggcctgc	cccatcttgt	ctgcccgcag	2220
catgcatcca	aggccagagc	tcaggcctgc	agactgggct	ggtgcctcct	ccgcttcagg	2280
gtatgggagt	tggtgaaggg	gctttcaaaa	aataataaga	aaaaaaagg	aaagtctttg	2340
gtagcttcta	tccactcaga	tcttgggaag	cagcaagggt	ttgtggatct	agattcatta	2400
ggaatgtcct	cttgtcagcc	aggccaggac	ccgggcttgc	caagagcaga	ggccctcca	2460
gcaaccagga	taccaccact	ttgggggctt	tgtgtacaga	ggtccgggct	tgagacctca	2520
taggctgcag	aaatctgggg	cagccaccat	caagaagccc	ctctcagggg	ccagaactcc	2580
ttgccacagc	tggtttctc	aagtcgggac	tgcataatta	aagcagttgc	agttttattt	2640
ttttaccagc	tttttccca	aaaatgattt	atagtgtgtg	gtgcagcact	tcgccctgaa	2700
atgtgtgctc	tacaataaac	aaccaaatct	aatatatttt	gaaaaaaaaa	aa	2752

<210> 400
 <211> 2354
 <212> DNA
 <213> Homo sapiens

<400> 400						
agccctgctc	atggcagtg	ggtgggctcc	cagctgctga	ggccaccag	cactagtgag	60
tgacttgga	tttttatttt	tggtcagatc	acaagaatgg	gcattacatc	atcccacaga	120
tggtgacag	atctcggcaa	aagtgcattg	ctcagagcct	tgacttatcc	gaattggcca	180
aaagctgctaa	gaagaagctg	caggcgctca	gcaaccggct	ttttgaggaa	ctcgccatgg	240
acgtgtatga	cgaggtggat	cgaagagaaa	atgatgcagt	gtggctggct	accctaaacc	300
acagcactct	gggtgacagag	cgagtgctg	tgcccttcc	gctgttaac	ccggaatact	360
cagccacgcg	gaatcagggg	cgacaaaagc	tgccccgctt	taatgcccga	gagtttgcca	420
ccttgatcat	cgacattctc	agtgaggcca	agcggagaca	gcagggcaag	agcctgagca	480
gccccacaga	caacctcgag	ctgtctctgc	ggagccagag	tgacctcgac	gaccaacacg	540
actacgacag	cgtggcctct	gacgaggaca	cagaccagga	gccccgctgc	agcaccggcg	600
ccactcggag	caaccgggcc	cggagcatgg	actcctcgga	cttgtctgac	ggggctgtga	660
cgctgacag	agtacctgga	gctgaagaag	gcctggcta	catcggaggc	aaaggtgcag	720
cagctcatga	aggtcaacag	tagcctgagc	gacgagcttc	cggaggctgc	agcagagca	780
ctttgacccc	atagatccac	aaagctgcag	cggagaacct	gcagctccgg	cagcctccag	840
ggccgggtgcc	cacacctcca	ctccccagtg	aacggggcga	acacacaccc	atggcgccag	900
gcgggagcac	acaccgcagg	gatcgccagg	ccttttccat	gtatgaacct	ggctctgccc	960
tgaagccctt	tggtggcccc	cctggggacg	agctcactac	gcggctgcag	cctttccaca	1020
gcaactgagct	agaggacgac	gccatctatt	cagtgcacgt	ccttctggc	ctttaccgga	1080
tccggaagg	ggtgtctgccc	tcagctgtgc	ccttcactcc	ctctccccg	ctgctgtcct	1140
gctcccagga	gggaagccgc	cacacgagca	agctttccc	ccacggcagt	ggagccgaca	1200
gtgactatga	gaacacgcaa	agtggggacc	cactgctggg	gctggaaggg	aagaggttcc	1260
tagagctggg	caaagaggaa	gacttccacc	cagagctgga	aagcctggat	ggagacctag	1320
atcctgggct	tcccagcaca	gaggatgtca	tcttgaagac	agagcaggtc	accaagaaca	1380
ttcaggaact	ggtgcccggca	gcccaggagt	tcaagcatga	cagcttctgt	ccctgctcag	1440
agaagatcca	tttggctgtg	accgagatgg	cctccctctt	cccaaagagg	ccagcctgg	1500
agccagtgcg	gagctcactg	cggtctctca	acgccagcgc	ctaccggctg	cagagtgagt	1560
gccggaagac	agtgccccc	gagcccggcg	ccccagtgga	cttccagctg	ctgactcagc	1620
aggtgatcca	gtgcccctat	gacatgccca	aggtgccc	gcagctggc	accatcacca	1680
cccagagaaa	gaagcagtg	cctctctccc	cacacctca	cctgcaacct	aggacctcac	1740
tgccataggt	agctggggcca	ctccagacat	taatccccac	cccaacagag	ccactggcac	1800
aagtgecctt	agtgctgcca	cactcctctg	cagccaggtg	ccctgggtgcc	caccctgtc	1860

gagcccctaa	ggatggggag	gtggggggggc	aggagcttct	gtccccaca	ttccatgca	1920
ctccccctctg	tatatagcat	ctccccctc	ctagttagca	ggggcctgca	aggcatcact	1980
ccdagccccct	cgcottctag	ggcaccctca	gcaaaggggc	agggtggggac	actccaagtg	2040
gggcagctct	cgtacatgc	gccccacccc	catgagccag	ttcagcccta	ctgggggctg	2100
agcgggggca	tcccctcctt	tgtacatagt	ctccatggat	gtccctgccc	tgtagccacc	2160
agccccctgc	tgtctcctt	ttaatgccat	atggccccctg	cctaggggac	aggccccaac	2220
ctgtgtgctg	gggtccccag	cagcaaacac	tggaaagtct	gtttttttt	tttctttctt	2280
cttccccacc	ccttaatttt	aactttgtgg	taactgagtg	ccccgcgctg	cctgctgtgt	2340
gagtgtgtgg	gcgg					2354

<210> 401
 <211> 3455
 <212> DNA
 <213> Homo sapiens

<400> 401						
agatatttaa	gctatggttc	cggtcccaaa	cgattcccct	tgtagatgt	tcttcagtat	60
gcattggaat	ttgcctcaag	taaacctggt	tgcacttctc	ctggtgacga	tattgacgct	120
agttcccac	ctagtggttc	cataccatca	cagacattac	caagcacaac	agaacaacag	180
ggagccctat	cttcagaact	gccaaagcaca	tcaccttcac	cagttgctgc	catttcacgc	240
agatcagtaa	tacacaaacc	atttactcag	tcccggatag	ctccagattt	gccatgcat	300
ccggcaccaa	ggcacataac	ggaggaagaa	ctttctgtgc	tggaaagttg	ttacatccgc	360
tggaggacag	aaatagaaaa	tgacaccaga	gatttgcagg	aaagcatatc	cagaatccat	420
cgaacaattg	aattaatgta	ctctgacaaa	tctatgatac	aagttcctta	tcgattacat	480
gccgttttag	ttcacgaagg	ccaagcta	gctgggcact	actgggcata	tatttttgat	540
catcgtgaaa	gcagatggat	gaagtacaat	gatattgctg	tgacaaaatc	atcatgggaa	600
gagctagtga	gggactcttt	tggtggttat	agaaatgcc	gtgcatactg	tttaagtac	660
ataaatgata	aggcacagtt	cctaatacaa	gaggagttta	ataaaaactg	ggcagcccc	720
tgttggtata	gaaacattac	caccggattt	gagagatttt	gttgaggaag	acaaccaacg	780
atgtgaaaaa	gaactagaag	aattgggatgc	acaactggcc	cagaaagctt	tgaggaaaa	840
gcttttagcg	tctcagaat	tgagagagtc	aggagacttct	gtgacaacag	cacaagcagc	900
aggagaccca	aaatatctag	agcagccatc	aagaagtgat	ttctcaaagc	acttgaaaga	960
agaaactatt	caaataatta	ccaaggcac	acatgagcat	gaagataaaa	gtcctgaaac	1020
agttttgcag	tcggcaatta	agttggaata	tgcaagggtg	gttaagttgg	cccaagaaga	1080
cacccacca	gaaaccgatt	atcgtttaca	tcatgtagt	gtctacttta	tccagaacca	1140
ggcaccaaa	aaaattattg	agaaaaacatt	actagaacaa	tttgagata	gaaatttgag	1200
tttgatgaa	aggtgtcaca	acataatgaa	agttgctcaa	gccaaactgg	aaatgataaa	1260
acctgaagaa	gtaaacctgg	aggaatatga	ggagtggcat	caggattata	ggaattcag	1320
ggaaacaact	atgtatctca	taattgggct	agaaaatttt	caaagagaaa	gttatataga	1380
ttccttgctg	ttcctcatct	gtgcttatca	gaataacaaa	gaactcttgt	ctaaaggctt	1440
atacagagga	catgatgaag	aattgatatc	acattataga	agagaatggt	tgctaaaatt	1500
aaatgagcaa	gccgcagaac	tcttcgaatc	tggagaggat	cgagaagtaa	acaatggttt	1560
gattatcatg	aatgagttta	ttgtcccatt	tttgccatta	ttactgggtg	atgaaatgga	1620
agaaaaggat	atactagctg	tagaagatat	gagaaatcga	tgggtgttct	accttgggtca	1680
agaaatggaa	ccacacctcc	aagaaaagct	gacagatttt	ttgccaaaac	tgcttgattg	1740
ttctatggag	atataaagtt	tccatgagcc	accgaagtta	ccttcataat	ccacgcata	1800
actctgtgag	cgatttgccc	gaatcatggt	gtccctcagt	cgaactcctg	ctgatggaag	1860
ataaactgca	cactttccct	gaacacactg	tataaactct	ttttagttct	taacccttgc	1920
cttcctgtca	cagggtttgc	ttgttgcctg	tatagttttt	aacttttttt	tattttaata	1980
actgcaaaag	acaaaatgac	tatacagact	ttagtccagc	tgcaagacaat	aaagctgaaa	2040
atcgcattggc	gctcagacat	tttaaccgga	actgatgtat	aatcacaaa	ctaatgtatt	2100
ttattatggc	aaaactatgc	ttttgccacc	ttcctgttgc	agtattactt	tgcttttatc	2160
ttttctttct	caacagcttt	ccattcagtc	tggagcttgc	catgactaca	gccatttaag	2220
tgttcagcac	tgtgtacgat	acataatatt	tggtagcttg	taaatgaaat	aaagaataaa	2280
gttttattta	tggctaccta	tgtgtttgta	agcaggtata	ttgtatatta	gtgtattagt	2340
aatactagat	aaatgaattt	tgtctgggga	ttaagattgg	atagtttaata	gattaataca	2400

atcttttaaat	tctgctctaa	tgctagcaaa	ttggaaaatg	tttaagtctt	tgacacttaa	2460
atztatctat	atttttaaca	aagttcttga	acttagtatg	gcaccggaac	ctgttttgaa	2520
ttcagtcagg	tttttactca	agtaagtggg	tgattttttt	taagtcaaac	tacactgaaa	2580
cttttatoct	tttcttagat	taatcttact	ttttaaatgt	atttacaata	tacagcaagg	2640
tgattatttc	aagagaatcc	caaagtactt	gaataagggc	tattgtaaaa	tttaaaagaa	2700
atatttataat	atacacatat	atacacatac	acacatgtat	atataatattc	ttcataatgg	2760
aggacaatgt	tttgcaatat	ataaatcatt	ctatttttgt	aaattgtata	tcactttaat	2820
tgaaaatggt	ctctactaat	taatactgtg	aaacaaaatt	gatgttggtt	aactagaagt	2880
tatgagtate	ttaactgcct	ttattccttt	tcaaaaagga	aaaagctgta	gaacattttg	2940
tagatgaaac	tactgtttaa	gattaatgaa	ttaatatgtg	gaatgaaaat	caaaatccat	3000
actttaaagg	taatcatggt	actaacaacc	tatttttgaa	ttcataaaaa	tttctttata	3060
aatgatgttt	tgtgaacata	gtaaaataga	ccattatact	atgtgtatgt	ttgatacagc	3120
gtcgccaaaa	ctagtgttct	ttattagtgc	ctctcacaâa	agatcctgga	tggaggagta	3180
agatgaaata	ttatgctatt	atatgatgct	gtttgtaaag	gtattaatgt	actagtaagg	3240
tgtaaatgac	aaggaattag	tactattcct	gttgtaaagt	tagattttgc	atattgtatc	3300
tatcaaaata	tgtttggggt	tagattttaa	gttgcttact	gagcagattt	ctgcattggt	3360
tttccagtcc	tgtaaaagt	ttagaaactt	catatgtgtc	atcacagctt	ttgtaaagaa	3420
agtatcotta	atattttatg	acattctacc	acaaa			3455

<210> 402
 <211> 1266
 <212> DNA
 <213> Homo sapiens

<400> 402						
gcacaggtct	atgtccggat	ggactctttt	gatgaggacc	tcgcacgacc	cagtggctta	60
ttggctcagg	aacgcaagct	ttgccgagat	ctagtccata	gcaacaaaaa	ggaacaggag	120
tttcgttcca	ttttccagca	catacaatca	gctcagtcctc	agcgtagccc	ctcagaactg	180
tttgcccaac	atatgggtgc	ccattgtttca	ccatgttaaa	gagcatcact	ttgggtcctc	240
aggaatgaca	ttacatgaac	gctttactta	aatacctaaa	aagagggaac	tgagcaggag	300
gcagccaaaa	acaagaaaag	cccagagata	cacaggagaa	tagacatttc	ccccagtaca	360
ttcagaaaaac	atggtttggc	tcatgatgaa	atgaaaagtc	cccggggaacc	tggtacaag	420
gatgggcata	attctaaaaa	tgaactacaa	agggttaatt	tttattaaat	gtatcaacaa	480
cctttgtgaa	gtggtttagaa	tatggtaaat	gaccccaaag	tctattgagg	tgagcttgag	540
aaaaaaaaaga	gaggagtttt	ggaacaagtg	cccatgatga	gagaagaaac	ttttgtgat	600
atttttctgc	ttgtaagtat	tatcaaatca	actgtataca	tgactatatt	ccaacctaga	660
tttcagaaaag	acatgcatgt	cagagaagag	tgaaatattc	atgtcttaac	ttaagtagac	720
tgtttttaaa	cagctgggtcc	agtttttttt	cctaacattg	taccatatct	atcatctgtc	780
aattactggt	actttaaagc	taaagattac	tttgatggcc	cagctacatt	tgcaatgatg	840
tgcacgtaaa	cactgttaag	aggttaaagc	ttgtatacaa	tctgttactg	tgaaataact	900
aaattgggct	ttaaaaaaat	cttagtatatt	attgatcttc	attcacatat	acagttgaaa	960
tttaaaataa	cagatgggta	ttccaatgct	gctgaaacct	tttctaaaaa	atacttgttt	1020
tgttgggtga	atgtgatgag	aggcgcttct	gggcagtcctc	tcttctctcc	cacccgtctt	1080
tcctcctccg	agtacccctt	ctccagcttt	gtactagcca	tgtaaaaccc	aaggttttct	1140
ttaaaacatc	agaagagatc	tcgtcctcca	tgcccaaaaa	aagccaactc	atggagggtg	1200
ttaccctgg	gagcagtggt	gcatttgtct	ttttgtcttt	ttttgtctct	tggaggatgc	1260
agaggc						1266

<210> 403
 <211> 1006
 <212> DNA
 <213> Homo sapiens

<400> 403
gacatacact ttctgctttt cgtaaagat caattctctt gaccataatt cagggctctaa 60
ttcttgaagc ttttggagaa ctaagggacc aactggacca agtcaaagaa gacatggaga 120
ccaaatgctt catctgtggg ataggcaatg attacttctga cacagtgcca catggctttg 180
aaaccacac tttacaggag cacaacttgg ctaattactt gtttttctg atgtatctta 240
taaacaaga tgaaacagaa cacacaggac aggaatctta tgtctggaag atgtatcaag 300
aaagggttg ggaattttcc ccagcagggg attgcttccg gaaacagtat gaagaccagc 360
taaattaaac tcagacccaa tcacctctaa aaacccaaac cctaccctc tctctccctc 420
tctcaatttc tctgctctct tggaaacatt ttgctgattt tgtgaattgc cagcgtttg 480
tgtttctgg gagcatcgaa gctctgtttc ggaagagctg tttcctccc ccacctttg 540
tatttacttt gagactaaag actgaagaat aatctaaatt catactcaga caaaaaaagg 600
aattctggaa agaaaacat tctggacact gtcataacac acatagatag attttcttct 660
gagactcccg gactcttctc gagctacgag accttcacag agacacgtgg cagccacact 720
caccgccct ctttatttca ccactctgga aggaaactgt ctgtctaag gtcacagagc 780
actgtagcac ttaacagatt gccatggaca ccagttgcca agggaaatag tgccttacta 840
tatgtgggtt gagctatgca gaagatacgt gcatgaaaa acatctttat tttctttatg 900
tcgaccttc ttttcttaga ttgattttgt gaggtttttt ttttttctt tagccttttc 960
tttagggggg gagggtaaaa aaagcagttt gccttaaaa aaaaaa 1006

<210> 404
<211> 3115
<212> DNA
<213> Homo sapiens

<400> 404
tttttttta cctaaaaaga aataaaatgt tttactcatt tacacaaata cacacactga 60
agtccacctt gggagctggg aaaacaattt cagtctcaga cccgtctgtt ttccagggtc 120
ctccgagcct gggcttctc aagagcgtgg cccaagggcc ccacagccca gatccgggca 180
gccccaccac cttcactgag gaggctccga agctccgttc ccgctgctcc ttacagacag 240
gggaggcaga tatacacaaa cgcgcctcgg ccagcttgg ggctggcggg ggaggctgtg 300
tcttcaaacc tttgccccca gttgggtcag tagaaccacc agtgcctcc ccttctacct 360
cccagctcca ctttggaggc tgaggaagcg agaggttttc taggcagatt tggagccctg 420
gagattgagt tcacagtgtg tgttctgggg gcgctgggtgc agtcagcggg ccagtctcca 480
gcctgcaggc gtgcacactg ggggtggacga tgggtggccc cgcagggtga cacatttggg 540
tggccccggc ccctataccc cagtgttctc ttgtatccc tcccgaaca gaggagcct 600
tgtgtacacg cctggcttgt tctctgagc gcagcgtct ccccagctca ccacaccggc 660
ctggaagatc cgccatccg cctccacgct ggacaggggt cccccggaat caccctggca 720
ggagtccacg ccgcccgtga ggaagcccac gcacatcatg cgcggcgtga tctgctcggg 780
caggaggttc tcgaggtgg tctggttgat gacgcggatc tcaccctttt gcaggatcag 840
cgcgccagtg cctccatact ggggtgtgtcc ccagcccgtg acccagatgg ccttgcggc 900
agggaaagaca tgggaggcgt ccggcaggca gatgggccc accatggagc tgtactctgc 960
cggtttctcc agctccagca gcgcgatgtc atagtcgaag gtgaagtcat tgaagaaggg 1020
gtgggagatg atgcgcttga gcctgcgctc ctgaccccca gggcgctgc gctggctctg 1080
gtcgtgcaag ccaggaagg ccgtccactg cgtgggtctc gactacctga atcctctgtc 1140
atcgatgtag cagtgtgcgg cagagaccag ccagttggga gagatgaggg aagcaccgca 1200
gatgtggccc tggcccagag catgcaggct tacctgccag ggccactcgc cctcatccgc 1260
atccgtgccc ccaacaacac gagcctgtct cgtgaatgac cgcagcccac agtcgagctc 1320
cttctcatct gagecgtcgc tacagtcctc ctcccgtca cactcagggt tgccttgtct 1380
caagcagagc ccattgagge agcggtaggt gtgtttggta caagtacga cgttcacctt 1440
ggggcaggag gcctcgtcgg acccgtcccc acagtcgtcc tcccattgc actgctggct 1500
tttcgagagg cacttcccat tggaaacact gaaggtctgg gtccggacaa ctgcaccctt 1560

gctcgtcgtc	gttgtctccg	cagtcgttca	aactgtcgca	gaccagaag	aggggcttgc	1620
agaacttggt	cttgcaactg	aactgggtggc	cggcgtcgca	actgcagttg	agctcatcgc	1680
tgtggtcggt	gcagtcggcc	cagccatcac	agcgcagctc	cttccggata	caccgccccg	1740
tggggcacgt	gaactgcccc	gggcatgggt	cactggagtc	gtaggagagg	tattcagcta	1800
agaagccggt	gtcgggtgtag	gactgatctg	agtggaaagc	aactgtgatc	ttgttgctgt	1860
tgtcgggtgac	gacgaactgg	gacctctctc	cgcagtat	ctccccattg	atctccacgt	1920
agtccttggg	gcaggtgccc	gcaggcaagc	cgggtccag	caggtagaag	aatttgaagc	1980
gcaccttcac	atgctgggtg	ttgggcaact	caatgttcca	tgtgcagtca	atgttgggtg	2040
ggtagtggcc	tgggtagtag	gggctgttga	atgtcccctg	ggctttacgt	aagcggcctc	2100
cacagctgct	catcctaggg	agctggaaga	aggtggcctc	aaagcccggg	atgcccggcg	2160
tcagtgttgg	ttatcagttg	gatgagcagg	acgttcgtgg	gagggagtgg	aaggtcaggt	2220
tgtaggaggg	agggtaggtg	ccacacaact	gcaccagggg	cgtggggctc	catggggctc	2280
atgggtgttg	tacaccgtca	accaggtgtc	tgccgcgctc	gtcgcaggac	gcaaggtcaa	2340
agctgcggaa	ggtgaggttc	agcactgagt	cggcgtcccc	ccgcaggggc	cactggcagc	2400
gggcatgagc	ggggtagggg	ctgtcagggg	agccgggctg	ggtgaagcgc	atcagctcca	2460
caccgcgggg	gtgcaggcca	aagctgcagc	tgttgcctg	ggtcctctgt	actgttttgg	2520
agtcctggg	gaaagccacc	actgaggtga	ccacaaagga	cttcagggag	cgcgcccggg	2580
ggggcagcat	gactacgcgc	tctcgggcca	tgacgcgctc	ggcctcctcc	accaggtgct	2640
gcgggatgct	gaactcagac	cagtagtagg	cgatgacgct	gcctcctctg	aaggccgtca	2700
cagccgactc	cttgtggtag	gggcccagga	atgggactcc	gctgtacagc	agcttcagcg	2760
cgctcctcac	cttgcctggc	aggcttacia	actcagtgga	gttggagtcc	tcgtaggcat	2820
ccacaaaatt	ctcatttgtg	atcctcatgt	agccattgaa	gaccttctgg	acacgcacgt	2880
cccggtagctg	caaatgccac	accaggaagc	cgatccccag	caagaccaag	aggaggcccga	2940
tcagcactgg	tgccagcacc	accagcggcc	cggggccatt	cttttccacc	ttcttgacgt	3000
tgttgactgg	caggaactcc	acgccttctc	ccaagccatt	cactttctcg	tgccgggagt	3060
tgtacttgag	tcccgcgccc	aagtccttgc	ggccccctcc	gcctttgcca	cgaaa	3115

- <210> 405
- <211> 1264
- <212> DNA
- <213> Homo sapiens

<400> 405						
cgccacgagg	aagatttagg	taatctctgg	gaaaacacaa	gatttacaga	ctgcagtttt	60
ttcgtgagag	gacaagaatt	taaagctcat	aaatctgtgc	ttgcagctcg	atctccagtt	120
tttaacgcca	tgtttgaaca	tgaaatggaa	gaaagcaaaa	agaatcgagt	ggaaataaat	180
gatttagacc	ctgaagtttt	taaagaaatg	atgagattca	tttacacagg	gagagacca	240
aaccttgaca	aaatggctga	caacttgttg	gcagctgcag	acaatatatg	actggaacgg	300
ctgaaggtca	tgtgcgaaaa	agctttgtgt	agtaacctct	cagtagagaa	tgttcagat	360
acccttgtcc	ttgcagattt	gcacagtgcc	agaacagttg	aaagcacaag	ccatagactt	420
tattaatagg	tgcaagtgtac	ttcgacaact	tgggtgtaaa	gatgggaaaa	actggaacag	480
caaccaagca	accgacataa	tggaaacatc	aggggggaag	tccatgattc	agtctcacc	540
tcatttagta	gcagaagcct	ttcgagcact	agcatctgca	caggggtccac	agtttggcat	600
tccacgcaaa	cggctaaaac	agtcctgaaa	tcttccatga	acagttgaaa	aatggaattg	660
actttcactc	ctccaggtcc	agaaggatcc	taatacacia	accataagca	agagttgttt	720
ctgttatttt	gtccacagaa	cagaagctga	aaaagcatat	tgcttgcat	tcaggtggat	780
aatttatggg	ttattcttca	gctttaaatt	agactgatta	attcaacttca	aggccttaaa	840
ttatcttcaa	tgacttctct	tgttcatata	atactttaat	ttttttttat	tgtgccttgt	900
cattttgacc	aaggctatgc	aggattgcac	tagctccata	atgcagtaat	attgataact	960
gaagatacta	agtttcaaaa	ggatcttcca	ttattttgca	aaaagaaaaa	tgaattttat	1020
agggtttgtc	ctatgctatc	tcaaagttta	agttctcttt	aaaagcactt	gtattggaga	1080
ttaccagtaa	tatctccaat	ctaagttcta	taaatatggg	agaacctctc	taccttcaag	1140
gtaagttatg	gcaatacact	gcttcaatc	taatttattt	ttcatttcag	ggggcaata	1200
tgcaatgagt	tggcctagat	ttttagtgac	atttatgatg	tttgtcttgt	atgttaactg	1260
tcca						1264

<210> 406
 <211> 2001
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (2001)
 <223> n = a,t,c or g

<400> 406

cagcgtggcg	gaattcctgg	aaagtccag	gaagactctg	ggtctgtgga	ctgggctctg	60
gggccatttt	ggggaatttt	ccaggctgat	tttggctgta	tgcgatttta	tctttctgca	120
cagacatcag	accctgtcct	caggatgtga	tggggccct	ccccatctc	ccatcctacc	180
agcctgtgtc	caggtggggg	tggggcaggg	cagacaacag	ggtccctgtg	tctcgggcag	240
caatgtgcc	cccttctctg	ccccaacatc	cccagcagac	acaagagatg	gagactatga	300
gctgctctcg	tggctgggtc	tgggggtcc	tgcacctca	ggagctgacg	ctgacgcaact	360
ccactgcctg	tcaccaggaa	cctacctcgc	gccatcttca	tctccatccc	actggtgacc	420
ttcgtgtaca	cgttcaccaa	cattgcctac	ttcacggcca	tgtcccccca	ggagctgctc	480
tctccaatg	cgggggctgt	gaccttcggg	gagaagctgc	tgggctactt	ttcttgggtc	540
atgcctgtct	cggtggtct	gtcaaccttc	ggagggatca	atggttacct	gttcacctac	600
tccaggctgt	gcttctctgg	agcccgcgag	gggcacctgc	ccagcctgct	ggccatgatc	660
cacgtcagac	actgcacccc	catccccgcc	ctcctctct	gtgcccata	aggtgaacct	720
tctcatcccc	gtggcgtact	tggctctctg	ggccttctctg	ctggctctca	gcttcatctc	780
agagcatatg	gtctgtgggg	tggcgtcat	catcatcctt	acgggggtgc	ccattttctt	840
tctgggagtg	ttctggagaa	gcaaaccaaa	gtgtgtgcac	agactcacag	agtccatgac	900
acactggggc	caggagctgt	gtttcgtggt	ctacccccag	gacgcccccg	aagaggagga	960
gaatggcccc	tgcccacct	ccctgctgcc	tgccacagac	aagccctcga	agccacaatg	1020
agattttgt	agagactgaa	gcagttgttt	ctgtttacat	gttgtttatt	gaggaggtgt	1080
tttggcaaaa	aagttttgtt	ttgttttttt	ctggaaaaaa	aagaaaaaag	atacgactct	1140
cagaagcctg	ttttaaggaa	gccctaaaat	gtggactggg	tttctgtct	tagcaactgcc	1200
ctgctagctc	ttctgaaaa	ggcctataaa	taaacagggc	tggctgttcg	ctcgtgctat	1260
ggggagtccc	tgatgggac	agacgggagt	ggctggggcg	tacctcgggtg	ggtgcacaca	1320
tgttgtcggc	caggaagatg	ccgtggcagg	ccctggagga	ggctcttgac	attagggggc	1380
tttctgtctt	gacacaggcg	ctccctacca	tggcaccagg	agtccccctg	ccctaaaggg	1440
atgtcgagga	tggggtagca	gctcagtcg	cccctacccc	aggcccctcg	atgccagtct	1500
gagctcggcc	accagagga	gctcaggggc	tccaggctgg	gattgtcttt	cttcccgtaa	1560
atcaccacag	agtgaaggtc	aggacttcag	agcccacagt	ctcaccctgg	cttacagggtg	1620
gggaaaccga	ggccctgaga	taggatggaa	cagacgtggc	cactgctggt	ggtgcctcgg	1680
cctctctgtc	cccagaaagc	acagagcagc	atgtcctggg	ggctttgagg	cctgcaggga	1740
actccagggg	cttcatgtac	agcaggcaca	caccccagcc	cttccacggt	gcccaggaga	1800
ttggaccttc	agggagggca	aagggcgct	gcctggccag	gggcatgagg	gtttggcagg	1860
agccacccaa	cccaggtcct	ccagaggcct	tgctggacag	gaagaggggtg	aggcgtgagc	1920
aaaatagtca	ccacggatga	gacccagcgt	cccgaattcc	tccacatgga	ctagtgatgt	1980
cgaacaaann	nnnttgcct	a				2001

<210> 407
 <211> 1652
 <212> DNA
 <213> Homo sapiens

<400> 407
 tgcggccgccc ctcgtgggctg agtacctcgc cctgctcgcag gaccaccgcc acctgcccgt 60
 gggctgcgctt tccttccaga acatctcctc caatgtgcta gaggagtccg ccatctccga 120
 cgacatcctg tcgcccagcg aggagggcct ctgctccggg aagcacttca ctgagctggg 180
 gctggtaggg ttgctggaac aggcagccgg ctacttcacc atgggcgggc tctacgagge 240
 ggtgaatgag gtctacaaga acctcatccc catcctggaa gccaccgtg actacaagaa 300
 gctggccgcg gtgcacggca aactgcagga ggccctcacc aagatcatgc accagagttc 360
 cggctgggag cgcgtgttcg ggacgtatct cccgctgggc ttctacggcg cccacttcgg 420
 tgacctggat gacgaggagt ttgtgtacaa ggagccatcg atcacgaagc tggcagagat 480
 ctacaccggg ctggaggagt tctacacgga gagatctggc gacgacgtcg ttgagattat 540
 caaagactct aacctgtggg acaagtccaa gcttgactca caaaaggcct acatccagat 600
 cacgtatgtg gaaccgtact ttgataccta cgagctcaag gaccgggtga cctactttga 660
 ccgcaactat gggcttcgca cattcctggt ctgcaocgcg ttcacgcccg atgggcgccc 720
 acacggggag ctgcccagcg aacacaagcg taagacgctg ctacgacccg accacgcctt 780
 cccctacatc aagactcgca tccgtgtgtg ccaccgggag gagacggtgc tgacgcccag 840
 tggaggtggc catcgaggac atgcagaaga agacacggga gctggccttt gccaccgagc 900
 aggaccacc agatgctaag atgctacaga tgggtcttca gggctctgta gggcccaccg 960
 tgaaccaggg tcccctggag gtggcccagg tgtttttagc agagatcccg gaagaccca 1020
 agctcttccg gcatcacaac aaattgcccc tctgcttcaa ggacttctgc aaagaaatgt 1080
 gaggatgcgc tgcggaaaaa taaggccctg attgggcccg accagaagga gtaccaccgt 1140
 gagctggagc gcaactactg ccgctcggg gaggtctgac agcccctgct taccagcgc 1200
 ctgcccagc tgatggcacc caccaccacc ggctcagga actcctttaa cagagcaagt 1260
 ttccgaaagg cagacctctg agcccacaag gaccaaagct gtacctagag gaaccagcac 1320
 ccgggcccct gctgtctgtg ctgacgaggg agtctgcctt ggtgcccact gggctgtggg 1380
 gtgaccacac tgtacttggg gctgggcccct ctgcccctgt gtcccctct gtgtgactg 1440
 atgcttccct ccttttttaa tttaaaatgg tttttataag caaaaaaaaa aaaaaggggg 1500
 ggcctttta aaggaaccaa ttttaacgcc cggggggttg gaaggaaaa ttttttaag 1560
 ggggccccea aattaaattc cggggccggg gtttaaaaac ggggggaggg gaaaaacccg 1620
 ggggttacc aatttaattc ccttgggaaa ag 1652

<210> 408
 <211> 668
 <212> DNA
 <213> Homo sapiens

<400> 408
 ggcccacaga tgacccccta cctctgacat ttgataaagc tgggggtgac ctagggcgag 60
 gggcagcagt ggcagtcacc gccctctct cactgcagc ccaccgttc agatttcctt 120
 aacctggcct ggtggacctc tgctgcccgc tggtagtcc tgagcgggag gtggtagag 180
 aagggtctcc ctggccggga gggctcagaa gagaagtagg gcatggcatc gtcctctgct 240
 gaccacctgc actcggctcc ccgtgcgctg caggtccctg tccagcagc ttctctacgg 300
 cctcatctac cacagctggt tccaagcagg taggtagggc tttggaggcg cctcctcaag 360
 tccgggtccc caatctgagc taagacgact ccattggggg ggtgggggtc acgactgagg 420
 gaggccggag accttgccag ggtctgtggg cggagctgag gcgctctggg ccctgcgaga 480
 ccccgcgag gccaggggga gccccgagac gcgagagagc agctgcgtca tgaaacagac 540
 ccagtactac ttccgctcgg taaacgcctc ctacaacgcc atcatcgact gcggaactg 600
 ctccaggtgc tggcagtggt gcgggaccag aggccaaggg cggaaacctg gagcggcctc 660
 atgccgaa 668

<210> 409
 <211> 1854
 <212> DNA
 <213> Homo sapiens

<400> 409
 gagagctagc accatagctt caatacctcg attgaatgtc acccttgact gcctaactca 60
 tctctttccc aagtcatagg ttatccctgg tccctggctga ttatcacagg cagggaggga 120
 gggaaagagg caaagggaga aggcctctgt tgggactcaa acttgctcac ccctttcttg 180
 taatctgcag ctcaactctt ctgccactca gcagatctgg tctccctaac tcttttttcc 240
 cctgcctcta ctttgagact caattgcttc cccaggactt tttttctccc caagccaaag 300
 aatgaaagt caatcatccc agctcagttc ttatcaagca ttccagctag cctatgccag 360
 agatgttaca cagctcttta ataatagtg ccatagctgt aataacaatg acaacagtag 420
 gtageggtag tcataccaac agtagggcag tgcattttat attacaactg gtttcttgct 480
 ctatgtagct tggggatggg tgaagacgga cagggctggc gcagaccctt tccttctcct 540
 ctccagccca cagtgatgtg ggcttttgca agacagcctg cttccattca gtagtgtggg 600
 aaaagtccct ttttggtcta acaatacccc tgagaccctg ttcagtgggc tgtgtctctc 660
 cctgggatgc tgggagcacc aagtgtggcc cgagctaggg ctgctgactt cctctggggc 720
 cctctgggct gcgagggtct cttacaggaa ttgaggccct ttgctgctcc aagaaatgct 780
 gaggctgtgg gcagaggggt gtaccaagg ggactcttgc tctgtgtctg actttggggg 840
 atcccaggt gggcagggca ggaaggaagc ggctcccagc actgcaaagg ggcagcagca 900
 ttacagctca gccttccaga cattgtagat ccagttgaga taggctgaga ccttgggtga 960
 tactctggg gtgctcgggc ccccgagcc atagccccag ctaacgatgc ccaccacatg 1020
 ccactggtca gatttgtaca tcaggggccc accactgtca ccttggcagg tgtccacacc 1080
 cccttccggg atgcctgcac acatcatctt ctcggtgact tcccctgggt acgcatcgtc 1140
 tgcattgca cgtgtgctgt caatgacctg gactgacgcc tgcagcagta tgtcagacat 1200
 ctccctcca tctgtctcg taaagcccca tccaatgatc cagagtgggg tggctggagt 1260
 gagctcctca tcaagaagg gcagacagat gggcctgact gtgctgaga aagtgagtgg 1320
 gaactgcagc ttcattgagg cgatgtcatt gtctttgggg tacatggggg tgaattcaat 1380
 gatgatgatc ttggccacag ccagggatgg gaagctgccc agtttgtctg agcctgccc 1440
 caccttccag ttgaacacat cggtatgttt cctgaagcag tgggctgccg tgaggacca 1500
 gtgggggtcc aggatgctcc ctccacagac gtgctgtttg tcgtactgga tgcagacctg 1560
 ccaaggccaa gaatccacag aggcctcctc cccaccacc acacgggggg tcttcaggct 1620
 ctcccacag gcaagacagt gcagggagac cagggagcct gagagacagg gccacttga 1680
 gttccgcatg cgaagctcct ggctgttttc tgtgatttca acaacatcca gatcctggtc 1740
 tgggccaate tccacagctc tgaaagtggg tttgctgctg tagcccatct gcctacaggc 1800
 tgtctcagcg agagcttctg taagttgtcg aaacaggcag gaattcctgc caca 1854

<210> 410
 <211> 1147
 <212> DNA
 <213> Homo sapiens

<400> 410
 ggaccattag tacagtgcgg tggaaatcgc gcattgggat ggtgctgggc gtggccatcc 60
 agaagagggc tgttctctgg cctgtattgc gtttgaagaa gcctatgccc gggcagacaa 120
 ggaggcccct aggccttgcc acaagggtc ctgggtgcagc agcaatcagc tctgcagaga 180
 atgccaagct ttcattggcac acacgatgcc caagctcaa gccttctcca tgagtctctg 240
 ctacaacgca taccgggctg tgtatgoggt ggccccatgc ctcccaccgc tccctggctg 300
 tgccctgga gcttgttcca ggggctgagt ctaccctgg cagcttttgg agcagatcca 360
 caaggtgcat ttccttctac acaaggacac tgtggcgttt aatgacaaca gagatcccct 420
 cagtagctat aacataattg cctgggactg gaatggacc aagtggacct tcacggctct 480

cggttcctcc	acatgggtctc	cagttcagct	aaacataaat	gagaccaaaa	tccagtggca	540
cggaaaggac	aaccagggtgc	ctaagtctgt	gtgttccagc	gactgtcttg	aagggcacca	600
gcgagtgggt	acgggtttcc	atcactgctg	ctttgagtgt	gtgcctgtg	gggctgggac	660
cttctcaac	aagagtgcta	cctgggtaag	gacttgccag	agaactacaa	cgaggccaaa	720
tgtgtcacct	tcagcctgct	cttcaacttc	gtgtcctgga	tcgccttctt	caccacggcc	780
agcgtctacg	acggcaagta	cctgcctgcg	gccaacatga	tggctgggct	gagcagcctg	840
agcagcggct	tcgggtgggta	ttttctgcct	aagtgtctacg	tgatcctctg	ccgcccagac	900
ctcaacagca	cagagcactt	ccaggcctcc	attcaggact	acacgaggcg	ctgctggctcc	960
acctgaccag	tgggtcagca	ggcacggctg	gcagccttct	ctgccctgag	ggtcgagggt	1020
cagcaggcgc	gggggtgtcc	gggaggtctt	tgggcatcgc	ggtctggggt	tgggacgtgt	1080
aagcgcctgg	gagagcctag	accaggctcc	gggtgccaa	taaagaaaa	aaatgcgtaa	1140
aaaaaaa						1147

<210> 411
 <211> 2234
 <212> DNA
 <213> Homo sapiens

<400> 411

ggtggcacga	ggcgccttcc	accctaagat	gggtcccagc	ttcccagcc	cgaagcctgg	60
cagcagcgg	ctgtccttcg	tctctgccaa	gcagagcact	gggcaagaca	cagaggcaga	120
gctccaggac	gccacgctgg	ccctccacgg	gctcacgggtg	gaggaacgagg	gcaactacac	180
ttgcgagttt	gccacettcc	ccaaggggtc	cgctccgaggg	atgacctggc	tcagagtcac	240
agccaagccc	aagaaccaag	ctgaggccca	gaaggtcacg	ttcagccagg	accctacgac	300
agtggcctc	tgcatctcca	aagagggccg	cccacctgcc	cggatctcct	ggctctcatc	360
cctggactgg	gaagbcaaag	agactcaggt	gtcagggacc	ctggccgga	ctgtcactgt	420
caccagccgc	ttcaccttgg	tgccctcggg	ccgagcagat	ggtgtcacgg	tcacctgcaa	480
agtggagcat	gagagcttcg	aggaaccagc	cctgatacct	gtgacctct	ctgtacgcta	540
ccctcctgaa	gtgtccatct	ccggctatga	tgacaactgg	tacctcggcc	gtactgatgc	600
cacctgagc	tgtcagctcc	gcagcaaccc	agagcccacg	ggctatgact	ggagcacgac	660
ctcaggcacc	ttcccgaact	ccgcagtgcc	ccagggtctc	cagctggctca	ttccacgcagt	720
ggacagtctg	ttcaatacca	ccttcgtctg	cacagtcacc	aatgcccgtgg	gcatgggccc	780
cgctgagcag	gtcatctttg	tcgagaaaac	ccccaacaca	gcaggcgcag	gggcccacgg	840
cgccatcatc	gggggcatca	tcgcccgcct	cattgctact	gctgatgctc	acgggcatcc	900
ttatctgccc	gcagcagcgg	aaggagcaga	cgctgcaggg	ggcagaggag	gacgaagacc	960
tggagggacc	tcctcctac	aagccaccga	ccccaaaagc	gaagctggag	gcacaggaga	1020
tgccctcca	gctcttcaact	ctgggggctt	cgagcagcag	cccactcaag	accccctact	1080
ttgatgctgg	cgctcatgc	actgagcagg	aaatgcctcg	ataccatgag	ctgcccacct	1140
tggaaagacg	gtcaggacc	ttgcaccctg	gagccacaag	cctggggctcc	cccatcccgg	1200
tgctccagg	gccacctgct	gtggaagacg	tttccctgga	tctagaggat	gaggaggggg	1260
aggaggagga	agagtatctg	gacaagatca	acccatctca	tgatgctctg	tcctatagca	1320
gcccctctga	ttcctaccag	ggcaaaggct	ttgtcatgtc	ccgggccatg	tatgtgtgag	1380
ctgccatgcg	cctggcgtct	cacatctcac	ctgttgatcc	cttagctttc	ttgccaagga	1440
tctagtgcc	cctgacctct	ggccaggcca	ctgtcagtta	acacatatgc	attccatttg	1500
taaatgtcta	ccttgggtgg	ttcactatga	cccctaacc	atgagcccag	agaaattcac	1560
cgatgataatg	gaatcctggc	aaccttatct	catgaggcag	gaggtgggga	aggtgcttct	1620
gcacaacctc	tgatcccaag	gactcctctc	ccagactgtg	accttagacc	atacctctca	1680
cccccaatg	cctcgactcc	cccaaatca	caaagaagac	cctagacctca	taatttgtct	1740
tcaggtagta	aattcccaat	aggtctgctg	gagtgggccc	tgagggtctc	ctgctgtctca	1800
gacctgagcc	ctccaggcag	cagggtccca	cttaccctct	ccccaccctg	ttccccaaag	1860
gtgggaaaga	gggattccc	cagcccaagg	cagggttttc	ccagcaccct	cctgtaagca	1920
gaagtctcag	ggtccagacc	cttccctgag	ccccacccc	caccccaatt	cctgcctacc	1980
aagcaagcag	cccagccta	gggtcagaca	gggtgagcct	catacagact	gtgccttgat	2040
ggcccagcc	ttgggagaag	aatttactgt	taacctggaa	gactactgaa	tcattttacc	2100
cttgcccagt	ggaataggac	ctaaacatcc	ccctccggg	gaaagtgggt	catctgaatt	2160
ggggtagca	attgatactg	ttttgtaaac	tacatttctt	acaaaatag	aatttatact	2220

ttgaaactcg tgcc

2234

<210> 412
 <211> 2457
 <212> DNA
 <213> Homo sapiens

<400> 412
 ggcacgaggc ttcgtgaaga taagaacccat aacatgtatg ttgcaggatg tacagaagtt 60
 gaagtgaat ctactgagga ggcttttgaa gttttctgga gaggccagaa aaagagacgt 120
 attgctaata cccatttgaa tcgtgagtc agccggtccc atagcgtggt caacattaaa 180
 ttagttcagg ctcccttggga tgcagatgga gacaatgtct tacaggaaaa agaacaaatc 240
 actataagtc agttgtcctt ggtagatcct gctggaagtg aaagaactaa ccggaccaga 300
 gcagaaggga acagattacg tgaagctggt aatattaatc agtcactaat gacgctaaga 360
 acatgtatgg atgtcctaag agagaaccaa atgtatggaa ctaacaagat gttccatat 420
 cgagattcaa agttaacca tctgttcaag aactactttg atggggaagg aaaagtgcgg 480
 atgacgtgt gtgtgaacc caaggctgaa gattatgaag aaaacttgca agtcatgaga 540
 tttgcggaag tgactcaaga agttgaagta gcaagacctg tagacaaggc aatatgtggt 600
 ttaacgcctg ggaggagata cagaaaccag cctcgaggtc ccacttggaa atgaaccatt 660
 ggttactgac gtggttttgc agagttttcc acctttgccc tcatgogaaa ttttgatat 720
 caacgatgag cagacacttc caaggctgat tgaagcctta gagaaacgac ataacttacg 780
 acaaatgatg attgatgagt ttaacaaaca atctaagtct tttaaagctt tgttacaaga 840
 atttgacaat gctgttttaa gtaaagaaaa ccacatgcaa gggaaactaa atgaaaagga 900
 gaagatgatc tcaggacaga aattggaaat agaacgactg gaaaagaaaa acaaaacttt 960
 agaataaag attgagattt tagagaaaac aactactatc tatgaggaag ataaacgcaa 1020
 tttgcaacag gaacttgaaa ctcagaacca gaaacttcag cgacagtttt ctgacaaaacg 1080
 cagattagaa gccagggtgc aaggcatggt gacagaaacg acaatgaagt gggagaaaga 1140
 atgtgagcgt agagtggcag ccaaacagct ggagatgcag aataaactct gggttaaaga 1200
 tgaaaagctg aaacaactga aggctattgt tactgaaacct aaaactgaga agccagagag 1260
 accctctcgg gagcgagatc gagaaaaagt tactcaaaga tctgtttctc catcacctgt 1320
 gcctttactc tttcaacctg atcagaacgc accaccaatt cgtctccgac acagacgatc 1380
 acgctctgca ggagacagat gggtagatca taagcccgcc tctaacatgc aaactgaaac 1440
 agtcatgcag ccacatgtcc ctcatgecat cacagatct gttgcaaagt aaaaggcact 1500
 agctaagtgt gagaagtaca tgctgacca ccaggaacta gcctccgatg gggagattga 1560
 aactaaacta attaagggtg atatttataa aacaaggggt ggtggacaat ctgttcagtt 1620
 tactgatatt gagactttaa agcaagaatc accaaatggt agtcgaaaac gaagatcttc 1680
 cacagtagca cctgccccac cagatggtgc agagtctgaa tggaccgatg tagaaacaag 1740
 gtgttctgtg gctgtggaga tgagagcagg atcccagctg ggacctggat atcagcatca 1800
 cgcacaaccc aagcgcaaaa agccatgaac tgacagtcct agtactgaaa gaacattttc 1860
 atttgtgtgg atgatttctc gaaagccatg ccagaagcag tcttccaggt catctttag 1920
 aactccagct ttgttgaaaa tcacggacct cagctacatc atacactgac ccagagcaaa 1980
 gctttcccta tggttccaaa gacaactagt attcaacaaa ccttgtatag tgtatgtttt 2040
 gccatattta atattaatag cagaggaaga ctctttttt catcactgta tgaatttttt 2100
 ataatgtttt tttaaaatat atttcatgta tacttataaa ctaattcaca caagtgtttg 2160
 tcttagatga ttaaggaaga ctatatctag atcatgtctg attttttatt gtgacttctc 2220
 cagcctggt ctgaatttct taaggtttta taacaagt ctgctattta ttagctgcaa 2280
 gaatgcact tagaactatt tgacaattca gactttcaaa ataaagatgt aatgactgg 2340
 ccaataataa ccatttttagg aaggtgtttt gaattctgta tgtatatatt cactttctga 2400
 catttagata tgccaaaaga attaaaatca aaagcactaa gaaatacaaa aaaaaaa 2457

<210> 413
 <211> 1042

<212> DNA
 <213> Homo sapiens

<400> 413
 cccttttcat cctccagtgt ctctcaaaa ggatcagatc cctttggaac cttagatccc 60
 ttcggaagtg ggtccttcaa tagtgctgaa ggctttgceg acttcagcca gatgtccaag 120
 gtaaaagtac acctgtaagc cagcttggtt ccgcagactt tcccgaggcc cccgatccat 180
 tccagccact cggggctgac agcggcgacc cgttccaaag taaaaggggg tttggggacc 240
 cgtttagtgg aaaagaccca tttgtcccct cctctgcagc taaaccttct aaggcctctg 300
 cctcgggctt tgcagacttc acctctgtaa gttgagtcct ccgcctccgg gccaccccac 360
 tcccttccgc ttgcagcttc cctgggattt ttgtctcctt ttaaaggcaa acctcccagc 420
 ttctttagcc tcttggtagc tcacactctc tgtccctcgc gttatttatt ctacactgcc 480
 acttctgtaa gaaaaacagt ttctcaataa aaaaaaaaaa agccgcagtt tggatgctct 540
 atcataaggg cacgttttct tccagcaggg aggcgggacc tatctgtcct tcacggtaga 600
 ttcattgtat tatttctgac gcaccgaggc tgttgggttc actgggtttt ggaagccaaa 660
 atgtcaaaaca cttccgaagt atgaaaagaa gattgcgaaa gttacattag ggttctgctg 720
 tccccaaaaa gccctttgtg cacaagttct cacagtcccc ccccatgcat tttgtgccac 780
 acgtgcaaat tgaaggactt caggcagatc gcgccagggg agagcaattt gaagtttttt 840
 tttttttaa gctttttaa tccaccccc acctccaaga aaaaaaaaaa tccaggttaa 900
 aacagccctt ttgaaagcca aaccaaaaag agctccaaaa acctgtggag caaagttaag 960
 ggcttttctg aaagcaaatc tgggaattac aaaagcctgc cttttttttt ttttggggga 1020
 aaaaaattc caaattgtaa cc 1042

<210> 414
 <211> 1849
 <212> DNA
 <213> Homo sapiens

<400> 414
 atgtcgctca tggtcgtcag catggcgtgt gttgggttgt tcttgggtcca gagggccggt 60
 ccacacatgg gtggtcagga caaaccttc ctgtctgcct ggcccagcgc tgtgggtgct 120
 cgaggaggac acgtgactct tccgtgtcac tatcgtcata ggtttaacaa tttcatgcta 180
 tacaagaag acagaatcca cattcccac tccatggca gaatattcca ggagagcttc 240
 aacatgagcc ctgtgaccac agcacatgca gggaaactaca catgtcgggg ttcacaccca 300
 cactccccca ctgggtggtc ggcacccagc aacccegtgg tgatcatggt cacaggaaac 360
 cacagaaaac ctccctcct ggctcaccca ggtcccctgg tgaatcagg agagagagtc 420
 atcctgcaat gttggtcaga tatcatgttt gaacacttct ttctgcacaa agaggggatc 480
 tctaaggacc cctcagcct cgttggacag atccatgatg gggctcctca ggccaacttc 540
 tccatcggtc ccatgatgca agacctgca gggacctaca gatgctacgg ttctgttact 600
 cactccccct atcagttgtc agctcccagt gaccctctgg acatcgtcat cacaggtcta 660
 tatgagaaac cttctctctc agcccagcgg ggcaccacgg ttctggcagg agagagcgtg 720
 accttgtcct gcagctcccg gagctcctat gacatgtacc atctatccag ggagggggag 780
 gccatgaac gtaggttctc tgcagggccc aaggtcaacg gaacattcca ggccgacttt 840
 cctctgggcc ctgcaccca cggaggaacc tacagatgct tccgctcttt ccgtgactct 900
 ccatacgagt ggtcaaacctc gagtgacca ctgctgttt ctgtcacagg aaaccttca 960
 aatagttggc cttcacccac tgaaccaagc tccgaaaccg gtaaccccag acacctgcat 1020
 gttctgattg ggacctcagt ggtcatcacc ctcttcatcc tctcctctt ctttctctt 1080
 catcgctggg gctccaacaa taaaaaatgc tgcggtaatg gaccaagagt ctgcaggaag 1140
 cagaacagcg aatagcgagg actctgatga acaagacct caggaggtga catacacaca 1200
 gttgaatcac tgcgttttca cacagagaaa aatcactcgc ccttctcaga ggcccaagac 1260
 accccaaca gatatcatcg tgtacacgga acttccaaat gctgagtcga gatccaaagt 1320
 tgtctcctgc ccatgagcac cacagtcagg ccttgagggc gtcttctagg gagacaacag 1380

ccctgtctca	aaaccggggt	gccagctccc	atgtaccagc	agctggaatc	tgaaggcatg	1440
agtctgcatc	ttagggcatc	gatcttcctc	acaccacaaa	tctgaatgtg	cctctcactt	1500
gcttacaaat	gtctaaggtc	cccactgcct	gctggagaaa	aaacacactc	ctttgcttag	1560
cccacagttc	tccatttcac	ttgacccctg	cccacctctc	caacctaaact	ggcttacttc	1620
ctagtctact	tgaggctgca	atcacactga	ggaactcaca	attccaaaca	tacaagaggc	1680
tccctcttaa	cgcagcactt	agacacgtgt	tgttccaact	tcctcatgc	tgttccaact	1740
cccctcagac	tagctttcag	tcttctgtca	gcagtaaaac	ttatatattt	tttaaaataa	1800
cttcaatgta	gttttccatc	cttcaaataa	acatgtctgc	ccccatggt		1849

<210> 415
 <211> 2555
 <212> DNA
 <213> Homo sapiens

<400> 415						
atgtcgttac	gtgtacacac	tctgccacc	ctgcttggag	ccgtcgtcag	accgggctgc	60
agggagctgc	tgtgtttgct	gatgatcaca	gtgactgtgg	gacctgggtgc	ctctgggggtg	120
tgcccaccg	cttgcatctg	tgccactgac	atcgtcagct	gcaccaacaa	aaacctgtcc	180
aagggtcctg	ggaacctttt	cagactgatt	aagagactgg	acctgagtta	taacagaatt	240
gggcttctgg	attctgagtg	gattccagta	tcgtttgcaa	agctgaacac	cctaattcct	300
cgtcataaca	acatcaccag	catttccacg	ggcagttttt	ccacaactcc	aaatttgaag	360
tgtcttgact	tatcgtccaa	taagctgaag	accggtgaaa	aatgctgtat	tccaagagtt	420
gaaggtctcg	gaagtgcctc	tgctttacaa	caatcacata	tcctatctcg	atccttcagc	480
gtttggaggg	ctctcccagt	tgcaaaaact	ctacttaagt	ggaaattttc	tcacacagtt	540
tccgatggat	ttgtatgttg	gaaggttcaa	gctggcagaa	ctgatgtttt	tagatgtttc	600
ttataaccga	attccttcca	tgccaatgca	ccacataaat	ttagtgccag	gaaaacagct	660
gagaggcatc	taccttcacg	gaaacccatt	tgtctgtgac	tggttccctg	gtctccttgc	720
tggtcttttg	gtatcgtagg	cacttttagct	cagtgatgga	ttttaagaac	gattacacct	780
gtcgcctgtg	gtctgactcc	aggcactcgc	gtcaggctact	tctgctccag	gatagcttta	840
tgaattgctc	tgacagcadc	atcaatggtt	cctttcgtgc	gcttggtctt	attcatgagg	900
ctcaggtcgg	ggaaagactg	atggctccact	gtgacagcaa	gacaggtaat	gcaatacgg	960
atctcatctg	ggtagggcca	gataacagac	tgctagagcc	ggataaagag	atggaaaact	1020
tttacgtggt	tcacaatgga	agtctgggta	tagaaagccc	tcgttttgag	gatgctggag	1080
tgtattcttg	tatcgcaatg	aataagcaac	gctgtttaa	tgaaactgtg	gacgtcacia	1140
taaattgtgag	caatttcaact	gtaagcagat	cccattgctca	tgaggcattt	aacacagctt	1200
ttaccactct	tgctgcttgc	gtggccagta	tcgttttggt	acttttgtac	ctctatctga	1260
ctccatgccc	ctgcaagtgt	aaaaccaaga	gacagaaaaa	tatgctacac	caaagcaatg	1320
cccattcatc	gattctcagt	cctggccccg	ctagtgatgc	ctccgctgat	gaacggaagg	1380
cagggtgcagg	taaaagagtg	gtgttttttg	aacccctgaa	ggatactgca	gcagggcaga	1440
acgggaaagt	caggctcttt	cccagcgagg	cagtgatagc	tgagggcatc	ctaaagtcca	1500
cgagggggaa	atctgactca	gattcagtca	attcagtggt	ttctgacaca	ccttttggtg	1560
cgtccactta	atgtgtgcct	atatttgtat	gatgtcataa	tttaactctgt	tcataatttaa	1620
ctttgtgtgt	ggctctgcaa	ataaacagca	ggacagaaat	tgtgttggtt	tgttccttga	1680
aatacaacca	aattctctta	aaatgattgg	taggaaatga	ggtaaagtac	ttcagttcct	1740
caatgtgcca	gagaaagatg	gggttggttt	caaagttta	agttctagat	cacaatatct	1800
tagcttttag	cactattggg	aatttcagag	taggcccaaa	ggatgatatga	ctcccattgt	1860
ccctttatct	aggatattga	aagaaaaaat	aaactttatg	tatttagtgtc	ctttaaaaat	1920
agactttgct	aacttactag	taccagagtt	attttaaga	aaaacactag	tgccaatttt	1980
cattttttaa	agatgtagaa	agaagaatca	agcatcaatt	aattataaag	cctaagcaaa	2040
agtttagattt	gggggttatt	cagccaaaat	taccgtttta	gaccagaatg	aatagactac	2100
actgataaaa	tgtactggat	aatgccacat	cctatatggt	gttatagaaa	tagtgcaagg	2160
aaagtacatt	tgtttgctcg	tcttttcatt	ttgtacattc	ttcccattct	gtattcttgt	2220
acaaaagatc	tcattgaaaa	tttaaagtca	tcataatttg	ttgccataaa	tatgtaagtg	2280
tcaataccaa	aatgtctgag	taacttctta	aatccctggt	ctagcaaaact	aatattgggt	2340
catgtgcttg	tgatatgta	aatctttaat	tatgtgaact	attaaataga	cctactgta	2400
ctgtgctttg	gacatttgaa	ttaatgtaaa	tatatgtaat	ctgtgacttt	gatattttgt	2460

tttatttggc tatttaaaaa cataaatcta aatgtcttta tgttatcaga ttatgctatt 2520
 ttgtataaag caccactgat agcaaatctc tctcc 2555

<210> 416
 <211> 2950
 <212> DNA
 <213> Homo sapiens

<400> 416
 tgcaagtac ttcattcgga gcctggacca ctgtggatac ctatctctgg aggggtgtgt 60
 ctcccacaag tttgatttcc aactgcagga tgtgtccagc gtgaatgagg atgtcctgct 120
 gacaactggg ctccctctgta aatatacagc tcaagggttc aagccaaagt ataaattctt 180
 tcacaagtca ttccaggagt acacagcagg acgaagactc agcagtttat tgacgtctca 240
 tgagccagag gaggtgacca aggggaatgg ttacttgcag aaaatggttt ccatttcgga 300
 cattacatcc acttatagca gcctgctccg gtacacctgt gggcatctg tggaaagccac 360
 cagggtgtgt atgaagcacc tcgcagcagt gtatcaacac ggctgccttc tcggactttc 420
 catcgccaag aggcctctct ggagacagga atctttgcaa agtgtgaaaa acaccactga 480
 gcaagaaatt ctgaaagcca taaacatcaa ttcccttggta gagtgtggca tccatttata 540
 tcaagagagt acatccaaat cagccctgag ccaagaatth gaagctttct ttcaaggtaa 600
 aagcttata atcaactcag ggaacatccc cgattactta tttgacttct ttgaacattt 660
 gcccaattgt gcaagtgtct tggacttcat taaactgggc ttttatgggg gagctatggc 720
 ttcatgggaa aaggctgcag aagacacagg tggaaatccac atggaagagg ccccgaaac 780
 ctacattccc agcaggctg tatctttgtt cttcaactgg aagcaggaat tcaggactct 840
 ggaggtcaca ctccgggatt tcagcaagtt gaataagcaa gatatcagat atctggggaa 900
 aatattcagc tctgccacaa gcctcaggct gcaataaag agatgtgctg gtgtggctgg 960
 aagcctcagt ttggctctca gcacctgtaa gaacatttat tctctcatgg tggaaagccag 1020
 tcccctcacc atagaagatg agaggcacat cacatctgta acaaacctga aaacctgag 1080
 tattcatgac ctacagaatc aacggctgcc ggggtgctg actgacagct tgggtaactt 1140
 gaagaacctt acaagctca taatggataa cataaagatg aatgaagaag atgctataaa 1200
 actagctgaa ggcctgaaaa acctgaagaa gatgtgttta tttcatttga cccactgtc 1260
 tgacattgga gagggatgg attacatagt caagtctctg tcaagtgaac cctgtgacct 1320
 tgaagaaatt caattagtct cctgctgctt gtctgcaaat gcagtgaaaa tcctagctca 1380
 gaatcttcac aatttggtea aactgagcat tcttgattta tcagaaaatt acctggaaaa 1440
 agatggaaat gaagctcttc atgaactgat cgacaggatg aacgtgctag aacagctcac 1500
 cgcactgatg ctgccctggg gctgtgacgt gcaaggcagc ctgagcagcc tgttgaaca 1560
 tttggaggag gtcccacaac tcgtcaagct tgggttgaaa aactggagac tcacagatac 1620
 agagattaga attttaggtg catttttttg aaagaacct ctgaaaaact tccagcagtt 1680
 gaatttggcg ggaatcgtg tgagcagta tggatggctt gccttcatgg gtgtatttga 1740
 gaatcttaag caattagtgt tttttgact tagtactaaa gaatttctac ctgatccagc 1800
 attagtcaga aaacttagcc aagtgttatc caagttaact tttctgcaag aagctaggct 1860
 tgttgggtgg caattttag atgatgatct cagtgttatt acaggtgctt ttaaactagt 1920
 aactgcttaa ataaagtgt ctogaagcca gtaagtgtct tgggacctca ttattttaag 1980
 cctggtagtt aaaaaaatc ttgcaaaagg atgcaaaaga agataaggac gtggaagaa 2040
 gtttaatttg atgattaaaa acatgcaaca gttttgtgtc ttactctcc tactaggatt 2100
 atcggcgcct tgaaggaatt ctcatctac tttgtgttac ctttggctg ggtcacacca 2160
 actggtatac tgaatgcata ttaacttagt atagtgcctg gcaatgtaaga gattctcaac 2220
 aatattctca ataaatattc gctgaatag agataaatta ttaatagcta ctgaataaag 2280
 aaagattatt taaaaccaga gaggaaactc catatatgtt cttaatcca aacagttta 2340
 ttcaagcaat ctggaatata aaaagcactt tctgatatta gaaggagatc agactcccaa 2400
 aaaagatcag cattctttag tcaagcaaaa ctgtggaagt tacaacagc taaatcagaa 2460
 gcttgaatt caggtcctct ccagtacctg ctacattata tghtaattcca aacatgactt 2520
 cagagattaa agaagaaagg gaagatgttt cccattcttt tgtaccctat ataaactaag 2580
 ggtaccctgc ctaactctt ttccaacac ttccccaaat aacccttctt tacaagaaa 2640
 gaagtctaag agaactctct catctaaata tatttaagta gaggcaagcc tgaaaaaac 2700
 acaaaaacct aaatgggtgt aggtgtgtgt tcaacctatc tcatggcacc tcaaatat 2760
 ggcttgggtg ttgggtgtagg taacgcttgg cctgtatgtt gaggtagtca ctagataaaa 2820

ttctggggcac aacatccggt tagcaattgg gcatacattc tacagattta gccataacgt 2880
 tctgaagctg attatntttac agatcaacta attaattcct ctccctaact ttacagatga 2940
 gaaagctcag 2950

<210> 417
 <211> 850
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(850)
 <223> n = a,t,c or g

<400> 417
 ctttcacaaa aatccatgaa ttattcttta ataaaagaaa ctcttggccc cgcttttttg 60
 gatacacaga atgctttcca ttgaatcatt tggtcataat cggggtacaa agcaaattta 120
 acacgtgtga gagatgcaga aaaagggtccc ttctatgtac accttgccaa atacaagaac 180
 ataaagaaag aaaaaagcaa agttaaagcc tttagggtcat ttgtaaaatg ttgccaaacc 240
 catgctgcta cttttaacag agaagtctga gttttaaaat tcaaacgttc ttttcttaca 300
 aagaaaaagt gcctctatct gccaaagcgca tgatcttatg agcttcagat agaaaagtgg 360
 ctatgacttg tgactgtttt tggttcagaa caatgctaga tcaacatgca agttgtatgg 420
 aggtggggac agaaaaggag cggcaggctg ggggtggctgg taatgtttga tccctctgga 480
 tttccacag gagaaaagggt tctgcaggac gatgagttca cctgtgacct cttccgattc 540
 ctgcaactac tctgtgaggg acacaactca ggtttgtgag tccccggaac ttctgatgat 600
 actaaggcat aaataatggt ttcaagccag taataacaag agcctggttag ttccaattat 660
 gcatcgttct agagacagca aatcattcta gagcatggct ctgcattggg atctgggncg 720
 ttttatnttt ggggtccgcg cacgtccaca atntcaaann nncggcgccc aggggtcccg 780
 cccccgaga cgaattagat agatggaagg tgtgaatggt ggtaaagatg gacaaaagtga 840
 tgcggggtgg 850

<210> 418
 <211> 360
 <212> DNA
 <213> Homo sapiens

<400> 418
 gagataaacc acattgttgg agagacagct gcctttctat gccccaggct gaggctgaga 60
 cggggtggga aggatggatc cccaaagcct gggttcttgg cctcagtgat tccagtggac 120
 aggcgtccag gtgagtagga catccagaag atttggactt ggagatgttt cccccatttt 180
 tgagtgtcca gattaagagc tggctgccct agtcatttta aaacatgctg ggaatccaag 240
 ttgggtctcc tcattttaat gatgtctagg ctgagggctg ggctttctat tcttgagtcc 300
 ctgggctcag aagtgggtct ctttcctctc tctcagggta ctgaggaagg accccagggtg 360

<210> 419
 <211> 949
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(949)
 <223> n = a,t,c or g

<400> 419
 atttgatggt aatttgctgg gattacaggc gtgagccacc acaccggcc ggaagatatt 60
 aattcttata tgtgtatggt caacagatac tgaatctcag gtgaagcaaa gtgccttcat 120
 cattgtagca aatcctacat ttaaataaaa tcagataagt actggcatat aatcaaaatt 180
 tattttttat gttgattccc aatcaatgat tttttttttt caaacaccaa caagacataa 240
 agtacttatt atggaatttt gtccatgtgg gagtttatac actgttttag aagaaccttc 300
 taatgcctat ggactaccag aatctgaatt ctaattggtt ttgcgagatg tgggtgggtg 360
 aatgaatcat ctacgagaga atggtatagt gcaccgtgat atcaagccag gaaatatcat 420
 gcgtgttata ggggaagatg gacagtctgt gtacaaactc acagattttg gtgcagctag 480
 agaattagaa gatgatgagc agtttgtttc tctgtatggc acagaagaat atttgcacc 540
 tgatatgtat gagagagcag tgctaagaaa agatcatcaa gaagaaatat ggagcaacaa 600
 gttgatcttt ggaggcattg gggtaacatt ttaccaaggg aagcctactg gatcaactgg 660
 ccatttaana cccctttgaa ggggcctccg tanggaataa agnaagtgat ggtataaaaa 720
 taattacagg gaaaggcctt ctgggtgcaa tatcctggag tacagaaaag caagaaaat 780
 gggaccaatt tgactgggag tgggaagaca tgctgttttc ctgcagctcct tcctcggggg 840
 tcctcagggt tcctaactta cccctgttc ttgcaaaaaca tccttgaaag cagatcaagg 900
 aaaaagtgtt gggggttttg accaagtttt ttgcaagaaa actagtggg 949

<210> 420
 <211> 986
 <212> DNA
 <213> Homo sapiens

<400> 420
 tttttttttt ttcttcagca ttgtgtttta ctttttggga gagaggctag gaggaggaag 60
 gggtgaaaac agcatctcac tggagtctca aaagtgtatg aatcttctgg tagtgcaagg 120
 atgggataag atggccaggg aagtcagatg gaaaatcccc aagattcttt ttgctactga 180
 tttctataat taaaatatga catatgtaag ggactagtgc atgatattca ataaatgtca 240
 gttgtctttc ctaactaggt tcctcacagg ctaggttatg cctagatata atcatctcc 300
 tttcagggaa tgaagctcac ctagaaaact agggaaactaa aagtgaataa tggtttgggt 360
 aatgcagttg gttagctgtc tccccatcct cccaactcac tattccaggg aggggctgaa 420
 aacagaagtg gctcccctga agtctagtta gcatgcatg acagagtcca catgaagggc 480
 tgtgggctgc aactttctag tgcacagtcc tctctttttg gcgatgataa ttgtagggaa 540
 agaagcgcac acgcatgctg atttcacgag ctgtcttcag gatctcaaca gccttgctgt 600
 gctcaatatc ttggaaatcc acatcattca cagctagaac ttgggtccct tcctgcagtc 660
 ctgctctatg tgcacagag tcaggaatca ccttggagat gaagatgcct agctgggagg 720
 cctttcctcc tcggatgtta aatcccaact gagctccagg aggcctcttc agtgtgatgg 780
 ttcggggcag aaactgggtc aactcattgt ttagtccgg gtggtgtacc ctctcatgag 840
 gaggaatcca tgcctggagg ttctcatagg caggcaagaa aaccaccggg tagtcatcat 900
 aaggaatccg gctgtccatc tcgggcaagg cccagtgggc agtccacagc gacctcagac 960
 tccgctcaca cgaaatcgtc gaccgg

<210> 421
 <211> 1209
 <212> DNA
 <213> Homo sapiens

<400> 421
 ggcacgagca ggtctctgcc cttcatagac gcataaagggc tatcgtagag gtggctgcaa 60
 tgtgtggagt caacatcatc tgtttccagg aagcatggac tatgcccttt gccttctgta 120
 cgagagagaa gcttccttgg acagaatttg ctgagtcagc agaggatggg cccaccacca 180
 gattctgtca gaagctggcg aagaacctg acatgggtgg ggtgtctccc atcctggaac 240
 gagacagcga gcatggggat gttttgtgga atacagccgt ggtgatctcc aattccggag 300
 cagtctggg aaagaccagg aaaaaccaca tccccagagt gggtgatttc aacgagtcaa 360
 cttactacat ggaggggaaac ctggggccacc ccgtgttcca gacgcagttc ggaaggatcg 420
 cggtgaaatc ttgctacggg cggcaccacc ccctcaactg gcttatgtac agcatcaacg 480
 gggctgagat catcttcaac ccctcggcca cgataggagc actcagcgag tccctgtggc 540
 ccatcgaggc cagaaaacgca gccattgcca atcaactgct cacctgcgcc atcaatcgag 600
 tgggcaccga gcacttcccg aacgagtta cctcggggaga tggaaagaa gctcaccagg 660
 actttggcta cttttatggc tcgagctatg tggcagcccc tgacagcagc cggactcctg 720
 ggctgtccc tagccgggat ggactgctag ttgctaagct cgacctaaac ctctgccagc 780
 aggtgaatga tgtctggaac ttcaagatga cgggcaggta tgagatgtac gcacgggagc 840
 tcgccgaagc tgtcaagtcc aactacagcc ccaccatcgt gaaagagtag ccggcttcag 900
 tgccctgctt ggggtgagga agacacctct gccccagtgg attagcaagt gtggcaggct 960
 taacatgtcc aggtttctccc caataacatt gtccagggtgg ttttaaaatt cccaggcagg 1020
 gggagagtgg catggggagt gacttcttaa tgggtaaggg gctgcttact tctggggat 1080
 tggaaatggt tggggactag gtagaggtga atgtactaaa tgccactgaa tttgtatact 1140
 tcagaatggt tgttatgtaa attttacctc aactaaaaaa aaaaaatgcc caggtaaaaa 1200
 aaaaaaaaa 1209

<210> 422
 <211> 5214
 <212> DNA
 <213> Homo sapiens

<400> 422
 acggccgccc cttttttttt tttttcacag ttccattttt aatgttttaa tttcatttca 60
 aaaagcaggc ctgtagtttg taaccatgac aattaaatc tgtgctaata cacggcagtc 120
 tataacaatt ctacaagcca atcagacagt acgtgacatt tcaatgagta aaaaagagca 180
 taaaactgta tgtgtaagaa caaaatgta aaaggcctac cacaataata aaaaaccgtc 240
 aattacatca tcacattaaa ataagccaga tgcacaaaag tctgagacag agaagcaaaa 300
 aggacaacac aagatatttg ttgaaaaatg tttgtgctct ttgggcactt aattaacat 360
 tgcaaaatca acatcatctt cttcttcac agactctgca aaatatttta cttctttcct 420
 agcccgaccg gttcgtggca gagaaggtgg ctcagtaggg aagtctgagg ggaagatgct 480
 cacatctgaa tcctgatcaa aagatgtctt cttcggtttc ttgcttggtg ttttgatgt 540
 tttcctgcca gggttataat cgccttcatt ttcagagcca gatgctttcc tttcttttgc 600
 cctcggcct ttaccctttg gtgtttagt cttctttgga atgccaat ctgaatccga 660
 gtcagagtgt acagcctcta ctactttctt ctgttttggg gctctcttgg ccttagggac 720
 tgtatctgaa gacggtttcc cttttttagc agctaccggt ttacttggaa ctttatctgt 780
 ctgtttcaga ccaaatgatg gtgaaaaaac agaagcagaa tcttcttcat tactgtcaaa 840

tttagctgaa	tcattctctg	acttctgaga	atatgaagga	aatgagaaga	gatttcctaaa	900
atcctgactt	ttttgtcat	gcaaagattt	ttctggagtg	gcttttgatt	tgccctggta	960
aaatgtatat	tcattcttat	ctaaccatc	tgaaggaaca	aattcatctt	ccccatcatt	1020
tgttatggga	gatgctttaa	ctttcaattc	ctctaaatca	ttattgtcat	catcatcctc	1080
atcagcatca	tcattctctt	cttctgagaa	atcaaagtgt	tatttaggtc	tttcggctgc	1140
tgctctccta	agcaaagaat	ctcttggaat	aaccacaggt	tctgtttctt	ccaaatcact	1200
ttctgacttg	gattcatcat	ctgaccaagg	attccgtttc	ttcactttct	ttgcactagg	1260
tttaccagat	gatgtagggt	ttttctcac	tctggtacca	ggctccttct	tctccctctt	1320
aggtttggga	cctttattta	taggaactga	tggagtcaat	gcctcttctc	ctgcaccttc	1380
tactggtgct	ccactgaatt	cttcatcaaa	ttccactttt	actgctgcag	tatcaagatc	1440
acccttcttc	ttcttcagca	actttttgct	ggcactgtcc	ttcatagctg	taatttcagg	1500
aattattctt	ctgccataag	gtgagggcat	gtctctctcc	aactggagtt	tcttcacctt	1560
aggtttgcca	actttacctt	taattgcttt	tccagacatt	ccagccagaa	catcttctcg	1620
ttcttgagat	tccactttat	ccagttcttc	aacaaatgcc	gctaaatcct	ctttccaaag	1680
atctgaagga	gattttcttt	taagatcatt	gacctctcgc	ccttttgcat	ctctctgttt	1740
aatcagttct	tcaacttttt	cttttagtaag	agaccacaga	gacatattta	aaatataatt	1800
aaaatctggg	cctgaaggag	ttcctgaatc	ggaggaacta	tcattcatgct	ggttttgtgt	1860
ttcatcctct	tctgctgcct	tttctgtgct	ttctttccag	gctttcactg	ggtcagatct	1920
ataacctctc	tggactaaca	tttgaatcaa	atcctttctt	gacctattct	atatagtaat	1980
tttccctgtg	atcttctcta	aaatgaaacg	ggcttgattg	ttaagcttcg	taaattctgc	2040
tccaacatt	cccacaagcc	actccttacg	taaccctgaa	taacttaatc	gtaaatcaaa	2100
gaattctttc	agaatgtctt	gcacagtttc	atatttcttc	agacatocca	tatgatcaaa	2160
aagtaccatg	gaattacaag	taagagtagt	ttgaagttta	aaaactttat	gcagtccagc	2220
agcttctgct	tggtctagtt	tctcttcagt	cattttcacc	acaaatttca	cagttgtgtc	2280
agtatgatat	tctttataat	cagaaattaa	tgtctgggtt	ttatctgttc	catttagcat	2340
aggttctaaa	acctgttctt	tataacctg	tgtccaagtt	ctaactggaa	gctctgtaat	2400
ttctactgtg	tttctgtcca	ctacaaatat	ttcaccactg	actgcatact	ggttttgacc	2460
aagttcttga	atcgtgcctt	taaagttttt	gtagtttggg	agcatgggat	gaggatccag	2520
gccatctagc	attcgtctga	cattgttcac	aatttcccta	gcatcatagt	tgggtagttt	2580
acaagcccat	ccagtaccaa	tgccctcagc	accatttatt	aaaaccatgg	gaattatagg	2640
aatataccac	tcaggctcta	cacgttgatt	atcatcataa	aggaacttaa	ggaggttgct	2700
atccacagca	ggaaaaagta	gccttgctaa	agtgtctaac	attgtgaaaa	tataacgagg	2760
gcttcagca	cttttgccac	catgaagccg	agttccaaac	tgaccaatag	gctgaagcaa	2820
gttaatgttg	ttacttcca	caaagttctg	agccaaatc	acaatagtca	tcataatgc	2880
ttgttctcca	tgatgataag	ccgacatctc	agcaacagag	ccagccaact	gggcaacttt	2940
tacttcacgt	ttatcattcc	tottgaaaca	ggtaaataaa	actttccgct	ggccaggttt	3000
aaagccatca	acaagagatg	gtatagatct	ttcattgtct	gagtttgaga	agagaatcaa	3060
ttccttggtg	atgaaatcat	tataagtcaa	atgctttggt	gcagtaccat	ataaaaattg	3120
ctctggtaag	ccatgtagcc	tacgtctgct	ccggtcttcc	ataaaaattg	ttaaccattc	3180
ttttctgta	tcaatcttct	tcttactaaa	ttgcaaggta	atggcagcat	catcttcagg	3240
accagcatat	ctaaacaaga	tgcgatgcct	ttccatatca	gcaaaatatt	cctttgcttc	3300
tttagctgta	ctagtaccca	atcctttata	gtactttatt	ttccaggctt	tctggttttc	3360
tatatgtttt	ttccattcgt	caaattcagg	aatactgtag	aaggaaagtt	cctgcttatt	3420
tttgcttgcc	tttacaatag	gagtaatgaa	ctcttcaaga	aaacctgct	tcaaaagtga	3480
tggccaattg	tgatggatga	aattaataag	caggcctttt	atgtgagaac	catcttgatc	3540
ctgatcggtc	ataatcataa	totttccata	gcgtaagggt	ttcagagatt	gtgcatcctc	3600
gtaacttttc	ttatattgta	gaccaactat	tttaataata	ttatttattt	cagcattttc	3660
catgatctgt	ttatgagaag	cttcccgtac	attaagaatt	ttgcccctga	gtggaaaaac	3720
tccgtatctg	tctcgtccaa	tcacacctaa	tccagacaca	gccagtgatt	tggcagagtc	3780
tccctctggt	aatatcagtg	tacactccag	ggaatgttta	ccaccagcat	cattagcctc	3840
atccagtttg	ggaatacctt	tgattttact	gtattttact	gatgaacact	tcttattcag	3900
ctgagctctg	gccttaaatt	tcaccaggtt	caggatactt	tctacaatgc	cacaattaga	3960
ggctgcttta	aaaaattttt	ctgacagctg	gcatttagac	ccaaaacttt	tgggctgcag	4020
agtcattggt	tccttagtct	gagaatcaaa	agttggattt	tcaataaggc	aattaataaa	4080
aacctcatat	tggtttttta	cttgaatgg	tttctactgt	acaccagctt	tgttcttttt	4140
cttaactact	tcaatcagtt	taccaacaac	ttgatctacc	acataatcca	cgtgcccgtc	4200
accttttgta	gttgcaatac	tatttataaa	gctgatttgc	tggaaatcct	tttactcaa	4260
tgtgagacaa	acatcccctc	tttcatattg	aagctcatga	ataactttca	gggccacccc	4320
agtttcatcc	aatttgcctt	tcacataaag	atctacataa	ctgcgaaatc	catttacagg	4380
caatttcttt	ccattaaaca	tgaccttgac	ccctctacac	gaaccagcca	aatcatatgc	4440
ccttctagtc	atgagggcca	caatatacct	gtcaagtttt	tccatcttaa	atttggacag	4500
atctggttgg	aatgttatgc	atgtgtaatc	ttcaccatca	aaatgtttaa	ttttggcttc	4560
agaagtcttc	atcatattat	tcattcatgt	ctgcttaaaa	ctgtgtttgt	attctttgca	4620
agctgtttct	actgtaaact	ttgtactgaa	aatattacaa	agttttgcac	cataaccatt	4680

```

acgaccacct gtaacttttt tctcatcacc atccatagtta ctggatgta aaagctgtcc 4740
aaaaattaaa gcaggaacat aaactttctc caccttgtgt tctactactg gaatgccttt 4800
cccattattc caaatgctta taatgttaga ttcaggatca atagaaactt taatacaagt 4860
catgttctta tccctctgtt tattgtcagc agcattaacc aaaatttcat caaagatctt 4920
gtataaacct ggcacaaaagg taacctccct gcaattcatt cctacatctt catcatacac 4980
ccacatgaac tgggtcaatg gctccactga cccaatatac gtatcaggac gaagaagaat 5040
gtgttcaagt tgtgtcttct tctgatacac tctctcaaca gacaacttct ttgaagaatc 5100
atTTTTgttg gcagtttctg actcttcttt tttgcagca ttgttcaacc aggtcagtgc 5160
cccgttgccg ccgcccacgc cggctcccgc gccgcagcca cccgacttgg ccat 5214
    
```

```

<210> 423
<211> 474
<212> DNA
<213> Homo sapiens
    
```

```

<400> 423
aagggttgtc tggctgcctc cttcaactgc atcttctgt atactgggga actgtatccc 60
acaatgatcc ggtgagtgga agcctaattg gagaatgaca gccttttctt ggggaagac 120
attcttctgt gcacaggcca gaccccagag ctaaatacaag tacatcccag cccaaggcc 180
cctcccaaca ctcatcattg caaggccatc agtagccact gagtacacac ctcatggcct 240
agctaacaca ggtgttactg tctctaaagc ccttacggga ccctagaaga tctcaaaagt 300
agccaccaac tggggcaggg taaggaacca agaagacaca tctcagagac aacaaatcga 360
agtcttctct taatctccaa aacacaaaatt agaagctgcc accacatcta cattccatct 420
ataaaccaag tgatatatct gaaagcaaag gccacaaaaca tgaaagcaat ttcc 474
    
```

```

<210> 424
<211> 1453
<212> DNA
<213> Homo sapiens
    
```

```

<400> 424
tttaagttga gaactttcac cttttcattt aaaaggaagc actttgtggc ttctctttgg 60
catatccgaa tcaccagcat catcactact cctgctctct ggggccactg ttaagcaaag 120
tgaggactgc ttggtcacag gcaactgtga tgctgggata gttgatctga tcaccaagac 180
ggctactaag tcaactagcag ggtgggtggc gtatacagcg tggatgtgct ggaccaaggg 240
atgactcaca tccccggccg gctggagccg gacagcgaga gatttcatca cgtactcag 300
aagggcacac catttgagac ttaaaattct ttatttctgg aattttccat ttaatatTTT 360
tgaaactgcag ttgactgcag gtaacaaaact gtggaaagcg aaaccataga tacgagcggg 420
ctactgcggt caaaaggctc ttcaactggt atggatcctc tgatgttctc ggagatgggt 480
tagtgggtta catgecttcc cgcactcctt acattcgtag gatttcgccc cactgtgcgt 540
tttctgatgt tgtgtaagct gatggccgtg actaaagctc tteccacatt ctgtacacc 600
atagggtttc accccgggat gaattctctc atgtttcagc aggctcgatc cataaatgaa 660
agccttccca cactccttac atttatacgg ggtttcgcct gtgtggattc tctcgtgctg 720
agtgaggtga tagccacaat tgaaggcctt cccacattct gtgcacttgt acggcttctc 780
gcccgatagt atcctctcgt gcttaacgag gctcgaacc cagcgaaagg ccttccca 840
ctccttacat tcgtgaggct tctcaccggg gtggatcttc tgatgctgag taaggtaatt 900
gactcgagta aaggccttcc cacattcttg acattcatag ggtttctcac ctgtgtgaat 960
tcttttatgc tgaatgaggg ttgaaccaca aataaaagcc ttcccacagt ctttactctc 1020
    
```

```

gtaaggcttc tccccactat gaattctctt gtgctgaata agtttataca cacggctaaa 1080
ggctctccca cagtctttgc attcgtagtc tttctcccca gtgtggaatc tctgggtgctg 1140
agtgagctca tcaccacgcc gaaaggcctt tccacagtct ttacattcat agggtttttc 1200
accagtatga atcctcttat gaataacgag gcttgagccc catcgaaaag ccttcccaca 1260
gtctttacat tcgtagggct tctccccagt atgaattttt tgatggtgag taagctgatt 1320
gccccaacgg aaggccttct tacattcttt acattcataa ggtttctcac cagtatggat 1380
ttctgatggt tgactaagtt gatagccacg actaaaggcc ttcccacagt ccttacattc 1440
aaaggaattc tcc 1453
    
```

```

<210> 425
<211> 1131
<212> DNA
<213> Homo sapiens
    
```

```

<400> 425
gtttccctca tgatttttatt gtctcctggg gaccctgctt tgggcggtct ggatgtctgc 60
cttgggccta gtttgaggcg ccccgagggt ggagccatct tggctctgta atttgccttt 120
ccctgcccc caagagggaa gccagagcta gcggggccag cactgctcag gaggcaagg 180
ggcctacctg tcgcacaccc ggaggaggaa atcattgacc aggtctctgt gccggctgca 240
gatgctttct ttggaaggca ctcttgagcc agtctcctcaat gctgcacacc tgcacgcggc 300
tggagtgcc a gcagatggag aggctgcgga gtgccgggccc caggaggaag ttgtccttct 360
ggagttcagt gagggaacgg aagtgcagca gggaccagag tgcggggtcc tcaaacacgt 420
cgtggagctg ggagcaggtc ctggcaaggc tcttctgtct gtccttctgt aggaaggaga 480
agaggtgcag caggcactcc cggttgagct gggttatgtg catggtgagc agtggccaca 540
tgtcacttca tcttgcccc ggtactgcag ctccaaatcg tggggattct gtaagagctt 600
gctacctgtt gactgaggag gccacagagt tgagaagaac tagcaagagt ggtacaaaac 660
tgcaggtcat tgggctggcc accaggtatt cccaccaccc agaagctggc tgttgtactc 720
acccggaacc atggtgcacc accacagcgg cgaggtcata caggcagctc tccgggccac 780
tgttctcagg ctacagaaca aggaagaagg agcagtggtc aatgacatca gtatctcgat 840
gacctctacc ctctccatgt gatgacaatc ttactgaaga gccatttttt caccatgcta 900
aaaaggccag ttgggtccag cagctttgcc tctctaccct ttatcacca aagtatactg 960
ctgagaaaga atcaaatgaa aagaaaaaag actcaacaag acctcactca tattaactgg 1020
actctacaag cagtgagcat ccagacctgc atttggttac aaaagaagcc ttcaagctat 1080
tttcatcagc ttctaatca agttaaaaaa taaaccacaa aactgagaaa a 1131
    
```

```

<210> 426
<211> 551
<212> DNA
<213> Homo sapiens
    
```

```

<220>
<221> misc_feature
<222> (1)...(551)
<223> n = a,t,c or g
    
```

```

<400> 426
gcttgggctg tctctgatg ccatggtgtc agcccagaca ggcagtggtg tcagggtcc 60
tggcagaggg tctcttgaga cacagccact gccctgctt ggtggtcgtg acttgggagc 120
    
```

cagcctgcct	gtgactggag	ctgggggtga	cgggtaagat	gagtggagat	gttgggcccag	180
tggggcctga	ttcccagact	ggaccaaacc	ccaggggctg	tcctccaatc	cggaccatct	240
tccagagctc	tccggatgcg	cttgtgaaca	gcaagttact	aggaaacctc	tgctgcgtct	300
gcacgtccat	caccagggag	atgtagccct	cgatgagga	gaaggagaag	aagcggatgt	360
ggccgcagtc	atccccagtg	gccatgggggt	ccttcaactc	attggagtag	aacatgacat	420
ccatgaggag	tgtggcaaca	gcaggcagcg	tgtcagggtc	caggctgggtg	acacagaacc	480
tgttgctcgg	gctggccgaa	ttccaccacn	tggactaagg	tctactatna	ggggcctcaa	540
ttggacgtgc	c					551

<210> 427
 <211> 1579
 <212> DNA
 <213> Homo sapiens

<400> 427						
agtcacctcc	agaccccaga	agctctcccc	aaccagccg	agttcctctg	caaacaattc	60
aaggggctct	gataggtcac	acagtgccac	cttgtgtgct	ggaccatata	tggagggaga	120
actgagtgag	ggggcacagg	ggattgtctc	caggtggggc	gagcagggga	aggaaaatag	180
tggccacttt	tacattgggt	tgggtagtaa	ttattgatcc	aggaagcaaa	tacaaaatcc	240
tgaatgaaat	gacttggaaa	aagtaaatag	aatcaagatc	ccaagaggag	ctgaagataa	300
ataaatggga	gcaggatgtg	ggggaatggt	cggtaagtga	gaaatgctaa	aatgatagaa	360
taaagcttaa	ggattgttgg	aggtagagca	ggaactgtgt	actgcatagt	tcccaaatgc	420
cctggtgttc	caatggggga	tggaaactaa	aacactggcc	aggttggatt	tcatactgta	480
gtcctgccat	ttttcttctc	agagcagaga	taaaagtggg	ccctggggca	tagctcattc	540
tctctgaaag	gctgctagtt	aggcccagcc	tgtcacctcg	gatcatgagt	gtcgtgtgta	600
ttgggactta	cggcaggggg	ctgaggcttg	cagatgggca	agtggtgaga	ggccccactg	660
acctcagtct	gtttctcact	ggagcgcagg	tttgggagca	gcagcaaacac	cacatccttc	720
ggcacgctcg	cgagtcagaa	tgcccccact	ttcggatcac	tgtccaaca	gacttctggt	780
tttgggacc	agagtacgg	attctctggt	tttggatcag	gcacaggagg	gttcagcttt	840
gggtcaaata	actcgttaagt	atcccccttt	ttgagtctca	ccttaattaa	aagcattaaa	900
taaggttgga	agtgtgtgga	tcttgtctgga	tttgtgcatt	ttcttttctg	tttttctctg	960
tttttagagtt	tgtcctggaa	gtgtgggggt	tcagcagcag	ggtttgggtt	ttgtggactt	1020
gctcttctct	gtagcaatat	ggcaggaggt	gccaggcctc	gccttcttaa	gaggcgtggt	1080
tcaaagagaa	aagagcacgc	ctgccagtga	gctgggcctg	agggcagcgc	tgaggagatg	1140
ctgctcctga	cttccctgga	ggtttctcag	aagctgcatg	ctaaccctcg	ggctctgggc	1200
catcaccagg	tctcatgtgt	tgatccacc	tctgtgcttc	tgtgtaaaat	ttcatggcgt	1260
taaaattcag	tcttagccag	gtgggtggtt	cacgcctata	atcccagcac	tttgggaggc	1320
tgagggtggga	ggattgcttg	agcccaggag	tcaagaccag	cctgggcaac	agagtgagac	1380
cccctctcta	ctaaaaatta	aaaaaattag	ccgtgcatgc	tggcttatgc	ctgtgggtccc	1440
agctactcca	gaagctgagg	cgggaggatc	acttgagcct	gggaggttga	ggctgcagtg	1500
agccaagatg	gtaccactac	cgtctagcct	gggtgacagc	cagaccctat	atcaaaaaaa	1560
aaaaaagggg	gggcccctt					1579

<210> 428
 <211> 413
 <212> DNA
 <213> Homo sapiens

<400> 428
 tcgaggagcc ccagggtagt cccatctggg tatggctggc tgggtcacta acttctgtga 60
 gctgcttccct tcctttccag aggatgcgga tcaaacctca ccaaggccag tacataggag 120
 agatgagcct cctacagcac cacaaagggt aatgccgacc acagaaagat tgagcacgac 180
 aagaaaatcc ctgcgggcct tgctcagagc ggagaaagca tttgcttggga caagatccga 240
 agacgtgtaa atgttcctgc aaaaacacag actcgcggtg caaggcgagg ccgcttgagt 300
 taaacgaacg tactttgcaga tgtgacaagc cgaggcgggt agccgggcag gaggaatgag 360
 ccttccctcag gggttcggga accaccttct ctcaccagga aagactgata cag 413

<210> 429
 <211> 1567
 <212> DNA
 <213> Homo sapiens

<400> 429
 cccacgcgtc cgctccaggc tcctggagtg cctcatgctg gctaaagtct ctctgggctc 60
 ctccaggggt tctgtgtgct cttggaggtc cctctgctag tgggtggctaa cttagagagtc 120
 agcagggggg tgactgggaa agagggagag gtgatgttgc ctgctactcc cctccttgcg 180
 gaccctcata ccacatgacg tggcggcgtg gggccaggaa ctagggaagg cagaaggcgg 240
 gcgcagtggg cagctctctg ggctcagctt gctgaggggg cctcctgtcc tggctctttc 300
 tgggagacct cattcttctg cccatgttcc tgccctcacac attcccctg atgaacgctg 360
 tgggcggggc ccggcctgtg ccctcagtc cccagctcct ctagtgtacc tgccccgtgg 420
 gaaccccatg tggaaagagc cctcagaact gacaggaatc agggacagag gcccttgctg 480
 tcagcctcct gggcacctgc acctgccagg cctctctttc ttaccagccc agtctgctg 540
 ccaaaatcca gggctatccc agctgcccgg gaccaccagt gagccgggat attttgtctt 600
 ctggagatgg ctgggtggca ggccctcagtg gtcacatag ggtctgctgg ggtcctgggg 660
 tgcaggtggg gctcctcagg gaagagccat agtctgtccc caagtcggaa gggtaatctt 720
 catcttctct cacaggagcc acaaaccact gtggtacaca acgctacaga tgggatcaag 780
 ggctccacag agagctgcaa caccaccaca gaagatgagg acctcaaagt gcgaaaacag 840
 gagatcatta agattacaga acagctgatt gaagccatca acaatgggga ctttgaggcc 900
 tacacgaaga tttgtgatcc aggcctcact tcttttgagc ctgaggccct tggtaacctc 960
 gtggagggga tggatttcca taagttttac tttgagaatc gtgagtgggt tctgtgctgct 1020
 gatatactcc tgccctgccc tttaccctt tgtctctgtc tectgctcac cttctcatcc 1080
 cagttgccc cttttccctt atttgacct cgtgctgcac tectactctg tatgcttgct 1140
 cccttgtgcc ccgatggttg tagacaggca cctttgaagg cctgctcct gagctccaag 1200
 tgccattcat tctgcagctg ctttgtggca gtgccagtca ccacaatcaa gctcacttat 1260
 ttcttgccgg gcgcgggtggc ttacgcctgt aatcccaaca ctttgggagg ctgaggctgg 1320
 cggatcacga ggtcaggaga tcgaggccat cctggctaac acgggtgaaac cccatctcta 1380
 ctaaaaatac aaaaaattag ccgggcgtgg tggcggtgcc tgtagtcca gctactcggg 1440
 tggctgaggg aggagaatga tgtgaacctg ggaggcagag cttgcagtga gccaaatca 1500
 ggccactgca ctccagcctg ggcaacagag caagactcca tctcaaaaaa aaagaaaaaa 1560
 ttattta 1567

<210> 430
 <211> 728
 <212> DNA
 <213> Homo sapiens

<400> 430
 ttttccacac catggtccaa ggggaaggct gccctgtctg aagagtcceg cccacttgta 60
 ggatgagacg tggaaaatat tgttgctgta acttaaaaaa caagaccagg ggggttggct 120
 gggagcaccg gccagcaggc cctgctgagc ataaaccccc tccactggag aaggcgtggc 180
 ccctgcccac ctggaccctt ctggaaatga ggggaagtgt aacagcagtg cccatcccac 240
 aagcattaaa ctcgggaggt ggagactctc cagcagaaag ctgggcagca gagtggctct 300
 gccctcggc ccacaaaggg ccttggccga gcatgggcat gcctgggtgtg tgcccactgg 360
 ggtccatccc tgccagtggg gttccagggg cctcggggac cgggctgctt gggcccttgg 420
 actctaggtg agcctgaga gcgggctggg gcaggcggag cagctgcctg cagggcaggg 480
 acacggtcag gggctacctc ccggacaccc tggcctctcc acaggcagct atccatgatg 540
 ctgatgctgg cgcagtcaaa cccgcagctg ttgcgcctta tgggcacccg ggcaggcatc 600
 gccagggagc tggagcgtgt ggagcagcag tctcggctgg agcagctgag tgccgcagag 660
 ctgcagagca ggaaccaggg ccaactggct gactggctac aggcgtacag agcccggctg 720
 ggacagga 728

<210> 431
 <211> 1524
 <212> DNA
 <213> Homo sapiens

<400> 431
 gaaatgggtac tcttttcatc atgggtgatgc atatcaaaga tcttgtgagt gattacaag 60
 aatgatgggtt gtagaggaaa cccttacctt ggttaggaagc attactatta agggactgct 120
 ttttttttta gttacttgaa aatggagctg acccaaatcc atatgtcaaa acatacctac 180
 ttccagataa ccacaaaaca tccaaacgta aaaccaaact ttcacgaaaa acgaggaatc 240
 cgacattcaa tgaaatgctt gtatacagtg gatatagcaa agaaacccta agacagcgag 300
 aacttcaact aagtgtactc agtgcagaat ctctgcggga gaatTTTTTc ttgggtggag 360
 taaccctgcc ttgaaagat ttcaacttga gcaaagagac ggTtaaTgTg tatcagctga 420
 ctgCGGcaac aactttgtaa actagtgaat gtctgagctt tggaagcatg aacagttata 480
 aacgtgcattg catacatgca cacacacaca gacacacaca cacacactg ttaattttgt 540
 atagtatttt tatacttggg cagaacttat aaagttaaTt atacttgctg catttcaaca 600
 catctgtttg accaacagtc acataactaa cctttttgaa tttttggaag ccattgctgt 660
 tttaaagtca ttatgtagaa tgctacaaac cctaaactta atataacta attcctgaaa 720
 aagactttga gacagtacta tgcagttca gccacctatt ttgcattgTt ttctataagg 780
 aggcaaagca tatgtgtttt cctgttatgc accttttata gcctttacca ctgtgtaatg 840
 ttcacaaaca ccaaagtaaa ggaaaaatgc aggatgttac cgtaaaatcc agctgctatt 900
 catggagctg aaaaacaaag cacaataat agatagctaa gTtaagaact actaagtagt 960
 ttatagaagt agggaaaaac gtaatactgc tttttattca tgtctttaaa gcctttttca 1020
 gaataagtgc caatcactga tgttgtaaat aatggTgctt taactttata tgcttccctg 1080
 gcaactcgTt tctgattttt ttcttgattt gataaataat tagtacatag ttttactca 1140
 ctTgcagctt actaaagaca agaaattatg tacatgtact aatgTttttc ccacaaaaaa 1200
 atcctttact tctgatgtat gaattagtta tctaaatagt taagcctaTt acctgaataa 1260
 gactcaccaa tTgtattgta caataaattc tatcattcca tTaaaatcct acattttattc 1320
 ccaggaatgg taatttcacc tccctacatc tatactccac tccctcagta aataagtgaa 1380
 aattgttaac ccattgtccc attcctgagt agggcagact cttcacaaga ggccatgac 1440
 aagaattcta ggtccagat tgaactttaa tatagacctt tTctgtgta gaccagttTg 1500
 tcttGtaaac tTcttactt atgt 1524

<210> 432
 <211> 1908
 <212> DNA
 <213> Homo sapiens

<400> 432
 gtctctatgg aattatagct cacctacttt tgggggaatc atgtaaggta attttatttc 60
 attatgtatt actagaatgt attgttttaa aatgtgtcta cttttttgaa gtgtcatttt 120
 gttgttgttt tcattgagat ggggtcttac tatgttgccc aggctggtct cgaactccga 180
 acctcaaatg acctgcccgg ctcggcctcc caaagtgtcg ggattatggg catgagtcac 240
 tgcattccaga oaaaagtgtc attgtttaat cttgatttga aagaacttta ggtattttaa 300
 acattatgtg gttcttttgt gcaagcgctt tatccctaag tctgttgatt atccagggtt 360
 gaagcaact ctctctgact tctgcactca gaaagcgctt ggtctaattg tgttctcctt 420
 cctgtctctt agcttcacag gataatgcag ctggctgtgg ttgtatcaca agtacttgag 480
 aatggttcct cagttttggt ctgtttgagg gaaggctggg acatcactgc acaagtgaca 540
 tccctgggtc agttactcag tgatcccttt tataggacac ttgaaggctt ccagatggtg 600
 gttgaaaaag agtggctctc ttttggctac aaatcagtc agaggagcag cttgaccctc 660
 aactgtcagg ggagtgggtt tgctccagtc ttcttacagt tcttagactg tgtacaccag 720
 gttcacaacc agtatccaac tgagtttgaa ttcaatctct attacttaaa gttcttggct 780
 ttccactatg tgtctaateg ctttaaaaca tttctcctgg attcagacta tgaaagatta 840
 gagcacggaa ctttatttga tgataaagga gaaagcatg ccaaaaaagg agtctgtatt 900
 tgggaatgta ttgacagaat gcacaagagg agtcccattt tctttaatta tttatattca 960
 ccattggaaa tagaggctct aaagcccaat gtaaacgtct ctagcctcaa gaagtgggat 1020
 tactacatag aagagaccct gtccacaggc ccttctctatg actggatgat gctaaccctc 1080
 aagcacttcc cctccgaaga ctctgacctg gctggagaag ctgggccacg gagccagagg 1140
 agaacagtgt ggccatgcta tgatgatgtc agctgtactc agcctgatgc tctcaccagc 1200
 cttttcagtg aaattgaaaa attggagcac aaattgaacc aagcccctga gaagtggcag 1260
 cagctgtggg aaagggtaac cgtggacctt aaagaagaac caagaacaga tctctcccaa 1320
 agacacctgt cgagatcccc aggaattgtg tctaccaacc taccttctta tcagaagagg 1380
 tctctgctac atctcccaga cagcagcatg ggggaggaac agaattccag catctcccca 1440
 tccaatggag tggagcgaag agcagccacg ctctatagcc agtatacatc caagaatgat 1500
 gaaaacaggt cctttgaggg aacactttat aaaagagggg ctttgctgaa aggttggag 1560
 ccccgttggt ttgttttggg tgtaacaaaa catcagctgc gctactatga ctcaggtgag 1620
 gacacaagct gtaaaggcca cattgatctg gctgaagtag aaatggtcat ccctgctggc 1680
 cccagcatgg gagccccaaa gcacacaagt gacaaggctt tctttgatct caagaccagc 1740
 aaacgtgtgt ataacttctg cgcccaggat ggacagagtg cccagcaatg gatggacaag 1800
 atccagagtt gtatctctga tgctctgatgc coatggtcaa cccacgcaga agaaacagaa 1860
 gaactcatgc tgccagatag atagaacaag aagcatggat ccttgagg 1908

<210> 433
 <211> 1714
 <212> DNA
 <213> Homo sapiens

<400> 433
 tttttttttt ttgacaagtt tgcaagtttt attgaattaa tggctggctt tcacagatgt 60
 taatcactgg cgggcggttg aataggggga acaggaaaat gctctccaga ggttcccact 120
 gaagcccttt catctgccct gccccaaccc accactgaag ccagaggtca tgggagttgg 180
 gatctaacta cactctgtga acttaccacc acccattcca tccccagcc catattttat 240
 ttgggactag gccactgatg cccgggccct tcctcttcca gtaggggtggg aggggtgggag 300
 gtggggacac ggaccaaccc tcaaggaaaag aaaagaggtt aaggtggggg gttttgtgta 360
 atgtctaaga aatgtcagtg gaacagggct ggggcacggg ggctcacgcc tgtaatccca 420
 gcactttggg aggccaaggc aggtggatca cctgaggtca ggagttcgag accagcctgg 480
 ctaacatggt gaaaccccat ctctactaaa aatacaaaaa ttagccaggc gtgggtggcag 540
 gtacctgtaa tcccagctac ttgggaggct gagacacagt ctctctctgt ggcccaggct 600
 ggatggagtg cagtgggtga atctcggctc actgcaacct ccgctctccg ggtttaagca 660

aaattatcct	gcctcagcct	cctgagtagc	tggattacag	gcaggcacca	ccacgtccgg	720
ctaatttttg	tatTTTTtagt	agagatggg	ttttgccatg	ttagccaggc	tggctctgaa	780
ctcctgacct	caggtgatec	gcctgccttg	gcctcccaaa	gtgctgggat	tacaggcgag	840
agccaccacg	cccagcctct	gcttcgtgag	ttttctttcc	cctgaggcac	cctctgagtt	900
ctccacgtgt	cagacccatg	tccaatgcac	cacgctcctt	ccttcacacc	atgaaagccc	960
cgaagtaaga	ccgggtacca	tcaacgcagtc	gaaccaggcg	ttcatccagc	acacggacga	1020
ccacctcctc	cccagcctec	aggtgtacca	caccacccag	gaagctgctg	tcccaccaga	1080
cccgggagct	gctgggtggc	cgcccgagg	gtgactgctg	gctgaccaac	agctccagct	1140
cctcggggta	gcgggggtgtg	cgcttgtaga	ggccgtgggt	gatggtgctg	gccaggccca	1200
gcgggcagcc	cacaccgccc	agctgcacct	tggagtagat	gtagtagtag	ccagctttgg	1260
tgaccacaag	ggccccatcg	tggtagctga	ggccccctag	gaaggccagg	cccagctgag	1320
tcteccataa	cagcggcccc	ccgctgccgg	tcaagctgga	gltggcccct	gtgagatgcy	1380
ctgctgggtt	gacctcgtga	gaccttcgct	cttgatcag	ctgctcccag	gagcctgcag	1440
gtcctcagg	caggcgggtg	accatctctc	ctagacgcca	gtgcagctgc	aggaggaacc	1500
agccttgac	ggccagccca	gccccatca	gcaacagcaa	gagaccaga	cccaccggg	1560
gcctctgca	cgactgtctc	cggtggcttc	gtcccagcct	cgtgaatggg	atgtcgtct	1620
gtccatccac	cacaaacact	gagggcctga	cgacactctc	ctccatgcc	aaggtctctg	1680
gagcagggct	gacacgcctg	ggtccttcaa	cctc			1714

<210> 434
 <211> 478
 <212> DNA
 <213> Homo sapiens

<400> 434						
tttcgtcaga	gatagcagag	cgccgagttg	gggccacgaa	ggcgtgaggg	gagtcgtcgt	60
ccctcctgca	cgaaagcgtc	taagccttgg	cgacgcggcc	ctgggggacc	cacgtcaggc	120
ctgggatagg	gaccgctgtc	cccgggtccc	taccaatgtc	gcccgtcgtc	cccggcccag	180
ctctaccgcc	agagtctgat	ggcagcggcc	actctgagga	cgccaactca	ggtgagtgcg	240
gcgtcttccc	gtcctcacac	acctcccc	accacgcttc	taaagccatc	agtgaggggc	300
gectgtcga	gtccccgctg	cccaggtgct	gggacactga	ggcgttcgtg	ggtggggccc	360
tttttttgac	actgcgtgtg	acgaggtgtg	ggagagcgtg	acaggcggag	gaaccggcgc	420
gtgcaaaggt	tgaggcgcga	ctgagccagg	agaattcgga	aagctgtttt	ctgcaggc	478

<210> 435
 <211> 1893
 <212> DNA
 <213> Homo sapiens

<400> 435						
cagcagcgcg	caggtcctca	ccatagctct	ggtggccacc	tctgtcccgc	catgctgctc	60
accgacagtg	gccagggccc	acagcaccaa	gaggcttggg	ccacaaagta	aaggttgcgc	120
gagcctcgcc	ggccgcatg	tggagctgca	gctggttcaa	cggcacaggg	ctggtggagg	180
agctgcctgc	ctgccaggac	ctgcagctgg	ggctgtcact	gltgtcgtg	ctgggcctgg	240
tggtggcgct	gccagtgggc	ctgtgctaca	acgcctgct	ggtgctggcc	aacctacaca	300
gcaaggccag	catgacctg	ccggacgtgt	actttgtcaa	catggcagtg	gcaggcctgg	360
tgctcagcgc	cctggcccct	gtgcacctgc	tggcccccc	gagctcccgg	tgggcgctgt	420
ggagtgtggg	cggcgaagtc	cacgtggcac	tgcagatccc	cttcaatgtg	tcctcactgg	480

tggccatgta	ctccaccgcc	ctgctgagcc	tgcaccacta	catcgagcgt	gcactgccc	540
ggacctacat	ggccagcgtg	tacaacacgc	ggcacgtgtg	cggcttcgtg	tggggtggcg	600
cgctgctgac	cagcttctcc	tcgctgctct	tctacatctg	cagccatgtg	tcaccccgcg	660
cgctagagtg	cgccaagatg	cagaacgcag	aagctgccga	cgccacgctg	gtgttcacog	720
gctacgtggt	gccagcactg	gccaccctct	acgcgctggt	gctactctcc	cgcgcccgca	780
gggaggacac	gcccctggac	cgggacacgg	gcccggctgga	gccctcggca	cacaggctgc	840
tgggtggccac	cgtgtgcacg	cagtttgggc	tctggagcgc	acactatctg	atcctgctgg	900
ggcacacggg	catcatctcg	cgaggggaagc	ccgtggatgc	acactacctg	gggctactgc	960
actttgtgaa	ggatttctcc	aaactcctgg	ccttctccag	cagctttgtg	acaccacttc	1020
tctaccgcta	catgaaccag	agcttcccca	gcaagctcca	acggctgatg	aaaaagctgc	1080
cctgcccggga	ccggcactgc	tccccggacc	acatgggggt	gcagcagggtg	ctggcgtagg	1140
cgcccagcc	ctcctgggga	gaogtgactc	tgggtggacgc	agagcactta	gttaccctgg	1200
acgctcccca	catccttcca	gaaggagacg	agctgctgga	agagaagcag	gaggggtggt	1260
tttcttgaag	tttcttttt	cccacaaatg	ccactcttgg	gccaaaggctg	tggccccgt	1320
ggctggcatc	tggcttgagt	ctccccgagg	cctgtgcgctc	teccaaacac	gcagctcaag	1380
gtccacatcc	gcaaaagcct	cctogccttc	agcctcctca	gcattcagtt	tgtcaatgaa	1440
gtgatgaaag	cttagagcca	gtatttatac	tttgtggtta	aaatacttga	ttcccccttg	1500
tttgttttac	aaaaacagat	gtttcctaga	aaaatgacaa	atagtaaaat	gaacaaaacc	1560
ctacgaaaga	atggcaacag	ccaggggtggc	cgggccctgc	cagtgggcgg	cgtgtgctag	1620
caaggcctgc	cggggtgtgcc	gcagtcacca	caggggttctg	agaacatttc	acagaagtgc	1680
ctgagacgcg	gagacatggc	tgggtgttaaa	tggagctatt	caatagcagt	gacgcgctct	1740
cctcagccac	caaatgtccc	tgacaccctc	ccagccccc	acagataaca	tcagctgagg	1800
ttttttcag	tatgaacctg	tcttaaataca	attcctcaaa	gtgtgcacaa	aactaaagaa	1860
tataaataaa	ccaaagaaag	gtgaaaaaaa	aaa			1893

<210> 436
 <211> 1968
 <212> DNA
 <213> Homo sapiens

<400> 436						
ccttgcttgc	aggaagccat	gcagttagtt	tctgcagtta	gtcgtgtgag	gctaggtggt	60
tgggcaggcc	tcgggctgta	ggtgttgggt	gggaaaaaga	cccaagggcc	tgaagggag	120
ggaaagggga	gggtagcggg	agggtagcag	gtgagttcct	agggctggaa	ggtttaacag	180
cagcctgggt	cagtgccctg	tcatcaagac	aaaccacgg	tcctcctggg	tgccctaccaa	240
gcttggtttg	tacaaaagca	aggtgggagt	ctatttttgt	acatgagata	catcacactt	300
acctgtgggc	cagtattgtg	aagtgagtct	gagttgttta	cactgatgcc	ttccctgccc	360
accacaaatt	gtgtacatag	tcttcagatg	ataccacccc	tttcccagc	tcccaccaa	420
gagctggttc	taggectgtg	ttatatgtca	tatttagcgt	ttttatata	gacctttgat	480
ttctgttgtt	tgtattttag	cacagtgtat	gcaccttcat	ttaaatacat	ctgtgtgcat	540
acagatacgc	atatatgtgt	gtgcgtatgc	atatatctct	catctgtagt	ttccaagagt	600
tcagctgaag	cagatggagt	cctgcagccc	aggagacacc	ctgcatccct	gctaagtgtg	660
tttgccacaa	gtattagtga	gtcttccctta	ttaatatttt	catttcagaa	gactgaagca	720
aagctgatag	tgtttgctgt	ttctttggca	gctaagttag	ggtcttggga	tgacttgctg	780
gttctctcaa	gctgcacttt	ggggccatct	ctgcagtatt	agcccccttt	ttgcttgggtg	840
gtactctgtc	tgtgcctgtg	tgtgtgtgtg	atagtcactc	ttgcatggct	tccatgtctg	900
gtttgtggca	tttggggata	aggtgctgaa	gccagagcat	ttgcagtttg	ttttaggcct	960
cgttgccaat	gatagatcac	tctgttgac	ctggtatgtc	tgcttgcttg	ctgcttttcc	1020
ttgctttctc	ttggaagagg	aaaggactct	ggtcaggccc	aggctgagtg	agatgagctg	1080
cagctggctc	atggccttct	tagagcagag	agaggagtat	gtcattttac	taagttccta	1140
aacaaacatt	tatgcaggca	acactccttg	cagatccaga	aactgaggca	caatagggtt	1200
atgacttgct	caagaatatg	tagctgctag	ggggtaaatc	aaggcatcac	aatttctggt	1260
cagcgggca	gaataggctg	tgaattgcta	gcactttttt	tttttaagca	attacttttt	1320
gacttgttcc	tctgaaaggg	caagagcgtg	acacctttcc	caaatgtaaa	ctaaaactcg	1380
caggatgccca	cccactgtat	agttctgctt	tcccagagag	gaagaacttt	tagaaaccaa	1440
atgatcttaa	ttgttattgc	ccaccctcgg	cttttccggg	tagaaaattc	acagtaggaa	1500

tgattgttaa	gagagagtgc	ttggaacat	gggttaacag	gaaaggctac	ctaacttcac	1560
atatctgcaa	ccagagcagc	caccaagcat	tacttagcag	caggaaaatg	attgtatttg	1620
agttcctgtg	tgtccaaaac	tgaggacca	tgttctttga	aaacatgcc	cctcaaggct	1680
gggcgcggtg	gctcacacct	gtaatcccag	cactttggga	ggccgaggcg	ggcggatcac	1740
cggaggtcgg	gagtttgaga	ccagcctgac	caacatggag	aaaccccatc	tctactaaaa	1800
atacaaaatt	agccgggctg	ggtggcatgc	gcctataatc	tcagctactt	gggaggctga	1860
ggcaggagaa	ttgcttgaac	ccaggaggcg	gaggttgccg	tgagttgaga	tcgtgccatt	1920
gcactccggc	ctgggcaaca	acagcaaac	tccgtctcaa	aaaaaaaa		1968

<210> 437
 <211> 422
 <212> DNA
 <213> Homo sapiens

<400> 437						
ttttttttt	ttgaggcaga	gtctcactct	gtcaccagg	ctggagtgtg	gtggcgcaac	60
ctcagcctct	ccaagtgctg	ggattacagg	catgagccac	cactcccagc	caatagttaa	120
ttttctaaga	gcatgtatcc	ctatcagtaa	gtaacagga	tacatgaaga	tacttataaa	180
atacagaaaa	actgcccagc	aaatcagggc	cctaaacagt	tggtagattc	cataaattca	240
actggctacc	atgtatagcc	ctcactgtaa	ggtaggtggt	taggtttcta	gagagcatta	300
gtcttagaat	tatgaagagc	catattaacc	caaatgattt	ctaaatntag	atatatattt	360
tcctgctac	ataaaaactc	tgggtaataa	ctagaaatag	accacaatt	tagagacaat	420
gt						422

<210> 438
 <211> 1319
 <212> DNA
 <213> Homo sapiens

<400> 438						
aggcagcacg	cggaggagcg	cgccgcgctg	aacccaaga	cggggttgac	cctggagcgt	60
gtgggcoctg	aaagcagccc	ttacctcctg	cgccgccacc	agcggcaggg	ccaggagggc	120
gagcactacc	acagctgctg	gcagctggcc	ccgacgcgag	gcctggagga	gtctgccacg	180
gccccctgag	cttgccggtg	gccctcgggt	gggcgggggtg	gcgcccgggc	cactgaagca	240
ccgcgcatgg	agtggaaagt	gaaggtgcgc	agcgcagcaa	cccgtacgt	ggccaagcgg	300
cccgtagcag	atcggctgct	gaaagcccgt	gccctgaaga	tccgggagga	gcgcagcggg	360
atgacgaccg	acgacgacgc	ggtgagcgag	atgaagatgg	gccgctactg	gagcaaggag	420
gagcggaaagc	agcactgat	ccgggcccgt	gagcagcggg	agcggcgcga	gttcatgatg	480
cagagccggc	tggagtgcct	gcgggagcag	cagaatggcg	acagcaagcc	cgagctcaac	540
atcattgccc	tgagccaccg	caaaaccatg	aagaagcggg	acaagaagat	cctggacaac	600
tggatcacca	tccaggagat	gctggcccac	ggcgcgcgct	ccgccgatgg	caagcgggtc	660
tacaaccctc	ttctctcagt	caccaccgtg	tgagctgccc	ggcgggttac	acggcccagg	720
cccagggaac	cccctggggc	ccggcccctc	actctcctat	agagattgtg	tgtgtgtgtg	780
tgtgctgcg	cgctgtctcg	ctgtgcgcac	gcacacatct	cgctctgggtg	tgcgcacagg	840
gctttgttag	cagagagaag	ccoctgagga	gaagggacgc	ttttcttctc	tctgccaag	900
taaagtgacc	atgccagtgg	ccagcactgg	gggcacacct	gtgatgggca	ccccttcagc	960
tgtgctgtg	cattccccat	ccccatgct	cttgctgtgtg	cttgcacgtg	cacgcacaca	1020
cacaccagc	gctctctcca	cccgaccctg	gtacttgcag	acaggggaagc	tgagctgaaa	1080

ggagcacaag	agagtgtccg	gcttcgctgc	tgagcggcgc	ctctccccgc	cgctgcgcac	1140
tgcagttatt	tgtagacaaa	ggcaccacctg	atTTTTgtgg	TTTTTctccc	tttctgtgct	1200
tgccaatagt	tgTTTTgttt	tgtggacctg	cctggggggc	tggcagctcc	ttcaggcagc	1260
ctggcagaag	tggaactccc	ctctccactg	atggctggga	agggagtggg	ggaggaaga	1319

<210> 439
 <211> 1689
 <212> DNA
 <213> Homo sapiens

<400> 439

gagcgatcga	ggctgcagcg	cgcccgccgg	gcgcaacatg	actgccgtcg	gctgacaggc	60
ccagaggcct	ttggggccaaa	ggcagccccg	ccggctcctc	tttgaatcct	tcacccggac	120
cctcatcatc	acgtgtgtgg	ccctggctgt	ggctcctgtc	tcgggtctcca	tttgtgatgg	180
gcactggctc	ctggctgagg	accgcctcct	cgggctctgg	cacttctgca	ccaccaccaa	240
ccagagtgtg	ccgatctgct	tcagagacct	gggccaggcc	catgtgcccg	ggctggccgt	300
gggcatgggc	ctggtacgca	gcgtggggcg	cttgccctg	gtggccgcca	TTTTTggcct	360
ggagttcctc	atgggtgtcc	agttgtgcga	ggacaaacac	tcacagtgca	agtgggtcat	420
gggttccatc	ctcctcctgg	tgtctttcgt	cctctcctcc	ggcgggctcc	tgggttttgt	480
gatcctcctc	aggaaccaag	tcacactcat	cggttcacc	ctaatgtttt	ggtgcgaatt	540
cactgcctcc	ttcctcctct	tcctgaacgc	catcagcggc	cttcacatca	acagcatcac	600
ccatccctgg	gaatgaccgt	ggaaatttta	ggccccctcc	agggacatca	gattccacaa	660
gaaaatatgg	tcaaaatggg	acttttccag	catgtggcct	ctggtggggc	tgggttgac	720
aaggcccttg	aaacggctgc	ctgtttgccg	ataacttctg	ggtggtcagc	cagaaatggc	780
cggggggcct	ctgcacctgg	tctgcagggc	cagaggccag	gaggggtgct	cagtgccacc	840
aactgcacag	gcttagccag	atgttgattt	tagaggaaga	aaaaaacatt	ttaaaactcc	900
ttcttgaatt	ttcttccctg	gactggaata	cagttggaag	cacaggggta	actggtacct	960
gagctagctg	cacagccaag	gatagtctcat	gcctgtttca	ttgacacgtg	ctgggatagg	1020
ggctgcagaa	tccttggggc	tcccagggtt	gttaagaatg	gatcattcct	ccagctaagg	1080
gtccaatcag	tgcctattct	tcaccagct	caaagggcct	tcgtatgtat	gtccctggct	1140
tcagcttgg	tcactccaaa	gaggcagagt	tcaggatttc	ctcagaatgc	cctgcacaca	1200
gtaggtttcc	aaaccatttg	actcggtttg	cctccctgcc	cgttgtttaa	accttacaaa	1260
ccctggataa	ccccatcttc	tagcagctgg	ctgtcccctc	tgggagctct	gcctatcaga	1320
accctacctt	aagggtgggt	tccttccgag	aagagttcct	gagcaagctc	tcccaggagg	1380
gcccacctga	ctgctaatac	acagccctcc	ccaagggccc	tgtgtgcatg	tgtctgtctt	1440
ttgtgaggg	tagacagcct	cagggcacca	tttttaatec	cagaacacat	ttcaaagagc	1500
acgtatctag	acctgctgga	ctctgcaggg	ggtgaggggg	aacagcgaga	gcttgggtaa	1560
tgattaacac	ccatgctggg	gatgcatgga	ggtgaagggg	gccaggaacc	agtggagatt	1620
tccatccttg	ccagcacgtc	tgtacttctg	ttcattaaag	tgctcccttt	ctagtcctta	1680
aaaaaaaaa						1689

<210> 440
 <211> 1574
 <212> DNA
 <213> Homo sapiens

<400> 440
 ccagatcctg cccaacctct atctgggcag tgccccggat tccgccaatt tggagagcct 60

```

ggc aaaactg ggc atccgct acatcctcaa tgtcaccccc aacctcccaa acttcttcga 120
gaagaatggt gactttcact acaagcagat ccccatctcc gacctctgga gccagaacct 180
gtcgcggttc tttccggagg ccattgagtt cattgatgag gccttgtccc agaactgcgg 240
ggtgctcgtc cactgcttgg cgggggctcag cegtctctgt accgtcactg tggcctacct 300
catgcagaag ctccacctct ctctcaacga tgcctatgac ctggtaaga ggaagaagtc 360
taacatctcc cccaacttca acttcatggg gcagttgctg gactttgagc gcagcttgcg 420
gctggaggag gcaccactgc aggagcaggg cagtgggggg caggcatctg cggcctccaa 480
cccgccctcc ttcttcacca cccccaccag tgatggcgcc ttcgagctgg cccccacct 540
gggcccgtg gcgggcaggc cggcccctgc cccacccca cccacgggtg tccctgccc 600
ctcgtgtggc aagggagggg agggcaggag ggctcggcct gagcagggtg ctggggggag 660
agcgcaatac ctcacgeggg ctgcccgtct aatcaacgtg cctatggcgg gaccacgtc 720
ggagcctgcc tcttctgcga ctgttacttt ttctttgagg gatgggggtg ggggttccct 780
ctccagggtg ttgtccaggc ccaggctccg gcctgggtg ctccagccagc tcggctaggc 840
cctgcgcctc cctgcgcctc ccccttcagg aaggtgtgtg gccacctcgt tgcactggat 900
cccagtggtc gcttggggga gaggcgtttg ccatcactgg tgttgtcacc tccctgttc 960
tccaccaagg gcttgggcct ctcggggctg gggcctccca ggggatgggg acccagaggt 1020
gcagtgccg cccacatcca tggcctagga gctactgggc aggttcccgg ccacacatct 1080
ggtgggctgt tttgtttttt ttttttctc tcccccaaa tgtcttgacg ggatcactgg 1140
ggctctttgt gagggagggg ggc aaaaacta ccgccggagg aatgggggtc tcagagcgag 1200
agctgcggag ggggaggggg aaaaaaggc ctacttttg ctgcctgagg ggccccacac 1260
agccgctgct actttggggg gtgggggaag gggccaaagc tgaagacaca cacagtcatt 1320
catttctgtc caacacccct gtgggtggcg ggtgtgccgt gtgtgtgctt gtgtgtgcgc 1380
acgtgtcggc gctcacacac acatgctagc cactgatgc accagccca gggctggcag 1440
tctttgcagc gtggggccgt ctcacccctgg agcctggaga ggatctatgc ttgtttgttt 1500
ttgtaatcca tatcatagtt gctttcttta attgttctt ctgaataaac agtttattta 1560
agataaaaa aaaa 1574
    
```

- <210> 441
- <211> 1102
- <212> DNA
- <213> Homo sapiens

```

<400> 441
ttttttttta aaaaaaatt aagctcttta attatgtgca cacagatttt agaaaaggta 60
gccttttgta tatagatacc tttacattct ttaggctgac ttttaaattg tcatcttttt 120
tcaactacag tttttgtata tagtaaacca gaagatgtgt atggaccctg ttatggccaa 180
gcatctcaaa gatgaagaga gaattaatga tagttatatt tcaactcaaaa tgccaaaaaa 240
aaaaattcaa caaagtaaaa attttaaaac ttgactctaa ctagttoctt tttgttttac 300
attctcaaac cattgtcaaa tattctaaat atctctgaga atttctcttt taatgcttca 360
cttgataaat cttaaaatcc tgacagtcac acaatacagc atgtagtagg taccttttct 420
tgaggccatc tcaagtgttt tggcaaacag taaaaagtat ctaaatgcca caggttaaaa 480
tgtcaagttt tactgagtca ccaacttcac ctcttttgat ctgcctgttc tccaagaaca 540
tcattctccg gaagatccaa gttcctctag ttgttttctt tgtgtgtgtt ccagttcttc 600
tagtcttttg cgaagtagag agagttccct ttgatgttgt tcctcctgca tatgaggagg 660
aaatggtagt tccatgcttg gaacccatgg ctgatgactg aaagctaaca ggattgatag 720
atgtctttgg aggcattgta ggaaccaaaa tttagctctg aaatcatta tgtctctct 780
gtatatcttt tagtcttttt tgaagccttg tatagtcttc aaaaggaaca ttttgtctat 840
ttaagacctg attttctggt tccaattctt ctttctttgc ctccaagact tctactttct 900
cttgtagtct tttcaatttg ttttcatgaa gagattttct ctaaaagag aaatatgaac 960
aagtatgtta atacataatc tcttatttga acaaaactat atagaaaata ttttactcac 1020
caaaaactgt gtttagatat gaatgttttc agtgaatact agaaacaaag gtttagtagac 1080
atggctctta ctgaaaattg ca 1102
    
```

<210> 442
 <211> 1049
 <212> DNA
 <213> Homo sapiens

<400> 442
 ggaaggcctg gtgcaggagc ctctgagctc tttccttctg tgaccacgga cctgtcagtt 60
 tccaaacaaa acgcgtgcct cacttggtgtg gattttgtca ctgtgcatgt atgtatgggt 120
 ttctggggca ttggctcctgg tgctctctcc acatcctgca tcccgtaacc tctgtctcat 180
 ggcccaggca gtgtgaaggc ggagatgctg cacatgtaca gccagaagga cccgctcatc 240
 ctctgtgtgc gcctggccgt gctgctcgcg gtgaccctca ctgtgccagt cgtgctgttc 300
 cctatccgcc gggccctgca gcagctgctt tcccaggca aggcctcag ctggccacga 360
 catgtggcca tagctctgat cctgcttgtt ttggccaatg tccttgtcat ctgtgtgcca 420
 accatccggg atatctttgg agttatcggg tccacctcag cccccagcct catcttcac 480
 ctccccagca tcttctacct ccgcattgta cctctgagg tggagccttt cttatcctgg 540
 cccaagatcc aggccctgtg ctttggagtc ctgggagtcc tcttcatggc cgtcagtcta 600
 ggctttatgt ttgccaaactg ggccacaggc cagagccgca tgtctggaca ctgatcaggc 660
 cctgctggcc caggtccctg tgcgcatgca catggagggg tcagggccgc tccctagggt 720
 ccctcctgcc caacatgtgg aggtggctgg tcccatagaa cgtggttgtc agaggcgggg 780
 gacagcagag gctgcagact ggcccacttc ctcctcccc aggatgcca agcttgatc 840
 atggccctaa tcccaacccc aaccccatgg gaggaggagg aggaggaaga agaggaggag 900
 gaggaggagg aggaggagga ggaggaggag gccaggctct ggtggagcct ttgcccagcc 960
 cagtcctctc tgctcctcc tggctgaagc tgtttgtcca ggattaccct cggggctaaa 1020
 gaggaaaaat aaagatggtg agctaccaa 1049

<210> 443
 <211> 458
 <212> DNA
 <213> Homo sapiens

<400> 443
 gaattcatga cttaacgtca gttagtattg cttaatggaa tcgacataca tattgttata 60
 ccgtgaatca ttttcagtca agaccacatt tctcagagtt tgccaaaaca aaccttctgc 120
 cttcgggttg tcaggccact ggaggatgga gctcttacag atccgctgcc gtagcctcaa 180
 atactgagaa tgctgtaaca ctggctccag caggataaat ataatcacat ccatgttctc 240
 atccattagc ctctgcaaag ccaagtaaaa agctgtttta aagttccagc tttttgcata 300
 ttttttgggt aaaacaaata ctgttttctt gctttgggtg atgctctgca tgaggttgtc 360
 gatgatggcc aatcccggt cccaatccct ctctctaga caaaggagaa cgtttttgtc 420
 tcggctctct tcaaggtggt agcgcagctc atttatca 458

<210> 444
 <211> 1681
 <212> DNA
 <213> Homo sapiens

<400> 444
 tttttttttt ttgggctaga ggtttgggct ttaatggcag ctggggtaaa aggaaacaaa 60
 aacagtaatt ctgaagagca cagggaacag gcagccagga ccagcctggc ccattccagg 120
 ccagctgagc tgaaatgctg attctgtcca gggggctgct gtatgtgtag actggtggca 180
 gtcttgggga ctgaggcctc ttggagagaa ggggaagactg tcggctcaga agtccatgga 240
 gctgtgggcc aggtagtctt tgcgaccgat gttgtgacc tgcttggctc gcatagcctc 300
 gagtttgggg cagtcagtga tccgatgacc caggcccccc cagaaggcac agccgcgctc 360
 tcctccaatg tccagcatgg actcatcccc gcaatgcagc acctgcagca cgggcggcac 420
 cttctgcttg gottctagca gcagcgcttt gaggtccatc agcactgact catcacacgc 480
 tttgttgatg aaggtagtgg cgatgcctgt gtttcccgag cgcccgggtg ggccaatccg 540
 gtgtacatag ttctcaatct cctctggcat gtcataattg atgacgtgct ggatggcagg 600
 gaagtccagg cccttggagg caacgtctgt ggctactagg acatccttct tgcctccccg 660
 gaatgcctcg atggccttag tccgttctct ctggctcttg ccccatgga tggctacggc 720
 ctcaaccccc ttgagcagca ggtactcgtg gatggcgtcc acgtctgctt tcttctctgc 780
 aaagatgagt acaggcgggg gtgtcttctg caggcactcg agcaggta caatcttggc 840
 ctctctcttc acatattcta cctcctggat gacatccagg ctggcagccc cagcgcgccc 900
 cacattgatg gtcacaggct ttacaagggc actcttagca aagtctgaa tcttctctgg 960
 catggtggca ctgaagagca gggctctgctg ctggcccttg aagtaggaga agatggtacg 1020
 gatgtcacc tcgaagccca tgtogatcat gcggtcagcc tcgtccaggg ccaggtagcg 1080
 acagatgtct aggctgacca tcttcttctg cagcaaatcc atgaggcgcc ccgggggtggc 1140
 caccatcatg tgtacaccgt gtccgatggg ctccatctgc tctttcacgg acatgcccc 1200
 aatgcagagg gcgcagcgca ggagtgggta gctgtcctcc tgcagcaggg gcagtagta 1260
 ctccaggatg ccattgggtct gccgggccag ctcccgcgag gggcagatga tgatccata 1320
 gggccctcg cgctttgaga agggtaacct cttctcttgt tccaggcaga acatgatgac 1380
 gggcaacgtg aacaccagtg tcttgcttga acccgtgaaa gcgatgccta tcatgtcacg 1440
 gccagataga atgggtggga tgccctggat ctgaatgggt gttgggtggg gaatgccttt 1500
 cttcttcagg cctctcagga tggctgcagg aaacttcatt tccttgaagc tcttgatggg 1560
 tgggtgggata ccgtctccct ccaccaggat gtggatttct ttccgcacgc gctcatgtcg 1620
 ctcttcagac atgtctcagaa cataacgggg tggagtccag ctggttttga tggggtcatc 1681
 a

<210> 445
 <211> 621
 <212> DNA
 <213> Homo sapiens

<400> 445
 atcgagacca cccagcccag tgaggacacg aatgccaaca gtcaggacaa cagcatgcaa 60
 octgagacaa gcagccagca gcagctcctg agccccacgc tgtcggatcg aggaggaagt 120
 cggcaagatg cagccgacgc agggaaaccc cagaggaaat ttgggcagtg gcgtctgccc 180
 tcagcccaaa aaccaataag ccattcagtg tcctcagtea acttacggtt tggaggaagg 240
 acaaccatga aatctgtcgt gtgcaaaatg aaccccatga ctgacgcggc ttctctcggt 300
 tctgaagtta agaagtggtg gaccggcgag ctgactgtgg agagcgacga aagtggggat 360
 gaccttctgg atatttaggt ggatgtcaat ttagatgaat ttctagtggg ggaaccggt 420
 ttctaataat gtccttgatt gtccagttag caatctgtaa ttgatctata actgaattcc 480
 agcttgtcac aagatgttta taaattgatt ttcatcctgc cacagaaagg cataagctgc 540
 atgtatgatg ggttactatc aatcattgct caaaaaaatt tttgtataat gacagtactg 600
 ataatttag aatgatacc g

<210> 446

<211> 468
 <212> DNA
 <213> Homo sapiens

<400> 446
 taacgatcgc ttctctgctt gctacttcac cttgaaactc aaggaagcag ctgtagaca 60
 gcgtgaagcc otaaagaagc ttaccaagaa tatagccact gactcatata tcagtgttaa 120
 cttgagagat gtctatgccc ggagtatcat ggagatgctg cgactgaaag gcagagaaag 180
 agcaagtact aggagcagcg ggggagatga tttctggttt tgaattaatt ttcaatttat 240
 ttacaaaagc tatgtacaat taactaaaat gataaagcag tgatgtggat ttctgtattc 300
 tgatgatgag tctcttcaga gtactgctca tcttaattaa tttttgctga tatattgctt 360
 catctactag aatatttcac atcacctata acaactgcac agtgttctga cacatttgag 420
 tgtccaaaat agccaattaa cacaaccaa tacaactggg catgtatt 468

<210> 447
 <211> 1030
 <212> DNA
 <213> Homo sapiens

<400> 447
 ctttactgtc ttcattctgg gaataactat tcgaccactg gtggagtttc ttgatgtcaa 60
 gaggtccaat aagaaacaac aagctgtcag tgaagaaatc tattgtcggg tgtttgatca 120
 tgtgaagact ggaattgaag atgtttgtgg acattggggg cacaactttt ggagagacaa 180
 gtttaagaag tttgatgata aatatctgcg gaagcttttg attcgggaaa accaaccaaa 240
 gtcaagtatt gtatctttat ataaaaagct tgaataaaaa catgccattg agatggcaga 300
 gactgggatg ataagtactg tccctacatt tgcatctcta aatgattgtc gtgaagaaaa 360
 aataaggaag gtcacgtcca gtgaaactga tgaattcga gaactcttat caagaaatct 420
 ctatcaaatc cgtcagcga ttttatccta caacagacac agtctgacag ccgacacaag 480
 tgagagacaa gcccaaggaga ttctgattcg ccggcgacac agtttgcgag aaagcattag 540
 gaaggacagc agcttgaatc gagaacacag ggcttccact tcaacctccc gatatttatc 600
 cttacctaaa aatacgaagc ttccagaaaa gctacaaaag aggaggacta tttctattgc 660
 agatggcaat agcagcgact cagacgcaga tgccgggacc accgtgctca atttgcagcc 720
 cagagccagg cgcttcttgc cagaacagtt ctccaagaaa tccccccagt cctataaaaat 780
 ggaatggaag aatgaggtag atgttgattc tggccgagat atgcccagca ccccccaac 840
 accccacagc agagaaaagg gcaccagac gtcaggctta ctacagcagc cccttctctc 900
 taaagaccag tctggctcag agaggggaaga cagtttgact gaaggcatcc cgcccaagcc 960
 gccaccacgg ctggctctgga gggcatcgga acctggaagc cggaaagccc gatttgggag 1020
 tgagaagcct 1030

<210> 448
 <211> 1936
 <212> DNA
 <213> Homo sapiens

<400> 448
 ggcacgagga ggcctcgggg ctgtccgtgt ggatggggaa gcagatggag cccttgacg 60
 cagtgcctccc ggcagccatc accttgatct tgtccttgct cgttgccgtg ttcactgagt 120
 gcacaagcaa cgtggccacc accaccttgt tcctgcccac ctttgccctc atgtctcgct 180
 ccatcggcct caatccgctg tacatcatgc tgccctgtac cctgagtgcc tcctttgctc 240
 tcatgttgcc tgtggccacc cctccaaatg ccatcgtgtt cacctatggg cacctcaagg 300
 ttgctgacat ggtgaaaaca ggagtcatat tgaacataat tggagtcttc tgtgtgtttt 360
 tggctgtcaa cacctgggga cgggccatat ttgacttggg tcatttccct gactgggcta 420
 atgtgacaca tattgagact taggaagagc cacaagacca cacacacagc ccttaccctc 480
 ctcaggacta ccgaaccttc tggcacacct tgtacagagt tttgggggtc acacccaaa 540
 atgacccaac gatgtccaca caccacaaa acccagccaa tgggccacct cttcctccaa 600
 gccagatgc agagatggtc atgggcagct ggagggtagg ctcagaaatg aagggaaacc 660
 ctcagtgggc tgetggacc atctttccca agccttgcca ttatctctgt gagggaggcc 720
 aggtagccga gggatcagga tgcaggctgc tgtaccgct ctgcctcaag catccccac 780
 acagggctct ggttttctact cgcttcgtcc tagatagttt aaatgggaat cagatccct 840
 ggttgagagc taagacaacc acctaccagt gcccatgtcc cttccagctc accttgagca 900
 gcctcagatc atctctgtca ctctggaagg gacaccccag ccagggacgg aatgcctggt 960
 cttgagcaac ctcccactgc tggagtgcga gtgggaaatca gagcctcctg aagcctctgg 1020
 gaactcctcc tgtggccacc accaaaggat gaggaatctg agttgccaac ttcaggacga 1080
 cacctggctt gccaccaca gtgcaccaca ggccaacctc cgccttcat cacttggttc 1140
 tgttttaatc gactggcccc ctgtcccacc tctccagtga gcctcctca actcctggt 1200
 cccctgttgt ctgggtcaac atttgcccag acgccttggc tggcaccctc tggggtcccc 1260
 cttttctccc aggcagggtca tcttttctgg gagatgcttc cctgccatc cccaaatagc 1320
 taggatcaca ctccaagat gggcagtgat ggcgctctgg ggaccacagt gggctatcta 1380
 ggtcctccct cacctgaggc ccagagtggg cacagctgtt aatttccact ggctatgcca 1440
 cttcagagtc tttcatgccg gcgtttgagc tctctgggt aaaatcttcc ctttgttgac 1500
 tggccttcac agccatggct ggtgacaaca gaggatcgtt gagattgagc agcgttgg 1560
 gatctctcag caaacaacct ctgcccgtgg gccaatctac ttgaagttac tcggacaaag 1620
 accccaaagt ggggcaacaa ctccagagag gctgtgggaa tcttcagaac ccccctgtaa 1680
 gagacagaca tgagagacaa gcatcttctt tccccgcaa gtccatttta tttccttct 1740
 gtgctgctct ggaagacagg cagtagcaaa gagatgagc cctggatggc attttccagg 1800
 gcaggagaaa gtatgagagc ctcaggaaac cccatcaagg accgagtatg tgtctggttc 1860
 cttgggtggg acgattcctg accacactgt ccagctcttg ctctcattaa atgctctgtc 1920
 tcccgcggaa agctcc 1936

<210> 449
 <211> 354
 <212> DNA
 <213> Homo sapiens

<400> 449
 ggcacgagct ggaaaacaat tggcttcaac atgagaaagc tcctacagaa gaagggaaaa 60
 aagagctgct ggccctaagt aacgcgaacc cctcgctgct ggagcggcac tgtgcctacc 120
 tctaagccaa gatcactgaa tgagcggagc actgaggaca tatgctttaa gctcgaccca 180
 ttccatagc gacgctcatc actctgcttg catgctcttc aaccctcagc tgtcggctct 240
 cgagctacc cctcaatgac atgcccctc ctccatcaagg gccttctctc gccctgctc 300
 agtactccgc gttaggagac ctctgtactt agcggcccgc tccagagtac cgcc 354

<210> 450
 <211> 1073
 <212> DNA
 <213> Homo sapiens

<400> 450
 ggaaacatca tctacatgta catgcagcca ggagccaggt cttcccagga ccagggcaag 60
 ttctcaccgc tcttctacaa cattgtcacc cccctcctca atcctctcat ctacaccctc 120
 agaaacagag aggtgaaggg ggcaactggga aggttgcttc tggggaagag agagctagga 180
 aaggagtaaa ggcatctcca cctgacttca cctccatcca gggccactgg cagcatctgg 240
 aacggctgaa ttccagctga tattagccca cgactcccaa cttgcctttt tctggacttt 300
 tgtgaggctg tttcagttct gacattatgt gttttgttg ttgctcttaa aattgagacg 360
 gggctcact ctgtcaccta ggtggagtg cagtgggccc accatagctc cttcgactat 420
 tgggcttaag cgatcctccc ccacctcagc cttccaagta actgggacta caggtgtgca 480
 tcactggcag tgggaattgt ggcttttctg tcttctatgg agacggggtc ttgctgtgt 540
 tgccccaggc tggtoceaaa cccctggcc tcatgtgac ctcctgcat ggccctctaa 600
 agttctggga ttacaagtgt gactcactgt gactggccaa cattatgtga tttatgttg 660
 aacctatata acacaaatca tccccaaaa ccccatcctg gatctgtaaa gcagctgcca 720
 aagaatgaag tgagagaaac agttgtaaag atgagttcc caccctactt ataccagag 780
 tgccaaagag gaaatcaact cttcctcaat cagagctttg cctttgtttg ttgttgtttg 840
 cctttaaagt ctaacacacc tgacatgttt cagtcaaat gaccccaaat gcacactgt 900
 tctccacgtg gtcccaagtg cctctctgtt tagggccatc aatcatgga atgcagcaca 960
 gtttgatatt ttctatattc ccaattccta cccaaacctt ttcataaat cgtagagttt 1020
 gttttacctt ttatctgggtg taagattctg cataaaccaa gaagtgaacc tgt 1073

<210> 451
 <211> 2674
 <212> DNA
 <213> Homo sapiens

<400> 451
 ggcattgac ccctagaaca ggcctcgaat tgcccgctcg acccacgcgt gcgaaccac 60
 acaatggcca gcgataccag cagcctgggtg cagtcccata cttacaagaa gcgagagccg 120
 gccgacgtgc cctatcagac tgggcagctc caccocgcca tccgggtggc agacctcctt 180
 cagcacatca cacagatgaa gtgtgctggg ggtacggct tcaaggagga atacgagagc 240
 ttctttgaag ggcagtctgc accatgggac tccgctaaga aagatgagaa cagaatgaag 300
 aacagatacg ggaatatcat tgcatacagc cattcccag tgaggctgca gacaatagaa 360
 ggagacacaa actcagacta tatcaatggc aattatatcg atggttatca tgcaccaat 420
 cattacattg ctacccaagg gccaatgcag gaaaccatct atgacttctg gaggatgggtg 480
 tggcacgaaa acactgcaag tatcatcatg gtgaccaatc ttgtggaagt ggggaagggtc 540
 aatgctgca aatactggcc agatgacaca gagatatata aagacattaa agttacccta 600
 atagaacag aactactggc agaatatgtg ataagaacat ttgctgttga aaagagaggt 660
 gtgcatgaaa tccgagagat cagacagttt cacttcaact gctggcggga tcatgggggtc 720
 ccctaccatg ccaccggcct gctgggattc gtgcccgaag tcaagtcca gagcccggcc 780
 agtgcaggcc cactgggtgt gcactgcagt gctgggtcag ggaggactgg ctgtttcatc 840
 gtcattgata tcatgttggc catggccgaa aggggaaggg tctgtagacat ctacaactgc 900
 gtcagggagc tgcggtcacg gaggtgaaac atggtgcaaa cagaggagca gtatgtgttt 960
 atccacgatg cgatcctgga agcctgtctt tgtggggaca cctctgtgcc tgcttcccaa 1020
 gttaggtctc tgtattatga catgaacaaa ctggatccac agacaaactc aagccagatt 1080
 aaagaggaat tccggacgct aaacatgggtg acaccaacgc tgcgagtaga ggactgcagc 1140
 atcgcactgt tgccccggaa ccatgagaaa aaccgggtgca tggacatcct gccccagac 1200
 cgctgcctgc ccttctcat caccatcgat ggggagagca gcaactacat caatgtgcc 1260
 ctcatggaga gctataaaca gccttcagct tttatagtca ccagcatcc tttgccaac 1320
 acagtgaag acttttggag actggtcctg gattatcact gcacatccgt agttatgcta 1380
 aatgatgtgg atcctgcccc gttgtgtcca cagtactggc cagaaaacgg agtacacaga 1440
 cacggcccca tccaggtgga atttgtctct gctgacctgg aagaggacat catcagcagg 1500

atattccgca	tttacaatgc	cgccagacc	caagatggat	atcggatggt	gcagcaattc	1560
cagttcctgg	gctggcggat	gtacagggac	acaccagtgt	ctaagcgctc	cttcttgaag	1620
ctcattcgcc	aggtaggaca	gtggcaagag	gaatacaatg	gcggggaagg	ccgcaccggt	1680
gtgactgct	tgaacggggg	aggccgcagt	gggacgttct	gcgccatcag	catcgtatgt	1740
gagatgctcc	ggcaccagag	aaccgtggat	gtctttcacg	ctgtgaagac	actgaggaac	1800
aacaagccca	acatggtcga	cctcctggat	cagtacaagt	tctgctacga	ggtggccctg	1860
gaatacttga	attctggctg	atgggtgtaa	cagctctgca	aacaatccct	ttcataccac	1920
aaagccaaga	cgttccatgg	tatttgtagc	aaagagatga	agacttctca	atatgcttat	1980
tttgctttgc	ataattggct	ctttttaaga	gcccaagaaa	gtgtttctaa	aattgcttgc	2040
actgcccatt	cccagtaatg	ctgctgcctg	acagaaacac	acacacagcc	acagttgcca	2100
aatccogtac	tccttgccac	cggcttctca	gagcagcgta	gacagctggt	aaactgaaga	2160
gcacaactat	attcttatga	aggaatttgt	acctttgggg	tattattttg	tggcccctga	2220
cctcgttat	tgttacagct	gagtgtatgt	ttttgttctg	tggagaatgc	tatctggcat	2280
tatggtaata	tattatthta	ggtaatatth	gtactthaac	atgthgcata	atatatgctt	2340
atgtagctth	ccaggactaa	cagataaatg	tgtaatgaac	aaagatatgt	tgtatgagtc	2400
gtcgtthctg	tcactthtgt	attgthtcca	agggaaaagc	ttgggggagg	actcagthca	2460
caaatgcaa	aactcaacga	tcagattcac	ggaccagag	ctthtccatg	tgthtatatt	2520
gtaaatatth	ttgattthcat	cgaaattatt	tattcathaa	aagaaattht	tgtgaagcac	2580
agtgagtgac	aatcaththt	cthaaggcct	ggaaacgatt	thctgtatga	tgthactthta	2640
tgtgaattct	catctcaata	aatgatgacc	cgtg			2674

<210> 452
 <211> 601
 <212> DNA
 <213> Homo sapiens

<400> 452						
tttttttttt	tttcagcggg	aaaaatgtgg	atttaatgga	atgaaggatg	aaagggcccg	60
aagccagcaa	gtctcgcccc	acctaccagc	ccccaccag	cttcccaagg	gtctcagagg	120
gacactcttg	gcactggcct	ttcacatctg	ttcaacaacc	cctgagctga	aaagttgcag	180
tgggaggcct	ccagctcagc	aggtaggactc	caaaaataccc	ctcttgtctt	atccactcca	240
ggtcgggggc	aggggaagcac	atggggctgc	ttctgccacg	ttccctccac	agccatcccc	300
aaggccaggc	acacaggcac	catccaaggg	cctgccccct	agcagtgaga	ctctagctct	360
gtgagctctga	gcagtgaggt	cctggggggtg	gcgggagccg	agggtcctgc	tgggttccgc	420
tggggcaggt	cctcggctgg	gcacatgagc	tgacggattc	tctctctgaa	ggggcccttg	480
agggttccga	gtctgtagag	gctccaggca	ggaatgcaga	ccatggagga	cagagccagg	540
agccagccca	gggcatcgcc	ccaccacggg	tacgtgtact	tcttgttgta	ggtcagcgga	600
g						601

<210> 453
 <211> 474
 <212> DNA
 <213> Homo sapiens

<400> 453						
cgaccacgc	gtgcgggatc	ctatcgaaaa	ggattggtgc	gactggggcca	tgattagcag	60
gtaggggcag	tgatggaggg	tggctcagcc	cagggggtgg	acctgctcat	tgcaggtaga	120
ccctgagtg	gagtggggca	ctcttctccc	tgggtccacc	ccctctctca	ctcaagtctt	180

cttctgcccc	taggccttat	agcacccctgc	gagattgcoct	ggagcacttt	gcagagttgt	240
ttgacctggg	cttccccaat	cccttggcag	agaggatcat	ctttgagact	caccagatcc	300
actttgccaa	ctgctccctg	gggcagccca	ccttctctga	ccccccagag	gatgtactcc	360
tggccatgat	catagcccc	atctgcoctca	tcccccttct	catcactctt	gtagtatgga	420
ggagtaaaga	cagtgaggcc	caggcctaag	gggccacgag	cttctcacia	ccat	474

<210> 454
 <211> 1838
 <212> DNA
 <213> Homo sapiens

<400> 454						
tttttttttt	ttatatntaa	aaattaatnt	aatgcttggc	taaatcttaa	ttacatatat	60
aattatcaaa	cgatagtcct	taatttccaa	aaaaattcct	cttttgaaaa	tccagaatca	120
gaaagcataa	actttttaac	caagttcccc	tgaatattta	caatgtggta	taaacattat	180
agaagaccat	ggatattaaa	ttgcctgggg	tgtggcta	cagcaaggcg	tattctttat	240
tgcataatnta	actcacatat	gtgggattnt	aaatatgaca	gactactaaa	attcaaatgc	300
atgtatctgc	aagctgggca	gggagtaaaa	tcatgaatga	gacaggacgg	tcagcccaaa	360
accatgcaat	taggttgtgg	gtttattatt	ttcaaaagtg	aaatttctat	gttccatttg	420
aaactatgnt	gcatattcat	ttagcattca	cattaaacc	acatttgact	ctaacgctga	480
ttcaaggaag	aaagttcaac	attcactcaa	tgactaagtc	cacaactcaa	ctctcaatgt	540
taaggcagca	cagctacagt	gatagcaacg	ctaaccaaaa	ggtaatgaac	atthagtcac	600
ttggcagccc	ttttgttaca	acagtgtagt	aatttcccta	agacaatttg	ctaccggata	660
atnttctgct	gttaaaaggc	ttcctgtgtg	gaaaaacacc	acaatttcc	agtgtgaaag	720
taagtccatg	gtggtataaa	tatatatatg	cataattaca	caatttacac	tgcacacatc	780
gtttacaggg	gacaattaac	tgagagggnt	aatttaaatg	accatacaaa	atacttcagt	840
aaacaaagta	tgacaggcag	taaagaaaac	attcatagac	tcctagaaat	aatctgaatt	900
cctttcattc	tgaagaaata	tcatttaagg	acacagtatt	gaatataatg	ttttttgtat	960
taaaacaaga	attgctatnt	tacagnttaa	gaaactttac	atatatacaa	aatttacaca	1020
ttgggaatgg	taatcaagca	aataggntnt	tcagtctcat	agatctatnt	tccttcgatc	1080
aaagactnta	attctttcac	attgtggntca	cttgcaacag	acatagcatg	atccaaagct	1140
cgaacacttg	caaggagntt	tactatctgt	tttatgntnt	cccttgcat	tcttttttcc	1200
acatcagaac	acccgatact	atntctataa	attgtatccg	ctaagtgtac	aaggatccgg	1260
caaaagntnt	ctaactgaga	aatagntcct	tctcctttca	gattcatgaa	ccattgnttg	1320
gggaaacaat	tgattacatt	ttgggctntt	ttgatgctgt	catctccata	ttctgaaatc	1380
tgaaaagcca	tgagaatata	tcgattnta	aaaccatcta	ttgataactc	ttgcagagnt	1440
ttatnttgaga	aaatgccata	ccactgaaga	aaattgccta	acagcttaac	tgaagacca	1500
aactgctgnt	gaaaaaacia	gtaaggccca	gaatntntat	tttctaagac	atntttggga	1560
tataaggcca	taaatacatc	atcatctaaa	gttctctca	ttctcaataa	aagntcctnt	1620
aggntacact	gtgntatntt	atnttctgca	ttcactactg	aaggatatac	atntgatta	1680
tttagntgtaa	ttcccaccat	tcttgaagntc	tgtgntgtag	aaaaaggntc	ccacataatnt	1740
tcagctatca	ctgnttagntt	aggaagaatc	acctnttcca	caatgnttag	tagtagggca	1800
acatctacat	catctnttct	ttgctctcgt	tcttcaca			1838

<210> 455
 <211> 1790
 <212> DNA
 <213> Homo sapiens

```

<400> 455
tgatccgac ttcactccg tccactgtggc tgaetgcatt gtcacattca cttggcggag      60
gccaatcttc tacaggtgct ttcaggatca ggtcactgcg atggtctcta aacaccattc      120
tgctttctct gctctcttgt ctttaggagc cgggtgtggg ctgagccctg cctgattgat      180
gctgccaaag aggagtacaa cggggtgata gaagaatttt tggcaacagg agagaagcct      240
tttggacctt atgtttgggg aaggtatgac ttgctcttca tgccaccgtc ctttccattt      300
ggaggaatgg agaacccttg tctgacctt gtcacccctt gcctgctagc tggggaccgc      360
tccttggcag atgtcatcat ccatgagatc tcccacagtt ggtttgggaa cctggtcacc      420
aacgccaact ggggtgaatt ctggctcaat gaaggtttca ccatgtacgc ccagaggagg      480
atctccacca tctcttttgg cgctgcgtac acctgcttgg aggctgcaac ggggcgggct      540
ctgctgcgct aacacatgga catcactgga gagaaaacc cactcaacaa gctccgcgtg      600
aagattgaac caggcgttga cccggacgac acctataatg agaccccta cgagaaagg      660
ttctgctttg tctcatacct ggcccacttg gtgggtgatc aggatcagtt tgacagtttt      720
ctcaaggcct atgtgcatga attcaaattc cgaagcatct tagccgatga ctttctggac      780
ttctacttgg aatatttccc tgagcttaag aaaaagagag tggatatcat tccaggtttt      840
gagtttgatc gatggctgaa tacccccggc tggccccgtt acctccctga tctctcccct      900
ggggactcac tcatgaagcc tgctgaagag ctageccaac tgtgggcagc cgaggagctg      960
gacatgaagg ccattgaagc cgtggccatc tctccctgga agacctacca gctggctctac     1020
ttcctggata agatcctcca gaaatcccct ctccctcctg ggaatgtgaa aaaacttgg      1080
gacacatacc caagtatctc aaatgcccgg aatgcagagc tccggctgcg atggggccaa     1140
atcgtcctta agaacgacca ccaggaagat ttctggaaag tgaaggagtt cctgcataac     1200
caggggaagc agaagtatac acttccgctg taccacgcaa tgatgggtgg cagtgaggtg     1260
gcccagacc  tcgccaagga gacttttgca tccaccgctt cccagctcca cagcaatggt     1320
gtcaactatg tccagcagat cgtggcacc aagggcagtt agaggctcgt gtgcatggcc     1380
cctgcctctt caggctctcc aggctttcag aataattggt tgttcccaa ttctgttcc     1440
ctgatcaact tcttgaggtt tatatcccct caggataatc tattctctag cttaggtatc     1500
tgtgactcct gggcctctgc tctggtggga acttacttct ctatagcca ctgagccccg     1560
agacagagaa cctgccaca gctctccccg ctacaggctg caggcactgc agggcagcgg     1620
gtattctcct cccaccta gctcttggga agaagtggag aggactgatg ctcttctttt     1680
ttctcttctt gtccttttct ttgctgattt tatgcaaagg gctggcattc tgattgttct     1740
tttttcaggt ttaatcctta ttttaataaa gttttcaagc aaaaaaaaaa     1790

```

```

<210> 456
<211> 1293
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(1293)
<223> n = a,t,c or g

```

```

<400> 456
tgcgcaagcg gtagttccgg ctggagaccc gtgctctggg cgggcgcctt caccatggcc      60
tcggcagagc tggactacac catcgagatc ccggatcagc cctgctggag ccagaagaac      120
agccccagcc caggtgggaa ggaggcagaa actcggcagc ctgtgggtgat tctcttgggc      180
tggggtggct gcaaggacaa gaaccttgcc aagtacagtg ccatctacca caaaaggggc      240
tgcatcgtaa tccgatacac agccccgtgg cacatggtct tcttctccga gtcactgggt      300
atcccctcac ttcgtgtttt ggcccagaag ctgctcagac tgctcttga ttatgagatt      360
gagaaggagc ccctgctctt ccatgtcttc agcaacgggtg gcgtcatgct gtaccgctac      420
gtgctggagc tctgacagc ccgtcgtctc tgcgcgctgc gtgtgggtggg caccatcttt      480
gacagcgtc  tccgtgacag caacctggta ggggctctgc gggcctggc agccatcctg      540
gagcgccggg ccgcatgct gcgcctgtg ctgctgggtg cctttgccct ggtggctcgc      600
ctgttccacg tctgcttgc tccatcaca gcctcttcc acaccactt ctatgacagg      660
ctacaggagc cgggctctcg ctggcccag ctctactctt actcgagggc tgacgaagta      720

```

gtcctggcca	gagacataga	acgcatgggtg	gaggcacgccc	tggcacgccc	ggtcctggcg	780
cgttctgtgg	atttcgtgtc	atctgcacac	gtcagccacc	tccgtgacta	ccctacttac	840
tacacaagcc	tctgtgtcga	cttcatgcgc	aaactgggtc	cgctgctgaa	ggccattgct	900
ccatctcacc	tctgctccca	gaaaataaat	gcctgaaac	cctccccca	naacctgcaa	960
tctgtcgggc	actcttctcg	ttcaactccc	tgtagccett	tgggactttg	cggtccccta	1020
agtagaaaat	tcctatgggc	ctgtctectg	ggggcctctg	tctgctgggtg	gtctgcttac	1080
cacagaatcc	taaggggcag	gagtgcctgg	gcatgtgtct	gtgggagcct	tgcagtcagt	1140
tgtgtttgga	caagtgaac	agtcaggctg	ctgattcctg	tggcatgcag	gctgtagagg	1200
ttgacaaatg	gaggggggtg	ttgaggggtg	gccctagttg	atTTTTTaaa	atttaaactc	1260
tggtagaaac	atttaatatg	aaaaaaaaaa	aaa			1293

<210> 457
 <211> 1155
 <212> DNA
 <213> Homo sapiens

<400> 457						
cccacgcgtc	cgggacagac	tcccatccac	tggggtcagg	gaccggaaag	gcgacaaacc	60
ctggaaggag	tcaggtggca	gcgtggaggc	ccccaggatg	gggttcaccc	accgcgcggg	120
ccacctctct	gggtgccaga	gcagcctggc	cagtgggtgag	acggggacag	gctctgctga	180
cccgccaggg	ggaccccccc	ccgggctgac	ccgaagggcc	ccggtaaaag	acacacctgg	240
acgagcccc	gctgctgacg	cagetccagc	aggccccctc	agctgcctgg	gctgaggtgt	300
ctggtgcctg	gaacagactt	ccctgtggag	gattcctgcc	agaccctgcc	cggtcctcc	360
ctgaccggtc	cttgtgccct	caccagacac	cctgttggcc	atgactcaac	aaaccagtgt	420
tgggagccgt	ctgcctcccc	agctcagtgc	ctttctgcac	cccttctctc	ctggggagct	480
gtctgcatcc	gccaccccc	ccaaccactg	ccctcagccc	ccgaccttat	ttattacctt	540
cccctcccac	accccccaatc	tacctggtga	tgatttttaag	tttgccgctg	tcttgggttg	600
ggctgggggg	tttcccacat	gcagtgtcag	aggggcccgc	cggtggggct	atctccgttg	660
ctatattaat	ggcaagacta	aatgaaacct	agggcacggc	ctccgaagct	gcgtgtggcc	720
ccttagaggt	gagcatcaga	gccagagcag	tgagggggag	actcaccac	cctctccctc	780
tcccttcagc	tctgggaggc	aggcgcagtg	ccccctccc	gtgggctggc	ccaggaccgc	840
gggtgaaacc	tgggtctgtt	tagtttcttt	ggtttttgta	tgtttgtttg	tttttgacac	900
agtctcgctt	tgttgcccag	gctgggggtgc	agtggcacga	tcgcccctca	ctgcaacctc	960
cacctcccgg	gctcaagcga	ttctctcacc	tcagcctcct	gagttaggtg	gattacagat	1020
gccccccacc	acaccagtt	aatttttgta	tttttagaag	agatgggggt	tctccatggt	1080
ggccaggtcg	gtcttgaact	cctggtctca	agtgatecgc	ccgctcggc	ctcccaaagt	1140
gctgggatta	caggg					1155

<210> 458
 <211> 1297
 <212> DNA
 <213> Homo sapiens

<400> 458						
ggaccaatc	caatgtcagt	atctgcaggc	tgaagtacag	acagttacac	tgaattgcg	60
tatgctctga	ggaatgacac	taaattcgct	tccaggaaaa	ttactcaatt	ttgtaagtaa	120
ttttcagttt	tttttctcag	ggatattttt	caactttcac	tttaattttc	tttagttgct	180
tagttgtaca	ttttgagaag	gcaaatccat	tggaaacttg	ggaggcttag	aacataaatc	240

agtattagaa	gtaaagggaa	cacacagcta	aaagttttac	tttaatcaca	aattcacaac	300
tagagatadc	atttgcatat	cttagaacgc	taaagacctg	ttaaaatfff	ttaaccaatc	360
agcaaaaata	tgtgccccac	agattttctaa	tgttcataat	ttagaattta	tcacatataa	420
tattttattaa	tagttttatff	gcaaaattat	tattctttaa	acacttctff	ccaacacatt	480
tacaatgttc	atgtgtttta	aagaaaaaaa	ccaccctcat	ttaaaaatgt	actactgact	540
ttaatgtgtg	gttataaccag	tgccaccaaa	ttagaaaaga	aaaagaaaca	tacagctgta	600
ttggatatgt	agttactact	acaaataatg	acaacacacg	tcctatacaa	agatcatatt	660
caogcttttc	taccacttct	cagtcattgt	cagaaccatt	tgagggttag	aaaaccaatg	720
catcattgaa	aatatggccc	aaatgcccta	aggcgggata	ccccatacat	catcacatgc	780
atctgatttg	gagtcagtcc	attaaaagta	acagccatat	ctgaacaaca	gccttctact	840
acctggttgg	gggtataagt	cattgcctct	ttaatagaaa	gccaacacaga	tttgggtatta	900
aatacatctt	ttccatcagc	atcttctgca	ttttctgcaa	atactccagc	atatttcagg	960
caaactgcta	gctgttttatc	ttcagatatac	ttccaaatca	tccctccctg	ttcaggacac	1020
ttttctggga	tattgagaag	gctgttaagt	cttttcattg	attctacact	taagacaatt	1080
cctccttcca	taccacata	ttcaaggtct	ccagatttta	tagtgtggcc	tagatagaaa	1140
ggctgtgatg	gatccttttt	taacaaaaaa	tactttaggt	tttcaatgat	agcaaacgta	1200
gtggggcgtg	caaggaagaa	ccagttgtat	tggtctctat	acttacaat	acgcctttga	1260
taagtataga	gaccaataca	actggttctt	ccttgca			1297

<210> 459
 <211> 777
 <212> DNA
 <213> Homo sapiens

<400> 459	tttttttttt	ttctgaagaa	gcatttatta	gcatgcaggg	cccatgctag	aggctcctta	60
	tttccagggc	aaggccagcg	agacagagcc	cattgctcag	gacgcagccc	agattgcaaa	120
	gagaggacag	cccattggtag	cggaagaaat	tctggcggag	agcaactgtac	ttggggctct	180
	tctctcgcag	ctggcggtag	ggatcgggac	cctggtggct	gcctgggtacc	tccccaccca	240
	ggcctcgtct	cttctccacg	gtttgacagg	cccacatggc	agctgtgggtg	cgggggtcca	300
	gccagcgggc	gttgacagtg	gccagcgtaa	ggctcaggaa	cagcaggtaa	agctggctgg	360
	cctcccagaa	tgtgagctga	gccaagcat	gctgtgaagc	caagatgcag	aggttgatga	420
	aggcacagcc	catggagatg	tggagtaga	aggggaagag	tttgctctgc	actagtccga	480
	aggatgtcg	gggaaggctt	cggaaaagca	ggaagcctga	gacgaaggtc	accacattt	540
	gcatgcccc	ggcacctgac	aagaccagta	gatggaccat	cttaatcagg	cctcctagggt	600
	tcccgcttc	ctccatcttg	cagtccgtta	ggaaccggga	cctcaatccg	cagcaccggg	660
	attccgagaa	cagaggcgtc	ggggccaaat	gggctgaatc	tggtacctca	ctcccacgcc	720
	cccgggtgga	cagcgaccct	cctcggccgc	gtcccctcgt	gggtttcccc	tcgtgcc	777

<210> 460
 <211> 859
 <212> DNA
 <213> Homo sapiens

<400> 460	cctgtggaag	aagagcagga	tggagagcat	ggtctggctg	atggtgcggt	tgcatagcc	60
	ctcgttgatc	aggtagcagg	ggtcccgcag	caccggctct	agcgaatcct	gccgcattat	120
	gctggtgagc	ttgtcgggat	tgaggttctc	aaagaccagc	ttttcctgca	gctgccgaaa	180

gttgctcact	gtagggtgc	cggggtggt	gttctcccc	ctgctgcctc	gctggagccc	240
actccgatgg	gccagggtcca	ggcagcagtt	gcagcagtcg	aggccgacag	gtgagcggca	300
atcgagcttg	gactgggcca	tcttctcagg	ctcggaggtc	gcctggcctg	cgaggtcagg	360
ggcggctggc	aggtgcgcgc	ccaccgagct	ggcctgaggg	gactccaggg	tgctggaaa	420
agacaagctg	tgaggaaaag	agttggaaat	tagcgcctaa	agccagccac	cttcggctcg	480
gccccctct	ggctgtactg	ctccgggtgc	gaatagaaac	agctggacaa	acagctccga	540
gcggtactct	cggtctcact	tctctctct	cctccttctc	ctccccctcc	tcttgaggcc	600
ggggcgccgc	ccctgaggt	gccacacgcg	gccccagcgc	agtccaagt	ttccaagtg	660
tgagcgggga	ttggggcgga	cctgtggagg	caggaagggc	gggcagcagg	gcagagggag	720
agccagggcg	cgcccttgct	ccctcccccc	tttgctccct	ccctccccgg	tttgacggct	780
ctcaggtct	cggtctcccc	tgggtgtga	cggctgagcg	gtggcaggag	ctgagagcga	840
gtgagctacg	aaatcgtcg					859

<210> 461
 <211> 1975
 <212> DNA
 <213> Homo sapiens

<400> 461						
agaaatcagc	tttcttcaca	gaagtcagtg	cogtgggtac	ccattttaaa	atccctgcca	60
ctttgggcta	tcgtagttgc	acacttttct	tacaactgga	ctttttatac	tttattgaca	120
ttattgccta	cttatatgaa	ggagatccta	aggttcaatg	ttcaagagaa	tgggttttta	180
tcttcattgc	cttatttagg	ctcttggtta	tgtatgatcc	tgctctggta	agctgctgac	240
aatttaaggg	caaaatggaa	tttttcaact	ttatgtgttc	gcagaatttt	tagccttata	300
ggaatgattg	gacctgcagt	attcctggta	gctgctggct	tcattggctg	tgattattct	360
ttggccgttg	ctttcctaac	tatatcaaca	acactgggag	gcttttgctc	ttctggattt	420
agcatcaacc	atctggatat	tgctccttcg	tatgctggta	tcctcctggg	catcacaat	480
acatttgcca	ctattccagg	aatggttggg	cccgtcattg	ctaaaagtct	gacccctgat	540
atggggatct	cgctccatcg	cccaggctgg	agtgcagtg	cgatgatctg	gttcaactgca	600
acttccatct	ccaggttca	agtgtattct	ctacctcagc	ctcctgagta	tctgggatta	660
cagggcggcg	tcaccacgcc	cagctaattt	ttgtatttt	tagtagagat	ggggttcac	720
catgctggcc	aggctggtct	cgaactcctg	atctcatgat	tcgcccacct	cagcccccca	780
aagtgctggg	attacaggca	tgagccaccg	tgccggcccg	cttcgcattt	ttcttttgca	840
ggttgcatgc	cagccaatat	tcctctgtgc	tgggaagggg	aagtttgagg	atgtatcaag	900
accatagcag	tggatctcac	tgctcttgcc	tactcagggc	ttatctaca	cattgatagc	960
ccctcagagg	aaaggcacca	gccgaagagt	cgacactggc	tctgggcttg	gatgctgctt	1020
ctgataaacg	ctgggcactc	tgacctgaa	gccagggagg	gagtgcttgg	cagctgcttg	1080
ggcacactcc	cctcagtcca	gttgccaggc	gaaattatac	agtggatggc	agctccacag	1140
agatgctaaa	gtttgaggtc	taagtgtcag	agagagctga	caatttttat	gaggaaagtg	1200
aacaacaaca	ggtgtttatc	agtacctgag	aattatcatc	tagtttaatt	aagcaaaggt	1260
atcaggaggt	ctgtttcagc	tcattccctt	tagtatggcc	ctaaaaaatc	aacagaactg	1320
tcctacttca	tgttgcccga	ctagcaggca	ggtatgtgaa	cctaaagtag	aagtcctagc	1380
ttacatatta	ttcataatta	aacacagttc	attttattat	tctggcaact	agtgatattt	1440
catgattata	ggccttaaaa	atctaataca	agtacaatta	aaaaaagaca	tagaatgctt	1500
acacaataca	gaaggcactt	tgaggttaca	tgataaataa	aaatacatta	atagagcag	1560
gattattttat	tggttccctc	agtgtctgtg	tcacatggta	tcattgagag	cccagttttg	1620
tacttcacct	ttggcgaaat	agtgttaaag	aaaatggcac	caaaaacatt	aatagcagca	1680
gcaatataga	acacggtttg	ccattctcca	acagtgttat	caggggtcag	acttttagca	1740
atgacgggcc	caaccattcc	tggaatagtg	gcaaatgtat	ttgtgatgcc	caggaggata	1800
ccagcatacg	aaggagcaat	atccagatgg	ttgatgctaa	atccagaaga	gcaaaagcct	1860
cccagtgttg	ttgatatagt	taggaaagca	acggccaaag	aataatcaca	gccaatgaag	1920
ccagcagcta	ccaggaatac	tgcaggtcca	atcattccta	taaggctaaa	aattc	1975

<210> 462
 <211> 716
 <212> DNA
 <213> Homo sapiens

<400> 462
 actgatagcc ctcgaaaccg ttgaggaccc tccgggacga cccacgcgtc cgcacacagt 60
 gggcatccag gatctccccg aggtagcctg agccgccacc ccagctccca gctggcaggt 120
 cctgggggtgg aggggggtga aggcacccag aaacctcggg actacatcat ccttgccatc 180
 ctgtcctgct tctgccccat gtggcctgtc aacatcgtgg ccttcgctta tgctgtcatg 240
 tcccggaaca gctgcagca gggggacgtg gacggggccc agcgtctggg ccgggtagcc 300
 aagctcttaa gcatcgtggc gctgggtggg ggagtoctca tcatcatcgc ctctgcgtc 360
 atcaacttag gogtgtataa gtgaggggct ctgccccgca tcccaagact tttcttctg 420
 ttgggagctg ccttgggccc attcctccc ctggggggag cccaactgat ggccttggcc 480
 ccaccctaa ggaccaaggg agcctgagcg gccttgttta cagcttctgt cctgctcctg 540
 catctttgcc agggtccttt tgccaactgt aagggccttg cctcattccc tggcaatggt 600
 tccaacctcc ctgcactaat gcctgcattc cctccggcct cttggcccc tatccctgca 660
 cttctgggaa acctccttgg cactctggga aacctcctg gaacaacttc ccaaat 716

<210> 463
 <211> 595
 <212> DNA
 <213> Homo sapiens

<400> 463
 ctttttttct tttttttata aaacatgtca catcttgatg cagttgatgt caagtgtgct 60
 taagtcatta tgaatcaaga gactaacaat agtggctgca gaaacaggtt tgttgtctgt 120
 acaaagactt caggtaaatt atagtacttc catgttagct gtgcatgtcc accacgcttt 180
 gtctgtaact cgagtagaaa aagatgttgt gttttaatta atcattcctt acaattcaag 240
 atgaactcca catatttaag aattcttggc tgaaagaaaa gtcttcaaga tactggatgc 300
 ctctcaccac tttgacaata aacacacaag aaaaccattg tgtaaggcac tcaaaagggt 360
 cttatcaatc acgagagatc agtcacactg acattcattc ccatgccagg actcacgtaa 420
 gggacagcat gcaactgcttt gggaaattct ggagtcataa cacgtccatt ttctccagta 480
 cttcctgtaa ttgacagcct tgcttggctc ctcatggcat cattcaaggt catcttaaat 540
 gagagaggag ggaaagaaag aaaaagagat catacgttat ggttttcaaa tgcat 595

<210> 464
 <211> 2017
 <212> DNA
 <213> Homo sapiens

<400> 464
 tttttttttt ttccttttaa aaactttatt taaatggaga ctcttagtca aatgattgga 60

aaaccaataa	cgaaaaaatag	ttcttcaggt	tcttctcctg	gaaaggcggg	ggacacacca	120
aactgcactg	gccctgtcag	gggacacggc	accctcgtgg	gaccaggctc	agccctcggg	180
gtggcacgag	gtcctgcagg	ctgcaggacc	ctcacactcc	agccccgtct	ggtgacccaa	240
ccccggcccc	tgggtgcatgc	tggggaaggg	cactggccgg	cccctgggct	tcggtcctctg	300
aggaggcatg	gccccacacc	ctgcccggcc	ataaatatat	acagattcct	gggcatccag	360
ggcaccagga	ccgacgcaga	gctgggggtcc	tgtocctaag	cctgtggcac	agcgaactct	420
gacatgggag	ccagggagct	gggaccgccc	cacccctccc	ctgcctccct	cctgggggtca	480
ccaccctcag	gcccgtgcca	gctggcctag	gacgcggcgg	aactgctggg	tgtctgtggc	540
cagctccttg	accctctcca	ccatgtcctg	ggccgcggaa	ggcagatggg	actgcaaggc	600
agcggccttg	gtgggtggcca	cgatgcccg	caggaggctc	cacagcaggt	tgtctagtg	660
ggtcacctgg	otgvcgacgt	cagcagcctt	ggcctgccc	gacagtgtgt	cccgatgaa	720
caccagcttg	tgggcgctga	ggatgacgaa	cttctgtgtc	gccacaaaga	tcttggcggg	780
ctggttggtg	gccacggcgg	taaagaaggc	gtccacggcg	ttgggtcagtg	tggctcaggt	840
ggcctcaaac	tgtctccaggt	agaagagcag	cagctgccc	tccgagggcc	ccaggccggc	900
tgttcgcccc	ggggccaggg	gttggggctg	cgtccagttg	gccaggctct	ggtctatggg	960
ccgtgacacc	tctgttcca	gtcgttcaaa	ctgcttcagc	tgtctgcaact	ccagctggct	1020
cttgcctcgc	cgcgatgac	tgccttttc	cagcagctcc	ttctgggtct	tctcaactc	1080
ctccttcccc	tgtagggtga	cgtagtcata	gtcctccatc	cagccccct	cgctgttctc	1140
gtactgcccc	tctggcgagt	cctgggaggt	gaacttaggg	ggtgagggca	ggggtcgtga	1200
ctggatgctg	ctggctctgt	cagtgggggt	gggggtgcagg	gtgccacccc	cctcaggccc	1260
cggggcagtg	gccttggtcc	gtctgaagag	cagtgaggca	ttgccgtgca	ggaaggaggc	1320
cagctgcttg	gcgtcctcgg	gcacagccc	cgagcaggcc	accagccgg	ccaggctcct	1380
aagggtggct	ccagagcctc	cccggccagc	gtcaggggccc	tgaccatgtg	ccaccagcgt	1440
ctggtgcacg	tctccatct	tctgcagctg	ccggctaagc	ttggcatgca	gggcaaggct	1500
agatgtgtgg	gcagcattgc	ccaccgctg	gccggcaaac	tccaacagct	cgtaggacgg	1560
actctggacg	gcccgcacag	cagcctgcag	gtcctgcacc	agcggctcct	gtggctcaga	1620
ggggctacgc	cagctcccag	tgcaccggc	gctgcctgcc	aggtccagaa	ggtgggcaac	1680
ggtggcgctc	acaccctgct	gcagccgtgc	cagggcctcc	acagcaactt	ccagctccag	1740
gggttcccgg	cccggccctg	ccacctccaa	ggaggacgca	gactggctgc	tgcgtgtgct	1800
gcccgtgctg	gaggccgaca	ggcgtttgcc	ctctgccggg	gcttcacggt	cagctggggg	1860
aggcacccga	tacacaccac	tgtcgaccac	gccaccatca	gccacctcag	gaggaagcac	1920
ccgttcacgg	ggcacatcgt	acagggtgcc	cgggcaggcc	cgccgcaagc	cagggggcac	1980
gtcgtagagg	tcaggagccg	ggggcggcac	gtcatcc			2017

<210> 465
 <211> 1575
 <212> DNA
 <213> Homo sapiens

ggatttcggt	tctccggct	gggagtggcc	gctctaggca	gcgttgaggt	cgccggggtg	60
aggggggttg	tgaaggaga	gcggcctctc	ctctatggtc	acggggccgg	ggcacgcttc	120
ccccactctg	tcttgttact	tccggtagcg	aagcctctcc	ctcttctct	gctcccggg	180
ggtctgtgct	gagaataatg	gcccggttgg	cccgggacga	gtggaatgat	taatgatgtt	240
ttgcagcagt	tttctacgct	tgaattttt	tatgtctctg	gaaccacaga	tttgcataaga	300
gatggaggaa	cctcagaaaa	gctatgtgaa	cacaatggac	cttgagagag	atgaacctct	360
caaaagcacc	ggccctcaga	tttctgttag	tgaattttct	tgccactgct	gctacgacat	420
cctggttaac	cccaccacct	tgaactgtgg	gcacagcttc	tgccgtcact	gccttgcttt	480
atgggtgggca	tcttcaaaga	aaacagaatg	tccagaatgc	agagaaaaat	gggaagggtt	540
ccccaaagtc	agtattctcc	tcagggatgc	cattgaaaag	ttatttctctg	atgccattag	600
actgagattt	gaagacattc	agcagaataa	tgacatagtc	caaagtcttg	cagcctttca	660
gaaatatggg	aatgatcaga	ttcctttagc	tctaacaca	ggccgagcga	atcagcagat	720
gggagggggg	ttcctttccg	gtgtgctcac	agcttttaact	ggagtggcag	tgttctgct	780
cgctctacac	tggagcagca	gggaatctga	acacgacctc	ctgggtccaca	aggctgtggc	840
caaatggacg	gcggaagaag	ttgtcctctg	gctggagcag	ctgggcccctt	gggcatctct	900
ttacagggaa	aggtttttat	ctgaacagag	aaatggaagg	ttgcttttaa	ctttgacaga	960

ggaagaattt	tccaagacgc	cctataccat	agaaaacagc	agccacagga	gagccatcct	1020
catggagcta	gaacgtgtca	aagcattagg	cgtgaagccc	ccccagaatc	tctgggaata	1080
taaggctgtg	aaccaggca	ggtccctggt	cctgctatac	gccctcaaga	gctccccag	1140
gctgagctgt	ctctacctgt	acctgtttga	ctacaccgac	accttcctac	ctttcatcca	1200
caccatctgc	cctctgcaag	aagacagctc	tggggaggac	atcgtcacca	agcttctgga	1260
tcttaaggag	cctacgtgga	agcagtgagg	agagttcctg	gtcaaatact	ccttccttcc	1320
ataccagctg	attgctgagt	ttgcttggga	ctgggtggag	gtccattact	ggacatcacg	1380
gtttctcctc	atcaatgcta	tgttactctc	agttctggaa	ttattctcct	tttgagaaat	1440
ctggctgaga	agtgaactga	agtaagtatg	ttttaatggt	tgtcacaca	gggatggga	1500
aagaataacc	aagtgagaga	aagatcctct	tttatttctc	acacttgaaa	taaatcctcc	1560
atccaccag	aaaaa					1575

<210> 466
 <211> 493
 <212> DNA
 <213> Homo sapiens

<400> 466						
agaaaaggct	aggatgatat	atgaagatta	catttctata	ctatcaccaa	aagaggtcag	60
tcttgattct	cgagtttagag	aggatgatcaa	tagaaatctg	ttggatccca	atcctcacat	120
gtatgaagat	gcccaacttc	agatatatac	tttaatgcac	agagattcctt	ttccaagggtt	180
tttgaactct	caaatttata	agtcatttgt	tgaagtact	gctggctcctt	cttctgaatc	240
ttaatgttca	tttaaaaaa	atcatttttg	agggctgaga	tgggaaataa	aagtagttaa	300
ataacatcag	aaactgagt	cctggagaac	tacagtttag	cattcctcag	gctactgtga	360
aaacacaacc	ggtatggtct	ttgtctccat	ttttatcaag	gttttccatg	gttaagtttg	420
gagaaaatac	cacacaaaac	aatgaattgc	caaattgttt	gttttattca	agactcaatc	480
tactttgcaa	gcg					493

<210> 467
 <211> 1572
 <212> DNA
 <213> Homo sapiens

<400> 467						
cttgacttac	agtcaagatg	aggagtccaa	aataatgac	agtgactttg	gattgtcaaa	60
aatggagggc	aaaggagatg	tgatgtccac	tgacctgtga	actccagget	atgtcgctcc	120
tgaagtccctc	gcccagaaac	cttacagcaa	agccgttgac	tgctgggtcca	tcggagtgat	180
tgctacatc	ttgctctgcy	gctaccctcc	ttttatgat	gaaaatgact	ccaagctctt	240
tgagcagatc	ctcaaggcgg	aatatgagt	tgactctccc	tactgggatg	acatctccga	300
ctctgcaaaa	gacttcattc	ggaacctgat	ggagaaggac	ccgaataaaa	gatacacgtg	360
tgagcaggca	gctcggcacc	catggatcgc	tggtgacaca	gccctcaaca	aaaacatcca	420
cgagtcogtc	agcgcgccaga	tccggaaaaa	ctttgccaa	agcaaattgga	gacaagcatt	480
taatgccacg	gccgtcgtca	gacatatgag	aaaactacac	ctcggcagca	gctggacag	540
ttcaaatgca	agtgtttcga	gcagcctcag	tttggccagc	caaaaagact	gtcgtcttgg	600
caccttccac	gctctgtagt	ttcatttctt	cttcgtcggg	ggtctcagga	gttgagccc	660
agcggagacc	cagggccacc	actgtgacgg	cagtgacac	tggaagcaag	tgactggccc	720
tggagtgggg	gcccggggtc	ggggctgggg	aagggtgacc	ccagggctcg	cagagcccgc	780
agccactcca	gcgagacccc	accttgcatg	gtgccccttc	ctgcatagga	ctggaagacc	840

gaagtttttt	tatggccata	ttttctactg	caattctgaa	gtgttcattt	ctcacaact	900
gtactgactc	gaggggogct	gatttcatag	gatctggtgc	tgtatatacg	aatcttgcaa	960
agctctaact	gaacggacct	tcttattcct	ctcccetaac	accatcgttt	ccactcttct	1020
cagtgtagg	aaccgtctat	gggtgtgttt	ttcattaatg	acaaaaaaaa	aagggtttca	1080
actggattat	ttaaataattg	gtaaatattg	tgcattaggg	tttgtttttc	cttttaagaa	1140
gtatgtcctt	tgtatctcta	agttacatga	cctatatctt	ttcctcttta	atagtagttt	1200
tatgttaacc	tttaagagat	ttgtttttcc	tcaaaggaga	atttaaagg	atTTTTTaa	1260
aattctaata	agaggatcag	ccgggtgcaa	tgactcatgc	ctgtaatccc	agcacgttgg	1320
gagggccaagt	cgggcggtatc	acaagggtcag	gagatcaagg	ccatcctggt	tctatactgt	1380
gtagattgct	ggctactaaa	aatacaaaaa	attagcggg	cgtggtggca	cacacctagt	1440
agtcccggt	actcgggtag	gctgaggcag	gagaattgct	tgaaccggg	agacggaggt	1500
tgcagtgagc	tgagatcgtg	ccactgcact	ccagcctggg	tgacagagca	agactctgtc	1560
tcaaaaaaaaa	aa					1572

<210> 468
 <211> 1927
 <212> DNA
 <213> Homo sapiens

<400> 468						
cggacgcgtg	ggggagctgt	gagtttcgag	gatttcatca	aaggtctttc	cattttgctc	60
cgggggacag	tacaagaaaa	actcaattgg	gcatttaate	tgtatgacat	aaataaagat	120
ggctacatca	ctaagagga	aatgcttgat	ataatgaaag	caatatacga	tatgatgggt	180
aaatgtacat	atcctgtcct	caaagaagat	gctcccagac	aacacgttga	aacatttttt	240
cagaaaatgg	acaaaaataa	agatgggggt	gttaccatag	atgagttcat	tgaagctg	300
caaaaagatg	aaaacataat	gcgctccatg	cagctctttg	aaaatgtgat	ttaacttgct	360
aaatagatcc	tgaatccaac	agacaaatgt	gaactattct	accaccctta	aagttggagc	420
taccactttt	agcatagatt	gctcagcttg	acactgaagc	atattatgca	aacaagcttt	480
gttttaatat	aaagcaatcc	ccaaaagatt	tgagctttca	gttataaatt	tgcatccttt	540
tcataatgcc	actgatttca	ggggatggtc	taactcattt	catactctgt	gaatattcaa	600
aagtaataga	atctggcata	tagttttatt	ggttcccttag	ccatgggatt	atgagcctt	660
tcacatatca	gtgattttaa	aatatcagtg	ttttttgcta	ctcatttgta	tgtattcagt	720
cctaggattt	tgaatgggtt	tctaataatag	tgacatctgc	atttaatttc	cagaaattaa	780
attaattttc	atgtttgaa	gctgtaattc	catttaaatt	ccatttatat	actttaagga	840
aacaagatta	caacaattaa	aaaaacacat	agttccagtt	tctatggcct	tcccaccttc	900
tgttagaaat	tagttttatc	tggtcatttt	aaacatttaa	aaattattaa	acatttaaaa	960
attagtttat	tatcagatat	cagcatatgc	ctaataaaac	ttattttaat	aagcatttaa	1020
ttttccataa	tatgttacag	ccaaggccta	tataataatt	ttggatttgt	tcaatctttc	1080
ttacaggctg	ttttctattg	tatcaatcat	tagtatcaat	cattaagtgg	aagttgaaga	1140
aggcatcaaa	caaaacaagg	atgtttacag	acatatgcaa	agggtcagga	tatctatcct	1200
ccagtatata	gtaatgctta	ataacaagta	atcctaacag	cattaaaggc	caaatctgtc	1260
ctctttcccc	tgacttcctt	acagcatggt	tatttatatt	acaagccatt	cagggacaaa	1320
gaaagaaacc	ttgactaccc	cactgtctac	taagaacaaa	cagcaagcaa	aattagcaag	1380
caaaattcac	tttgaaagca	ccagtggttc	cattacattg	acaactacta	ccaagattta	1440
gtagaaaata	agtgtcaac	aactaatcca	gattacagta	tgatttagct	catcataatt	1500
cagattattt	ttaatcatct	tagccaaaac	tgtaaagttg	ccacattact	aaagccacac	1560
acatcgtccc	tgttttgtag	aaatatcaca	aagaccaaga	ggctacagaa	ggaggaaatt	1620
tgcaactgtc	tttgcaacaa	taaatcaggt	atctattctg	gtgtagagat	aggatgttga	1680
aagctgcctt	gctatcacca	gtgtagaaat	taagagtagt	acaatacatg	tacactgaaa	1740
tttgccatca	cgtgtttgtg	taaactcaat	gtgcacattt	tgtatttcaa	aaagaaaaaa	1800
taaaagcaaa	ataaaatggt	aaaaaaaaaa	aaaagggg	gccgttttaa	aggatccagt	1860
tttacgaccg	cgggctggca	aggaaaaaatt	ttttttatgg	ggccccctaa	attcaattcc	1920
cgggccc						1927

<210> 469
 <211> 1013
 <212> DNA
 <213> Homo sapiens

<400> 469
 cccctaggag ccctgaacac catacgccag cttggcacga ggggagaagt ctcggtccta 60
 taatggccag catggcagac agaaacatga agttgttctc ggggaggggtg gtgccagccc 120
 aaggggaaga aacctttgaa aactggctga cccaagtcaa tggcgtcctg ccagattgga 180
 atatgtctga ggaggaaaaag ctcaagcgct tgatgaaaac ccttaggggc cctgcccgcg 240
 aggtcatgcg tgtgcttcag gcgaccaacc ctaacctaag tgtggcagat ttcttgcgag 300
 ccatgaaatt ggtgtttggg gagtotgaaa gcagtgtgac tgcccatggt aaatttttta 360
 acaccctaca agctcaaggg gagaaagcct ccctttatgt gatccgttta gaggtgcagc 420
 tccagaacgc tattcaggca ggcattatag ctgagaaaaga tgcaaaccgg actcgcttgc 480
 agcagctcct tttaggcggg gagctgagta gggacctccg actcagactt aaggattttc 540
 tcaggatgta tgcaaatgag caggagcggc ttcccaactt tctggagtta atcaaaatgg 600
 taagggagga agaggattgg gatgatgctt ttattaaacg gaagcgtcca aaaaggctctg 660
 agtcaatggg ggagagggca gtcagccctg tggcatttca gggctcccca ccgatagtga 720
 tcggcagtgc tgactgcaat gtgatagaga tagatgatac cctcgacgac tccgatgagg 780
 atgtgatcct ggtggagtct caggaccctc cacttccatc ctgggggtgcc cctcccctca 840
 gagacagggc cagacctcag gatgaagtgc tggtcattga ttccccccac aattccaggg 900
 ctcagtttcc ttccaccagt ggtgggttctg gctataagaa taacggctcct ggggagatgc 960
 gtagagccag gaagcgaaaa cacacaatcc gctgttcgta ttgtggtgag gag 1013

<210> 470
 <211> 1543
 <212> DNA
 <213> Homo sapiens

<400> 470
 tttttttttt ttaactttaa aactgccgtc ttctgcttta ttgacaggta aattgttcaa 60
 aaatgttctc acaattcaat aattaattac aaagactgag acttacatta aaaaagtaaa 120
 aaccagaacc ccccagggtc ccatccagca gaaggccag gagggcagtg ggggtggcagg 180
 gctagggcggg gctggggccac tcagtgccga cttggggaag tgcaagtcct gaacagcctt 240
 gccaaagcagc cgaccgggtg gaggacaggg gaagcctggc ccaagctgtg gacaagctgt 300
 gtctgcccgc acagttaatc acaagcctct gacgacacag ggccacagag ctgggtcactc 360
 aacatctggt acaaaggggtg aggtgaaatc cacgcgcagg ggattgctgt gccgtgggpc 420
 gggccagtg tgcaaggagtg tgttgggtgg gtctacgtga tcatacgggc tactaatcac 480
 gggggctccc atgcgggggc aggactgggt gggggggggc cgggcccagg cggggccagg 540
 tggggtatcc cagtggctgc ttctggtggc ccctggggct ctgacttccc tcagcccagc 600
 aggccacaggg ggtgcctgc accacgacac tcgctggttt tatggcagga ggcagaagcc 660
 gtggaagcga atggaaaaca gcacagctga cttcacagta gtagatactg gtgacacttc 720
 atggctgcga cccagaatga acttaacgca cacagggacg caggggtgtca ctgggtcctgg 780
 gcctttgtcc atgactaggt ggtcagcagg acttctgcag ctgactgtgc aatgggctaaa 840
 tgaaaaaaag gccacagact aacctccact ttctgtctt caaaattcta gtgacactgg 900
 gaatgtcata ggacctccta ctattctctt aaggctctag gaaagtttca ggaactaggg 960
 aaaagactgg gtaactgagc tgtgtcccga gatgtctgct tccgaagcag cgcgctcatg 1020
 acgggtttct gctgaggaag tgggtgtggc agggcccat atgccctctc gggttgtcag 1080
 ggggtgggaga caggctgtat gggggctcct catgtgcaga tggaaacagca tcgcctcaca 1140
 gctgtgcaga cgaacagatg tgggtctactg ccacgaacaa tgcggcataa aactgatcaa 1200

tattataata	aagatttgtc	ttcttcatct	cccatatcta	caaagtgatt	ctacatttcc	1260
ttggacaaca	ctggagggcc	cgctcagtct	tggcactgac	gctggaggcc	atctccagct	1320
ccctggcccc	tgtggcgagc	tggcggcttc	aggtgtcaca	ggccggctgc	tccaggcctt	1380
cgagggggag	ctggctcctg	tggggggagt	tggggctcgg	tgggcccgtg	ggggttgagc	1440
tattcgatgg	agttgagtgt	ttggtggagt	ccgaatcagg	ctctttgtca	aagtcctggg	1500
ctggatcaga	catacttctc	agaggcacag	tgacgcgtac	gct		1543

<210> 471
 <211> 1154
 <212> DNA
 <213> Homo sapiens

<400> 471						
actacagtgc	ggtggaattc	gctgagcgag	gcagcggcgg	cagcagcggg	gacgagctca	60
gggaggacga	tgagcccgtc	aagaagcggg	gacgcaaggg	ccggggcccg	ggtccccctg	120
cctcctctga	ctccgagccc	gaggccgagc	tggagagaga	ggccaagaaa	tcagcgaaga	180
agccgcagtc	ctcaagcaca	gagcccgcc	ggaaacctgg	ccagaaggag	aagagagtgc	240
ggcccagagga	gaagcaacaa	gccaaagccc	tgaaggtgga	gcggaccocg	aagcggctcc	300
agggcttctc	gatggacagg	aaggtagaga	agaagaaaga	gccctccgtg	gaggagaagc	360
tgacagaagct	gcacagtgtg	atcaagtttg	ccctaaaggt	cgacagcccg	gacgtgaaga	420
ggtgcctgaa	tgccctagag	gagctgggaa	ccctgcaggt	gacctctcag	atcctccaga	480
agaacacaga	cgtggtggcc	accttgaaga	agattcgccc	ttacaaagcg	aacaaggacg	540
taatggagaa	ggcagcagaa	gtctataccc	ggctcaagtc	gcggtctctc	ggcccaaaga	600
tcgagcgggt	gcagaaaagt	aacaaggctg	ggatggagaa	ggagaaggcc	gaggagaagc	660
tggccgggga	ggagctggcc	ggggaggagg	ccccccagga	gaaggcggag	gacaagccca	720
gcaccgatct	ctcagcccca	gtgaatggcg	aggccacatc	acagaagggg	gagagcgcag	780
aggacaagga	gcacgaggag	ggtcgggact	cggaggaggg	gccaaaggtg	ggctcctctg	840
aagacctgca	cgacagcgta	cgggagggtc	ccgacctgga	caggcctggg	agcgaccggc	900
aggagcgcga	gagggcacgg	ggggactcgg	aggccctgga	cgaggagagc	tgagcccgcg	960
gcagccaggg	ccagcccccg	cccagactca	ggctgcccct	ctccttcccc	ggctcgcagg	1020
agagcagagc	agaaaactgt	ggggaacgct	gtgctgtttg	tatttggtcc	cttgggtttt	1080
ttttctctgc	ctaatttctg	tgatttccaa	ccaacatgaa	atgactataa	acgggttttt	1140
aatgaaaaaa	aaaa					1154

<210> 472
 <211> 5202
 <212> DNA
 <213> Homo sapiens

<400> 472						
atccaagggg	tgtatcgagc	ctataaaagc	acagttttta	gagagattcc	ctttttcttt	60
ggtccagttt	cccttatggg	agtccttaaa	agcccttggg	tcctggaggc	agtatcatgt	120
ggtggattct	tggcagtcag	cagtctgtgc	agcttttgca	ggtggatctg	ccgctgcagt	180
caccacccct	ctagacgtgg	caaagacaag	aattacgctg	gcaaaggctg	tgctccagca	240
actgtgatgt	ggaatgtgct	ctctgcctg	catggggctc	tgccgttcca	aggggctggc	300
agggattatt	gccagtggtc	cttcccctcc	gaaatggcca	gcccataaag	tctggggagg	360
tttccatctt	tctggggggc	ttatgaccgg	aaacgcacag	cttgctgttg	gaagttggca	420
gaaagagtcc	cttgaagcag	agacaagcct	cacctccact	tctgtcaaga	gaggggcctg	480

cagtgcaaac	cctcttccgc	tgagcagctg	tctgaactat	aggccccagt	gctgaagacc	540
agttgtgcta	agataccggc	atggagattg	tgccatccgt	ggtataggct	ggctgggatg	600
aagtcattgg	cctgtatgcc	agagagctaa	gagaagaaaa	cggggtctgt	ggcggctactc	660
tgaacaatth	cctcagaacc	tcttaataaa	taagtttggg	aatgctgagg	ccaggccttt	720
tagagctttc	atthgatctg	tatctgatct	ttcatttctc	gacacctgat	ggtaggattca	780
gcagaaggca	agatggttat	aattctaaaa	gaatagcttg	tttgtttgg	tgtttgggga	840
aaaggagact	tggggaagag	ttgtgtatgt	gggtgtttct	ccccctagtt	aattcctggt	900
gtgtaagggt	aggctttggt	gaaaaagaaa	gaaagattga	actacagggt	catagcaaac	960
actctttctg	ggtacttagc	ctgctggttt	taattacctc	cagatttcac	ccataaaaaac	1020
gcacaattgt	attatthttac	agagatgtgt	ccagcgcctc	ctgtggtgtg	tgagagaaaag	1080
cagctgcaac	tcaagtgact	agggtgggccc	agctggcttc	gtgcaggagg	gcacgggtggg	1140
tgagccattc	tgcctattct	catgtcagac	tgaaggagg	gcttgggcca	gctttgaaaa	1200
ggcaggatga	aatggaaagg	tcaccacact	tagggatttt	agaccttgac	taacaagctc	1260
cagggtgtaga	aaaattcaaa	acaaaatgtc	aggaatctag	cagtgttgct	tgccctggag	1320
caaacaaaca	gtatgtgatt	ttgcttcgcc	tatthttttt	ttctthtttg	ggggaagata	1380
atthaaaggca	gaatgactgc	gtttgtaaaa	gaaggaccac	caactatact	gacatttata	1440
aatgaacctt	tatthaaagc	acttcaatgc	catttgttag	acacttcaat	atthttacatg	1500
gtthttcaatg	tacactgtac	caaaatthct	ataaataaat	aactthgtac	atthaaagtaa	1560
tactcctctc	ttcacattgc	ctctcagaag	cagcaaatthc	acataatthtg	tggaaagtaag	1620
atthagtca	taactgtcaa	gaacaaaatth	ctaaatgtgc	ttacctthtg	aacagtgtatg	1680
acacctgaca	gtaatthgta	actatthttct	cagtaactcc	cttcagcttt	tggccaaagg	1740
aacatttgaa	ggacctgtgt	tctatthtaag	ttttactaaa	tgacacattg	gcactcataa	1800
gatggttagc	taccagctctc	aaaagtgcaa	attataccca	gaaccagggt	caagggtctgt	1860
cctthccag	cccagctcag	ttctcatctgt	gogaaggaat	ggcatggaca	ggcctgtctc	1920
ggctccttag	tagaaataag	gtagccctga	aaagtcagaa	cttctcctt	ctgtcccccc	1980
aaggccaatg	taatactcat	tatattggca	aaacgaaaac	atcagtatag	aaaaatccac	2040
aggtaccaac	accagcagcc	tttaccttaa	tttaaaagtc	tcaaatagca	atcgaatgat	2100
actgagaagg	ccacatthgc	ttttatcata	aaataagagg	aggaggaaag	gcagtgttta	2160
actgttctga	cctthttgct	gtgatggatt	aacaaccctc	attctacgcc	ttacagacgg	2220
acagattcta	cgctttacag	acagacagga	ctthaaacct	aaaggaaaag	ccattcactg	2280
acagtgtaga	tggcacttgc	acccctggct	ctacagacag	ggaagcctgt	tgacggggca	2340
tccaacacag	agcagtgctc	acctgaagct	ccttccggcg	catgtggagt	cccaccgcac	2400
agcagcctag	gggtctatga	agtgcfaat	aaatccaagg	ccttccatcc	ttccaccccc	2460
gcaccaaaaa	ctcctgtgaa	caaatgtggg	tgtagcctct	ataaatthcca	gcatgctgt	2520
aaggcaccag	aactatthcc	ccacccccctc	caaaatthaaa	cagcaacctg	atacgaaaaa	2580
taatattgtc	aaaattgtat	aatthtttttc	tgthaaacct	gcactaaaga	thaaatagc	2640
ctctgtaaaa	gatataatag	aaatctctga	aaactcttat	gtacaatgat	atcaaatact	2700
ttthtttgcc	ttthgtacac	aaatccccctc	ttgcttttac	tgtgcttcag	atccaagtcc	2760
tgtgactgag	tgatactcca	catgggagtt	acaactatgt	acagatgagt	gacgttgaa	2820
cccaagcttc	ctcgcagcct	ctcctacctc	tctttcccg	agagattgg	atgacaagaa	2880
ctgaggtaga	caaaacctag	ctthttgggt	ccaacagcag	tggcaccctc	tgtttccgg	2940
ggagctgtcc	tgtcagtgcc	gtggactcgg	gactggcgtc	acatgctttg	gggaggtggc	3000
cattggaaac	aagcaagtac	tgggcttccg	cgcgctctgg	actgcctgaa	gtthaatgaag	3060
atgcaggtc	tagctctgtg	gagtcgggt	gatacaacct	tgctaaagtc	caggaagaat	3120
cccccttccc	atctagagat	gccattggct	ttttcttcac	agccgtcagc	attctatcgt	3180
ggttactggg	gtagagcgac	ccttggcact	cggggcagga	cccagcggca	gtcctgctgc	3240
actggtgag	tggagaatgc	tcttggctac	tcccaccgg	ctccgggcca	tttggcgcac	3300
ttggctgtgc	gctgtctctg	gacacaggct	gggggtggaa	ggcttgtccc	ctggagtaac	3360
agtcacttcc	ggtgttgtag	tactgcata	cgaccctggcc	accgtgttcc	atcttatgtg	3420
gcccaggtgt	cccttcagct	ttctccatcg	ctttccacgg	ctthtttgta	tacgcagacc	3480
cagcacagag	ctthggctgc	ctgcaggcaa	cgctgtgagt	gtcgggctct	ggaaggtggc	3540
ttgcatctct	tggacacaca	ccattgctct	caatgtgccc	attggcctga	gggccaccct	3600
cgctcctgac	cacggtttct	tgtcggctcag	aaagggtccc	ctgagaagag	aggtagctt	3660
gaaacatctg	tggcacgacg	gtttcatctg	tgttggtagc	actgtactct	tcactcttct	3720
tcttggctctg	gtagatgatg	cacaccagca	ccagtgacgt	caggacgatg	ctgctcacga	3780
cagcaatgg	gaagatgcct	accgtggctc	catcttctct	gcagcctgct	gcgggcagga	3840
cgctcagctg	gctgtgagct	cgtctcctgc	ccagggtgtt	ggacatctca	caggtatctc	3900
ggcccgcatc	ctctgccacc	acgttctgaa	ccaccaggag	ctggttgtca	ggggtcaagt	3960
ggtgccgctc	agtgaggtc	agcggggcgt	cccccttgaa	ccagggtgatg	cggggcggag	4020
ggtccccgct	ggctttgcat	tggagggcca	ctgthttctcc	cacagatacc	acacggctct	4080
ccaaggggag	caccaaggat	ggggtctcta	ggacagctcag	ggtggcatta	gctgaaatag	4140
aaccggctga	gttctgagca	gtacagctgt	aaaccctgc	gtcatctatt	ttcacatcag	4200
tgatgaaaa	cagctcgtca	tccggcatga	catgcagctg	tcgctcacgg	gcagcgggga	4260
aatccgtgcc	tccatcttcc	tggcaggcaa	tctgaggggt	tgggtgacct	gtggcagcac	4320

attcgaggcg	ggccatgggtg	gtggtccgga	tggttatgtc	gtggggcggt	ttggtgaatg	4380
atggcaacac	atcacgggtg	agcctggcct	tatgtgaata	ggtggagcca	aagtggttgg	4440
tgatgacaca	ttggtagcgg	ccctcgtgcc	cgaaagtgac	ctgacggagg	tgcaaggatgg	4500
tggtgtactc	catcacttcc	ccgtcctgcg	cgtggacgtg	gacaaaagttc	tccatgtctg	4560
cattggctcag	gacttcattg	tctttcttcc	aggcaaaggt	catgggggag	ctgctgctgc	4620
tggtcgtcga	gcatgtaaac	cggatgtcct	tgcccacat	agccatgggtg	gtttctggct	4680
gggtgatgat	ctgtggcttc	aggaagtcac	cgcacacgaa	actctctggt	ggcacagaga	4740
aaatgctctg	acccttcagt	gattctgggt	gggcacaggt	ggctgtcaca	aaggcctgca	4800
gcatcctgcc	aattagccac	gggggcagcc	acttcagctg	gcagtcacac	aggaagctgt	4860
cgctcgtgat	atggagctct	ttaagattct	tcatcttcac	aaaggcatca	aactgcagag	4920
atctgatcgc	attccctcca	aggttcaggt	gctccagggc	ttccagcccc	gagaatgctc	4980
tcttagccac	agacttgatc	ttgtttccaa	acagagtcag	cttgctgagg	ctgtcgagcc	5040
ctgagaaggc	gccgctcgtg	tctctattg	tgcccgaat	ctcgttatgg	tccagatcca	5100
agactcgag	gctcctgagt	cccttgaagg	caccctccgc	aatgtggctg	atggaattgt	5160
ggctgagacg	caggacactc	aggctgctca	gctcggccag	gc		5202

<210> 473
 <211> 4715
 <212> DNA
 <213> Homo sapiens

<400> 473						
ggcgcggcg	ggggcagcgc	ggcgcgtgtc	tgtgcgtgtc	ggtcgtcgg	gaccgggacc	60
ggggcgaggc	gccgcggggc	tgagcccagc	agacattgcg	ttggcctccg	agcagggcgc	120
atcatgcagc	gttcgcgcac	cggagagaaa	actgagaatg	aaattgcttt	ggcaagctaa	180
aatgagctcg	atcaggact	ggggtgaaga	ggttagaggaa	ggagctgttt	accatgtcac	240
cctcaaaaaga	gtccagattc	aacaggctgc	caataaagga	gcaagatggc	taggggttga	300
aggggaccag	ctgcctccag	gacacacagt	cagtcaatat	gaaacctgta	agatcaggac	360
cataaaagct	ggcaccttgg	agaagcttgt	ggagaacctg	ctgacagctt	ttggggacaa	420
tgactttacc	tatatcagca	tctttcttcc	aacgtacaga	ggctttgcct	ccactaaaga	480
agtgtgtgaa	ctactgctgg	acaggtatgg	aaacctgaca	agcccaaact	gtgaagaaga	540
tggaagccaa	agttcatcag	agtcctaaaat	ggtgatcagg	aatgcaatcg	cttcataact	600
aagggcctgg	cttgaccagt	gtgcagaaga	cttccgagag	ccccctcact	tcctttgctt	660
acagaaactg	ctggattatc	tcacacggat	gatgccgggc	tctgaccag	aaagaagagc	720
acaaaatctt	cttgagcagt	ttcagaagca	agaagtggaa	actgacaatg	ggcttcccaa	780
cacgatctcc	ttcagcctgg	aagaggaaga	ggaactggag	ggtggagagt	cagcagaatt	840
cacgtgcttc	tcagaagatc	tcgtggcaga	gcagctgacc	tacatggatg	cacaactctt	900
caagaaagta	gtgcctcacc	actgcctggg	ctgcatttgg	tctcgaaggg	ataagaagga	960
aaacaaacat	ttggctccta	cgatccgtgc	caccatctct	cagtttaata	ccctcaccaa	1020
atgtgttgtc	agcaccatcc	tggggggcaa	agaactcaaa	actcagcaga	gagccaaaat	1080
cattgagaag	tggatcaaca	tcgctcatga	atgtgactc	ctgaagaatt	tttctctctt	1140
gagggccatc	gtttcggcac	tgcaagtctaa	ttccatctat	cggttaaaaa	agacttgggc	1200
tgcctccca	agggaccgaa	tgctgatggt	tgaagaactt	tcagatatct	tctcagacca	1260
taataaccat	ttgaccagcc	gagaactact	gatgaaggaa	ggaacctcaa	aatttgcaaa	1320
cctggacagc	agtgtgaaag	aaaaccagaa	gcgtaccag	agggcggctgc	agctccagaa	1380
ggatctgggt	gtgatgcagg	gaactgtgcc	ctagctgggc	accttctga	ctgacctgac	1440
catgcttgac	actgccttc	aggactacat	cgaggggtgga	ctgataaact	ttgagaaaag	1500
gagaagggaa	tttgaagtga	ttgcccagat	aaagctctta	cagtctgcct	gcaacagcta	1560
ttgcatgacc	ccagaccaa	agttcatcca	gtggttccag	aggcagcagc	tcctgacaga	1620
ggaggagagc	tatgccctgt	catgtgagat	tgaagcagct	gctgacgcca	gcaccacctc	1680
gcccagcct	tggaagagca	tggtgaagag	actcaaccta	ctgtttctag	gggctgacat	1740
gataaccagt	cccactccca	ccaaagagca	gcccagctcc	actgccagcg	ggagctctgg	1800
tgaagcatg	gactctgtca	gcgtgtcatc	ctgcgagctg	aaccactcag	aggctgagga	1860
gggctacatt	actcccattg	acaccctga	tgagcctcaa	aaaaagctct	ctgagtcctc	1920
ctcatactgt	tcttctatcc	attccatgga	cacaaatttc	cttcagggga	tgtcttctct	1980
aatcaacccc	ctctctctcc	ctccgtctctg	caacaacaac	cccaaatcc	acaagcgtc	2040

tgtctcgggt	acgtccatta	cctcgactgt	gctgcctcct	gtttacaacc	aacagaaatga	2100
agacacctgc	ataatccgca	tcagtgtgga	agacaataac	ggcaacatgt	acaagagcat	2160
catggtgacg	agccaggata	aaacccccgc	tgtgatccag	agagccatgc	tgaagcacia	2220
tctggactca	gacccccgcg	aggagtaaga	gctgggtgag	gtcatctcgg	aggacaaaga	2280
acttgtgatt	ccagactcag	caaattgtctt	ttatgcatg	aacagccaag	tgaactttga	2340
cttcattttg	cgcaaaaaga	actccatgga	agaacaagt	aaactgcgta	gccggaccag	2400
cttgacggtg	cccaggacag	ctaaacgggg	ctgctggagt	aacagacaca	gcaaaatcac	2460
cctctgaagg	gagggaccag	tggccccttg	tttgccaaag	gcagagtggg	gctgagaaac	2520
aggctgcggt	gattgcaatt	accatccggt	gttcgaggat	cattggtgaa	gtcagcagat	2580
atattattgag	ttcctgtggt	gtgcaaagca	ttatgatagg	caccgtgggg	aaactggaaa	2640
tgaatttgac	atgaaaagga	tgaacgattc	actgattctc	tttgactcat	ttgagactaa	2700
aatgcagaat	taccaacatt	taaaacatat	atatgcacat	gtatttggtg	tgcattgtgta	2760
tatatataaa	aatatataag	agggacttta	tgggatagta	tggactatgg	aaaaacaaat	2820
ttgcacaatg	gcctgggaag	ttgaggctac	tttttacagg	gaaatagaag	aaactgagaa	2880
cctagtctcg	tatattctga	gtaaattggaa	tcagtcctgg	gaatagagag	tgctcctttgt	2940
gccagtatta	caagaagccc	aaacttttatt	tttataaagg	gagaggatga	ctttctcaat	3000
caagtgccac	cagataaaaa	caactgcaga	ggcttcaaac	gccacaggct	gtagaaagg	3060
ccactttgga	aagggtttgg	atgagctggt	ggccttcaac	ctctgcctgc	atctgccact	3120
ttctgctacc	ctagggaggc	caggaggagc	ttcggaggac	catcgcccca	ctggtctagc	3180
catcatgaca	cctctggagg	tgtcaagctc	ctgaaacaag	ctcatttcag	ttctctggca	3240
ccccgtgat	ttccgttttc	cccctaaaga	acatatcata	atcattgcac	aaataaccat	3300
gttctttggt	aatgaagcca	gaaaagaaag	cgcaaaagaa	tggtgactca	tttggtactct	3360
tatctgtctt	ggaatgtcac	tgcttcattg	ccttctctga	ttgccttttg	catgtaaaac	3420
tatgtgtctg	gagtcttttg	ccatctggat	cttagtacct	ctttattatg	tgcaatttat	3480
tcctcaggtg	tggaaatttc	tactgcaatt	gactcgtttt	gattattttg	agcttgtaga	3540
agatttctga	acagtgattg	tcccgttaat	agcccctcag	aagatgttcc	ctgctgataa	3600
cagcatccta	ttttacttac	ttttatagca	ttactgtgcc	tagtcgtggg	gaaagagatg	3660
gggctgtata	gattatctga	atcattttgc	taagaggtac	attcttccag	atggaatcaa	3720
taactttttt	tttccagggt	cccgtgcttg	ctatcacagt	atcattgtta	agtgcactt	3780
ttgtctctca	taacaccatc	acaactcttc	ttccaagtct	gagctgtgct	ggggtttgaa	3840
ctaaaagcca	tatgtggaat	attgacatgt	gtaagaagca	ctttcagaat	gttgtccttt	3900
ttaagaaatg	attctcaaaa	taccagtttt	tattccaaaa	atthagagaa	caaaccggga	3960
atatgaagtg	cagattgtaa	catggagcta	tttttttttc	ctaattccat	aatacagctc	4020
ctaaaagttg	tgtgggattt	gcgttgcata	aatagccatg	tgaattccac	aagaagcacc	4080
agggaaagtt	tagagatttg	cggcaatgga	ccgaagaacg	ggccaggaag	tcctccaatt	4140
tcctttggtc	tttccaggag	attggactac	acattgtaaa	gactgactgg	gtttcaacta	4200
gtcaaaaagc	actttctctc	gttttcaatc	cctgttcgat	ttgtgcttct	gtgctttagt	4260
gagagatggc	caggggtggca	gcctcatgac	aggttgaagt	atatgtagcc	tcagcctgat	4320
attcttgggt	cgaaggtaaa	aaaaaaaaaa	taataaaac	cattggcctg	gttgagggcg	4380
tgaccaccaa	aacatataatg	ttgggcccgg	gttcactcctg	ggatattata	ctgtatatgt	4440
agagtctaaa	tttatatact	gcaatgtaaa	atatatataat	atttaccttt	tttaaagaca	4500
atggaaattc	caagtagcta	aaacttagct	tcattttatt	aatgccactt	taaatgtctt	4560
aaatttgttt	cctggtggac	agccgggtaa	tgcttttagc	tgctcgcatg	cttgtctttc	4620
tgcatctcca	tcatctgttt	accttttggg	taaactaata	aactagtttg	ggacttggct	4680
ggcatgtgct	gccagacca	aagggaaaaa	aaaaa			4715

<210> 474
 <211> 1374
 <212> DNA
 <213> Homo sapiens

<400> 474						
gcacgagaaa	agatggattc	ttgtattgaa	gcctttggta	ccaccaaaaca	gaagcgagct	60
ctgaacacca	ggagaatgaa	cagagttggc	aatgaatctt	tgaatcgtgc	agtggtctaaa	120
gctgcagaga	ctatcattga	tacgaagggt	gtgactgctc	tgggtcagcga	tgctatccac	180
aatgacttgc	aagatgactc	cctctacctt	cctccctgct	atgatgatgc	agccaagcct	240

gaagacgtgt	ataaatttga	agatcttctt	tcccctgcgg	agtatgaagc	tcttcagagc	300
ccatctgaag	ctttcaggaa	cgtcacgtca	gaagaaatac	tgaagatgat	tgaggagaac	360
agccattgca	cctttgtcat	agaagcgttg	aagtctttgc	catcagatgt	ggagagccga	420
gaccgccagg	cccgatgcat	atggtttctg	gataccctca	tcaaatttcg	agctcatagg	480
gtagttaagc	ggaaaagtgc	tctgggacct	ggagttcccc	acatcatcaa	caccaaactg	540
ctgaagcact	ttacttgctt	gacctacaac	aatggcagat	tacggaactt	aatttcggat	600
tctatgaagg	cgaagattac	tgcatatgtg	atcatacttg	ccttgacacat	acatgacttc	660
caaattgacc	tgacagtgtt	acagagggac	ttgaagctca	gtgagaaaag	gatgatggag	720
atagccaaag	ccatgaggct	gaagatctcc	aaaagaaggg	tgtctgtggc	cgccggcagt	780
gaagaagatc	acaaactggg	caccctgtcc	ctcccgtgc	ctccagccca	gacctcagac	840
cgctggcaca	agcggaggaa	gattacctag	acgcatgctt	tccagacagg	gcgttttggc	900
tgcatcacag	ccactggctg	gtcctattca	tttccatttt	tatgtatgtt	ttgaaaagaa	960
aaggctccggg	gatggtggct	cacacctgaa	atcccagcac	tttgggaggc	cgaggcagga	1020
agatcattga	gctcaggagt	ttgaaaccag	tctggacaac	atagggagac	cccatctcta	1080
ccggaggaaa	aaaaaaagag	tcaggcctgg	tggtgtgcgc	ctgtaatccc	agctactcgg	1140
gaggctgagg	caggacgatt	acttgagctt	gggaaatcaa	ggttgacagt	agctatgatt	1200
gtgtggccac	actccatcct	gggtcacaga	gtgagacctt	gtctcaaaaa	agtaacataa	1260
ggaaaaaaga	agccttgctt	tagcacaggt	atgaagccag	aagccagcat	ctcaactgtg	1320
cttgtcttat	gcagaaatat	aaagcgtatg	ccaggttggc	cttcaaaaaa	aaaa	1374

<210> 475
 <211> 3076
 <212> DNA
 <213> Homo sapiens

<400> 475						
cctgtctctc	ttcgggtctc	gggcccttgg	gcgcagcggg	gcgcgcgcca	tggcgaaggc	60
gaagaaggtc	ggggcgcgaa	ggaaggcctc	cgggycgccc	gcgggagcgc	gagggggccc	120
ggcgaaggcc	aactccaatc	cgttcgaggt	gaaagttaac	aggcagaagt	tccagatcct	180
gggcccgaag	acgcgccacg	acgtgggact	gcccgggggtg	tctcgcgcac	gggccctcag	240
gaagcgtaca	cagactttac	taaaagagta	caaagaaagg	gataaatcca	atgtattcag	300
agataaacgc	ttcgggagaat	acaacagcaa	catgagcccc	gaggagaaga	tgatgaagag	360
gtttgctctg	gaacagcagc	gacatcatga	gaaaaaaagc	atctacaatc	taaatgaaga	420
tgaagaattg	actcattatg	gccagtcttt	ggcagacatc	gagaagcata	atgacattgt	480
ggacagtgac	agcgatgctg	aggatcgagg	aacgttgtct	ggtgagctga	ctgctgccc	540
ctttggagga	ggcggtgggc	tcttccacaa	gaagactcaa	caggaaggcg	aggagcggga	600
gaaaccgaag	tcccggaaag	agctgattga	agagctcatt	gccaagtcaa	aacaagagaa	660
gagggagaga	caagctcaac	gagaagatgc	cctcagctc	acggagaagc	tagaccaaga	720
ctggaaaagaa	attcagactc	tctgttccca	caaaactccc	aagtcagaga	acagagacaa	780
aaaggaaaaa	cccaagcccc	atgcatatga	catgatgggt	cgcgagcttg	gctttgaaat	840
gaagggcgag	ccctctaaca	ggatgaagac	ggaggcagaa	ttggcaaagg	aagagcagga	900
gcacctcagg	aagctggagg	ctgagagact	tcgaagaatg	cttgaaagg	atgaggatga	960
aaatgttaag	aaaccaaaac	atatgtcagc	agatgatctg	aatgatggct	tcgtgctaga	1020
taaagatgac	aggcgtttgc	tttccataca	agatggaaaag	atgaatgtcg	aggaagatgt	1080
ccaggaagag	caaagcaagg	aagccagtga	ccctgagagc	aacgaggaag	aaggtgacag	1140
ttcaggcggg	gaggacacag	aggagagcga	cagccagat	agccacttgg	acctggaatc	1200
caacgtggag	agtgaggaag	aaaacgagaa	gccagcaaaa	gagcagagge	agactcctgg	1260
gaaaggggtg	ataagcggca	aggaaagagc	tggaaaagct	accagagacg	agctgcctca	1320
cacgttcgca	gcccctgaat	cctatgagga	actgagatct	ctgttgttag	gaagatcgat	1380
ggaagagcag	cttttggtgg	tgagagagaat	tcagaagtgc	aaccaccoga	gtctcgcaga	1440
aggaacaaca	gcaaaattag	aaaaactggt	tggtttctt	ttggaatacg	ttggcgattt	1500
ggctacagat	gaccaccag	acctcacagt	cattgataag	ttggttgtgc	acttatatca	1560
tctttgcag	atgtttcctg	aatctgcaag	tgacgctatc	aaatttgttc	tccgagatgc	1620
gatgcattgag	atggaagaaa	tgattgagac	caaaggccgg	gcggcattgc	caaggttggc	1680
tgtgctcatt	tatttgaaaa	tcactgggct	gctatttcca	acttccgact	tctggcacc	1740
agtggtgacc	cctgcctcgc	tgtgcctcag	tcagctgctc	accaagtgcc	ccatcctgct	1800

cctccaggac	gtggtgaagg	gectgttcgt	gtgetgcctg	ttcctggagt	atgtggcttt	1860
gtcccagagg	tttatacctg	agcttattaa	ttttcttctt	gggattcttt	acatagcaac	1920
tccaaacaaa	gcaagccaag	gttcactctt	ggtgcacctt	ttcagagcgc	ttgggaagaa	1980
ctcggaaactg	ctcgtgggtg	ctgctagaga	ggatgtggcc	acgtggcagc	agagcagcct	2040
ctccctccgc	tgggcgagta	gactgagggc	cccaacttcg	acagaggcca	atcacatccg	2100
actgtcctgc	ctggctgtgg	gcctggccct	gctgaagcgc	tgcgtgctca	tgtacgggtc	2160
cctgccatcc	ttccacgcca	tcatggggcc	tctccgagcc	ctcctcacgg	atcacctggc	2220
ggactgcagc	cacccgcagg	agctccagga	gctgtgtcag	agcacactga	ccgaaatgga	2280
aagccagaag	cagctctgcc	ggccgctgac	ctgtgagaag	agcaagcctg	tcccactgaa	2340
gcttttcaca	cccggctgg	tcaaagtctt	cgagtttggg	agaaaacaag	gcagtagtaa	2400
ggaggaacag	gaaaggaaga	ggctgatcca	caaacacaag	cgtgaattta	aaggggccgt	2460
tcgagaaatc	cgcaaggaca	atcagttcct	ggcgaggatg	caactctcag	aatcatgga	2520
acgggatgcg	gaaagaaagc	gaaagtaaa	gcagcttttt	aacagcctgg	ctacacagga	2580
aggcgaatgg	aaggctctga	agaggaaaaa	gttcaaaaaa	taaattacat	tttataaata	2640
aggcaaggaa	ctggacatta	cctcacatct	gcaattccaa	ccctctggtc	tcgaattccc	2700
gacctcaggt	aatccacctg	ccttgcccc	ccaattatag	gtgtgagcca	cagcaccag	2760
ccaaaaaagt	aatttttttt	agagtaataa	tgctataatg	ttgggtgtgat	tccaacctcc	2820
agctcccccc	accogctgcc	tgcggttttg	tttctgttaa	aacgtcacct	gatgaaatag	2880
aatgaatcct	gaaatgcacc	tctgggatcg	ggaatggtct	gtgtgttatc	agctgcgact	2940
ggttcaactgc	gtctggacaa	gcctcatggg	gactggggat	tctggccagt	gtaatttctg	3000
tcaaccacgg	acgtttgcct	tcatgtgtag	aatttactgt	tgttatgcaa	attatatttt	3060
caattataaa	tgaaaa					3076

<210> 476
 <211> 959
 <212> DNA
 <213> Homo sapiens

<400> 476						
gcctcaccaa	gcaggaagac	tgctgcggta	gcatcggcac	tgcctggggc	cagagcaagt	60
gccacaagtg	tccccagctg	cagtacacag	gagtgacaga	gccagggcct	gtacgtgggg	120
aagtggggcg	tgactgtccc	cagggctaca	agaggcttaa	cagcaccac	tgccaggaca	180
tcaacgagtg	cgcaatgccg	ggcgtgtgtc	gccatggtga	ctgcctcaac	aacctggct	240
cctatcgctg	tgtctgcccc	cctggccata	gtttaggccc	ctcccgtaca	cagtgcattg	300
cagacaaaacc	ggaggagaag	agcctgtggt	tccgctggt	gagccctgag	caccagtgcc	360
agcaccact	gaccaccgc	ctgaccgcgc	agctctgctg	ctgcagtgtc	ggcaaggcct	420
ggggcgcgcg	gtgtcagcgc	tgcccaacag	atggcacccg	tgcgttcaag	gagatctgcc	480
cagctgggaa	gggataccac	attctcacct	cccaccagac	gctcaccatt	cagggcgaga	540
gtgacttttc	ccttttcctg	caccctgacg	ggccaccocaa	gccccagcag	cttccggaga	600
gccctagcca	ggctccacca	cctgaggaca	cagaggaaga	gagaggggtg	accacggact	660
caccggtgag	tgaggagagg	tcagtgcagc	agagccacc	aactgccacc	acgactcctg	720
cccggcccta	ccccgagctg	atctcccgtc	cctcgcccc	gaccatgcgc	tggttctctg	780
cggacttgcc	tcttcccgc	agcgcgtag	agatcgctcc	cactcaggte	acagagactg	840
atgagtgcgg	actgaaccag	aacatctgtg	gccacggaga	gtgcgtgccg	ggccccctg	900
actactcctg	ccactgcaac	cccggctacc	ggtcacatcc	ccagcaccgc	tactgcgtg	959

<210> 477
 <211> 3652
 <212> DNA
 <213> Homo sapiens

<400> 477

tttttttga	cataatcatt	tttatttgat	ttaattgata	aataaatata	agagaactgt	60
tgtgaaacca	cttggcaata	tagtaaattt	taaagatttt	atttcaactt	cactcactta	120
tatttcttgg	gaatggggat	atatacatta	ttccaata	aatcgctaat	gctttaaatt	180
tacaattacc	ctattttag	aaacctgaaa	gatcattcca	attaatgaa	aaaaaattg	240
tacaaaaacg	ttcttttgct	cttacaattc	aaaatacatt	caaattcaca	ttcttaccag	300
cagccaaaac	ctttaaccce	aaattcagaa	actgcagtc	tacaagtga	caaactagtg	360
ttttaattta	attatcatga	ttgttgtaa	cactgaaaa	aaaacatgat	ggctcctgaa	420
acaagacagg	ttagcaactg	gtacagcttt	cccttctggg	cactcaaagc	tttgccttg	480
attattattt	ttatttcac	tttcaaaca	cagacaattg	ctccaacttg	aaagttaa	540
tggaattttg	gcatttaata	ttgctaattg	ttgctaagat	ttaagatctc	ccaatgatga	600
gaatcagaaa	atgacgcacg	actaaattaa	aatcatccta	aaagacttac	tacatagtg	660
gatctgggat	tcaatatcaa	tagtgttttt	gaattacatg	atatgttttt	cacaaacata	720
gcacctcatc	aaatatctgg	taaacaacttt	gcaatcacia	taagtgttgg	gagaccaagt	780
tccaaagaca	attatgtgat	tcacttaaag	gtaacattgt	aagacaagtc	tcaggcataa	840
tgaagattag	gaatgcagtc	tgctggttcc	catgatctaa	agggatgctc	acctatatgg	900
gcaccatcct	attaagacgt	ggtaatatgt	ttccaaacca	aaaaaagtcg	gtaagtgtta	960
aaatggactc	ctgctttata	aatgatctgt	taaatgtact	tgtaaaatta	aaaaaatttc	1020
caaaatgtca	aaagagatat	gattattgta	tctccattat	tccaagtaa	ttctgttaa	1080
aagatactaa	atgaagtcca	attttatctt	gtaaagtttt	agtgtaaaa	ctaagtact	1140
gaattctcag	aaagttaaac	ttcatcttaa	atgtaacgaa	acaactattc	attttgggta	1200
gttttcacia	gctgtactcc	tgacctgaag	aatcaactttt	tttatgocga	ggagatggag	1260
tagtctttgt	aggagatggg	gacgcagtac	caggtgagtc	agttcctcca	tcggaaagtac	1320
ttggatgatga	tgccagatag	ggaactttct	ttcttccaag	gaatcctccc	ccttcaaatc	1380
ctcctttctt	cctaaactct	attttatttt	cattttcatc	ttctgatgac	cctttcttgg	1440
attctgaaaa	accttcagct	attttatgca	cttccaatcc	actatccaat	tctctcaaac	1500
tttttatttc	tactccagga	gactttctct	catatattat	acattcccct	gttgcctcct	1560
tcacttcagc	ttgtattgga	ccaagtttac	cattttcagg	gacagctcct	tctacatttc	1620
tgttcaaat	aatagtctgg	aagtocctat	aaactgtgaaa	gctctcagtc	cctcttgcct	1680
ttgctaataa	aggactttct	ctgtaaggcc	tcatggaacc	gtaagtagct	gcttcatggg	1740
tggatcatg	gtgctgaagc	tgaaggctag	aatttgattc	tcgtaagtgg	ctatgctgaa	1800
ctacggaagt	tgctggactg	atggttaggag	tagcacagcg	agatgtgctc	aaatcacatt	1860
gatcgagtaa	tttgagtatg	tcttcttcgg	ttggaccacc	tacatcctta	tcttcaactt	1920
tgtaaacat	atccatagca	gtggtcagat	cccacatttg	aaactgcca	tttgtatggc	1980
ctgttaacaa	gtagcgcctt	ggtcttgagc	ccatctact	ggatccctca	cattccctcc	2040
ctgtaaatga	ggatattgta	gtacagtcaa	cagcctggat	ctcacatatt	ccttttccag	2100
tcgatgagag	tcttacaat	agtttgttgg	tgatgggaac	aactttctgg	ataaacacct	2160
gttgatcgtc	tcgctctcca	aaaggctccta	tgctatttcc	agaggaatag	ctaccatgac	2220
tttctgtctc	ctccagggat	agtatcttga	atgacgctaa	aggagtagaa	cctggctgag	2280
tagagatcat	tctctgaa	cgtgttactg	tccacgtccg	gacatgatta	ttatctgcac	2340
agactgatac	aaagtgcttc	tctgatagca	tgatttttgt	tacgggactt	cggtgaaactg	2400
tgaaagtctg	aaaaagctga	ggacctgacc	caactgtctc	tgggtgttgt	acaatcactc	2460
gtactgctcc	agagctcgta	ccataggcga	tctogatcca	gttaccactg	acactgtttt	2520
tgggtgtgag	gtaaacactc	agagcagtaa	tagcatcatt	tgaaggatca	tgatacagtt	2580
cagttacaag	aagatcatta	tctttcattc	gcaaggggaa	cctctgcata	tctatgtaat	2640
atattgatcc	attgttacat	ccaagcagaa	ggaatgatcc	agcagtgctca	taactagtta	2700
taggaacaac	atcttgaacc	tgccagtgct	gagtgacagc	attccacact	cccactttcc	2760
ctgtatgatc	cgtggccacc	aactgggttac	caataaagaa	gagagcatct	acaggaacac	2820
ccaggctgaa	cactccaatt	tcacttccac	ttccccctc	ctgaaactc	cacaagatga	2880
tgctactctc	tgaggcaaca	gcaaccattt	tgtctttgtc	tccatgtggc	cctccaacca	2940
cctttgcatt	taaagctact	cgttcgatag	tccaatccaa	atatgggctc	gtaaacactt	3000
gctgccatcc	tgaagattct	ttgattctgt	aacacacagc	aaaatgggca	tatgcagcta	3060
caatccagtt	gtgatggcca	gctactatta	gcacctttcg	tggatccaca	ggaaatccta	3120
gcctaacagt	ttcttctccc	gttccagaga	gaacaggctg	tgtaccattt	ccccgggctt	3180
caccttctgt	agaattttaga	ccattcctag	aatcagcaga	tctgactgtg	ttgtttattt	3240
tacgactagg	aatacctggg	gggggcaagt	aacctgaaa	aaggacactg	ccacaagagg	3300
aacgctcaac	ttcttcacat	aagagaagcc	ttcttactaa	tggagtgate	cogtaaaatt	3360
ctgcttcabg	cctgagaaca	ttaactactca	ctccccctaa	gtctagttct	tttgtccgaa	3420
gaaaatttaa	aatgggtgca	aatgctgctg	gatctctatc	aataaatata	gcaccagttt	3480
catctcgaag	tgttgaaatt	ctcccactca	gcaaacctgga	aaaaaaagaa	tctggaatcc	3540
acataagagt	ttgtcttgag	gtactaaate	tgttcccccc	tacgttcagt	tggacgatct	3600

cgccgctgcc ggccgccgcc gcggggaagc tgccgcagtg ccctcccgcc at 3652

<210> 478
<211> 2477
<212> DNA
<213> Homo sapiens
<220>
<221> misc_feature
<222> (1)...(2477)
<223> n = a,t,c or g

<400> 478
cgtcgaccca cgcgctccgat cttaacagac gagttgttta aaagaactat ccaactgcct 60
cacttgaaaa ctctcatttt gaatggcaat aaactggaga cactttcttt agtaagttgc 120
tttgctaaca acacaccctt ggaacacttg gatctgagtc aaaatctatt acaacataaa 180
aatgatgaaa attgctcatg gccagaaact gtggtcaata tgaatctgtc atacaataaa 240
ttgtctgatt ctgtcttcag gtgcttgccc aaaagtattc aaatacttga cctaaataat 300
aaccaaatcc aaactgtacc taaagagact attcatctga tggccttacg agaactaaat 360
attgcattta attttctaac tgatctccct ggatgcagtc atttcagtag actttcagtt 420
ctgaacattg aaatgaactt cattctcagc ccatctctgg attttgttca gagctgccag 480
gaagttaaaa ctctaaatgc ggggaagaaat ccattccggg gtacctgtga attaaaaaat 540
ttcattcagc ttgaaacata ttcagaggtc atgatggttg gatggtcaga ttcatacacc 600
tgtgaatacc cttttaaact aaggggaact aggttaaaag acgttcatct ccacgaatta 660
tcttgcaaca cagctctgtt gattgtcacc attgtggtta ttatgctagt tctggggttg 720
gctgtggcct tctgctgtct ccactttgat ctgccctggg atctcaggat gctaggtcaa 780
tgcacacaaa catggcacag ggtaggaaa acaacccaag aacaactcaa gagaaatgtc 840
cgattccacg catttatttc atacagtgaa catgattctc tgtgggtgaa gaatgaattg 900
atccccaatc tagagaagga agatggttct atcttgattt gcctttatga aagctacttt 960
gaccctggca aaagcattag tgaaaatatt gtaagcttca ttgagaaaag ctataagtcc 1020
atctttgttt tgtctcccaa ctttgtccag aatgagtggt gccattatga attctacttt 1080
gcccaccaca atctctcca tgaaaattct gatcatataa ttcttatctt actggaaccc 1140
attccattct attgcattcc caccaggat cataaactga aagctctcct ggaaaaaaaa 1200
gcatacttgg aatggcccaa ggataggcgt aaatgtgggc ttttctgggc aaaccttcga 1260
gctgctatta atgttaatgt attagccacc agagaaatgt atgaactgca gacattcaca 1320
gagttaaatag aagagtctcg aggttctaca atctctctga tgagaacaga ttgtctataa 1380
aatcccacag tccctgggaa gttggggacc acatacactg ttgggatgta cattgatata 1440
acctttatga tggcaatttg acaatattta ttaaaaaaaa aaatggttat tcccttcata 1500
tcagtttcta gaaggatttc taagaatgta tccatataga acaccttcac aagtttataa 1560
ggccttatgg aaaaggtggt catcccagga ttgtttataa tcatgaaaaa tgtggccagg 1620
tgcaagtggc cactcttgta atcccagcac tatgggaggc caaggtgggt gaaccacga 1680
ggtcaagaga tggagaccat cctggccaac atgggtgaaac cctgtctcta ctaaaaatac 1740
aaaaattagc tgggcgtgat ggtgcacgcc tgtagtccca gctacttggg aggctgaggc 1800
aggagaatcg cttgaaccog ggaggtggca gttgcagtg gctgagatcg agcactgca 1860
ctccagcctg gtgacagagc gagactccat ctcaaaaaaaaa agaaaaaaaa aaaaggaaaa 1920
aatgggaaaa cttcctcttg gcccataaaa agggctctaat tcaataaatt atagcccttt 1980
aagtaatat atattactg gccctaaaa aaaataggga agctgtttat ttccgggttg 2040
ggaaaaacca tattaatag ttttaacctt tttagtgggg gcaaaaactaa tgggggtttt 2100
tgccattgaa agggcttga aataaaaggg taagaaatt tatcccaat gtagtaccag 2160
gggtgggggt ctgggaggtt ggattacggg gagcattgga tttctatgtg gggaaattct 2220
ataaggttg aatggttaaa aaggaatctg tatttttttt ataagtagaa aaaaaataag 2280
gatggttttt acagcctaca cttcctaaaa aaaagggat ttttttttta gggcccccg 2340
gtttttccc tttggggggg gggaaattaa ttttgggccc ggccgggctt ttttaacaccg 2400
ggggcagggg gaaaaaccog ggggggtccc ccctttaatg cccttgggga caaaaaaana 2460
naccattgtg ccggagg 2477

<210> 479
 <211> 1297
 <212> DNA
 <213> Homo sapiens

<400> 479
 cccacgcgtc cgcccacgcg tccgcccacg cgtccgcttc tgaccccgtc ttggacttca 60
 actgggagaa tgtggagcca tttgaacagg ctctcttctt ggagcatatt ttcttctgtc 120
 acttgtagaa aagctgtatt ggattgtgag gcaatgaaaa caaatgaatt cctttctcca 180
 tgtttggact caaagactaa ggtggttatg aagggtcaaa atgtatctat gttttgttcc 240
 cataagaaca aatcactgca gatcacctat tcattgtttc gacgtaagac acacctggga 300
 acccaggatg gaaaaggatg acctgctgatt tttaacctaa gcatcacaga agcccatgaa 360
 tcaggccccct acaaatgcaa agcccgaagt accagctggt caaaatacag tcgtgacttc 420
 agcttcacga ttgtcgaccc ggtgacttcc ccagtgtgta acattatggt cattcaaaca 480
 gaaacagacc gacataatac attacattgc ctctcagtc atggctcgct gcccatcaat 540
 tacactttct ttgaaaacca tgttgccata tcaccagcta tttccaagta tgacagggag 600
 cctgctgaat ttaacttaac caagaagaat cctggagaag aggaagagta taggtgtgaa 660
 gctaaaaaca gattgcctaa ctatgcaaca tacagtcacc ctgtcaccat gccctcaaca 720
 ggcggagaca gctgtccttt ctgtctgaag ctactacttc cagggttatt actgttgctg 780
 gtggtgataa tcctaattct ggctttttgg gtactgccca aatacaaaac aagaaaagct 840
 atgagaaata atgtgccacg ggaccgtgga gacacagcca tggaggttgg aatctatgca 900
 aatatccttg aaaaacaagc aaaggaggaa tctgtgcccag aagtgggac caggccgtgt 960
 gttccacag cccaagatga ggccaaacac tcccaggagc tacagtatgc caccctcgctg 1020
 ttccagaggg tggcaccaag agagcaagaa gcctgtgatt cttataaatc tggatatgtc 1080
 tattctgaac tcaacttctg aaatttacag aaacaaacta catctcagga tggagtctca 1140
 ctctgttgcc caggctggag ttccggtggcg cgatcttggc tcaacttcaat ctccatcttc 1200
 ccagttcaag cgattctcat gcctcgacct cccgagtagc tgggaattac aggtgcccgc 1260
 taccacgccc agctaatttt tggattttta gtagagc 1297

<210> 480
 <211> 569
 <212> DNA
 <213> Homo sapiens

<400> 480
 tttttttttt ttgaagagag acggacaggc tctcactctg taggccacc taggatggaa 60
 tacagtgggtg tgtctatggc tcaactgcagc ctcaacctcc tgggctcaag caattctcct 120
 tcttcagcct cccaagatgc taggactaca ggtgcatgct aacatgccc gctaattggt 180
 tttttttttt tttgtagaga cagcatctcc ccagggtacc catgctggct caaacacctg 240
 gtctcaagaa atccttctgc tgtgacctcc caaagtgcta ggattaaaac atgaccacc 300
 atgctcagag tccattttca tttctgattt gagtaatttt aaacttttct cttttttct 360
 tagtcaatct agttaatggt tgtcaatttt gttgatttta ttttgaagaa tcaacttttg 420
 gtttcattaa tttcctctat tctttttcca ttctccattt tatttatgtc cactctaate 480
 cttattattt cctcattca ctgtgcttgg gtttagtttg ttcttcttcc atactcctgaa 540
 gtattaaagt aggttggttga cctgaaaaa 569

<210> 481
 <211> 1570
 <212> DNA
 <213> Homo sapiens

<400> 481
 aatagagaag gtgccagaaa gatccaaaac aagtggctgc ggccgtcgcc caggagtcat 60
 cggacgccag aatctgtgtc tccagaacgc tatagctatg gcacctccag ctcttcaaag 120
 aggacagagg gtagctgccg tcgcogtcgg cagtcaagca gttctgcaa ttctcagcag 180
 ggtcagtggg agacaggctc ccccccaacc aagcggcagc ggccggagtgc gggccggccc 240
 agtgggtggg ccaaaccggc gccggagagg gccccagccg caccocagca gcagtacagag 300
 cccgccagac ctctctctga aggcaaagt acctgtgaca tccggctccg ggttcgagca 360
 gactactgag agcatgggcc agccttggag cagggcgtgg catcccggcg gccccaggcg 420
 ctggcgccgc agctggacgt gtttgggag gccaccgcag tgctgcgctc aaggacctg 480
 ggctctgtgg tttgtgacat caagtctca gagctctcct atctggacgc cttctggggc 540
 gactacctga gtggcgccct gctgcaggcc ctgcggggcg tgttctgac tgaggccctg 600
 cgagaggctg tgggcccggga ggctgttcgc ctgctggtca gtgtggatga ggctgactat 660
 gaggctggcc ggcgcgcct gtgtctgat gaggaggaag gggggcggcg cccgacagag 720
 gcctcctgat ccaggactgg caggattgat cccacctcca agtctccggg ccacctctc 780
 ctgggaggac gaccatctct acccctagag gactgtcact ctagcatctt tgaggactgc 840
 gacaggaccg ggacagcagg ccccttgaca gccctccca caggatgtgg gctctgaggc 900
 ctaaaccatt tccagctgag tttccttccc agactcctcc taccocagc tgtgcccct 960
 tagcctccgg aggcgggggc tgggacctga tctcagaagg gaggggcaca gctacacact 1020
 caccaaaggc ccccctgcac attgtatctc tgatcttggg ctgtctgcac tgtcacaggt 1080
 gcacacactc gctcatgctc acactgcccc tgctgagatc ttcctgggc ctctgcctg 1140
 gcctgcttcc cagcacacac ttctttggcc taagggttcc tctctcagga cctctaattt 1200
 gaccacaacc aacctgggct tcagccacat cagtgggcac tggagctggg gtgcacatgg 1260
 ggctgctca ccttgcccac acatctccag ccagccaggg ccctgcccag cttcaattta 1320
 cagacctgac tctctcacc ttccccctg ctgtccagag ctgaacatag acttgcaact 1380
 ggatgtcacc tggagtgtca catgggagt ttatggcagc atcataccaa ggctactgt 1440
 tgcacatggg gccaaaacca gtaaacagcc accttcttgg aaagggaatg caaaggcttt 1500
 gggggtgatg gaaaagacct ttttacaat gataccaatt aaactgcctt gggaaagggc 1560
 attagtgagg 1570

<210> 482
 <211> 1774
 <212> DNA
 <213> Homo sapiens

<400> 482
 gctccaaata ctgcagaatt aaggatttgt cgtgtaaaca agaattgtgg aagtgtcaga 60
 ggaggagatg aatatttct actttgtgac aaagttcaga aagatgacat agaagttcgt 120
 tttgtgttga acgattggga agcaaaaggc atcttttcac aagctgatgt acaccgtcaa 180
 gtagccattg ttttcaaacc tccaccatat tgcaaagcta tcacagaacc cgtaacagta 240
 aaaatgcagt tgcggagacc ttctgaccag gaagttagt atctatgga ttttagatat 300
 ctgccagatg aaaaagatac ttacggcaat aaagcaaaga acaaaaagac aactctgctt 360
 ttccagaaac tgtgccagga tcacgtagaa acagggtttc gccatgttga ccaggatggt 420
 cttgaactcc tgacatcagg tgatccacc accttggcct cccaaagtgc tgggattaca 480
 gttaattttc ctgagagacc aagacctggt ctctcggtt caattggaga aggaagatac 540
 ttcaaaaaag aaccaactt gttttctcat gatgcagttg tgagagaaat gcctacaggg 600

gtttcaagtc	aagcagaatc	ctactatccc	tcacctgggc	ccatctcaag	tggattgtca	660
catcatgcct	caatggcacc	tctgccttct	tcagctgggt	catcagtggc	ccaccccacc	720
ccacgctcag	gcaatacaaa	cccactgagt	agtttttcaa	caaggacact	tccttctaata	780
tcgcaaggta	tcccaccatt	cctgagaata	cctggtggga	atgatttaa	tgcttctaata	840
gcttgcatth	acaacaatgc	cgatgacata	gtcggaaatgg	aagcgtcatc	catgccatca	900
gcagatttat	atgggtatttc	tgatcccaac	atgctgtcta	attgttctgt	gaatatgatg	960
acaaccagca	gtgacagcat	gggagagact	gataatccaa	gacttctgag	catgaatctt	1020
gaaaaccctc	catgtaattc	agtgttagac	ccaagagact	tgagacagct	ccatcagatg	1080
tcctcttcca	gtatgtcagc	aggcgccaat	tccaatacta	ctgtttttgt	ttcacaatca	1140
gatgcatttg	agggatctga	cttcagttgt	gcagataaca	gcatgataaa	tgagtgggga	1200
ccatcaaaca	gtactaatcc	aaacagtcac	ggttttgttc	aagatagtca	gtattcaggt	1260
attggcagta	tgcaaaatga	gcaattgagt	gactcctttc	catatgaatt	ttttcaagta	1320
taacttgcaa	gatttaaatac	cttttaaatac	ttgataccac	ctatatagat	gcagcatttt	1380
gtatttgtct	aactggggat	ataatactat	atttatactg	tatatataat	actgactgag	1440
aatataatac	tgtatttgag	aatataaaaa	acttttttca	gggaagaagc	atacaacttt	1500
ggacatagcg	aatacaaaat	tggagctgtg	cataaaaaga	caactcagag	gccaggcgca	1560
ggggctcaca	cctgtaatcc	tagcactttg	ggaggccaag	gcgggtggat	cacttgagac	1620
caggaattcg	agaccagcct	ggccaacatg	gtgaaacccc	gtctctacta	aaaatacaaa	1680
aattagctga	gcatgggtgt	acgtgcctgt	actgtcagct	acttgggagg	ctgaggcaca	1740
ataattgttt	gaaccagga	agcagaggtt	gcag			1774

<210> 483
 <211> 3024
 <212> DNA
 <213> Homo sapiens

<400> 483						
cgacgcctgt	ccctcttaga	cttgcagctc	ggtcctcttg	gcagagacc	cccgcaggag	60
tgcagcacct	tctcccac	agacagcggg	gaggagccgg	ggcagctctc	ccctggcgtg	120
cagttccagc	ggcggcagaa	ccagcgcgcg	ttctccatgg	aggacgtcag	caagaggctc	180
tctctgcccc	tggatatccg	cctgccccag	gaattcctac	agaagctaca	gatggagagc	240
ccagatctgc	ccaagcgcct	cagccgcctg	tcccgcgggg	cctccctgtc	agacattggc	300
tttgggaaac	tggaaacata	cgtgaaactg	gacaaactgg	gagagggcac	ctatgccaca	360
gtcttcaaag	ggcgcagcaa	actgacggag	aaccttgtgg	cctgaaaga	gatccggctg	420
gagcacgagg	agggagcgcc	ctgcaactgc	atccgagagg	tgtctctgct	gaagaacctg	480
aagcacgcca	atattgtgac	cctgcatgac	ctcatccaca	cagatcggtc	cctcacctgt	540
gtggttgagt	acctggacag	tgacctgag	cagtatctgg	accactgtgg	gaacctcatg	600
agcatgcaca	acgtcaagat	tttcatgttc	cagctgtctc	ggggcctcgc	ctactgtcac	660
caccgcaaga	tctgcaccg	ggacctgaag	ccccagaacc	tgctcatcaa	cgagaggggg	720
gagctgaagc	tggccgactt	tggactggcc	agggccaagt	cagtgccacc	aaagacttac	780
tccaatgagg	tggtgaccct	gtggtacagg	ccccccgatg	tgctgctggg	atccacagag	840
tactccacc	ccattgatat	gtggggcgtg	gctgcatcc	actacgagat	ggccacaggg	900
aggccctct	tcccgggctc	cacagtcaag	gaggagctgc	acaaaatcaa	tcgctcctc	960
gggaccccca	cagaagagac	gtggcccggc	gtgacgcct	tctctgagtt	ccgcacctac	1020
agcttcccct	getacctccc	gcagccgctc	atcaaccag	cgcccagggt	ggatacggat	1080
ggcaccacc	tctgagcag	cctgctcctg	tatgaatcca	agagtccgat	gtcagcagag	1140
gctgcctga	gtcactccta	cttccggctc	ctgggagagc	gtgtgcacca	gcttgaagac	1200
actgcctcca	tcttctcct	gaaggagatc	cagctccaga	aggaccagg	ctaccgaggc	1260
ttggccttcc	agcagccagg	acgaggggag	aacaggcggc	agagcatctt	ctgagccacg	1320
cccaccttgc	tgtggccaag	ggacaagaga	tcacatggag	cacaaatcgc	ggtaggatgg	1380
agcctgtgtg	gcccctggag	gactgaagaa	cgagggtgta	cagccagcct	ggaagaccgc	1440
ttggcagccc	ttctggccac	ggctgtttct	tctttgtgct	tcccgtgtgc	ctcccagta	1500
ggcctcacct	gcataccaac	ccctccttta	cccacgttgg	ggctggcata	agctgcttcc	1560
ctgagaggac	atgagggggg	ggcggctcct	gtaccctctc	ccaccctggg	gtttgggcac	1620
ctgctgtggg	tgacacggga	tgacagaatc	aaggcggcag	gatgggcact	ctgccttggg	1680
tacaggctct	accctcctcc	cccaggacct	gcctagtgcc	agtttggtag	tcccctttc	1740

tggecccttg	gagccacac	acgtttcatc	tttttccoct	ctgagagcaa	gaagagacat	1800
ggcatgttct	ctgggaccct	ggaatcctag	gtaccacat	gtgtgcaaa	gcctaccca	1860
cctggcaggt	gtcccacagc	aacagaagga	atagtagtcc	ccactcttc	catcagccct	1920
accctaccct	cattccccga	caccctctgg	cttgaacat	ggctgagcag	tgccggcata	1980
cgctttgcog	gcatgcttgg	atgcccagct	gtgtccagag	gtggcctggg	accgccagtt	2040
gcacgcctgc	cacctcagcc	agccccgcc	cagctcatca	gtctgaatgg	agttgcctta	2100
aattggcagg	tggtaccgta	ctcactgccc	ttggagctgt	gaccggctcc	tgctgtcca	2160
ccccttcccg	aggtggctcc	tgcttacctt	atcatcccag	ggctctgatt	agccaggcct	2220
ggtcagggtc	ctggggacgg	caccagata	tgacagagca	ccctgacact	ggtgccgggc	2280
tgacctcagc	tcccgaaggc	tcgcacagcc	tccccatcct	tccttcccag	cccttgtggc	2340
tctgtccacc	tgatcccaat	accagcttcc	cccagcccct	gccaccccag	agggcggcca	2400
cgacagggag	aggtgtagat	gccaccatct	gagggagagg	aacgtggaac	aggagcaggc	2460
tctgatgctg	agaggcttgc	ctccgggggc	tggaagcctg	ggtggccggg	gccccgaag	2520
aaggctcccc	tctgtatccc	ccaggtctcc	tcaacactgg	gctgatcctg	aatggcacag	2580
gccaagggga	ggccagcctc	gcctttctac	ccaggcccc	tgccctgcc	acctcaggcc	2640
cccaccctcc	actcctccc	acggtaactgt	gaacgtcgtg	tgactcagtg	cagagacaga	2700
taatatattt	aattcatgta	caaaaaaaaa	aaaaaggggg	gccttttaa	aagaaccctt	2760
ggggggccca	aatttaacc	gggctggcaa	ggtaaaattt	ttttccttat	ggggggccga	2820
ataaaaacca	acttgggaat	tttgggaaag	aacctttttt	ttgggggggg	gacaaattgg	2880
cccaacctcc	ctccaaaaat	taaaggcttt	agggaaaaaa	aaaattttta	aggggaaaag	2940
ggggaaaaac	aacctccata	tcttggcggt	tgaaaagttt	tctttccggg	gtttatttta	3000
aaaaaathtt	ttccccgggg	cctg				3024

<210> 484
 <211> 1148
 <212> DNA
 <213> Homo sapiens

<400> 484						
aagctgaag	tccttgcaag	accttatctc	tcctgtcctt	tatagcatcc	cgccatccag	60
agcactgcca	ggaacctgca	tggtgagcga	atgactecca	gcagtgcgca	ggtgattggg	120
ccttgggacc	agagtgaggc	tgagataaag	gggagcccag	ggccagacc	ctgtcaccca	180
cattcctgtc	cccttccctt	tccagccagc	ccagagacca	cagcagcaca	agaggtggcc	240
agcttaaaaa	agtttaattg	ctgaaaacat	ccaaggcagg	tgcgggccag	tccctgcggg	300
gctcacaccc	cccttattgg	accatcagct	ctgtgatgcc	cccttctcct	ggtacaaaac	360
ctgggaagta	gggcagctgg	tcccagggcc	ctgagactgg	tgctgctcta	gaaggcctgg	420
tggggggcca	gcccccaagg	cccttgacca	gaactggaac	agcaggcaag	atggggcagc	480
gtgggggtgac	caaagatcct	ggatgaggcc	aatccaggct	gggaccagcc	caggtcagca	540
gtgagaccag	gggagacagg	gtgcccaggg	cctgccaggg	gacatgctgc	tgaccccccg	600
ccaccctgca	cccttgccca	catgctagcg	ggcagctgat	gagcagcagc	tgaccccaga	660
gacagcagag	gtgaaaacag	tccctgggaa	ctgccagagg	cccagaggat	gtggaagtgc	720
ccacgggaag	gcaggagtgc	aggggtgaca	tgtgccgggg	ccagagaggt	atcttccagc	780
ttgaggatga	gccgtgaggt	gtgcactagg	aagtggcagc	acaggtgagg	tggaggtgac	840
gggggcgag	gctagtccca	ctcgtcctcg	tccagcctt	caaaggagtc	ctgggggagt	900
gggtcctccc	ggttccccag	ttttgccacc	atggcattca	gcagctctc	cttcttttgc	960
tggtcagact	tttcttccag	gtactgcgct	gaggatgggg	cccagcagagc	aggggctctt	1020
cggggggcct	ggctcactgg	gctcatgtca	ggaggctgca	ggctgagaag	ccagggctgc	1080
ccattagcgc	cttgacagcca	ggcctcggca	ctgagcacag	gctcccagat	cacagccgtg	1140
tctgggaa						1148

<210> 485
 <211> 1256

<212> DNA
 <213> Homo sapiens

<400> 485
 ttttttttga aatgaaatga atcatttaat gagaatcttc aaactgtggc actggctgag 60
 tactaagcaa atccagggga agacgtgaag cccaccaagg cgcacagcct caactccggt 120
 gcctgccct gatctgaaat acaacatcca agagctcgag gcctttttac caccggtttg 180
 tggagcacct gcacctttct gacaacaact ctcaagccaa ctttcagaga gaaaacatga 240
 agggaaaaaa tagatttctt ttggccagac agctctttct tcctcaataa ataggaacca 300
 cacttggaac aaagagacag cgtgagctcg gtgggggaag cacaagcttt attggctgaa 360
 agttcttctc aggagcctgg tctgctggga ctgcatgttc ctggatgggc tccccaggc 420
 ctaagctcca ggtttctctt ggcttccga aggattttgt gggttacgac caattgatca 480
 aagatgactt tttcctggcg cttgctcagc tgcaaaagct tcatgggtgt ttgcaacttc 540
 ttttcttgtt caaacaattt tttatgtagt ttggtgacct ctgccttcat ttctccaatc 600
 tgctcacagt gaagggggca ctggccatcc tgggggagtg agactctcca gagaagcttc 660
 agccgctgt aggcctcttc cagggtcagc ttggccgtgc tcacactgct cacaaacttg 720
 ctcagtggtg ctgggtgtgg accctttgtt cccagctctt gacttgtgga gctgggagcc 780
 tcttgggttt gaatgtccat ttcagcaagg agcctctgtc cctggctgat ctgtttgagc 840
 agggcctcat agtctcaat caggcccagg acatggcggc cattcttctt ggcccacagg 900
 tggtyggccag tgaccagcgc ggacacacac ggagtgtctag ttgccgaact gccactgtcg 960
 caggagaggg agtccgtgtc attcccagag agtggaggag tctctgaaac tgtaaaatga 1020
 gaagtaggat gtaaaatctg tttcaggtaa cactctgcgt tcaagacgct tatgatgttg 1080
 aagctagcta ggagggctag aagaggccct cgtgcccaaa tgccacccaa cacaagccca 1140
 gaggggaaaa gaggcacgct cctggacctc tgtatattac cccacactgg gcttatgagt 1200
 catctgttag gagaggctca agtcaactca accaacactt atcaaccacc cactcg 1256

<210> 486
 <211> 2547
 <212> DNA
 <213> Homo sapiens

<400> 486
 tttttttttt ttatatatat atatataatt atttattttt aaaaactcca ggggatgtcc 60
 caaagttagt aaacagttct gtttcttgtc ccttttatgg ctgcatgcag ttccaattgt 120
 tcagtacaac agatgaggca tttaaaaggc ctccaacgct aagaaacact aactcatctc 180
 tggcatatca ttttttttaa ggcagaagta ttttctgtaa tggttactac cggaggtgtt 240
 tactgggtta attttttagt taaccaggaa ccacacatcc cataggataa ttccatttaa 300
 ctgaggttta tatccgtaag agcattacca tagaaaaatt tccttttagc aatttcaaga 360
 gacctcagcc accaatatac ctaccttctt tacaatataa agtgaaatat tacttttagat 420
 gaaaattttt tgtatcttac ttagaaaaaa ttaagttgat attttaaaga attttgattt 480
 ttaatcacct tccacaacga tttgatatac cttaaacctc actttcattt tttataagag 540
 aatcaccttc aaggggaaaa aatggatgtt actataattt aaaaactgct ttataaaaaa 600
 gtgtataaat gtcaatctgc cagatatact tcctatcccc aacacagctg taactctgac 660
 taatggggtc atgaccatga agcaaatttt acttccctaa tagaaatgtg taggtggcag 720
 aaagcgtatt tttcagcagg agtgattctg ttggatctct ttacaatgtc agagcagttg 780
 ttagaaatgt tagtatttta ttccggttct tgctgtgaag gattatcaca atgttgaagt 840
 gatggctgtt caccagctcg tcatcaccgt catcatctca atcttgggaa tcatcagcag 900
 tgtccccac acagagagac aggtatagtg gtgcagttta gtgacagggg atccagtctt 960
 agatcctgtt tatatcacat ttttgtgaat ttacacaaaa ttccatttat agcttataaa 1020
 ctgtactaca taacacatta ctatactact acaaaatctc cttctctata aatgcactga 1080
 atattttctt gggcatttta ttaggccttt tttagcatta ttacaaatgc taacaacaag 1140
 atacttcaaa ccaccaata taaagtcagc ttcttaattt tctgaaattt agttatttga 1200

gttaataaga	attctgtagg	aatactgacc	catctctttt	catccaacct	tcaaaaatag	1260
taagcctatt	tgcccattctc	acctaacctt	caaaaatagtt	aaaacaaaaa	caaaccctaaa	1320
ctagctatat	ataacaagaa	tctttcaatt	cccaaactat	tgaagaccc	taagtcagcc	1380
aatctatgaa	attatacaag	atgaaggtga	aaaagctgtg	ctttttttta	aaccattaaa	1440
cccagttctt	ttctcttaaa	gttgaagaa	aatggaaaat	ctgtttttaa	atcatgcaaa	1500
gatttaaata	agcatttttc	tatctgctct	aagaaactgt	ttcttatctt	acaattttta	1560
atattcataa	cactcaaact	acttttttgt	ggccatttat	gtttttgaca	ctagattgta	1620
tggtattatt	tagccaagat	gtattataat	gctaaattat	gtataaaata	tgatttctgg	1680
aatttgteca	tcttctattg	aagtgccatt	attattgcca	ggggaactaa	aaaagaaaaa	1740
aacagtcttg	cttgccagcag	gtgtctcatg	cactactttc	ttcaatcctt	ttgtgccata	1800
gtgggaatct	ggaccotttga	gtgttgacac	tgctgtgtag	cacacattgg	gcaggatctc	1860
tatgggttcc	ttgaacatga	ccctgaatgt	gttagctgtc	ccatcacac	taaagccggg	1920
atcattctgt	cccaggggtt	gctttttctc	atattcaatg	atctgtatat	tcacttgata	1980
atctgtaggg	ccatgaatag	atccatacaa	gccaaatcca	actatagaga	tccttctatt	2040
aactgtgaat	ctgattcgat	cactcgtccc	actgtaacct	cagcggcctt	ctacttgetg	2100
gaactctatt	atgacagcat	cctttcccct	gagacagcat	cttggctcgg	caatgtattc	2160
aactcgggtg	ttagggttga	cagtaaaatg	aagaaagagg	tttaccactt	cacgatctga	2220
caaaaattcca	gattgagcag	gacctgctgc	aaattcctca	attgtcatca	gtgggaaccg	2280
gattaaggaa	agtgcctttc	ctagaacttt	ttgtttattc	ccaaaagtca	caggtaattg	2340
ttgtctctga	cattctgctt	ctgcccagcg	tacaacagct	ccaaaagtca	gactttctcg	2400
aatactgagt	gtgtctctct	ctaaaactgc	acagagtgta	tctataggca	aaatacaaaa	2460
taaaccat	tagaaatatt	ttagctctct	aaccaagcaa	taccaacaga	cacacttata	2520
ttaagtttcc	agatctcaac	aaaaaat				2547

<210> 487
 <211> 1228
 <212> DNA
 <213> Homo sapiens

 <220>
 <221> misc_feature
 <222> (1)...(1228)
 <223> n = a,t,c or g

<400> 487						
tcgggcgct	gttaccacct	cagacaactgg	tetaagtcca	gggcagcctg	ggatccctac	60
tctcttgac	cccaaggcc	agcaacgtgg	getgacacc	ctccccggg	catctttgga	120
cgggtcctgc	atccagcagg	gatgtggta	tctctgtct	ctcagggcct	gggagccagc	180
gggtctggcc	gagtgtagg	gtggcttct	ggtctcctt	cttagcaggg	agctggccac	240
agccaaggcg	ccccctgca	caaacctcac	gaagtgtcc	ceggccagcg	gccccatggc	300
gtacaggccc	tcttgccgg	tgctctggta	ggtgaagggg	tcacgtcaa	tggggttct	360
cttggcgctc	agcggctggt	caggatccac	tgcaaagtca	gccctgccc	caggcaggaa	420
ggagaggtcg	gggtgggagc	cgatgaggac	cagcaccagg	gagacccaa	acaccttctc	480
gacacctcg	aggtcctgga	acacggcctg	gcagtcttc	ttgaagcaca	gcagctgggtg	540
cctggggagg	ctgcggtaac	cctcataggg	ctggggcgac	aggatggact	gctcccgcac	600
catctggtgc	accttgtggt	actcggggta	cagcatcttg	ggcagctggt	tgaaccaccag	660
gccagggctg	tcacggccc	ggcgggaaggc	atggatcacc	gggatgttgt	agtggcgggc	720
gtagaggacc	gcgtcggccg	ctgacagccc	cgcgccaatg	atgaggacag	ggtctgaggc	780
cggggtcacc	gcaccaccc	ttgtggcggc	ctccagggca	gacagctcat	ggtggatgaa	840
gggcagggcc	tccccgggga	tgcccagccg	ggccgggctg	tcgaacgtgc	ctgtggcgag	900
gaccacgttg	cgggcccaca	gcgagaaggg	ctgctgggcc	tggttctctg	tcaggaagcc	960
gctcactctg	aagagggggc	tggagtcctg	ggccccacag	ctgctgggat	cgggggtccc	1020
ccactccacg	gctgtgacta	cagcaaccga	cacaaagtta	tgcccagac	ccttcttgac	1080
cacgtagtcc	ctgtagtagt	gggcgatgtc	cccggcagtg	gcccggctgt	tgcaagacc	1140
tcttctcttc	ttctgcatcc	agtcttgac	ctccgaattc	caccacactg	actagaggtc	1200
tacagtgggn	ntcaggnctg	gacccct				1228

<210> 488
 <211> 1410
 <212> DNA
 <213> Homo sapiens
 <220> .
 <221> misc_feature
 <222> (1)...(1410)
 <223> n = a,t,c or g

<400> 488

tttttttttt	ttactttttac	ataatctcat	ttaatttaac	cctcacaaca	accctgtgag	60
gtaggtat	gtcoccatttt	acaaatggag	aaatcgagggc	acaaaagatt	aaacatctta	120
ccaaagtctg	cacagccact	tatatgctgg	agctagaatt	tgaaccagg	tgtgcctcca	180
ctttttaata	ctagaccaat	cttttcacgg	gggaagtttc	ctagattaac	accctcacat	240
cttttaagac	cattccaaaa	cctgcgttct	gttttgaga	agccctcact	gtgtttctgc	300
tgccctgaaa	cagtggaggc	agacaaaggt	gagtgccaa	tgaggaaacca	taagaagtgg	360
tagatctctg	tggagtgcca	taagaaccct	caagagcctt	aacaaaggta	gttgggggag	420
aggggaagag	gtgtttcagc	agctctgctc	ccagcagcca	tttcctctct	ccagggcaaaa	480
gggggtggggc	tgcgaggcca	gctgaccaag	aaaccctcc	agctcctcca	gtccaagtcc	540
agcatctttc	ctacaactat	tctgccttcc	acttctgtctt	cttccttgcc	tcactctatg	600
tcattggttac	ccttaccac	tggttcaggt	aagatggagt	gggccttaga	tactctctg	660
aagagctagc	tattttaagg	aaagagcaat	tcaaggccat	tccagacaca	catgggtctg	720
ccattatatt	tggtgaggag	gtagaacagg	tctaaaagct	aaggcccttc	atattctcta	780
accagagcct	ttggttacac	agctatgagg	gagcagaact	ggaaaagacc	ttcatcaagg	840
gtagctgggc	caccttctg	gtcaagggtg	cctcatgctg	ggcctgcgta	ctcctctatc	900
tggggctggt	actggcacca	ctctgttggc	ccccaccca	gaaacccag	ccccttatct	960
tgaggcgccg	ccgccaccgc	atcatatccc	cagataacaa	atcctctcca	gtctaagtcc	1020
ttttcacaaa	ctgggggttcc	cctgacattg	tactcctaga	gttgggtcaa	ggggagctgt	1080
ccagcccagc	tcaatacctc	aaggacacac	agggagttat	ctccgtttgg	gctgaagtca	1140
atactatgaa	ctggaagaag	tggtcaaaca	cagtctaattg	tgctgggag	agtgtctgac	1200
tcactggagc	tactgttaca	tctgcatccc	agctcaagag	cctaacaccc	aatcagcag	1260
ctcaaagaac	caccgctgat	cccagcagac	agtgtgcacc	agccctttcc	tggctcttgg	1320
gcttcttata	tccgtgtnc	agggtgaac	tccttatttt	cctttctcca	naggcagagc	1380
cgagctttca	gtccctgttg	gtctttcccc				1410

<210> 489
 <211> 1050
 <212> DNA
 <213> Homo sapiens

<400> 489

caattgatac	acctatcaca	tggataccag	attcactgga	ctgactatta	caacgtcggg	60
actgggagac	cagaattcgg	cacgagggca	gccacaaagt	ccttggccgg	agcagagctg	120
aagacgctca	aggactttgt	gactgtcttg	gccaaagctgt	tccttggacg	gccgcccagtc	180
agaagctgt	tggagatgct	gcaggagtgg	ctggccagcc	ttcccctgga	caggatcccc	240
tacaacgccc	tgcttgacct	ggtcaacaac	aagatgcgga	tttctggaat	attccttact	300

aatcacataa	agtgggttgg	atgtcaagga	agccgatctg	agttgagggg	ttaccctgtg	360
tctctctgga	aactgttcca	cactttgact	gttgaagcct	cgaccacacc	agatgactg	420
gttggcacag	gctttgaaga	cgacccccag	gctgtgctgc	agacaatgag	gagggtacgtt	480
cacaccttct	ttgggtgtaa	ggaatgtggt	gagcactttg	aggaaatggc	taaagaatcc	540
atggactcgg	tgaaaacccc	agaccaagcc	atcctctggc	tgtggaagaa	gcataatatg	600
gtgaacggcc	gcctggcagg	tgagaagccc	ctgggcatgg	ggggctcagc	acgggaggag	660
ggaggccctg	gtcctgggac	agcaaggacg	gcacggctgc	cgtggggcct	gtccctgagc	720
tttgccgct	cgtgccaccc	actgtgctga	cgggatcagg	acttgggtgg	ctgagagctg	780
ccagagctgc	agcctttccc	aggctgcttc	tgtccccggc	ttcttagatg	cttctctcac	840
tccgggggct	cttcgacccc	gtggaaatgg	gtgtggctct	ttcttcccc	atcgggtacc	900
actggtagcc	cgttagactc	tgaagatggt	tttgactctg	gaaagcttgg	aacgtaatta	960
atTTTTgatg	aggaatTTTt	gtagtatgga	aatctgttTt	ccaaacgtaa	accaaacctc	1020
tcaaagtgtc	ttgttttTgt	aaaaaaaaaa				1050

<210> 490
 <211> 4797
 <212> DNA
 <213> Homo sapiens

<400> 490						
tttttttttt	ttaaagtTta	aacacctTtt	atttgaagaa	atattgcttc	tagactttcc	60
tgaagccaga	attgttctat	aaaagtatca	tggaaatatta	tacatgatta	aaaaacagag	120
tatgcttccct	aataacttga	aatctttTta	caaagcacat	tattcatgat	cataaatatg	180
tttgttctgt	catcccaccg	atgatacaca	catcaggcaa	gcagctaatt	tgaacatatg	240
tacagagtct	atgataaaga	tttaaagtta	ccaaaaagat	tcagctataa	catattaaat	300
tttcttTaaa	agagtttacc	ataaacactt	aaagaaaaca	taatttatct	aagcacttga	360
attatctaaa	aataagaaga	aaacctctct	tagggtaagc	aaaaacacat	catcttgggg	420
agctgaataa	aagggtactg	atgactcagt	gaggtaatcc	ctttagctgg	tatttaaaaa	480
cctaatacac	aacaaggata	ttttcaagaa	tacagatttt	caaaagcaat	tttgaactat	540
gtcttTaaa	gatatcagaa	cttgggtgaag	gtcttTaaaa	taatcataga	acacaagtTt	600
aagaaattaa	cttctctTgt	ggtatgtTga	aattgtggag	cattcatgat	tttcttttat	660
tgagaagtTc	ttgggtgTaa	ttcaaaacta	gtcatatttt	atcaacattt	aagcttctta	720
gtcatgccaa	gaaaaccaaa	aaagatgaaa	ataaaagatc	tttagatctt	tttctcctgt	780
caagaaaata	acccaaaaata	tagcaatctt	aaaggTatga	tgtatgatga	acgctttgag	840
gctaggcaca	gagagagcag	gcaatcttca	ttttgtttac	ttatttattt	attttcacca	900
ccaacattat	tagccatgcc	tttctgctaa	tcgatttttag	caagtcgagg	taaaacacat	960
gcaacatttt	ctggcaaaag	cttaatgtca	aacaatatgt	gatccatact	gtgtgtcgtc	1020
cttgggggtt	tatttgactt	tgtcacaatg	acagccaaca	gtgagactga	taagcctgta	1080
aaaataaaaa	aataagacta	atcaaataga	catggcattt	taatctcaa	gtgcaaaatc	1140
atctaactga	aaatgacggc	attgaaaaat	tccagtggTt	aaaaatgaat	caaaacttca	1200
ttacgcaggc	agtggaagtg	tgttgaaaga	tttaccaggg	gtgtcaagTt	ttagacactc	1260
agaaaggcac	cattctagcc	atcttgattg	gataacatgt	atatacttat	gtccctacga	1320
tattcaaaaag	ataaactgtg	tttagtTaaa	aaacaaacaaa	caagcaaaaa	atcaaaaacca	1380
agccaaccca	aatatcccca	gcctttcttt	ctactcttgg	cagatagTaa	attataacga	1440
tgagtctccg	tgtgcacacc	gcttgctcac	atgctcacta	gcttctactg	cacaaaggta	1500
cccagggtag	cttggaaTgt	tggtggctgt	gattaccttt	attagttTac	aaataaaaaa	1560
gttaaaaaga	aatactgtgt	ttagggtTaa	gtaacagTtt	ccacctaatc	aagaggagag	1620
tgaagaggga	agcgcTgcct	tcttaggtgc	tgtgactTct	ccttttctgt	attcttctcc	1680
accttggTca	acatcttccc	cgctatgctg	gaattacttc	ggtgttctgc	ggtggccatg	1740
gtgaacatct	gatgaactga	aattccatcg	gaatgcacag	gaagatatag	ttgatcttca	1800
aaaatgtcct	ttccaggacc	accatactgg	ggaagTtctt	tcgggtgcct	gcgaatgggc	1860
tgagcctggg	ggctgggccc	gagctctagc	tctgtcatgc	catcgccact	gaaatcggTt	1920
tccagatgat	tagtctcttc	atgccccgTc	catttttcgg	ttttctcca	gtgttcagaa	1980
ttcaaatgat	taacttctgg	aatgtcgtta	ttccattcaa	gtttactctc	tggacttaat	2040
gttggTcggT	tcaaatgcag	ggtttgaagg	tcagctggca	aggtcaaatg	aggtgttttc	2100
ccaaccttat	gccttgggtc	ttcatctgag	tcagcagagg	ccatctccat	tgacacagcg	2160

tgctcagcag	agacaaccaa	gaaccogtca	ctttgagcag	tttgagtctt	atltgtttta	2220
ttttgctcat	agtgactcct	cagcagtgca	aatactctat	ctaaatcctt	caagtaatta	2280
gtccagtgca	ccagactaag	tctgtagttt	tgtctgtact	catagatggt	ttcattcaca	2340
ctgtgtagct	cctctaggcc	ttgccagttg	atgtctgcag	tgagacgggg	ctgattaacc	2400
ttcccatcca	tcccataact	gtcctctgtg	taggtcatag	cttctcccat	ctttatltcc	2460
aacatcaaga	ttcttaggtc	ttgggttgca	ctgcttatat	ccttgacagc	ttctgagctc	2520
cattagttgt	acgtgtagct	gattcaaaat	gcctcgttct	accgtgtgca	ctgtatttgt	2580
gagctgataa	ggatctgtat	tcataatcaa	atactccaaa	aagccagtag	caaactcaca	2640
gaaaagaaaa	ttatgctgtc	cattaactgt	acgcaaacac	cagtaggtgt	tattgttaga	2700
actcgtgcaa	gcacagaaag	atcccaggtt	ccagaacggg	gctgtctgcc	agtggttgtt	2760
gtcatgctgt	aagcaagtga	ggccagggcag	gctgcaactc	tcccccttc	tctgccgtct	2820
cttctccttc	ctctccttct	tctctctacg	gttgttctcc	ttgaaaagtt	gcagtttgtt	2880
atctacttcc	tgagcagcct	ccttgaatgg	gtgaagatgg	ctctttaatt	tctcttgctt	2940
ttttacacct	ttctctttat	tgtaataget	ttgtttactg	cagctacatt	cctcaggctt	3000
ccttctcttc	agatgtcttc	tcacttctct	taaattctta	atlttatctt	gcagagcttc	3060
aatctcttcg	ttcaatgtatg	ccttatggct	cttccacgct	ctggccgatt	ggtacagttc	3120
tctctacaaa	tggatagagt	cattgggaag	aataaaacac	ttgtgtgtca	ctcggacagt	3180
ggtaggtggg	cccacggcgt	tgctgctatc	tgccagcctc	ctgccccctg	tgccaccact	3240
ggaagcctgg	agatctcttg	gccctctgtg	gccttcatca	tgacgcttag	caatgtttct	3300
tggttgcaac	acttgcaatt	cttctctctc	ttccagatlt	atgtcatata	ttcaccttc	3360
aaattcgacg	gacaaggaac	gtgtctgccc	agtatggaca	aatctgggct	tgtactttgg	3420
agtcacctgg	tttctcaaga	attgccgttg	actctttctt	tggtctctgc	tggcacggta	3480
accagactcc	ctacaactgc	actctttgtc	tttgtcatgg	aagccgcgag	cgtagaggtt	3540
cccgctgctc	tgccggactg	tgagcaggtc	actgggtcct	ttacacttgt	gaattcgaag	3600
cttgccagat	gtatcctcaa	tgcatgtcca	ctctgcccc	ggttgctcac	aggctgtctg	3660
gtacctggcc	tgctggcata	gttctttgac	ccgttcatat	ttgggcaagt	gatttgactg	3720
ttggatattc	ttgctggatt	cttctctctt	acgtagaaat	ttgcctcttt	ccactaggaa	3780
tgtatcacgc	caaattttgg	ccttcttggt	tgttcgaaac	ctgttacctg	gcttttctgg	3840
gtccagaagt	ttgaggacag	acttgccgtc	cacatcagga	ggtgtgtcga	gccagcaat	3900
atccaggatc	gtgggggcca	agtcaatggt	gagaacgatc	tgtgggacta	ttgatcctgg	3960
ttctacactt	ggaccacgaa	taaaaaaagg	cacacgaata	tcaaagtcat	atggcatgga	4020
tttccccctg	accagtccaa	actgcccaat	atggtaacca	tggctggcgg	tgtaaatgat	4080
gtaagtattc	tccagctccc	ccgtctccac	gagcatgtta	tacagcctct	ccacagaatc	4140
atccactgac	atcaaagtct	ggagcctttt	gcgctgtaga	atgtttgtaa	attccatgtg	4200
gatgggcagc	attggtcctg	tgtactgcat	aatccagttg	ttatccatat	ttggtgcata	4260
gttataacta	ggagttatgt	gttgggaagc	attgggttac	agtttagaaa	actgtggggc	4320
tgagtcctcg	gggcccgtgg	gctcggcgtg	gctgatcacc	atcataacgg	gcctatgggg	4380
atacattctc	ttagacattt	tgaagtaatt	aatgctctcg	ttagtgatta	agtctgtgaa	4440
gtagtccttt	gcataatcaa	atccatgctt	ttctttgatg	ccattgcgac	aaacagtgtg	4500
attatagaag	cgagaattct	tgattaatcc	aagccattct	cgccaccag	gggggatgta	4560
gctgccatta	tattcattga	ggtattttcc	aaaaaaggct	gttctgtagc	cagtgttgtt	4620
aagatataca	gcaaaagtcc	gaggctcatg	catggcctgc	cacgaggggg	aagagcagtt	4680
ctcgttggtg	gtgtagacat	tgtgattgtg	cacatacttc	ccggtgagca	tggaggaccg	4740
tgacgggcag	cacatgggtg	tagtcacaaa	ggcattgatg	aaggtggccc	ccccatg	4797

<210> 491
 <211> 2480
 <212> DNA
 <213> Homo sapiens

<400> 491	ttttttttt	ttctcaactg	gccgacttta	tttttcagga	aaaacagaaa	aacaaatgta	60
	cctcttgggt	tgaaaggac	ccattgacaa	catggcacag	acgtgagcaa	taaatacgca	120
	catacattca	agtatgcggg	ggggcgctac	gtcctggaga	ccctgtgttc	gggcacctgt	180
	ccctgtcttc	gggtgcggcc	ctgcccctcc	agaagcaggt	cacctcacca	ggcccagatc	240
	tgctctcca	tcctagcctg	agagtggggc	ctagaggcac	cctcttagat	ggaactgcca	300

gccctggggg	ctgtggggcc	atggtagggc	ccttggcagt	cttgggaggt	gccaaaggctg	360
ggtctggaca	ggaggaggca	acctcagggc	cctggggccc	atctcaggct	ccagcaggtc	420
ctgccagtc	taggatcccc	aacttggtgc	cctgtgagcc	ccctcccat	ggagagagca	480
gtgatgtcat	ctccccagc	tggtgggagg	aggggggttc	tcatatgggg	ggtctgcagg	540
gttgagctga	gtgaagcctc	cccagcttcc	actgaccacc	cccccacttg	ggtgagggtc	600
acagagcctg	gtgctacctc	ccaccctgac	tgggcactgc	tcttgctgcc	agtaagcatc	660
cctaggacca	ggccctgccc	tttttcctgg	cttgggggtt	tggaatgtcg	aagttcatgc	720
ccagccattc	cctctgcttt	agagataggg	ccggctcctg	tcgaggcccc	tgaggggccc	780
tgggactcgg	cggggggcac	ctcagggctg	ccactgcagc	ctggctctgcc	atgctgggtc	840
tggggggcgg	tgtgtggtg	ctgacctctg	gccggggagt	ggggagacag	gcttggaggg	900
agccctgccc	caggacgaag	ctggaggggt	ggagcatgcc	tgtcacacgg	ccatcccaag	960
accagctctg	gggggacaga	acatggccct	gtccttgggtg	gccccaaagag	gcggtcaga	1020
gacacctttg	gggaggggtga	gggagacagc	agggtttcac	atltggcagg	gcagggcaga	1080
acgggaaggg	cttgggggag	aggatgcggg	agtctgacag	caccaggtcg	gggccgacat	1140
gccgaaggcc	ccgtccggcc	tgcggcaggg	gcagaagggg	ggaagctgag	ggccatgggg	1200
gccagcccgg	gatggaagca	cgccctccca	ccacgggcag	cttggcctga	gcctgtcgcc	1260
ctgggtcggg	gaggccgtgg	ggctgcatgc	ccagtgcctg	tctcggcaa	tggcctcggg	1320
aggacttggc	tgtgactgtg	agaccggcgt	ccaggagtgg	gggcagggtg	ggcctggcgg	1380
tgggcaacagg	gccttagctc	gcaccaggct	ggcactgctg	ctggggctcg	ggcggccgc	1440
ctgccccctg	ctccggggccc	cccggcgagg	tccaccgcct	gctcgtccat	gcgcttagcc	1500
tgcaccctct	gaatgaggct	gaagaagtcc	tctgcccggca	tggtagggcc	ccggggcagt	1560
acgtcaggtg	gtgggcagcg	ctggctcatcg	atcctggagg	actggtactt	gatgagcatg	1620
ttgaagaagt	cgccccccgg	ctcctggggc	tgcgcgtggc	ctcggagggtg	ccctgcattg	1680
ctgtgggtga	ttcgcagccc	cggcaggctg	cccacgctgg	cccgctggtc	gtccagccgg	1740
cggctctggg	agctggcgat	gaggtcgaag	aattcctcgg	tctggggcga	ggccgtcatc	1800
gagggtcggg	cgatcctgtc	ctccagggtg	ggggcgcccg	tggcctcggc	agccccggcc	1860
tggccatcgt	ccaggggaca	acgctggtcg	tccatgcggc	tgctctggaa	cttgggtcaac	1920
aggtcaaaga	agcactcctc	gtccgaagac	ggggccctcg	ggatgctcgt	gcgtggcacg	1980
tgcacccgga	cgtcggcgtc	gtccagcggg	gagtggtctg	cctcccgggg	cctcctctca	2040
gegtccgggc	cttccctggtg	cttccctgctc	ctcacgggga	ggggtagcga	gtccctgctg	2100
ggcccccgcc	agtcacctga	atggtggtcg	tctccattct	gctcccgcctc	cagggggagt	2160
ctcagcaggt	cccaggtctc	cgcgctcagc	ctctgcgtcc	tcttgggtct	ggccccctgg	2220
gcctcatagc	eggccaggtc	aggcttctct	gaggtgccg	ggctggctcag	gcggccgagc	2280
accagctgca	gctgcgccac	gttcatgcgg	gccgtgagct	ccccatggcg	gtccccgate	2340
tcttgggaga	tctgcaggtg	cttcttggcg	aaggtcaggg	cctgocgtgg	gcgccccatg	2400
gacacgtagg	catttcccag	gctccagcac	gcccggccct	cgccccactct	gtcggccagc	2460
tcttgggcaa	tgagcaggtg					2480

<210> 492
 <211> 738
 <212> DNA
 <213> Homo sapiens

<400> 492						
ggaattcggc	ggccgacctg	gccatccttg	ccctttgggg	gctcaagccc	gtggtctacc	60
tgtctggccag	ctccttctg	ggcctggggc	tgcaccccat	ctcggggccac	ttcgtggccg	120
agcactacat	gttccctcaag	ggccacgaga	cctactccta	ctatgggcct	ctcaactgga	180
tcaccttcaa	tgtgggctac	cacgtggagc	accacgactt	ccccagcatc	ccgggctaca	240
acctgcccgt	ggtgcggaag	atcgcgcccg	agtactacga	ccacctgccg	cagcaaccact	300
cctgggtgaa	ggtgctctgg	gattttgtgt	ttgaggactc	cctggggccc	tatgccaggg	360
tgaagcgggt	gtacaggctg	gcaaaagatg	gtctgtgagc	ccgggctgcc	tccctgggtgt	420
ggccattgtc	ccccatcggc	ccctcagcct	tgcaccccag	cactgagaag	ctacatttcc	480
ttcctgtgct	ctggactgct	ggccttgtcc	cggaggagtg	tcccgccgag	ccacacctgg	540
caacagcagt	gtggctgca	ggcctcgtc	tgcacgtgga	cttggccctgg	accttgagtg	600
tggccctccc	tttctggggc	tccccaggtg	aggcctggcc	ctgccccacc	atgacctggg	660
tgtctgagc	ccacggttcc	cacggagctg	acttctccgg	ggtgcctgtg	ccctacatta	720

aaccggcgct ttgtttca

738

<210> 493
 <211> 574
 <212> DNA
 <213> Homo sapiens

<400> 493
 caagaaagcg gcttcagctg taaaggacct ggccagaatg tggctgtgac cagggcacac 60
 cctgactccc aagggaggcg gcggcgccct gagcgggggg cccgaggagg ccaggtgttt 120
 tacaacagcg agtatgggga gctgtcggag ccaagcgagg aggacctg ctccccgtct 180
 gcccgcgta ctttcttcac agacaacagc tactaagcag catcggacaa gacccccagc 240
 acttgggggt tcaggcccgg cagggcgggc agagggctgg aggccaggc tgggaactca 300
 tctggttgaa ctctgggtggc acaggagtgt cctcttcctt ctctgcagac ttcccagcta 360
 ggaagagcag gactccagc ccaaggctcc cggattccg tcaccacgac tggccagggc 420
 cacgctccag ctgccccggc ccctccccct gagattcaga tagaatgtga cctctaggca 480
 tgatttgcta ggggtgggag cagcatcttt ctgtcaccat tgtgtgaaca gcagggtcag 540
 atgttcctag tgatatcac ggaagccttg tttc 574

<210> 494
 <211> 1179
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1179)
 <223> n = a,t,c or g

<400> 494
 acgtaattgt gcatgcgcg cccatccgca cgcgggctag caagtactac atccccgagg 60
 ccgtgtacgg cctgccccgc tatccggcct acgcgggcgg cgggtggcttt gtgctttccg 120
 gggccacgct gcaccgectg gctggcgccct gtgcgcaggt cgagctcttc cccatcgacg 180
 acgtctttct gggcatgtgt ctgcagcgcc tgcggctcac gcccgagcct cacctgcct 240
 tccgcacctt tggcatcccc cagccttcag ccgcgcgca tttgagcacc ttcgacctct 300
 gcttttaccg tgagctgggt gtagtgcacg ggcctctggc cgctgacatc tggcttatgt 360
 ggcgctgct gcacgggccc catgggcccag cctgtgcgca tccacagcct gtcgctgcag 420
 gccccctcca atgggactcc tagctcccca ctacagcccc aagctcctaa ctcagaccca 480
 gaatggagcc ggtttcccag attattgccc tgatgtgggt tcttccctga tcaccagggtg 540
 cctgtctcca caggatccca ggggatgggg gtttaagctg gctcctggcg gtccacctg 600
 ctggaaccag ttgaaaccgg tgtaatgggt accctttgag cgagccaagg ctgggtggta 660
 gatgaccatc tcttgtccaa caggteccag agcagtggat atgtctggte ctccatagtag 720
 cacagagggtg tgttctgggt tgggtggcagg gacttaggga atcctaccac tctgctggat 780
 ttggaaccgc ctaggctgac ggggacgtat gcagaggctc tcaaggccag gccccacagg 840
 gaggtyggag ggtccggccc gccacagcct gaattcatga acctggcagg cactttgcca 900
 tagctcatct gaaaacagat attatgcttc ccacaacctc tctggggccc aggtgtggct 960
 gagcaccagg gatggagcca cacataaggg acaaatgagt gcacggctct acctagtctt 1020
 ttctcacct tcttgaactt cagacaacna ttggccantc tcccactgga aggtgtatc 1080

ccctcaagan ggagccaagg aatgtttttc ccctggagat gccacactaa ttaattttcc 1140
 ccatatgggt taancaaccc cttgggtgaa aaaanccaa 1179

<210> 495
 <211> 900
 <212> DNA
 <213> Homo sapiens

<400> 495
 atggcttctg ctgcctgctc catggacccc atgcagacct ttgagctcct ggatctcctg 60
 tttgaccggc aggacggcat cctgagacac gtggagctgg gcgagggctg gggtcacgtc 120
 aaggaccagg tcttgccaaa ccccgactct gacgacttcc tcagctccat cctgggctct 180
 ggagactcac tgcccagctc cccactctgg tccccgaag gcagtgatag tggcatctcc 240
 gaagacctcc cctccgaccc ccaggacacc cctccacgca gcggaccagc cacctcccc 300
 gccggctgcc atcctgcccc gcctggcaag gggccctgcc tctcctatca tcttggaac 360
 tcttgctcca ccacaacccc agggccagtg atccaacaac agcatcacct gggggcctcc 420
 tacctcctgc gacctggggc tgggcaactgt caggagctgg tgctcaccga ggatgagaag 480
 aagctgctgg ctaaagaagg catcacctctg cccactcagc tgcccctcac taagtaagag 540
 gagcgagtgc tgaaaaaaaaat ccgcccggaaa atccggaaca agcagtcggc gcaagaaagc 600
 aggaagaaga agaaggaata tatcgatggc ctggagactc ggtcctgttg ctgtcctttg 660
 ccctcatcat cctcccctcc atcagccctt ttggccccc aaaccggag agccctgggg 720
 actttgccc tgtacgagtg ttctccagaa ctttgcaaaa cgatgctgcc tcccgcgtgg 780
 ctgctgatgc tgtgcccaggc tccgagggcc caggacccc acccgaggct gacacaaccc 840
 gagaagatgc tccaggaagc cccggggcag actggggctt ccaggacacc gcgaacctga 900

<210> 496
 <211> 4235
 <212> DNA
 <213> Homo sapiens

<400> 496
 tttgaacact gcaaaaaggct tttattttat aggcaccact gcaaaaatgag gaatcacatc 60
 aaaacatatc aaatagaaaa taataattta ttttaacttc attttactgt ttgtaactaa 120
 tcatgatttt gtgaacttgc ctgtataagt ctgtaccttc aaatctaaa agcaaaagtt 180
 tactacaatg agcacttaaa attccacaaa ccgtctccat ccacaacttt cctgtacatg 240
 caaattcttt cagtgggctg caatatttgc aaacatgctt taaacttcca taaagatgca 300
 agatattttg ctttctgcta aaacctttac actctcttgg gaaccttaac caggaaaatg 360
 tttaaatgta tatcccaact ctaaaccgctg ccggtttggg tataatgtatt aaatcgttaa 420
 ccaccgggtt ggggtggtttt gagttgaaac cttcacctaa atgataatat cttaaccggtc 480
 acgcatatga aacacattca gtaacgtacc attataaaat agggttccat taaaaataca 540
 tactggcagt tgtattttgt ttttaggcag gaaaaaaagc gtgtttaaact tttttatatg 600
 aatatagttt aaacaagtta ttctgtgaaa gtatgcttaa taaaagatct ttctgaaatt 660
 taaacacttt atgtaaaagg gtacaggtag aaaagtacaa ttgctatttg aaaaaagctc 720
 tgtttgtaaa tattgccttc caagatagta aggggtgttt tctctctctt cccttaaaat 780
 agacctatga caccagagt tgtagggttt gcaaatttgg actataaaca tgaagaccgt 840
 acttatctta tatacaaaaa cttgccgcat tgaacgaggc aggaatttct accccagtg 900
 tagtggctc ctttatgtac ataatgcaga agtgaaaatt atacagtagt caccgatagg 960
 aaggaattgt atactctagt gccgtccggg gattttgtgc cgtggggttaa gatttcttgg 1020

atcgctcatcc	agttatcgaa	gattttctta	ttcctcttct	tcatcatctt	tttgggctc	1080
agttcgagaa	tgttcatctc	cttcctgtca	tgggtgctt	gctgctcctt	gagacaatcc	1140
aacctgctct	gcatcatgaa	ctcgcgccgc	cgccgctgct	ccttggcctt	caccaggtgc	1200
tgcttctctc	cctccttgct	ccagtagcgc	cccattctca	tctcgctcac	cgcgctcgct	1260
tcgggtggta	tgccgctgcg	ctcttcccgg	atcttcaggg	cgcgctcccg	cagcaggcgg	1320
tcccgcacgg	gcctcttggg	gatgtagcgc	gtcccgtcgc	tgccgatctt	caccttccac	1380
tccatgcgcg	gctccgacgg	ggtgggagag	ctcaggtcct	tgccatgct	caccaggtc	1440
atctggcttt	gcgcgtactc	cacggccgac	ttctgctgga	tcagctgcat	gtagctctgg	1500
tagtgctggg	cgtgcgccgg	gatgtgcgcg	tgcttgbatg	gggagtgggt	ataggagggc	1560
aggtaggcgc	tgcccagctt	ctggctgggc	gtggggctcc	ggctcccgtc	gctggctctc	1620
cgctctttgc	tttccagggg	ctggttgggg	tccagctcct	tcagggacgg	gctataggta	1680
gggggtgccc	cttcgggatc	ttccgtgatg	gagagcagat	tcttggagge	tggcccgtag	1740
gcttccgtgg	tccccacagc	cccttcgctg	ctcgggcagc	tgatgccctc	cgccgctctc	1800
ctcaaggagt	tgctggggga	gatctccagg	gtgagcgggg	tgctgcccga	gctctcgctt	1860
gtgttgtagg	cgctcgagct	gtccttgtcg	gatttctccg	ggagctcggg	gatatactgag	1920
atcctgcttc	tgccgacgct	gatgctgggt	ttgtagtgtc	ggaagccgct	gttgtgcage	1980
atccaggact	cgccgtactg	ctccttgagc	tgctgcatct	tggtggcgcg	cacgactctc	2040
aggcactcca	gctcgatgct	gcgcagctct	tcgttcagca	gctccagctc	cttgtccacg	2100
ctctcagggt	cactcttgcc	ggcgtccagg	gggcccgtag	ggtagtacag	gccgtaaggg	2160
gtggcgctct	tcacctggca	cttgagctcc	aggagctcgc	ggaagcgcct	gcactcgtcc	2220
accgggatcc	ccaggtaggc	ggcgcgccgt	cactcggggc	aatgaaacga	cttgttgctg	2280
aagggcaggt	cgccgctgcc	caagggtgct	tggttcaggg	tgagcttccct	ctgccccgcc	2340
agcgggttgg	aggatgcggg	ggcgtcgtcg	ccattgttct	cttgtccoga	gctctcgtca	2400
ttacgggtgc	tctcgtcggg	ccgccccaca	ccgctgtcct	tctcgtgctg	gttggacaag	2460
atgggtggctg	tatctgtggg	cccaccgtct	tcgtcgtgct	tcttctgctg	cagcacgcta	2520
gctgtgaatt	gcatggcctg	gtgggtgctg	tcctccagca	tgtccatgtg	caggatcatcc	2580
agaaagtcgt	tctgtcatc	atccatccag	ccctcatcca	gctggagttc	agcccttgca	2640
atcagcaatg	aaaagttttt	attttcttca	ctggttagaa	gagccacagc	ctcttcacgg	2700
ttctgcacct	ctatcccatt	aatctggata	atgcggctct	cttctcggat	gcgccccatc	2760
ttggctgcaa	tgctgttagg	gtcaatctca	ctgatataaa	tcccaatgtc	gtcttcatcg	2820
tccgctcggg	agcacacagt	gagcccagc	tgctcctggc	tgctcattct	gttagagttc	2880
acttctcca	gctccagctc	ctccctgtcc	atctcctgat	ggatgtctcc	aatgtatca	2940
tttggatcgt	agtattcatg	ggctgagggg	tgctcctctg	gcaagagata	gggatccagc	3000
acgggtgggc	tgggagagga	catcttagtg	agggccatga	tatgttcaa	ggatgatctg	3060
gtttgggttc	ccgtgtccac	cagctgagac	tctgatggag	gcgtgaaat	tttggctcct	3120
gggtttcttc	tcaacacctg	caccactatg	ggctccttgg	ctgtcttgaa	agcttccaca	3180
gcctggctcat	gagttgctct	ggataagtct	ctgccgttga	cctcaataat	cctgtcatga	3240
atttgcaggc	ctccttccct	ggctgcaggc	ccactgtcaa	ctatcttggg	tacaaagatt	3300
ccttcaactgg	atgatccatc	gtgggttatcc	acactcggcc	ggccaccaat	aatattgaat	3360
cccagggagc	cggagtcccg	atgcaggaca	agagtcagac	ttttggtttc	ttcgcccttg	3420
ccgcccggcg	ggcgggccac	gcagcggctg	agcagtcga	ggcgcgcgct	gtattcgggtg	3480
aatttctctc	ggtagcgcag	cgccgtcatc	tgcatctcaa	gctgcgccgc	ggccagctgg	3540
gccaccagcg	acttctcgcg	cttcccagcg	cgcagcgcct	ccttcttgag	cgccttctgc	3600
agcgcgccc	ggcgggacct	gagcgcgcgc	ttgtgcgccc	gcagcgcctc	cgcgagcag	3660
tggcgcggcg	cgccgtgctc	gcccgtgctc	aaggttagcc	cgcagccctc	ctggcagcgg	3720
cccactggcc	cgccgtcgca	cgccgtcgcc	atgtcgcctc	ccacgtcgcg	ccgcagcagc	3780
acctggccgc	aaaccgcgct	gcgacagcgc	gcgggcgcga	agtcgcagcg	ctcaggtgct	3840
tccggcagct	gctgcagctt	gaccacccgg	ccgcagccgc	gcgtcgcgta	cgcgcaactg	3900
atgtccagct	tgaggataag	gcgcttgagc	ggcaggacgt	ggttgagctc	tttggccgac	3960
aggcgaccgc	ggcagcgcgc	cgggcagctg	ccctcctgca	ccaccagggg	cagcacgcag	4020
ccggcgcaga	agacgtggcc	gcacggcgtg	gtcagcgggt	cctccaggac	cttgtggcac	4080
agcgcgcact	tcaggtccgg	gtccacgtcg	ccgtcgaagc	ggtccagctc	gaagcccatg	4140
gtggcggcca	ggccccgggg	tcgcccggcg	gcggccgggc	gccccctccc	tccccacgag	4200
gcggcccaga	caggccggct	acgcccggcg	cgcgc			4235

<210> 497
 <211> 498
 <212> DNA
 <213> Homo sapiens

<400> 497
 tttttttttt ttagtagaga tggggttttg ccatgttggc cagggtggtc tcacactcat 60
 aggetcaagt aatctgcccg cctcagcctc caaaagtgt gggattacag gcgtagacca 120
 ctgtgcccgg cctgacttca aatcctgtgt tgaatagaag tagtgagagc gggcatcctt 180
 ctcttgttcc tgatcttgga ggcaagatt tcagtctttc atctaaaatg actgaaagac 240
 tttcagccat gggccttgca tgactggcct ttattttggt gcagtatatt ccttctcttc 300
 ctggtttggt gagtgtttta ccaggaaagg gtgttcaggc tgggcacagt ggctcaagtc 360
 acacaaaagt gtcaagtcag ccctgcccac gggcccagc gcccatcttc ctgctgaggg 420
 gctgggcctc accttggtct gctgggcccc tcccacctgg atccctgcag accccaccgc 480
 actcagcctc acacgaaa 498

<210> 498
 <211> 421
 <212> DNA
 <213> Homo sapiens

<400> 498
 ctcgcaggcc gcaaggtgct gctcttcgct tcaggctacg tcgtgggctg gggccccatc 60
 acctggctgc tcattgtctga ggtcctgccc ctgcgtgccc gtggcgtggc ctgagggtc 120
 tgcgtgctgg ccagctggct caccgccttc gtccctacca agtccttctt gccagggggg 180
 gtgagtgttc agccccaggc cccaggcccc taggcccctt ctgactggcc aggacccttc 240
 tcagtgccag gggctgtgcc aaggcctgct gtcaggacct taactctcag tgaccctagg 300
 agatgagcac acacccccctg aactcagaga cccagagtg gtcacgtgat agcctagcaa 360
 acgctcttca ttataagaaa caggaacggg cgtatgcaac tgctctggta agtcaggtta 420
 g 421

<210> 499
 <211> 572
 <212> DNA
 <213> Homo sapiens

<400> 499
 tttttgggct cggggacccc cgggagtggg agcggcagtc ggggacgcct caactcgttc 60
 actcagggaa tcctgcccac cgccttctcc aggcgcactt cgcagaacta ctgctccctg 120
 gagcagccag gccagggcgg cagcaccagc gccttcgagc agctgcagag gtcccgcagg 180
 cgcctcatct cccagagatc ttcttgtagg accttggaag atattgagga gaacgccctt 240
 ctccggagat gtcgaactct ctcaggttca cccagaccac agaattttta gaagattcat 300
 tttatcaaga acatgctgca acacgatacc aggaatggca gaatagtcct tatcagtggc 360
 agaagatcct tctgtagtat attttcagtg ctgcccgtat cgcacagtac ccaagtctgg 420
 tatgtatatc catgcatgct ttgtagttct ctgggtgaaa agatctcaca ccaatgtaca 480
 taatgtggcc atcctttcca ttttcaagaa gttgccttgc ttgatactg caaattcagt 540
 atttgtacac tggaatgata aaaagatggt cc 572

<210> 500
 <211> 1642
 <212> DNA
 <213> Homo sapiens

<400> 500
 atgagacgct ttttaagcaa agtctacagt ttcccaatga gaaaattaat cctctttctt 60
 gtctttccag ttgtgagaca aactcccaca cagcacttta aaaatcagtt cccagctctg 120
 cactgggaac atgaactagg cctggccttc accaagaacc gaatgaacta taccaacaaa 180
 ttctgctga tcccagagtc gggagactac ttcatttact cccaggtcac attccgtggg 240
 atgacctctg agtgccagtga aatcagacaa gcaggccgac caaacaagcc agactccatc 300
 actgtggtca tcaccaaggt aacagacagc taccctgagc caaccagct cctcatgggg 360
 accaagtctg tgtgcgaagt aggtagcaac tggttccagc ccatctacct cggagccatg 420
 ttctccttgc aagaagggga caagctaag gtgaacgtca gtgacatctc tttggtggat 480
 tacacaaaag aagataaaac cttctttgga gccttcttac tataggagga gagcaaatat 540
 cattatatga aagtcctctg ccaccgagtt cctaattttc tttgttcaaa tgtaattata 600
 accaggggtt ttcttggggc cgggagtagg gggcattcca cagggacaac ggttagcta 660
 tgaaatttgg ggccaaaatt tcacacttca tgtgccttac tgatgagagt actaactgga 720
 aaaaggctga agagagcaaa tatattatta agatgggttg gaggattggc gattttctaa 780
 atattaagac actgatcact aaatgaatgg atgatctact cgggtcagga ttgaaagaga 840
 aatatttcaa cacctcctgc tatacaatgg tcaccagtgg tccagttatt gttcaatttg 900
 atcataaatt tgcttcaatt caggagcttt gaaggaagtc caaggaaagc tctagaaaac 960
 agtataaact ttcagaggca aaatccttca ccaatttttc cacatacttt catgccttgc 1020
 ctaaaaaaaaa tgaaaagaga gttggtatgt ctcatgaatg ttcacacaga aggagtgggt 1080
 tttcatgtca tctacagcat atgagaaaag ctacctttct tttgattatg tacacagata 1140
 tctaataaag gaagtatgag tttcacatgt atatcaaaaa tacaacagtt gcttgatttc 1200
 agtagagttt tcttgcccac ctattttgtg ctgggttcta ccttaacca gaagacacta 1260
 tgaaaaacaa gacagactcc actcaaaatt tatatgaaca ccactagata cttcctgatc 1320
 aaacatcagt caacatactc taagaataa ctccaagtct tggccaggcg cagtggctca 1380
 cacctgtaat cccaacactt tgggaggcca aggtgggttg atcatctaag gccgggagtt 1440
 caagaccagc ctgaccaacg tggagaaacc ccatctctac taaaaataca aaattagccg 1500
 ggcgtggtg cgcatggctg taatcctggc tactcaggag gccgaggcag aagaattgct 1560
 tgaactgggg aggcagaggt tgccgtgagc ccagatcgcg ccattgcact ccagcctggg 1620
 taacaagagc aaaactctgt cc 1642

<210> 501
 <211> 2629
 <212> DNA
 <213> Homo sapiens

<400> 501
 tttcgtctgg gacgaggtgg cccagcgtc aggggtgcgag gagcgggtggc tagtgatcga 60
 ccgtaagbtg tacaacatca gcgagttcac ccgcccgcac ccagggggct cccgggtcat 120
 cagccactac gccgggcagg atgccacgga tccctttgtg gccttcocaca tcaacaaggg 180
 ccttgatgag aagtatatga actctctcct gattggagaa ctgtctccag agcagcccag 240
 ctttgagccc accaagaata aagagctgac agatgagttc cgggagctgc gggccacagt 300
 ggagcggatg gggctcatga aggccaacca tgtcttcttc ctgctgtacc tgctgcacat 360
 cttgctgctg gatggtgcag cctggctcac cctttgggtc tttgggacgt cctttttgcc 420
 cttcctctc tgtgcgggtg tgctcagtgc agttcaggcc caggctggct ggetgcagca 480

tgactttggg	caoctgtcgg	tcttcagcac	ctcaaagtgg	aaccatctgc	tacatcattt	540
tgtgattggc	cacctgaagg	gggccccgc	cagttggtgg	aaccacatgc	acttccagca	600
ccatgccaaag	cccaactgct	tccgcaaaga	cccagacatc	aacatgcac	ccttcttctt	660
tgcttggggg	aagatcctct	ctgtggagct	tgggaacag	aagaaaaaat	atatgccgta	720
caaccaccag	cacaaatact	tcttctctaat	tgggccccca	gccttgctgc	ctctctactt	780
ccagtggtat	atcttctatt	ttgttatcca	gcgaaagaag	tgggtggact	tggcctggat	840
gattaccttc	tacgtccgct	tcttctctcac	ttatgtgcc	ctattggggc	tgaagcctt	900
cctgggcctt	ttcttcatag	tcaggttctt	ggaaagcaac	tggttgtgt	gggtgacaca	960
gatgaacct	attcccattg	acattgatca	tgaccggaac	atggactggg	tttccacca	1020
gctccaggcc	acatgcaatg	tccacaagtc	tgcttcaat	gactggttca	gtggacacct	1080
caacttccag	attgagcacc	atctttttcc	cacgatgcct	cgacacaatt	accacaaagt	1140
ggctcccctg	gtgcagtcct	tgtgtgccaa	gcattggcata	gagtaccagt	ccaagccctt	1200
gctgtcagcc	ttcgccgaca	tcatccactc	actaaaggag	tcagggcagc	tctggctaga	1260
tgctatctt	caccaataac	aacagccacc	ctgccagtc	tggaaagaag	ggaggaagac	1320
tctggagcca	aagcagaggg	gagcttgagg	gacaatgcc	ctatagtta	atactcagag	1380
ggggttgggt	ttggggacat	aaagcctctg	actcaaactc	ctcccttta	tcttctagcc	1440
acagttctaa	gacccaaagt	ggggggtgga	cacagaagtc	cctatgaggg	aaggagctgt	1500
tggggcaggg	gtgtaaatta	tttctttttt	ctagtttggc	acatgcaggt	agttggtgaa	1560
cagagagaac	caggagggta	acagaagagg	agggacctac	tgaaccaga	gtcaggaaga	1620
gatttaacac	taaaattcca	ctcatgccgg	gcgtggtggc	acgcgctgt	aatcccagct	1680
accaggagg	ctgaggcagg	agaatcgctt	gaaccgggga	ggtggagggt	gcagttagct	1740
gagatcacgc	cattgtactc	cagcctgggc	gacaaagcaa	gactccatct	caaaaaataa	1800
ataaataaaa	aaataaaaata	aaatggctctg	gatttggcca	acaccttatt	cagtaaatcc	1860
ttaatttacc	ttgagacata	caaagacatt	cttttaaaga	gctattttct	tggtattgca	1920
caaaggttaa	ttttaagca	atccaggcaa	gtaagctcac	aaaaagaagt	acattcatct	1980
aatccattta	gcaaatgttg	caaatcagct	tccaccaata	aaactgtaga	atctgtgaaa	2040
ctctatcctt	cgtgtcagtt	ttaacattgt	gttgatggca	gccatttcag	gcagaggtag	2100
ccaagttcca	tatatatggg	gaaggcaaaa	agcagaaaaa	catgacagga	gacttagcag	2160
ttctctggct	tctaatagact	atagagcaat	ttcgaatatg	agccatggtt	ctatgcagaa	2220
ttcttctttt	atgccttaaa	cacaaaagag	cttgtttgctg	ccttgggcag	atatactgga	2280
attgtctct	ttgagcttac	tttctctttt	ctctaaggtc	aagtaaaaaa	tgtgagacgt	2340
tttcataaac	cacaaaggta	atacagcagg	ctggagtcac	tctaataaaa	ttaggagcaa	2400
ttcccttgta	aaatccaccg	acgccttctt	tctccatgt	ctttgtgatt	acatctatta	2460
caccactgta	aaacatgtgt	tgatcctgaa	gacgagctct	tacgacttga	tatgggtatg	2520
ttgctgcgac	agcaaatatt	ttggatagtg	ctgcaacaga	tatatattct	actgtgctca	2580
actgggcttc	tggtaatcta	ttgatatgct	ggttgtactt	caacttcag		2629

<210> 502
 <211> 997
 <212> DNA
 <213> Homo sapiens

<400> 502						
cgttctctcc	tcgagggaaa	gctcacaact	cctcacagcg	atctggtatc	ttgagcgtca	60
gtttctggcc	gaaactgggg	gctcctgact	gaactcctc	ccacctagaa	aacctctctg	120
gcagtctgat	tgctccaaca	cccacagagc	aggattcagg	tatcccggag	accttgggag	180
gtccccatcc	agaggtctgc	tgtcctgcc	ggcttggggc	agcagggact	gggacccac	240
tcagacctct	ctggggcaaa	tgttttgggt	ctcacaacag	ccctagttaa	atcaatccta	300
gatactccca	tttgggtccca	ccaaggccat	ttaatttctc	tgtaaagggg	aagatgacac	360
aaaagagcca	actatggaaa	cggtgaggtg	ggagtctgaa	ccgatttagc	tgttctcagg	420
gcgcacaggg	tgttgacggg	ggttttcatc	tgccacctgc	ctccttgaga	cccagctggc	480
ctgagtgctc	acgaaatggg	accttctctt	tgggtccacc	aggctgggag	gcacccttag	540
gtaccgctg	cctcatcaca	gcggcagccc	ctctgggtcc	acatctgggt	ctcctgacga	600
agccgctggt	tttcgggtccg	gagcctctgg	acctcggcag	ccagctcctc	cacctggcgg	660
caggactgct	ggccgggtgca	cgctcgcagc	tgtcgcagcc	tctagtctc	ctcctccgcc	720
tgcgacagcc	gcttctccag	ctccaggtag	tctcgcacca	gctcctgctt	gctgaggccc	780

tgcaggctct	cggtgtggaa	gcgttcgtaa	gtctcagaga	agtccttccg	ctggaactca	840
ccgtgcgctc	ggccccgccc	atcactgtcc	ceggcctcac	tctccccact	ggaacctggg	900
tgggagatcc	catggggcac	atccaagttg	ggctcctccg	ggtccctgtc	attcatcagg	960
aactgggtgg	tgttgtaggg	aattccacca	cactgga			997

<210> 503
 <211> 1586
 <212> DNA
 <213> Homo sapiens

<400> 503

aaatgcacat	ctcatggcag	ctaagccaca	tggttgggat	ttaaagcctt	tagagccagc	60
ccatggcttt	agctacctca	ctatgctgct	tcacaaacct	tgctcctgtg	taaaactata	120
ttctcagtg	agggcagaga	ggtctaacac	caacataagg	tactagcagt	gtttcccgt	180
ttgacaggaa	tacttaactc	aataattctt	ttcttttcca	tttagtaaca	gttgatga	240
ctatgtttct	attctaagta	attcctgtat	tctacagcag	atactttgtc	agcaatacta	300
agggaaagaaa	caaagttgaa	ccgtttcttt	aataatgctg	atctactttt	tgttgaattt	360
gtatthttatt	tcaagtgca	aagaaatcat	ctttgtttat	ttagatgaaa	ccaaacta	420
cacatttaca	ctcacactgc	ttccaggacc	caagggtttc	acagaccatt	tgctacctg	480
gttctttcct	ctcctctttc	cagtgatttc	tagaatacce	tttcaaagga	ccacatgaat	540
atacgaactg	taaaattcaa	ctttgatctt	ttgcgaaatg	ttttatttac	tgcttaaaat	600
ctagggtgggt	ggatatattc	atgtatgcat	atattgatag	attaatacaa	acataagtat	660
gtatthtaaat	tgaaggataa	gtaaagtgag	agtacaacag	cccattctt	agttaaaaag	720
aaaagaaaaa	gacaagagca	agccactgcc	accacaggta	ccagcactta	aatttgtcag	780
caggctgacc	aaagagtggc	ctgtctgttg	gcattcatcg	gacatggcag	ctcccttcag	840
ctctccagtg	agtttcaagt	tcagagcact	ttcagtcctt	gtcttgttta	tctattactg	900
aagggtttct	aggaaggttt	agcagtgctt	caattttctt	agcatcatte	tcaggttcat	960
cttctgttaa	actactttca	atthttctcag	ggaggtgctc	agtaacttgt	agtctgcctt	1020
tccactcttc	cagthtttagc	tcattggagtg	cctttogate	cttctgtttt	ctttcctgaa	1080
cagtctcacc	agagtacttc	tgaaatgcca	tcagcaggcc	tcctacagga	gtgcccagca	1140
aggctccaat	tatgccacca	gccaccaggc	cacgcaggcc	tacgtttatc	ctaaaaagac	1200
ttcccgtgac	agtctttgcc	aaacagctcc	cggaggcggg	cccatccaga	ttccgggtaa	1260
tagggctctg	ggacgtaggg	aagccgcttc	tgacgctcct	caaggacttc	cgaatcggca	1320
gtcacagctt	cggcagcaaa	gactcgggga	aataggcaca	atgctctaca	gagaagctc	1380
cgcggtgccg	gtggcggcac	ctccatggcc	ttctctcgac	ctacggacaa	acttgagcgc	1440
tcaggacttc	aagtctctgc	ggacgtgccg	cgggagagcg	taactgtacg	aggtgagaat	1500
ccgtgcattt	gaccagggtt	aacctctgc	cagagggctc	gacaccaca	ccttcagctc	1560
ccggcctcgc	tttgcggacg	cgtggg				1586

<210> 504
 <211> 1442
 <212> DNA
 <213> Homo sapiens

<400> 504

cggggggctg	ggggctgggc	ccagccggac	gcgacctcag	cctgcccggg	ctaactgccg	60
gtaggcgtct	gtgtgcgccg	ccaagtccgt	ggggcgggga	cgcgagggtg	ggatgggggg	120
tcgccttgac	ctctgcctca	gccagtagcg	cagtctcggc	ctcgcctgta	cggagatggg	180

```

gccctgggtg cggacgatgg ggcagaagct gaagcagcgg ctgcgactgg acgtgggacg 240
cgagatctgc cgccagttacc cgctgttctg cttcctgctg ctctgtctca gcgccgcctc 300
cctgcttctt aacaggataa ttcatatctt aatgatcttc tggtcatttg ttgctggagt 360
tgtcacattc tactgctcac taggacctga ttctctctta ccaaatatat tcttcacaat 420
aaaatacaaa cccaagcagt taggacttca ggaattatct cctcaaggtc atagctgtgc 480
tgtttggtg aaagtgaaat gtaaacgaca taggccttct ttgctacttg aaaactacca 540
gccatggcta gacctgaaaa tttcttccaa ggttgatgca tctctctcag aggttcttga 600
attagtgttg gaaaactttg tttatccgtg gtacagggat gtgacagatg atgaatcctt 660
tgttgatgaa ctgagaataa cattacgttt tttgcatct gtcttaataa gaaggattca 720
caaggtygat attccatcta ttataacc aaactatta aaagcagcaa tgaagcatat 780
agaagtgata gttaaagcca gacagaaagt aaaaaataca gagtttttac agcaagctgc 840
tttagaagaa tatgggtccag agcttcatgt tgctttgaga agtcaagag atgaattgca 900
ctatthaagg aaacttactg aactgctttt tccttatatt ttgctccta aagcaacaga 960
ctgcagatct ctgaccttac ttataagaga gattctgtct ggctctgtgt tccttcttc 1020
tttggatttc ctagctgabc cagatactgt gaatcatttg cttatcatct tcatagatga 1080
cagtcacact gaaaaagcaa ctgaaccggc ttctcctttg gttccattct tgcagaat 1140
tgcagaacct agaaataaaa agccatctgt gctgaagtta gaattgaagc aaatcagaga 1200
gcaacaagat cttttatttc gttttatgaa ctttctgaaa caagaaggcg cagtgcacgt 1260
gttgacaggt ttgtttgact gtggaggaat ttaatgatag aattttacga ccagaattat 1320
caaatggatg aaatgctgtc tcttcatgaa gaattgcaga agatttataa aacatactgt 1380
ttggatgaaa gtattgacca aattagattt gatcccttca ttggtagaag agattccaag 1440
aa
    
```

```

<210> 505
<211> 1284
<212> DNA
<213> Homo sapiens
    
```

```

<400> 505
ccagagcctg gctgaggctc tgcagcagct gggggcctcc tctgagctcc aggcagtact 60
cagctacatc ttccccactt acggtgtcac cccaaccac agtgctttt ccatgcacgc 120
cctgctggtc aaccactaca tgaaaggagg cttttatccc cgaggggtta ccagtgaat 180
tgcottccac accatccctg tgattcagcg ggtggggggc gctgtcctca caaaggccac 240
tgtgcagagt gtgttgctgg actcagctgg gaaagcctgt ggtgtcagtg tgaagaaggg 300
gcatgagctg gtgaacatct attgccccat cgtggtctcc aacgcaggac tgttcaacac 360
ctatgaacac ctactgcccg ggaacgcccg ctgcctgcca ggtgtgaagc agcaactggg 420
gacggtgccc cccggcttag gcatgacctc tgttttcate tgctgagag gcaccaagga 480
agacctgcat ctgccgtcca ccaactacta tgtttactat gacacggaca tggaccaggc 540
gatggagcgc tacgtctcca tgcccagga agaggctgcg gaacacatcc ctcttctctt 600
cttcgcttcc ccatcagcca aagatccgac ctgggaggac cgattcccag gccggctccac 660
catgatcatg ctcataccca ctgcctacga gtggtttgag gagtggcagg cggagctgaa 720
agggaaagcg gggcagtgac tatgagacct tcaaaaactc ctttgtggaa gcctctatgt 780
cagtggtcct gaaactgttc ccacagctgg aggggaagggt ggagagtgtg actgcaggat 840
ccccactcac caaccagttc tatctgggct gctccccgag gtgctgcta cggggctgac 900
catgacctgg gcgcctgca cccttgtgtg atggcctcct tgaggccca gagcccctc 960
cccaacctct atctgacagg ccaggatate ttcaactgtg gactggtcgg ggcctgcaa 1020
ggtgcccctg tgtgcagcag caccatcctg aagcggaaact tgtactcaga ccttaagaat 1080
cttgattcta ggatccgggc acagaagaaa aagaattagt tccatcaggg aggagtcaga 1140
ggaatttgcc caatggctgg ggcatctccc ttgacttacc cataatgtct ttctgcatta 1200
gttccttgca cgtataaagc actctaattt ggatctgatg cctgaagaga ggcctagtta 1260
aatcacaatt ccgaatctgg ggcc
    
```


<210> 506
 <211> 1757
 <212> DNA
 <213> Homo sapiens

<400> 506
 tttttttttt ttcagagctt aaaaacccaaa aggcagaaaa tagactttat tccaagacag 60
 atttgtaaaa gatgttttta aagggaaagg caagtcaacgc tactaaatca aacattgttc 120
 acaattttctg gatcttcctc ctccgcctgg cactgcagct gagccttggc ggatattgctc 180
 ggggcctctg gcgcagagga acttagcctc gattctcttc ctgaggggct tcttaacttt 240
 tccaagccag gcagtgagcg tgggtgggagg ctggggctgg tgccctgcgga cagctccaga 300
 tggaatccca ggccacgggtg ctctctagtg cccccagcg agcttgcggt gtggcaggcg 360
 gccaggaagg gccatgagca ggggtggcctg aatgaaaacc gagggccgaa gccagcctga 420
 ctccctcgcc taagctgggg ctcggtccga ggcacacgca tggccttggc cagacacaaa 480
 ccaagagact gccatgacag acagagcaga aacctcccga gcaactgtgt caagctaagc 540
 tttcctaaga cgggcttctc aggcgagacg tgacaccaga caccgtcgca tgttacttgg 600
 agagaacaga gacgtgcggg ccacagcggc ccaccaaagg ctgccatcca agctgagttc 660
 cgaggcctc acctgcagct ggagagggac cttgcctga tctctctggt aggtaccocg 720
 taagggattc aggacagagc gtcacactgc acgcagggtc ctccgccacc accatccaag 780
 aacccccggg ggctggccac gcgctggcct ctgccaagga gtgccagtgg ttcccgggac 840
 ggggcgcgcc aagcaggtga gggaggttta gatgaatgac ttggccaggg tcaccatgtg 900
 gtccacgcca catgccacgt ccacaggctc cccaggcatc gtcacccctcc atgggaaata 960
 ctggctctcc aggcgaccga tcccaggca cctcggatg ttcttgcccc atacaacag 1020
 ctctcctttg ttggctcagt cagcaaagtg gctgagtcca catcggatgc gggaaacctg 1080
 gatttctggg ttgaaactccg tcaagccaaa gagagtgggt ggaatcattt cagggagcgc 1140
 actttccact aggtttggac ctttcccagg aattccatag cccagacaa aaacatgtcc 1200
 ttctccgttt aacactgcac agcccgtgac accgcatgca gctgtcgca ccttcccac 1260
 tcttgagaag tgtaagcagc ggggcacatt cacctgtgtg gagtcagtga cagaggccag 1320
 ctgcaggtac tccgagtttc cccaacccaaa aagtoctccg tcggcgggaca cggccaggca 1380
 gcaatcaccg taggtggcaa cttggataac gttcactccc gccaggctc caccagctt 1440
 ggtggggcag ctgggtgatat tgtagtgacc cagacctgtt tgcccatcag caccocatcc 1500
 acaagaatag acttctcctt tatccgtcag gaacagacta tgatcctgac cacaggcgac 1560
 ctggaccacc tggccatcga agtctgcat cctgtggact ctgtgacttt cactgtaaat 1620
 ttcatttctg accaccttcc tcccacattg ccataagaa ttgtttccca tgctgaagac 1680
 tcttccctg tcagtcaaca caagagagtg agctcggcgg caggagactt gcagcacccg 1740
 tgtctcctga ggtctgt 1757

<210> 507
 <211> 618
 <212> DNA
 <213> Homo sapiens

<400> 507
 gaattcttga aggaaaagga gaaattagaa atggagttag cagcagtgcg gactgcaagt 60
 gaggaccatc ggagacacat cgagatcctg gaccaggctt tgagcaacgc ccaggccagg 120
 gtcacaaagc tggaagagga gttacgagag aagcaagcat atgttgagaa agttgagaag 180
 ctgcagcagg ccctgaccca gctgcagtct gcatgtgaga agcgagaaca gatggagcgg 240
 agctgcgga cttggctgga gagagagctg gatgcactga gaaccagca gaaacatgga 300
 aatggccagc cagccaacat gccggaatac aatgccccag ccctcctgga acttgtgcgg 360
 gagaaggagg agcggatcct ggccctggag gccgacatga caaagtggga gcagaagtac 420
 ctggaggaga gcaccatccg acactttgcc atgaatgccg cagccactgc agcagctgag 480
 agggacacca cgatcatcaa ccaactcacgg aatggcagct acggagagag ctcgctggag 540

gcccacatct ggcaagagga ggaggagggtg gtgcaggcca acagaagggtg tcaggacatg 600
 gaatacacta ttaaaaat 618

<210> 508
 <211> 2214
 <212> DNA
 <213> Homo sapiens

<400> 508
 atgcaggcgg tccgcgccac tgcctctcag tccctgtcct gcgcccgcgc gccccgggag 60
 cctaccacgc acgcgctccg cgcacctggg ttccctccag ccgcccgcgt ccagccgagt 120
 cccactccg gagtcgccgc tgcgcggggg acatggctct ctgctgtcag gggtagcac 180
 cccttgtaa gctcagggct actggtgggt gtcagggaac aaagttttag actgctgcgc 240
 tccaaaggcg gcacacacat gtacctagaa cacaccagcc actgtcccca ccatgatgat 300
 gacacagcca tggacacacc cctgccaga cctgcacctg tgcctggctgt ggagcggact 360
 gggcagcggc ccctgtgggc cccgtccctg gaactgcca agccagacat gcagcccttg 420
 cctgctgggg ccttcctcga ggagggtgca gagggtacct cagcccagac agagagttag 480
 ccaaagggtc tggaccaga ggaggatctg ctgtgcatag ccaagacctt ctctacctt 540
 cgggaatctg gctggtattg gggttccatt acggccagcg aggcccgaca acacctgcag 600
 aagatgccag aaggcacgtt cttagtactg gacagcacgc accccagcta cctgttcacg 660
 ctgtcagtga aaacctctg tggccccacc aatgtacgca ttgagtatgc tgactccagc 720
 ttccgtctgg actccaactg cttgtccagg ccacgcacct tggcctttcc ggatgtggtc 780
 agccttgtgc agcactatgt ggcctcctgc actgctgata ccgaagcga cagccccgat 840
 cctgctccca ccccgccct cctatgcct aaggaggatg cgcctagtga cccagcactg 900
 cctgctcctc caccagccac tgctgtacac ctaaaactgg tgcagccctt tgtacgcaga 960
 agcagtgecc gcagcctgca acacctgtgc cgccttgc tcaaccgtct ggtggccgac 1020
 gtggactgcc tgccactgcc ccggcgcctg gccgactacc tccgacagta ccccttccag 1080
 ctctgactgt acggggcaat ctgcccacc tcacctagtc gcacctgga ggggacatca 1140
 gcccagctg gacttgggccc cccactgtcc ctctccagg catcctgggt cctgcatacc 1200
 tctggcagct ggcccaggaa gagccagcaa gagcaaggca tgggagaggg gaggtgtcac 1260
 acaacttggg ggtaaatgcc cccaggccgc atgtggcttc attatactga gccatgtgtc 1320
 agaggatggg gagacaggca ggacctgtc tcacctgtgg gctgggccc gacctccact 1380
 cgcttgcctg ccctggccac ctgaaactgt tgggacctct cagccctggg ttttcaatcc 1440
 ccagggctcg gtaggacccc tactggcagc cagcctctgt ttctgggagg atgacatgca 1500
 gaggaactga gatcgacagt gactagtac cccttgttga ggggtaagcc aggctagggg 1560
 actgcacaaat tatacactat ttatttattt attctcctg ggggtgggtg caggggagag 1620
 ccaaccccac ctctatgcc tgagccctgg tagtccagag accccaactc tgcctggct 1680
 tctctgggtc ttccctgtgg aaagccatc ctgagacatc ttgctggaac caaggcaatc 1740
 ctggatgtcc tggactgac ccacctctgt gtgaatgtgt ccactctct ctgccccag 1800
 ccatatttgg ggaggatgga caactacaat aggtaaagaa atgcagccgg agcctcagtc 1860
 cccagcagag cctgtgtctc accccctcac aggacagagc tgtatctgca tagagctggt 1920
 ctactgtgg ccgaggccc cggggggagt gcctgtgctg tcaggaagag ggggtgctgg 1980
 tttgagggcc gccactgcag ttctgctagg tctgcttct gcccaggaag gtgctgcac 2040
 atgagaggag gaaatacac gtctgataag acttcatgaa ataataatta tagcaaagaa 2100
 cagtttgggt gtctttctc ttccactgat tttctgtaa tgacattata cctttattac 2160
 ctctttattt tattacctct ataataaaat gataccttcc atgtaaaaaa aaaa 2214

<210> 509
 <211> 2355
 <212> DNA
 <213> Homo sapiens

<400> 509
 tttegttgat atcttccaga gatggaaaga gtgcagggga aagagccctg cccaggcgga 60
 actctcctat ctgaataaag cgaagtggct ggaaatgtat ggggtagaca tgcacgttgt 120
 caggggaaga gatggctgtg aatattctct tggactgacc cgcacaggca tattaatctt 180
 tgaaggagct aacaaaatag gcttattctt ttggcctaaa attaccaaaa tggattttaa 240
 aaagagcaaa ttgacactcg tggtggtcga ggatgatgat cagggacgtg agcaagagca 300
 cacgtttgtg ttccggttag acagtgccag gacctgcaaa cacctttgga agtgtgcagt 360
 tgagcaccac gcattcttcc gactgcggac gccaggaaac agcaaatcca atagatccga 420
 ctttatcagg ctgggctctc gcttcagatt cagtgggctg acagaatata aagctacaca 480
 tggctccagg ttacgaagaa ccagcacctt tgagaggaag cctagtaaac gttatccatc 540
 ccggagacat tcaacgttca aagcaagcaa cccagtgata gcagcccagc tctgctctaa 600
 aacaaatcca gaagtccata attaccagcc caaatatcat cctaataatcc atcccagcca 660
 gcccgggtgg catcctcact ctccaaatgt caggccatcc ttccaggatg acaggtcgca 720
 ttggaaagca tcggccagtg gagatgacag ccatthttgat tatgtccacg accagaacca 780
 gaagaactta ggagggatgc aaagtatgat gtatcgagat aaactcatga ctgcactttg 840
 agagactgaa gcatctctct tccattcacc tccatagttt cattgcattc catgaaaagt 900
 gtcttggcct cagatggatg gatgtgtttg gacgagtgtc ttaaggagt agtctgaaa 960
 ggtgtttttg gtgtccatgt aaatatttga agataaaaacc actatagctt gtcataatth 1020
 actgttgact gcattctcat taaaatgaag gtaaaaggctc aggaatcata ttgatgttct 1080
 gattttaaaa ttggagtcaa agtctatgth tatcattthta ctatgttctt gatgttctth 1140
 gttatttaat taatgggagc aaataaaaacc agaagagctt gggaaagattg ctacgatat 1200
 attcctgtcg tagaagttga gattgctagg gtccagthtc cctagtgtgg cctggacgag 1260
 tcatttccc ttcatthgacc tcatthtccc catctgaaaa gagagggthg gactaagthga 1320
 tctccaaggt cctthtccaac tctaaaatth tgcaatthgt taacatthca thttgththg 1380
 gttgaggaca tacattcaaa ctaatththt cacaaggaaa actgcaatac ccactthctt 1440
 gacagagthta ctctthtcag aagctaaata aagtatataa cttatthgat gttatathga 1500
 tacaggggga cththgaatth cacatctthaa agcagthtgag ctactthgaa thtaagcagth 1560
 cgtactaathc thaaatthgca thagcaththgt thtgatcgaa thtgctgctc aagthatggga 1620
 ataatththta atgtctthaat gattggthgct gctaaacthg gtgaththcag aagacataath 1680
 thgthaatca cactgthcaga atthgggthgag thggthththac cctagactthc actctthaaaa 1740
 agcaacgthg aatcaagathc atththgthg caaatgaaag catataaggt thtctthgaa 1800
 thgtgcaaaa gcattctgtha gaththgthg agathgththg thgcccathg thgtthgthga 1860
 accgaaathc aatathgthgt cthththgthg aaagctthgth ccaaaathatt ththtcccc 1920
 atthcaagcc ctgagthcaaa cththththc ththtaataath agactgaaa thgtththatta 1980
 gthththctgt gaaathcagth gaththctgth ccathththgt aththgthaat gthaaaththg 2040
 ccatgththg ccctthcaaaa aathgththgac atctththgag aththththatt acthaaathct 2100
 gatctththth ggctactgca ahaathctath cagcaagaaag gthathcagctg cthacctthg 2160
 acagthggagc thgactaccta thaaactctcc cthaggcath thgtthacag thgthattccat 2220
 ththagcagac gthctgathg thcagthgathg thgtgthcathc ahaataathgt gthctgathc 2280
 ththctatctt atthgathgca ththtaaaaa thgtthththca aggaataaag athththctg 2340
 cththtaaaaa aaaaa 2355

<210> 510
 <211> 775
 <212> DNA
 <213> Homo sapiens

<400> 510
 thgtggaathc cgaththatac agaaactgac atggcgatca agacaacag thcgagaaaa 60
 ctgtgctatg aaaggcaagc athaaagathg atgccacaac thththcaag thththgthcc 120
 aagaaacgath gagathgthth thgtththgthg thaccaathgca ththcaathcca thgtgthgata 180
 ctacagggth agthaththth atgtgathatg cthctththg thcaactththc thctctthcact 240

gatatgctgt	tagagttgaa	atctttctgc	tttccagtaa	tttgttttat	ctctagtgca	300
atgaaagaat	aaagacagaa	ttcttcaaat	ggaattttaa	tacaaataaa	atagttattgc	360
cttcaaacgg	gcacgttgaa	tagatatgac	actggctatt	tacttttctt	ttgtagttga	420
gtaccttata	atatgatggg	gaagaaatta	gtggcctggc	aagatgccca	tttgatgcca	480
gacaaaccaa	tggtgccctc	tttgctgatg	ggaagctgta	ttctgccaca	gtggctgact	540
tcttggccag	cgatgcoqtt	atztatcgaa	gcatgggtga	tggatctgcc	cttcgcacaa	600
taaaatatga	ttccaaatgg	ataaaagagc	ccactttctt	tatgccataa	aaatggaact	660
atgtctatth	ttcttttcga	gaaatcgtgg	caacataata	attaggcagg	ctgtggattc	720
ccggtggccc	gatatgaaaa	acaactgggt	ggtcccaagg	tctgagaaca	ttgat	775

<210> 511
 <211> 1553
 <212> DNA
 <213> Homo sapiens

<400>	511					
tttttttttt	ttaagtttga	agccttgccc	aagctttaat	gtcatgctaa	ccagttacct	60
tgtagagct	gggaagccac	cttttgctca	aaatgcagac	ttctgccttt	gaaaacacac	120
cacacctgat	tttaagtget	taaaggacag	aaaatgtcgt	tgctttaa	tgtagctttg	180
ttcagagaca	tctggatttg	ctgtatccat	acaagcaaaa	gcttttccaa	ttccagaatc	240
aaccacact	aatttgttat	tgccctgtac	tgtattggcc	cagctgta	caactcagca	300
ggcttttgg	tgtaaattca	agtggaaatt	gagttggtct	tatttgtgcc	cgtagatctc	360
tgagggctgt	gaggaagatg	gccagtaggt	caaaggggat	agtgtgaaa	agctgaccag	420
tactgggcag	gtggccggct	gtccctcagg	caccacaacg	ccgagccacg	gtaaggggca	480
tgagccacat	ttgcagaata	tagccagagt	ccttccagaa	cctcctgatt	cgccagcagga	540
ggcatcccag	ggcacacaag	tgtcaagggc	ctactcaggt	gcttggcaga	gctctctgtg	600
tgattattaac	agaagaggct	acggcttaga	gtggaaagga	gcatgtgatg	gctagcgggtg	660
ggcagcctgt	gtactctgcc	aagtttgggt	ggtccagggtc	cccacgattt	ctgtgtggag	720
ggttgtccgg	catctggcca	ctaggggggc	cggtggttct	cacacacacg	cagcggggct	780
ccttagcacc	tggcttatac	agcttcctgg	ggacggcaat	ccagtctctg	ctcacacctc	840
cactcttctg	ggagcaccag	agccggctgc	ccctggctga	gctccactcc	gcgttgccag	900
gcgggaatgt	ctgcttctct	tgccagctga	gtttgttggc	ctccaagcct	ctggtgatcg	960
cagcttctac	ctgggtcagt	gccgggggtg	gcagcccatc	ctctccgtag	aaccgtcctg	1020
tcacctccc	aacacacaca	taattcttct	catagaatga	aagccaattg	tgaagtgtca	1080
gcatctcagc	ggctgacagg	tccgatacgt	catccacgag	gctgtcttca	gaacagtccc	1140
cggtcacgaa	agctctggat	gcgtctcggc	ctgccaagcc	gctatagtgg	gaccagggct	1200
cgtagtgct	ccggccggag	gacacatcgt	agacacggcc	gagcaacgcc	aagtacaggc	1260
ccgggtcccc	tgggccggcc	cggtagcgag	acagctcctc	cggtatgaaa	aggcgaaagc	1320
cagcgcgggg	accccaccag	cccataagcc	gtgctgccat	taccgctgct	gcggctacag	1380
ccaggcccaa	caaaagccca	cggectccgc	acctcaacat	ctatataggg	ccaccgctc	1440
cgacttccg	aggttgccc	ctctatctac	agctaagatg	gccgagacgc	cgagcgtgac	1500
gtcatcgccg	cgccgcctct	cgctctctct	ctcgcgcgct	agtgtctcgc	ctc	1553

<210> 512
 <211> 1260
 <212> DNA
 <213> Homo sapiens

<400> 512

tccttctctg	gccttgccct	tgccctgttc	cctttctggg	cctgccatgt	ttctggccct	60
gcctgttcca	tgctcctggac	ctgactctgg	ccttgaccct	cctgtccct	gccctgccat	120
accttgcccc	gttccttctg	ctacactgac	cctgccctgc	cttgccctg	tgctacccta	180
gcctgccct	ggccttctgc	tgaccctgat	cctgccatgg	ccctggccct	gccatgtccc	240
tgccctggcc	ctggttctgc	cctgcttctg	gcctggccct	tggtcctctc	atgtccctgg	300
ctgtgacct	gcccctgggt	tttctctggc	catgacctg	ccccggttct	gtccatccc	360
tgccctgtc	tcagttctgt	cctagccctg	gcctttcaca	gtactttatg	cttagtaagg	420
gctccatggt	gtctgtgagt	tgaatggtgt	attcatagta	tctgccaaaa	cagaaagaaa	480
aaaaacaaaa	tattttgata	agaagttaaa	gctttgtata	taatatgctt	tgaattgtaa	540
gtgcctgtta	ttagttgtat	tacatatagg	tcattggtttt	gtacacataa	ctccaaacca	600
ttgatactgt	taaaagaata	tatgaatata	tgaagaatg	tataaacgta	agaatgtatc	660
agtatcta	gacctttcca	aattaatttt	tatttttagc	tctgttagat	tttctcagt	720
gtaacaaatg	tttattccta	tgtaattaag	ggcgtatttc	ctgtacagaa	tattcatatt	780
acctaattga	aaattatatg	atacaaaaat	ataatactat	ttttagccag	gcatggtggc	840
tcatactgt	aatcccaaca	ttttgagagg	caacgtttgg	agaatcattt	gagtcagga	900
gttgaccagt	ctgggcaaca	tagtgagacc	ttgtccttat	taaataaata	aataaataaa	960
taggttgggc	actgtggctc	atatctgtca	tcccagcatt	ttgggttgcc	caatgcagga	1020
ggattgcttg	agccccagga	gtttgagacc	agcctgggca	gaatagcaag	actccatctc	1080
tacaaataat	aaaatattaa	ccaggtgtgg	tggtgtgcac	ctggggtacc	agccacctgg	1140
gaggctaagg	tgagggtttt	gctcagggct	gcagtgaaat	gtgaaatgca	cactgcattc	1200
cagcctaggc	catagaacag	gatcttgtct	ataaataaag	aaataagtaa	aaataataat	1260

- <210> 513
- <211> 1596
- <212> DNA
- <213> Homo sapiens

<400> 513

ctccggcggc	gctcccccg	agcttggtac	ggctcagccc	gtctccccg	aagccgcggc	60
cccgcgccg	cgccccctc	tcgggtggagc	ccgcagcccc	ccttggtggc	cgccgcagct	120
ccccgcccg	tcggccccg	cccgccatgg	tcgcgtccgcg	ccgtgccccg	taccgctccg	180
gcgccggggg	ccccctcggg	ggtcgcgggc	gcctccgcg	gcccctcgtg	gtgcgcgccc	240
tcgcctcgcg	ctcctggcct	gccagccccc	gagggcccga	gctccgcgg	gatccggggc	300
cgctcggccc	ctcccattga	aggtgctcgg	gtcttcgggg	cactgggtcc	catcgggtccc	360
tcctcacctg	ggctcaccct	cgggggtctg	gccgtgagcg	agcaccggct	cagcaacaag	420
ctgtcggctt	ggagcggcgt	cctcgagtgg	caggagaagc	gcagacccta	ctctgactcc	480
actgcaaagc	tgaagcggac	cctgcctcgc	caagcctacg	tgaaccaagg	cgagaacctg	540
gagaccgacc	agtggccgca	gaagctgac	atgcagctga	tccctcagca	gctgtctgacc	600
accctggggc	ccctgttccg	gaactcccag	ttggcacagt	tccacttcac	caacagagac	660
tgcgactcgc	tcaaggggct	ctgccgcac	atgggcaacg	gcttcgcccg	ctgcatgctg	720
ttccccca	tctccccctg	tgaggtgcgc	gtgctcatgc	tctgtactc	gtccaagaag	780
aagatcttca	tgggcctcat	cccctacgac	cagagcggct	tcgtcagtgc	catccggcag	840
gtcatcaca	cccgaagca	ggcagtgga	cctgggtggg	tcaactcagg	cccagtcag	900
atcgtcaaca	acaagtctct	ggcatggagt	ggtgtcatgg	agtggcagga	gcccaggcct	960
gagcccaaca	gtcggctcaa	gaggtggctg	ccatcccacg	tctacgtgaa	ccagggggag	1020
atcctgagga	ccgagcagtg	gccaaagga	ctgtacatgc	agctcatccc	gcagcagctg	1080
ctgaccacc	tagtgccgct	gttccggaac	tcgcgctgg	tccagttcca	cttccacaag	1140
gacctggaga	cactgaagag	cctgtgccgg	atcatggaca	atggcttcgc	cggtcgcgtg	1200
cacttttct	acaagcctc	gtgtgagatc	cgcgtgctta	tgctcctgta	ctcttcagag	1260
aagaaaatct	tcattggcct	catcccccat	gaccagggca	actttgtcaa	cggcatccgg	1320
cgtgtcattg	ccaaccagca	gcaggtcctg	cagcggaaac	tgagcagga	gcaacagcaa	1380
cgaggtatgg	gggggtagtg	gttaccgccg	gtcgggcccc	tccaggagtc	acagatgagg	1440
ccccgcaga	gactgggtgc	acgcttctga	gcagggggcc	ctggggactt	caactgccc	1500
gcaacatgga	ggatgggtgc	ctgaggcctc	caaggacggt	ccccaccctt	ctacgtttcc	1560
ccaataaagc	cttttaaaaa	cctgccaaaa	aaaaaa			1596

<210> 514
 <211> 963
 <212> DNA
 <213> Homo sapiens

<400> 514
 tttttttttt ttgccgctgt caacagacag tttattctat atacaaacac aattttgtac 60
 actgcaatta aatagaatgg aatgagcgct cctccgcatt cctccccgag tgactggttt 120
 ggccgcccgc ccaactccatc cccgagtggg actggaccac ggccctggct gctgccactg 180
 atgttggcgc ctgcacccca cgtccctatg cccgaggcgc aagctctgct ctcccgggga 240
 ccccaggcct ggcgcacacg cggggagggc ggggccatgg agaaggcact gcagggagca 300
 ccaggcagag ccgggctgag gccggccggc actagggcgc gaggccccac cccaagccgg 360
 cctctcctcc acacctccgc ctgtctcaga gacctgcacc atgggacccc actccatcct 420
 caggacgggt cactgcagac ctaccaagac ccctccagaa ccttccgagg aaccccaccc 480
 cctctccttg ctgaccagct caaacacctc actagcgggt acaagcctcg ggcgcgacct 540
 cacaccaggy ggaggaagc gccttccgg gcaaacccca cgaaacctg aaagcccccg 600
 acacaggctg ggcagtccca gaggaaggag gtggctggcc tccccaccc ccacgggctc 660
 ggaaggtca ggcccagcca gcaggggtca gagggcgctc agctgtgagg ctacggagcc 720
 cacctccgag ggcgccctcg ttggggccat ggaggccggg ctaggcccgc ctaccgcagc 780
 ccccagggga gttgtgtcag aagctgcgga gtactcggg gggacactgt cctggggggc 840
 gtgggggagg cccccagcag ggcccagcgg gctggctgga cgccgctcca ggagggaggc 900
 gctcaggccg gacaggaagg aggcgtctgt gatgatggca gcggtctctg ccatccaacc 960
 cag 963

<210> 515
 <211> 777
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(777)
 <223> n = a,t,c or g

<400> 515
 tttttttttt ttaagggaga acagttttat tagcatcaca gggtcattt ttcctttcc 60
 atccaagcat ccagagtctg gtgtccttta atcagttggc aggttcaacc tggaggccac 120
 tggagctgcc ggcccccaag tacatgaatg tgcagatgat acacagattg tgcaaccagc 180
 ttcccatcgt tgatcacaag tcggtatcca tctcccaggc cctcagcctt tgctgtctgc 240
 ttggccacaa ggagtaggtg tcttagaagc tatagagaga gcggagggac ataggtggct 300
 gctggtcttc ttcttcagcc tggctaatec gaggaatggg ctctcttagga atgaccagga 360
 agtgcacagg agcctgaggg gccacatcac ggaacacaag acactgctgg tcctcataga 420
 gaatgtcagc tgggaggctc ttgtccagga tccgggagaa gatggttggg gctgctcccc 480
 caggagtctc ctgctgggcc ttggccactt cattccatc agtcacacct gcagctcctc 540
 ggacctgcc cccgcgcacc cccgtggcgg ccacggctct gcgcgcccgg cgcaaccag 600
 cagccagcac cacggctgcc gccatcttcc ctgagccggg ggaacctctc acccgggtca 660
 gcactcggct ccgcggccaa ccgtgggtgg ggactccggg cncggcgaac gcgtggcggn 720

accgntnctc acccanngt nnaacnntnc taaatttccc mnnaaagaaa gcagcct

777

<210> 516
<211> 3206
<212> DNA
<213> Homo sapiens

<400> 516
ttttttttcc taggcaactg ttggcccaaa aaaaaaatTT attttccttt caaataaaat 60
gtacaaccaa aatttagggT ttggagcagt agggaagaca ggagatacca gggagcccat 120
tttacagtag agatctgcat ctgacccctc tatcccatac ctttgcaaag gaaggagggg 180
gtctacaagc cagaactttc agaagagaag aaaatacatg ctgtgctggt gctgtttctg 240
gagcaggtca tccttttaggt atagaacacc acctccacc gatgacatca gaaccactga 300
ctggttagagc ccttggaat catacagtcc acctatcccc cgccagacac atggacacac 360
cgaggctcag atggggaagg gtacataccc tagggcacac accaaatcaa aaagtgaaag 420
tcaggactag aacacctgag caactttagc aggggactgt ggccacaggc ctggatgtgc 480
acagtagatc atgaaataca ttagtcctag tgaatgaccc cgtgcagag aaatggcttg 540
tggttgtcag ggagcagcca ctgtcctcag gggctccctg acctcagtg aaagtgact 600
gtgtaaaggc caaaaactgg atgggtgtca tgaacctcag gacgtttttt ttttttagca 660
ccaaatggtg gagctctctg ccagctcagc ttcttggggc ctctcaggta aaggtgatgt 720
ttgaggacc cagccccata tgaggggtgg agagaagcca gcagcactgg ggtgagcctt 780
ggctacacac cttccttctt accttcccc catcttcagt aaggccaaga gaggatgtgg 840
ggtggggaag gccagaatgg tategtgttt ctgtttctg ggcagtgggc tgcgtcctcc 900
caagcaggac tgaagggttc agaatcgctt ttctcaggc tgagaggtta tgagcagctc 960
cttgttcccg aagtcccacc aggcctcat gtggaacgcc atgttggtta agacaacagt 1020
gtactccagg atggcaaaga tgggtgtacac tccagcctca caatacatgt tgtccgaaa 1080
gtagacagcc agcgcgaga agaaggagat gaagttagt atgaagagcc gctgtttcca 1140
gctgtaggac ttgcatcct agggaaatgg ctgtctgac actctgcagc ttgctgggta 1200
tgagagcgtg ggctccccctc tcagccctaa ctctaaagg ctgggcctta tctccttgg 1260
ctcccactag cggctatgga agggagcaca ggcaggggca gcaagaatga cgactatgtg 1320
ttcacgtccc tgcctctggg ggagtgatgg gccagggagc agtgggtattc ctgccgcttc 1380
cacttcaggg ggatggagta tgaagttac atggagtcac ccaccaaccc cactccaaa 1440
tactgtgggg gaaaagaaac ccatgtacat ggggtggggcg ctggaattat gacagaccag 1500
tcctctgaca ctgttcctaa ctactgcog cctagatgag actoctcatt ctatccccat 1560
ttgagcctc catctctctc attctccagt ctcccacact acccaaacac agtgctatag 1620
tcctagatc tgaccaacca cctcagttt gttcccagc cccagcccc accccagcac 1680
ccctctgcca gggttcccat tagaactcag ttcccactc accattacc gaatcctgag 1740
cacagatgtc cttgatttc ttctgggct ccttggagcc cccgctaggg atagaccgta 1800
cctcctgact tactgtgtgc ttcttggta accgcccag aatgcaggtg aggagcatgt 1860
gcccgaggga tgaggcaatg aacacaatga aagcattttc gtggatggct ggagggaaag 1920
aggattggga gccacattgc agggagtgcc cacaccacga agtaggaagg tccgaatgtg 1980
gtaggggcag gccctcccc tcagggaaaca ctccccact cctccctcat ccaggcacc 2040
actgaagtcc tcggaggagg agacataagt gagcactagc aacgcgaggt tctccacgac 2100
attgaggccg aagttgaggc ggcagagcgg gcgatagcag gaacacgggg aggtgcagct 2160
gagtagtggt ttccagtagg cgaaggccac caagaagcga ggcgcccaggt gcaggccgat 2220
gcagaaaocg cacacgtagc gctggggcac ctcccccg atggctgagc tcaccgaggg 2280
caggtaatg ggcacctaga gagttgtgac ctgtctgggc atctgcctct gccagccccg 2340
ccatgtgga gaaccttctc tccatctgac aaaatcactc ttgcctctgc tccagccct 2400
ccccttccaa gaagtcctcc ttcagatgtc ccatacctc tccaaaaga cctctcctc 2460
caggtcctag gcccaaagt ctggattctc attccccagc tatcctggga ttgtgcagc 2520
agcatggtgg caccttctcc atctcccccg cagactggaa cctgcctgtg ttgtgcaat 2580
gttagatgg gttcagatgc tcttcacca tagctcagag ctgtgcctcc actaagaccc 2640
tgggtgagtt ccaaggcctc agattcagc cagaggacag ggatgagtc caagacctc 2700
gagcttctc agaacagtgc tggattcact gctcagctaa gatgttctc agtctgctc 2760
cagcgcact cactcctcta ggcaggtgtg ccaaggtggt agaatggcag cctgctctg 2820
atcatgatta acaaagtggg tgggctgggc acgatggctc acatctgtaa tcccagcaag 2880

```

aatatggatt tttaaaagtt tccaaaactg tggaaatggc cagtccattg cccacacttt 2940
ctgtgcactt ctgcagacct ccaacgaggg ccagcgcagt gccagagccc agcaaccag 3000
caaggggaatg aatttgctct aactatggag ggacagtctt cggaagtgga gttcttaagg 3060
accatcattc ctttctttca atgagatgcc agactgctga gaaggtgagc aatgctgcag 3120
gcggtcata gggcagccca caggtaggcc tggggcaaga ctagccatgg ggcttcacag 3180
cctccacaaa aaaggagatg gattcc 3206
    
```

```

<210> 517
<211> 1731
<212> DNA
<213> Homo sapiens
    
```

```

<400> 517
atattgatct cctggagatt cgaaatggac caagatccca tgaatcattc caagaaatgg 60
atcttaatga tgactggaaa ctctctaaag atgaggttaa agcataattt aagaaggagt 120
ttgaaaaaca tgggtgcggtg tggaatgaaa gtcacatga tgctttggtg gaggatattt 180
ttgataaaga agatgaagac aaagatgggt ttatatctgc cagagaattt acatataaac 240
acgatgagtt atagagatac atctaccctt ttaatatagc actcatcttt caagagaggg 300
cagtcactct taaagaacat tttattttta tacaatgctt tttcttgctt tgttttttat 360
ttttatata tttttctgac tcctatttta agaaccctt aggtttctaa gtaccattt 420
ctttctgata agttattggg aagaaaaagc taattggtct ttgaatagaa gacttctgga 480
caatthttca ctttcacaga tatgaagctt tgttttactt tctcacttat aaatttaaaa 540
tggtgcaact ggaatatac cacgacatga gaccaggta tagcacaat tagcacctca 600
tattctgct tccctctatt ttctccaagt tagaggtcaa catttgaaa gccttttgca 660
atagcccaag gcttgctatt ttcattgatt aatgaaatag tttatgtgta actggctctg 720
agtctctgct tgaggaccag aggaaaatgg ttggtggacc tgacttgta atggctactg 780
ctttactaag gagatgtgca atgctgaagt tagaaacaag gttaatagcc aggcattggtg 840
gctcatgctt gtaatcccag cactttggga ggctgagggc gccgcatcac ctgaggttgg 900
gagttcgaga ccagcctgac caacacggag aaacctatc tctactaaaa atacaaaagt 960
agccgggctg ggtgatgctt gcctgtaatc ccagctacc aggaaggctg aggcggcaga 1020
atcacttgaa cccggagggc gaggttgagg taagccgaga tcacctccag cctggacact 1080
ctgtctcgaa aaaaagaaaa gaaacacggg taataacata taaatagta tgcattgaga 1140
catgctacct aggacttaag ctgatgaagc ttggctccta gtgattggtg gcctattatg 1200
ataaatagac caaatcattt atgtgtgagt ttctttgtaa taaaatgat caatattgta 1260
tagatgaggt agaaagttat atttatattc aatatttact tcttaaggct agcggaatat 1320
ccttctggtt tctttaatgg gtagtctata gtatattata ctacaataac attgtatcat 1380
aagataaagt agtaaaccag tctacatttt ccattttctg tctcatcaaa aactgaagtt 1440
agctgggtgt ggtggctcat gcctgtaatc ccagcacttt gggggccaag gaggtggat 1500
cacttgagat caggagttca agaccagcct ggccaacatg gtgaaacctt gtcttacta 1560
aaaatacaaa aattagccag gcgtgggtgt gcacacctgt agtcccagct actcgggagg 1620
ctgagacagg agatttgctt gaaccggga ggcggaggtt gcagtgagcc aagattgtgc 1680
cactgcactc cagcctgggt gacagagcaa gactccatct caaaaaaaaa a 1731
    
```

```

<210> 518
<211> 1327
<212> DNA
<213> Homo sapiens
    
```


<400> 518
cccacgcgtc cgcggacgcg tggggaaaga aggcgcgcga gctaagccca ggtctctcct 60
ccgcaggttc cagctccttt cctggagcgt gtgtgggggc aacaaggacc catgggttca 120
ggaattgatg agctgtcttg atctcaaaga atgtggacat gcttactogg ggattgtggc 180
ccaccagaag catttacttc ctaccagccc cccaatttct caggcctcag agggggcatc 240
ttcagatata cacacccctg cccagatgct cctgtccacc ttgcagtcca ctacagcggc 300
caccctccca gtaggatcac tgtcctcgga caaagagctc actcgtccca atgaaaccac 360
cattcacact gcgggccaca gtctggcagc tgggctgag gctggggaga accagaagca 420
gccggaaaaa aatgctggtc ccacagccag gacatcagcc acagtgccgg tcctgtgcct 480
cctggccatc atcttcatcc tcaccgcagc cctttcctat gtgctgtgca agaggaggag 540
ggggcagtca ccgcagtcct ctccagatct gccggttcat tatatacctg tggcacctga 600
ctctaatacc tgagccaaga atggaagctt gtgaggagac ggactctatg ttgccaggc 660
tgttatggaa ctctctgagc aagtgatcct cccaccttgg cctctgaagg tgcgaggatt 720
ataggcgtca cctaccacat ccagcctaca cgtatttgtt aatatctaac ataggactaa 780
ccagccactg cctctcttta ggcccctcat ttaaaaacgg ttatactata aaatctgctt 840
ttcacactgg gtgataataa cttggacaaa ttctatgtgt attttgtttt gttttgcttt 900
gctttgtttt gagacggagt ctgctctgt catccaggct ggagtgcagt ggcgatgact 960
cggctcactg caacccccat ctcccagggt caagcgattc tccttggcct cctcctgagt 1020
aagctgggac tacagggtgt caccaccaca cccggctaat tttttgtatt tttagtagag 1080
atggggcgct gagggtgact caaggtggac aggagcatct gggcaggggt gtggatatct 1140
gaagatgccc cctctgaggc ctgagaaatt ggggggctgg taggaagtaa atgcttctgg 1200
tgggccaca tccccgagta agcatgtcca cattctttga gatcaagaca gctcatcaat 1260
tcttgaaccc atgggtcctt gttgcctcca cacacgctcc aggaaaggag ctggaacctg 1320
cggagga 1327

<210> 519
<211> 1002
<212> DNA
<213> Homo sapiens

<400> 519
ttttcaacct taaaaaattt taatggaatt ttcttctttt ttttttttct ttaaataaca 60
atgtgacaaa agggtgaaaa aatcctaacc aaggatttga ggccagtgtc caggctgcat 120
tcagttcaca aaactgtcct caggacgttg catggaactg gaaatgtgta taattacaga 180
agaaaacagg gaggacttag tgcagagagg agacgagtgt ggacgggcaa cagcatcctt 240
agtctttcat atttatataat ggtatatgta ttttctatat atatatttat atattttaca 300
tccaggtatc ccagtcatct gtaccatttc ccaggagac atgggtgctt ccaaggcgag 360
acaggaaaagg gttaggcagg gaagggcgag cgacgggtgca ggctggggct tggctcacag 420
aagctgcagg agcttcagcg actgtaagag ggccccgggc tccgcagacg ccaggtagt 480
gcagcaaagc cagtcctcca gctccacgcc ccgcctgcga tccaccgctt tctccgcaa 540
cttcatcatc atcaggggcc gcttcatgtc gatccagttg tgcagcgtgc cgcacagcgc 600
ctctccgag gtgcccggct gctgcaccag ctgcgcccga ggccccaca gcaggcactg 660
cagcaecgce ttggcctcgc cgatgceggat acgcttgatg gggctggcct ccagtagcag 720
atgtgccagc tgcagcaggc cgggtgagta gagggacagc gcgggcagcg gcggcaggtc 780
ctctgcccgg tagtctctct cccgcagctg ggcgcgacc tgcgaacgggt tgggttgggt 840
cagcagctcg tagatgagga tgcctgtctg gaactcatcg aacttgcgggt actgggaagc 900
agacacgata tcgggggcca gccgggctg gctcttcttc tgcctgcagggt ttgggggtgct 960
gcccggttcc tgcctggcct tcaaaaagtt gctgatgatg ag 1002

<210> 520
<211> 2966
<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(2966)

<223> n = a,t,c or g

<400> 520

gaaaagagga	cttattgttg	tcatggccca	tgagatgatt	ggaactcaaa	ttgttactga	60
gaggggggtg	gctctgctgg	aaagtggaac	ggaaaaagtg	ctgctaattg	atagccggcc	120
atthgtggaa	tacaatacat	cccacattht	ggaagccatt	aatatcaact	gctccaagct	180
tatgaagcga	aggttgcaac	aggacaaagt	gtaattaca	gagctcatcc	agcattcagc	240
gaaacataag	gttgacattg	attgcagtca	gaaggttgta	gtttacgata	aaagctcca	300
agatgttgcc	tctctctctt	cagactgttt	tctcactgta	cttctgggta	aactggagaa	360
gagcttcaac	tctgttcacc	tgcttgccag	tggttttgct	gagttctctc	gttgtttccc	420
tggcctctgt	gaaggaaaat	ccactctagt	ccctacctgc	atttctcagc	cttgcttacc	480
tgttgccaac	attgggcca	cccgaattct	tccaatctt	tatcttggct	gccagcgaga	540
tgtcctcaac	aaggagctga	tcagcagaa	tggtattggt	tatgtgttaa	atgccagcaa	600
taccttcca	aagcctgact	ttatccccga	gtctcatttc	ctgctgtgct	ctgtgaatga	660
cagcttttct	gagaaaaatt	tgccgtgggt	ggacaaatca	gtagatttca	ttgagaagc	720
aaaagcctcc	aatggatgtg	ttctagtgtc	ctgtttagct	gggatctccc	gctccgccac	780
catcgctatc	gcctacatca	tgaagaggat	ggacatgtct	ttagatgaag	cttacagatt	840
tgtgaaagaa	aaaagaccta	ctatatctcc	aaacttcaat	tttctgggct	aactcctgga	900
ctatgagaag	aagattaaga	accagactgg	agcatcaggg	caaagagca	aactcaagct	960
gctgcacctg	gagaagccaa	atgaacctgt	ccctgctgtc	tcagaggggtg	gacagaaaag	1020
cgagcgcacc	ctcagtcacc	cctgtgccga	ctctgtctacc	tcagagggcag	caggacaaaag	1080
gcccgtgcat	cccgcagcgt	tgcccagcgt	gcccagctgt	cagccgtctc	tgtagagga	1140
cagcccgtctg	gtacaggcgc	tcagtgggct	gcacctgtcc	gcagacaggc	tggaagacag	1200
caataagctc	aagcgttctt	tctctctgga	tatcaaatca	gtttcatatt	cagccagcat	1260
ggcagcatcc	ttacatggct	tctcctcctc	agaagatgct	ttggaatact	acaaaccttc	1320
cactactctg	gatgggacca	acaagctatg	ccagttctcc	cctgttcagg	aactatcgga	1380
gcagactccc	gaaaccagtc	ctgataagga	ggaagccagc	atccccaaaga	agctgcagac	1440
cgccaggcct	tcagacagcc	agagcaagcg	attgcattcg	gtcagaacca	gcagcagtg	1500
caccgcccaag	aggccctctt	tatctccact	gcactgaagt	gggagcgtgg	aggacaatta	1560
ccacaccagc	ttcctttctg	gcctttccac	cagccagcag	cacctcacga	agtctgctgg	1620
cctgggctct	aagggtctgg	actcggatat	cttggccccc	cagacctcta	ccccttccct	1680
gaccagcagc	tggtattttg	ccacagagtc	ctcacacttc	tactctgcct	cagccatcta	1740
cggaggcagc	gccagttact	ctgcctacag	ctgcagccag	ctgcccactt	gccgagacca	1800
agtctattct	gtgcgcaggc	ggcagaagcc	aagtgcagca	gctgactcgc	ggcggagctg	1860
gcatgaagag	agcccccttg	aaaagcagtt	taaacgcaga	agctgccaaa	tggaaatttg	1920
agagagcctc	atgtcagaga	acaggtcacg	ggaagagctg	gggaaagtgg	gcagtcagtc	1980
tagctttctg	ggcagcatgg	aaatcattga	ggctcctgta	gaagaaagac	acttgtgact	2040
tctatagaca	atthtttttt	cttgtttcaca	aaaaaattcc	ctgtaaatct	gaaatatata	2100
tatgtacata	catatatatt	tttggaaaat	ggagctatgg	tgtaaaagca	acaggtggat	2160
caaccagctt	gttactctct	taacatctgc	atthtgagaga	tcagctaata	cttctctcaa	2220
caaaaatgga	agggcagatg	ctagaatccc	ccctagacgg	aggaaaacca	ttttattcag	2280
tgaattacac	atcctcttgt	tcttaaaaaa	gcaagtgtct	ttggtgtttg	aggacaaaat	2340
cccctaccat	tttcagcttg	tgctactaag	agatctcaaa	tattagtctt	tgtccggacc	2400
cttccatagt	acaccttagc	gctgagactg	agccagcttg	ggggtcaggt	aggtagacc	2460
tgtaggggac	agagcctagt	ggtaaatcca	agagaaatga	tcctatccaa	agctgattca	2520
caaaccacag	ctcacctgac	agccgagggg	cagcagcctc	actctgctgg	acggaccatt	2580
aggggccttg	ccaaggtcta	ccttagagca	aaccagctac	ctcagacagg	aaagtcgggg	2640
ctttgaccac	taccatatct	ggtagcccat	tttctaggca	ttgtgaatag	gtaggtagct	2700
agtcacactt	ttcagaccaa	ttcaaactgt	ctatgcacaa	aattcccgtg	ggcctagatg	2760
gagataaatt	ttttttcttc	tcagctttat	gaagagaagg	gaaactgtct	aggattcagc	2820
tgaaccaccca	ggaacctggc	aacatcacga	tttaagctaa	ggttggggagg	ctaacgagtc	2880
tacctccctc	tttgtaaatc	aaagaattgt	ttnaaatggg	attgtcaatc	ctttaaataa	2940
agatgaactt	ggtttcaaaa	aaaaaa				2966

<210> 521
 <211> 1041
 <212> DNA
 <213> Homo sapiens

<400> 521
 tggggcaagg atttcatgag catcctcctc taaacgcgtg tcaagacaaa agatgcttca 60
 gctttggaaa cttgttctcc tgtgogggcgt gctcactggg acctcagagt ctcttcttga 120
 caatcttggc aatgacctaa gcaatgtcgt ggataagctg gaacctgttc ttcacgaggg 180
 acttgagaca gttgacaata ctcttaaagg catccttgag aaactgaagg tgcacctagg 240
 agtgcttcag aaatccagtg cttggcaact ggccaagcag aaggcccagg aagctgagaa 300
 attgctgaac aatgtcattt ctaagctgct tccaactaac acggacattt ttgggttgaa 360
 aatcagcaac tccctcatcc tggatgtcaa agctgaaccg atcgatgatg gcaaaggcct 420
 taacctgagc ttccctgtca ccgcaaatgt cactgaggcc gggcccatca ttgaccagat 480
 tatcaacact gagagcctcc ttggacctcc tgaccgcagt cacaattgaa actgatcccc 540
 agacacacca tccctgttgc ggactgggag aatgogccag agaccaaac agcatctcac 600
 tttgcttgct ggacaaaacac agccaaatca tcaaaagtt cgtgaatagc gtgatcaaca 660
 cgctgaaaag cactgtatcc tccctgctgc agaaggagat atgtccactg atccgcatct 720
 tcatccactc cctggatgtg aatgtcattc agcaggctgt cgataatcct cagcacaana 780
 cccagctgca aaccctcatc tgaagaggac gaatgaggag gacctgtgt gtgcatgctg 840
 attggtccc agtggcttgc cccaccccct tatagcatct ccctccagga agctgctgcc 900
 accacetaac cagcgtgaaa gcctgagtc caccagaagg accttccag atacccttc 960
 tctcacaagt cagaacagca gcctctacac atgttgtcct gccctggca ataaaggccc 1020
 atttctgcac caaaaaaaaa a 1041

<210> 522
 <211> 1295
 <212> DNA
 <213> Homo sapiens

<400> 522
 tttttttttt ttaaggttgt tggaaataat ttttatttaa cagatataaa aaaaattctt 60
 aacatttaca aattgtacaa agattggtag cttttatatt tttttaaaaa tgctatacta 120
 agagaaaaaa caaaagacca caacaatatt ccaaattata ggttgagaga atgtgactat 180
 gaagaaagta ttctaaccaa ctaaaaaaaa tattgaaacc acttttgatt gaagcaaaat 240
 gaataatgct agatttaaaa acagtggtgaa atcacacttt ggtctgtaaa catatttagc 300
 tttgcttttc attcagatgt atacataaac ttatttaaaa tgtcatttaa gtgaaccatt 360
 ccaaggcata ataaaaaaag aggtagcaaa tgaaaattaa agcattttatt ttggtagttc 420
 ttcaataatg atgagagaaa ctgaattcca tccagtagaa gcatctcctt ttgggtaatc 480
 tgaacaagta ccaaccaga tagcaacatc cactaatcca gcaccaatc cttcacaaaag 540
 tccttcaca gaagaagtgc gatgaatatt aattgttgaa ttcatttcag ggcttccttg 600
 gtccaaataa attatagctt caatgggaag aggtcctgaa cattcagctc cattgaatgt 660
 gaaataccaa cgetgacagc atgcatttct gcatttttagc cgaagtgagc cactgaacaa 720
 aactcttaga gcactatttg aacgcattct tgtaaatgta cactccgcaa ttttcccaag 780
 atctatgcca taattcaatg aactccatga acactgcttg tagttgggtg tccaggactc 840
 ctcaaagctt tcctcagac attcccctt tctcctttg aatccatccc gacctgggat 900
 cccaggtgta cccggaatgc cattggcccc agggctccc tctcgaccag gcactctgc 960
 tggcccttgt aagcacatc cattatacag gtccaccacc tccctctgcc ggagctgcgc 1020
 cttttgcttc cccttgggga tctcagaggc gctcgacgge gggggcagct gcagcagcag 1080

gagcagcagg	aggccgcgga	gccgctgctg	ggaggcggcg	gggccctggg	gtcgcgatggc	1140
tcccggctgc	cgggcagcgc	ggagctggag	gcggaggaga	ccgaggagag	gaacgtggtc	1200
agcgtctggc	tccgcccgcg	tccgaggcgc	ccgaggctg	catcaatgcg	cctttcaccc	1260
gagcgcctct	ctccctccct	taattcctcc	cgccc			1295

<210> 523
 <211> 2014
 <212> DNA
 <213> Homo sapiens

<400> 523						
tttttttttt	ttactgtttt	atccaaat	attctcaggg	aaaagaaag	tagtggctct	60
acgcaacttt	ttcattcacc	aaccaccttt	ccatgcatca	gaacctatgc	tgtgattggt	120
agctgaactt	caatagtttc	cacctactta	agagagatgc	ctcaaacaaa	ttaactttat	180
tttcagacaa	caggtccaag	aagacttcac	agctcaatca	tgacgaacat	gtggctggtt	240
cctcacagcc	aggaaccctc	ggtattagaa	gaaaactcca	acccccaca	ccatcatcta	300
gcctcttttc	tcactgtgaa	gaactgatga	gacagaattc	ctgagaaggg	aacatttagg	360
taatctggga	tagaagggca	tggaaggact	ggacaaaact	aaggcctccc	catggaagga	420
agggaaaaga	atattacaaa	acagactaac	cagaaaaacc	aagaccccat	caagtatcct	480
tcagggataa	aacaagaggc	cactcctaga	tgcctcctga	ttaaaagggt	gtcccagccc	540
ctacagaggc	ggaggataaa	tcctaagaaa	cagaaatgta	taaccagccc	caatgcttcc	600
catacttctg	cattaggtca	gtgtgaacat	ggctttgctc	ccaatgggtca	gacctgacat	660
gggtccttct	gaagatggtg	ggtcaggtat	atcccagcca	ccctcaccag	agaatacatc	720
tatgacaaa	ccaaattcct	aatcctgaag	tactttgagc	cactctacat	tgtggccact	780
caataataga	ataaatttgt	gaaaaagctg	catgttttaa	tttaggaaat	gagtagaagt	840
tcacaagcaa	cccagaatag	gtgccagcag	tttgcctccag	tgggccacac	cacagcagca	900
gctcaggctc	tgcagaatca	ctgtgtccag	tgcctcctga	gatgttcttt	cagctgagga	960
atggaaggca	gcagctgctg	gcactcatga	caacgaaggg	gcagcttcaa	gagctcaggc	1020
atcccactct	ggacagttac	tctaccagcc	tcttgtacca	tctcgatcac	agcttgtgat	1080
tctaggaagt	attctgtatt	gaaagaattc	caatgttttt	tgtttttaag	gcaaggagaa	1140
tcaaaatcct	ggctgatcac	atgaagatgt	acatggctca	tactcggaat	ggcgtggtag	1200
cccaatcgga	agcggagttt	gctggacceca	gcaaaatcta	caatcacctt	ttccccaca	1260
gtgtgcatat	gcttaaggag	ttcaagggtgt	tcccctggcc	acagccttca	gactggaaat	1320
ggagggtccac	ggtaagacca	gccaatggta	acgggccttt	gggtatztat	cctttatcac	1380
caccacctgc	tcatctttgt	aaacctgcat	tttggggctc	tgcatagaaa	tcttcaagcc	1440
ttgactccag	tggcccaggg	attccttttt	gatagggtgca	tcttttccct	tctttagggg	1500
cacagagcat	tggccagagt	tgcctcccag	ttccagccct	gtcccagcct	cagcttcctg	1560
agcagcatcc	ctttctatag	aatcactggt	gctgatctc	ttctcttcc	tgtgtgtttc	1620
caggccaggg	ttctttgcct	cttctcmeta	ctctacaata	tatggataaa	gttcattcac	1680
catgtggaga	acctggccag	gctgcagctt	cacctcttgg	tccttcccaa	ttacgactga	1740
gtcaatgctg	gtgggattga	ctcctacctg	ctttaccttg	acatatccct	tgttacactc	1800
tgctttcaac	tgtacttgct	gtcgagaaca	tttcttatca	gtgatcttgg	tctctgggcc	1860
acgcccatac	acaactgctt	ccaaatgtgg	aagtctgatt	cgctgggtgc	ggctgtcctg	1920
tctcaccaac	cagcacaccc	gcacatcac	tctccagaag	tcggagacgg	acaaattcac	1980
cctcgtgcc	agcatggcgg	aatgcatcta	acag			2014

<210> 524
 <211> 2151
 <212> DNA
 <213> Homo sapiens

<220>

<221> misc_feature
 <222> (1)...(2151)
 <223> n = a,t,c or g

<400> 524

gcccgcggta	gtaaacctgg	atcctttaa	acggccccc	ctttttttt	tttttaatgg	60
caaatagatt	taatgcagag	tgtcaacttc	aattgattga	tagtggctgc	ctagagtgt	120
gtgttgagta	ggtttctgag	gatgcacct	ggcttgaaga	gaaagactgg	caggattaac	180
aatatctaaa	atctcacttg	taggagaaac	cacaggcacc	agagctgcca	ctggtgctgg	240
caccagctcc	accaaggcca	gccaagagcc	caaatgtgag	agtggcggtc	aggctggcac	300
cagcactgaa	gccaccactg	gtgctggcac	tggcactggc	actgttattg	gtactggtag	360
ttggcaccgt	gctggcactg	ccactctctt	gggctttggc	tttagcttct	gctcccgcct	420
ggatccgggc	tttggcccag	ggtccgatat	cagcttcgtc	ccagtgtcag	ggcccgccag	480
cattctccga	gccgagccca	atgccattc	gagctttaa	ctcggcccta	agccttggct	540
tccaaggtga	gcctcagctt	gcagccttca	aaatccgctt	ccattcgcct	cttnccttcc	600
cgggggggga	ctgagctgcc	cattcccttt	ggatccttcc	ttttgtacct	ttgcaggcaa	660
acttgaagga	ctttcatctt	tgctggctct	catagtaaga	gcgcaggccc	ccagaagaac	720
tcatattcaa	ggggaattgc	tatgggggac	tctggcatag	tcccaggtag	ttctgcttca	780
caaacctcat	cagtgatgag	cttccttcac	gtcccccaag	agttgaatga	tgatcccca	840
ggcgcagccc	caaacttggc	gcagccttc	ccagatgaca	gcctcacttg	gaccgatttc	900
cattcattga	agatgatgct	aagaagcacc	atgagcagac	ccagcttggg	tgagtcccta	960
gtcgttccca	gtatgcctgc	atcagtgggc	tctaaggctc	tgagaagaat	gtacaagtgg	1020
tcattcttat	caatttctct	caattgaatc	ccaaatacct	tcttccaagg	aatagcctgc	1080
tcgttcaaat	gatttcgggg	tacacatcag	tgtattcttt	gatgatgtcc	ttcagcatgt	1140
tccgagcgct	tgatgggaat	cttcgtctgg	tctttagcca	aaaggtactt	caccaaatc	1200
atgtgccttc	ccttgcaaaa	gggcccacatc	cccaagntgg	tggtgcttca	ggetcttggg	1260
atgaactgga	acttggcaac	tctaacggcg	aagccccttt	gcctacgggc	tttaagggtga	1320
tctccaagtg	gagagcaaa	gctctccggg	ccaaagcaa	gccaaccgag	tccttgatgc	1380
cctgcggggc	caaaaggcta	tgggaccctt	tgaagccctg	cgggccattg	aggccattag	1440
agcctttgag	acccttcggc	cacctgtggt	tccagaagcc	tgactctgat	cactgctgcc	1500
atcctcttcc	ccatccagat	gcttcacctt	tccggctttc	ttggctttga	ccttgggccc	1560
agtatcctga	ttctcctgag	actgggcagc	tgactctca	ggctcaggtt	catctgctgg	1620
ggcctgagag	ggtgcagcct	cagtctcctg	agcctttgta	ttgaccttcg	tatcagccac	1680
atggctgacc	tttttggctt	cagtggcagg	cattgtcaca	gcctgcgggt	cagcattctg	1740
ttcttgggtg	tcagctgcta	gactcttgtt	ttcagctgcc	agaacctggg	tatcagtcag	1800
ctgagtagta	gatgaggcct	gggtggcagg	tgccctccga	gcctctgggg	tctttgagac	1860
ctctgtggcc	tttgagaccc	cagaggcttt	tgagaccttc	acatcctctg	agacctccag	1920
tgcccttgag	gccttcgggt	tctctgggac	ctccacattc	tgggtcactg	tcaacagagt	1980
ctgcatcatc	gagctactgt	ccttttctga	agcttcagcc	tggaaagcag	ttagacctgc	2040
accactctcg	cttgtgtcag	acatgtctca	atgtggcctg	gcaagagctg	agcctcgtcc	2100
tctacaatt	cccgagtgcg	tccactcact	ccaagccct	ccgaagctcg	g	2151

<210> 525
 <211> 1869
 <212> DNA
 <213> Homo sapiens

<400> 525

gcgcggcctc	ctgtctgcac	cggcagcacc	atgtcgtca	cggtcgtcag	catggcgtgc	60
gttgggttct	tcttgctgca	gggggcctgg	ccactcatgg	gtggtcagga	caaaccttcc	120
ctgtctgccc	ggcccagcac	tgtgggtgct	cgaggaggac	acgtggctct	tcagtgtcac	180
tatcgtcgtg	ggtttaacaa	tttcatgctg	tacaaagaag	acagaagcca	cgttcccatc	240

ttccaccgga	gaatattcca	ggagagcttc	atcatgggcc	ctgtgacccc	agcacatgca	300
gggacctaca	gatgtcgggg	ttcacgcccc	cactccctca	ctgggtggtc	ggcaccacagc	360
aacccccctgg	tgatcatggt	cacaggaaac	cacagaaaac	cttccctcct	ggcccaccca	420
gggcccctgc	tgaaatcagg	agagacagtc	atcctgcaat	gttggtcaga	tatcatgttt	480
gagcacttct	ttctgcacaa	agagggggtc	tctaaggacc	cctcacgcct	cgttggacag	540
atccatgatg	gggtctccaa	ggccaatttc	tccatcggtc	ccatgatgct	tgcccttgca	600
gggacctaca	gatgctacgg	ttctgttact	cacaccccct	atcagttgtc	agctcccagt	660
gatccccctgg	acatcgtggg	cacaggtcca	tatgagaaac	cttctctctc	agcccagccg	720
ggcccccaagg	ttcaggcagg	agagagcgtg	accttgtcct	gtagctcccg	gagctcctat	780
gacatgtacc	atctatccag	ggagggggga	gccccatgaac	gtaggctccc	tgcatgtgcg	840
aaggctcaaca	gaacattcca	ggcagatttc	cctctgggcc	ctgccaccca	cggaggggacc	900
tacagatgct	toggctcttt	ccgtcactct	cctcacgagt	ggtcagacc	gagtgaccca	960
ctgcttgttt	ctgtcacagg	aaacccttca	agttagttggc	cttcaccac	agaaccaagc	1020
tccaaatctg	gtaacctcag	acacctgcac	attctgattg	ggacctcagt	ggtcaaaatt	1080
cttttcacca	tctcctctt	ctttctcctt	catcgtggg	gctccaacaa	aaaaaaaaatgc	1140
tgctgtaatg	gaccaagagc	ctgcagggaa	cagaagtga	cagcgaggat	tctgatgaac	1200
aagaccatca	ggaggtgtca	taccataat	tggaaactg	tgttttcaca	cagagaaaaa	1260
tactctgccc	ttctcagagg	ccccagacac	ccccaacaga	taccagcatg	tacatagaac	1320
ttccaaatgc	tgagcccaga	tccaaagttg	tcttctgtcc	acgagacca	cagtcaggcc	1380
ttgaggggat	cttctagggg	gacaacagcc	ctgtctcaaa	accgagttgc	cagctcccat	1440
gtaccagcag	ctggaatctg	aaggcgtgag	tcttcatctt	aggcatcgc	tcctcctcac	1500
gccacaaatc	tggtgcctct	ctcttgetta	caaatgtcta	ggtccccact	gctgctgga	1560
aagaaaaaac	actcctttgc	ttagcccaca	gttctccatt	tcacttgacc	cctgcccacc	1620
tctccaacct	aactggctta	cttcttagtc	tacttgagge	tgcaatcaca	ctgaggaact	1680
cacaattcca	aacatacaag	aggctcctc	ttgacgtggc	acttaccac	gtgctgttcc	1740
accttcctc	atgctgtttc	acctttcttc	ggactatttt	ccagccttct	gtcagcagtg	1800
aaacttataa	aattttttgt	gatttcaatg	tagctgtctc	ctcttcaaat	aaacatgtct	1860
gcctccaa						1869

<210> 526
 <211> 6655
 <212> DNA
 <213> Homo sapiens

<400> 526						
ataaccattt	attagtcgaa	agtgttttta	agcacagtca	gggtgtaaac	agtgcagcat	60
tcctgctccc	ctccgtggga	gcagcgtctc	cttttcaatt	catgtgacta	cagaaggcac	120
ttggtgaact	gtgcgtgtct	gaggtgtgga	aaccaggaga	cgctgctccc	acagtcaggg	180
tgtaaacagt	gcagcattcc	tgctcccctc	cgtgggagca	gcgtctcctt	ttcaattcoat	240
gtgactacag	aaggcacttg	gtgaactgtg	cgtgtctgag	gtgtggaaac	caggagagggg	300
ggaaagaatt	ctcaaaggcc	tgacgtgaga	agttggaaag	gtttgcaggt	tagggaatga	360
attgggagtg	ggggccggcg	gcaccattt	cggtgacttt	ctccccattt	catgtaaaca	420
gaattgccag	ggaccgggta	ccgtggatat	gtttttctaa	aaactcagtg	tctgcacaat	480
ccattgatag	aactggagga	tgtgtctgtg	tttctgttg	ggtttttctc	atctcttaca	540
tcatacaaac	ttcaattttt	accttgaata	caggggtagt	aggggtgggtg	gtggtggtgg	600
tggttgagac	agggctctctg	ttgccaggcc	tggagtgcaa	tgatgcaatt	atagctcatt	660
gcagcctcga	agtcctgggc	tggagcgttc	ttcctggctc	agcctccta	gtagctggga	720
ccacaggtgt	gtaccaccac	gccagctta	tttttaaatt	cttgtataga	tgaggtttta	780
ctacgttgcc	caggctggag	gggtggtggt	tttatattcc	ttgtgtgagg	ggtgtctgtg	840
atatttgaa	tttgagaatg	gatttagaca	atgctaagta	cagctctgctg	ggttttgctt	900
tgttctgggt	tggtgtggg	tttttttgt	ttgtttgctt	tggtttttgg	ttttcttgcc	960
gtggtgcaaa	actgtagaaa	gttgcttatt	cactggcctt	ggttccattg	aagtctgcgt	1020
ctcagatgtc	cgtttctctc	tcagaacct	ctgcattttc	aataactcta	cgctctocag	1080
accttctaga	aggaacgaaa	gaggtctcgt	ttcctgcct	gagcttgctc	ttgagtgcgt	1140
tcacctcgcg	gcccattggcc	tcgttgcctc	ccgtggcctc	atccagctcc	cgctgcagct	1200
tcctgcgggt	ggcggtgatg	cgctgggact	cctcctctgc	ctcctccagc	tgctcttga	1260

gctgcttgac	cctggcattg	cctttctctg	cctgctcctt	gtactgctcg	gccatcttgc	1320
gctcgtcctc	cacctgcagc	aagatttctt	tcagcttctt	gtctttctgc	ttcagcgaact	1380
tggtggcccg	ctgtttctct	ctggcctcct	gctcgacctg	ctcctctagc	tgtgcaatct	1440
tgccctccag	cgccgcgatg	gtggatttga	acttggactt	gacggccccc	tccatctcgt	1500
ggagcttgct	ccggagctcc	ttgttctgce	gctcgagctg	ctgccgggca	ctctcattct	1560
tctgggcegt	gctgcgctct	gtggccagct	cgttgctgag	ctgctcggcc	tgctgtgtgg	1620
ctttgccggc	ccggctcgtc	atggcctcca	tgttgccctg	ctcctcctcc	agctcctcct	1680
ccagctgggc	gatccggggc	tccaggcggc	gcttctcgtc	ctggagtgcg	ttccttcccg	1740
acaggctact	ggcccagctc	ctctgccagt	tcctccttct	tcgaggctcg	ctttgtttgc	1800
gacctcttct	agcggcgggc	aggctccttct	tgtagctgca	tgaggctcgt	cttccaagct	1860
cttggcttct	ttctcattct	ctttgggctg	tggcaaaaga	tctcatctct	ggaggcacgg	1920
ggcatcttcc	agctctcttt	gaaagtctct	catctgagcc	tgcagtttgc	gtagctgctt	1980
gatggcttct	cctcccctcc	ctttgatggc	agagtccggc	taaagatcca	aggttcttac	2040
agggtcccat	cccagcttta	tttttgcctg	agctgccagg	gcacgttgct	ttcgtcctgc	2100
ttccagttcc	gtctcatact	cgtgaagctg	tctctgcaga	tgccctcctg	ctcgtctcca	2160
ttctgctcgg	tccgggcttg	gagatacctt	ttcgaaactg	gcccttgaag	gcgcctgcat	2220
gttgacttcc	agccgcagtt	tgggcgtccc	tcogtgggct	tgcaagctcg	gtccttccaa	2280
gctcttccaa	ctggcgtcct	catctcctcc	aatctggggg	ctcccagggc	ccggcttggg	2340
cttctcccag	atcatggggc	agttcttggc	caacgtcaat	ccttgggaag	tgaccaggt	2400
cttcccattt	ctggcttttga	gcattttgtt	ggtccgctcg	agttcctctt	tggcttccaa	2460
ggcctcttca	agggcccagag	cccagggaca	gggcttgggt	ttccttctcc	ctggcttctg	2520
cctcaactct	gtccctctca	tccgcgtatt	tggaaagat	gtttttctcc	tccgctaaca	2580
actgatcaaa	tttctcttgc	ttcttttcca	ggttggacac	cagttgccgc	tggttgtcca	2640
aatcaacaac	caggtctgtc	agctcctgct	gaagctgttt	cttgggtctt	tccagtttat	2700
catacggggc	cgcttctctc	tcgtactgct	gggtgagggt	ctcgatctcc	ttctggaacc	2760
tcttcttccc	ctcttccaga	gcttccacgg	tgttgcaaaa	gtcctgcagc	ttcttcttct	2820
agtcggagag	ctggatgttg	agagtggaga	tgtggcgtct	caggttctgc	ttggcctcca	2880
tctcctcgtc	cagctgggtct	tgcaggctgt	tcogtccctc	ctccagctag	gcgcagcgta	2940
cgtagacacg	ttgagcttct	gccgggattc	ttcttgaagc	agctcctggg	tgtcctggta	3000
gctgggaaat	gagggacgcc	acgtccttgg	ccagcttaat	ggccttcccc	tccgctctgt	3060
taagcatccc	ctgtgacgct	ctcaacttca	tctgcagggc	ttgtggactt	tgtcatbgag	3120
ctccgcccgg	gcccgtctcc	catcgtgca	cttggactgc	agctcctgca	cctgcgctcg	3180
cagcttcttc	attctatggt	ccacctcctg	cttgggcctg	gcccaggacc	cgcagctccc	3240
cgccaggggt	ctgtgttctc	ttctctcagc	gtctgcttat	tcttgtctag	gttcgccttg	3300
gccctctttt	gactgctcaa	gctgctctgt	gaggctctgc	accgctctgt	cgtgttctct	3360
cctcatctcc	tggacctgag	cctcatggga	ccgctctctt	tattcagggt	cccctcttca	3420
gcaccgtcac	ctcctgctcc	ctcttggccc	tgagctcctg	ctgagtggct	gtgctgtcca	3480
gtgtgtcttc	cagctctgtc	tttagggcct	ccagctctcc	gcccagggtct	cgtctctgct	3540
tttcagcctt	gttccctggc	gcccgtctct	agtccagggt	ctcctggagg	tctgagatgt	3600
ggccctccag	ctcccggatc	ttcttccagg	cattgttctt	ctgagcgatt	tcacgttcaa	3660
gocctggccg	ggccgcctgc	agctcctcct	ccttcttggc	cagctgcata	ttgagctctg	3720
cgatctgcgc	ctggagggtca	gcgatctgct	cgtggaagtc	gctggcatca	ccctccagct	3780
tccgtttcag	cttctccagc	tctgtcgggc	tcttctcttc	cttcttttag	cgcacttcca	3840
gttctgaaat	catagattca	tgttgttttt	tcagcttggg	aagattcttg	gccttttctt	3900
cctcttctgc	aagatttgtc	gttaagtcac	taatcctctc	ctcaaggagt	tttctgtctt	3960
ttgatagttt	attgttctga	tcacocatga	ccaggatctc	atcctccagt	ttcttgatct	4020
tggcctcagc	cgtgaccttc	tcaagttgca	gcttctgctt	ggcagcttcc	tcctcctcca	4080
gctgttcttc	aaggctccagc	atctgctggg	ccatcttctt	cctttcagcc	tgtagctgct	4140
ggcccctgtc	ttcctcctcc	tccaggcggg	cctccatctc	atgcagtatc	tcctccagct	4200
cctgcttctt	ggccgcccagc	cgcacccgca	tctcctcagc	ctctgcatac	agctctgtct	4260
ctgcttgcag	ctgttctctgt	agcaggttct	tctcctcggg	cagctgcgag	tgttctgttt	4320
ccagctcctt	aagctcatte	tctgccttct	gctgcccgtc	cttggctctc	tgcagttcat	4380
cctccttggc	ctgcatctcc	tactcctgcc	gtgtcacctg	cagcagtggc	tacactttgg	4440
tgaaaagcct	gcaccactgc	cagttccgca	gcttgatgta	tgcggcgag	ttcctctgaa	4500
tcaccttcat	ggcggtcagc	tgtgctgccc	tcttggcaaa	agcctttctg	gccaagtagc	4560
cacgacacat	cgccctggaag	gccatgatga	catcgggtgat	cttcaaatct	cgctcctcct	4620
ctaggtgggg	caggacgccca	gttcggaaga	agattttgct	ctgccctatc	ctgtataagt	4680
tgggggtcaag	ttccagggct	ttgatcatga	gaatgcaggg	ctgcttcccg	tccatgaagc	4740
ctttgggggat	ggcattcgc	gccaggatct	cgtaccgttg	gcggaactcc	tggaaagaca	4800
tcoggttggg	gaagccctgc	cggcagatgc	gaatgccttc	cagcacccca	ttgcaccgca	4860
gctgctccag	caccaggaac	gcateccagct	gtcccggact	cttctcgtgg	ttggggatga	4920
tgcagcgcac	gaagttgggc	gtgggtgttg	gtagcgtggg	catcagcttg	cccagctgct	4980
ccttgtacag	ctgcccact	gtgcggaaca	tgcccttctt	ggtcttggag	gcgctgggca	5040
gcgagctctc	cgtcatcttg	gccatctggg	ccaggccca	gatgcggtcc	acgtccttcc	5100

acaggctcggc	cacaaacttg	tggaggagg	cattgagcag	ggaagtcacg	ttgtcattca	5160
gcgggtccat	attccttggtc	agccaggcac	tcgcattata	gtctaccttc	ccagcataat	5220
ggatgatgga	gaactcagtc	ttgtccttga	gctgcttggg	cttctggaac	ttgggggtggc	5280
tgccctgctc	cgtgcacagc	ttctccacga	aagacttgctc	cgtggctttg	gggaaccagc	5340
attcctcgtc	cagcagggcc	agcacacctg	gagggttggt	cggtcgctcg	atgagctcga	5400
tgcagggctg	taggtccagc	ccaaagtcca	tgaagttcca	ctcgatgccc	tcgcgctggt	5460
actcctcctg	ctccaaggat	gaacatgggt	tggttgaaga	gctgctgcag	cttctcgttg	5520
gtgtagtga	tgcacagctg	ctcgaaggag	ttcacctcaa	agatctcaaa	tccagctata	5580
tccaggatcc	ccaggaagga	agccccttgc	cgatgggtct	tgtccagggc	ttgttccag	5640
cgggtgagta	tccagcggaa	aaggcgtcca	tatgttgccct	tggccaaagc	ctctacagca	5700
aagtcagcct	gttcttttgt	ctgagctttc	tgtaccacat	ctcgcccaac	cttgatacga	5760
ggagtgagga	tggatctggt	gaaatctgtc	acattaattc	ccatgaggtg	gcaaactttc	5820
tgagcagctg	tgttatctgg	catggacgcc	tggctctgtg	ttctttcctt	cttgaagacg	5880
atatttccaa	gctgcaggac	cgatgatacc	accttcaata	tggatagctg	ctcctcctcg	5940
ctgaaacca	tgattgccat	ggcctccacg	gtttcctgga	acatctcatc	atcctgggct	6000
gctgggatgg	gcacaaagcc	attggagagg	aagggtgtagt	tgttgaagcc	ctccaaaagc	6060
aagtccactc	tcactcttct	cttggctcca	gcaatcatgt	agtaaaagat	gtggaatgtc	6120
ctctcgtctc	tggcttggcg	aattgcccgt	gatttttcta	gcagataggt	ctcaatggtg	6180
gctcccacga	tgtaaccctg	gacgtcgaag	ttgatgcgga	tgaatttgcc	gaatcgtgag	6240
gagttgtcgt	tcttccactgt	tttggcgttg	ccgaaagcct	ccagaatcgg	gtttgcttgt	6300
agaagctgct	tttccagctc	tcccgtgata	cttgtgtcct	tcttgccctt	gtgggaggag	6360
gccaccacgg	ccaggtactg	aatgaccttc	ttgggtgttt	cggttttccc	ggctccagac	6420
tcgcctgtgc	atagaatgga	ctggctcctc	cgatcttgaa	gcatgctccg	gtaggccgtg	6480
tctgcgatgg	cgtagatgtg	aggcggcatc	tcgtgcctct	tcttgccctt	gtacatgtcg	6540
acgatcttct	ccgagtagat	gggcaggtgt	ttataggggt	tgaccaccac	gcagaagagg	6600
ccagagtacg	tatatattag	ccttgagaag	taccgctccc	tcaggttgtg	tagca	6655

<210> 527
 <211> 1081
 <212> DNA
 <213> Homo sapiens

 <220>
 <221> misc_feature
 <222> (1)...(1081)
 <223> n = a,t,c or g

<400> 527						
aaactacatt	ttgcaaagtc	attgaactct	gagctcagtt	gcagtactcg	ggaagccatg	60
caggatgaag	atggatacat	caccttaaat	attaaaactc	ggaaaccagc	tctcgtctcc	120
gttggccctg	catcctcctc	ctgggtggcgt	gtgatggctt	tgattctgct	gatcctgtgc	180
gtggggatgg	ttgtcgggct	ggtggctctg	gggatttggg	ctgtcatgca	gcgcaattac	240
ctacaagatg	agaatgaaaa	tcgcacagga	actctgcaac	aattagcaaa	gcgcttctgt	300
caatatgtgg	taaaacaatc	agaactaaag	ggcactttca	aaggtcataa	atgcagcccc	360
ttgtgacaaa	actggagata	ttatggagat	agctgctatg	ggttcttcag	gcacaactta	420
acatgggaag	agagtaagca	gtactgcact	gacatgaatg	ctactctcct	gaagattgac	480
aaccggaaca	ttgtggagta	catcaaagcc	agggactcat	ttaattcggt	gggtcggatt	540
atctcgccag	aagtcgaatg	aggtctggaa	gtgggaggat	ggctcgggta	tctcagaaaa	600
tatgtttgag	tttttggaa	atggaaaagg	aaatatgaat	tgtgcttatt	ttcataatgg	660
gaaaatgcac	cctaccttct	gtgagaacaa	acattattta	aatgtgtgaa	gaggaaggct	720
ggccatgacc	caaggtggac	ccaactacct	ttaatgcca	agaggtggac	aggataacac	780
agataagggc	tttattgtac	aataaaagat	atgtatgaat	gcatcagtag	cctgaaaatt	840
gccttaattc	tcccttctct	ctcactggag	ttatttttaa	tattatcttt	cctacagaa	900
ttacctagtc	ccttctttga	atatacagaa	gccatcacgt	gagtttatca	tttgcttccc	960
aattgttcta	ttttccttta	atthttcttc	ttcttgtcct	tcattttotaa	ttacctgaac	1020
atggtatgat	ttactgcatc	ttcagatata	cacatataac	atcaaaantn	aggccaatat	1080

a

1081

<210> 528
 <211> 1098
 <212> DNA
 <213> Homo sapiens

<400> 528

tttaactccc	cctcttctta	agagaatfff	aatgaagctg	agataagagg	catatftact	60
tgcagtttgc	cccattgtta	ccctggattc	ctccgagcgc	acaagcttac	cgcaaggctg	120
actgtggatg	tacttgggaa	tctctcgtcg	gctgtcctca	atgctcacgt	tcttagcata	180
ccttcaccct	agagaaaggc	ccccacatcg	ggcgccagat	gaaggggtgg	cctgcccctc	240
cacacctgtg	ggtatftcta	gtcaggtggg	atgagagact	gagaaaagaa	agaagacaca	300
gagacaaagt	atagagaaac	aacagtgggc	ccaggggacc	ggcactcagc	acaccaagga	360
cctgcaccgg	caccggcctc	tgagttccct	cagfttttat	tgactattat	tttcattatt	420
tcagcaaaaa	ggaatgtagt	aggacagcag	ggtgataata	aggagaaggt	caacaaaaaa	480
aacatgtgag	caaaaagaac	tatatcataa	ttaagttcaa	gggaaggtag	atgacctgga	540
cgtgcacgta	ggccagatft	atgtttctct	ccacccaaac	atctcagtag	agtaaagaat	600
aacaaggcag	cactactgcc	aacatgtctc	gctcccgcgc	acagggcagc	ttttctccca	660
tctcagagtt	gaacaaatgt	acgatcgggt	tttacaccga	gacattcagt	tcccaggggc	720
aagcaggaga	cagtggcctt	cctccatctc	aactgcaaga	ggctttcctc	ttttactaat	780
ccacctcagc	acagaccctt	tatgggtgtc	aggetggggg	accatcaggt	ctttctcctc	840
ccagcaggcc	atatttcaga	caatcacatg	gggagaaaacc	ttggacaata	cgccgctttc	900
aagggcaggg	ctccctgcgg	ctttccacgg	tgcatgtgtc	ccctggttta	ttgagactag	960
agaatgggtga	tgacttttac	caagtatact	gcttgcaaat	atfttgftaa	caaggcacgt	1020
cctgcacagc	cctacatccc	ttaaaccctg	atftcataca	cacatgfttt	tgtgagctcc	1080
aggttgggtc	aaagtgggt					1098

<210> 529
 <211> 1998
 <212> DNA
 <213> Homo sapiens

<400> 529

tttttttttt	ttgtgggtaa	aaccatfttt	attaactgac	caaagcacat	cattttgftt	60
tctgatttga	ggtaaaaatca	taaaacacag	ttcacaagaa	aatacaatga	ctatfttaacc	120
acaattacaa	gftttgaaatc	tcactaggtg	ttcatatact	tttacaaaatt	catacaactg	180
tatagtctac	ttaagcttag	tgfttaaccaa	aagagcaata	tcaaagacct	agacacttga	240
ctactactft	tgcagtgggt	atagftttat	aacaacagaa	taactgttac	cttatgaata	300
tactfttact	taaaaaccac	ttgactagcg	actgtactgt	ttcctcgtgg	ttcaggggtg	360
tgcatgaagg	ctcttaggag	agcaaacacc	tgfttcctatt	ctgtatgtcc	ctcccctcatt	420
tcaaatgaga	gtaaccaatt	gagtaaaaata	accaaaataac	cattgccccca	ccatgaacat	480
ggggcttggg	aagacagtcc	tacaatcttc	atcatatatt	taggtftttta	ggccagccag	540
ctctfttttt	ccaaagctft	ctftttgaaat	ttcagatcct	atftaatccta	actatagact	600
actgtgtttg	tgaggtgtgc	tgagtgtcta	tgtgagggca	aggacaacag	tgcagtccag	660
aaacacagaa	aatatgctft	tttgcagctg	agctctgftt	tgagatfttca	ttttgttact	720
ggacagcgct	taatccatac	caaagtctft	ggaaacactgc	agatfttgctt	tagaggtaga	780
taaaacagaa	atcatgcaat	taagtcaatt	gagaaaaaaa	aagggatftg	ttgtctfttac	840

```

agaacatcat gactaaaagt tgatcctttg ctcttgggtc acatttaaga tttttacctg 900
ttttgggaaa tacccaagtc ttccttgtct ctcaggaaaa acacatttaa attcatcctg 960
tactaactac agatagaaga acagcagtat taccatgtgt attgcagcac tgcagttcac 1020
tttctggatt tgtgacacac aaacacatca tgtgacgtcg catgcacgcg tkkgcttggg 1080
kccctcgagg gatcctctag agcggccgcc cttttttttt tctttttcat tctaagaagt 1140
taattttat agtgtcacta gtgatgttaa ttaaaaaact tatagcaagt gctcaaaaact 1200
ttctaaatat tgtaatcact atgttttaaa gacagagtgg actgttacia atgattttgc 1260
aaaatacaaa aatagatata cttccactga aatgctttaa tcatttttcc gggcactctc 1320
atcttttgg tcttcctcat ctgagtacac agtgggtccc tccccctctc tcagcagttt 1380
gcccacgtga tgatacttga aagtgaactg agactcccag tcaactcagag tctccctgct 1440
gggcagcaag tgaggtcaga aagggtcctc gttactcctc cttcaggggc ttccttatcc 1500
agggcaaaa tgtaggcaag gccctggga tgcattttct tccagcaaag accccatacg 1560
ggcccctcg gccccgtaag aaatttgcgg gccttgggt cacatcgaa accttgccgt 1620
tgatggccca tgagtatggc gcggggctct ggacgcccgc gaagcgcgc agcttcggcg 1680
gggggtgaag tcgcgccgct tgaggcgggg cagagggggc ggctcgctcg cgtcgctgct 1740
ccccttggc ccgcccgtgg tcccgcgca cgtcttgta gagcaggaag atgcatgagg 1800
ccaagcagca gcaggttga cggcgacgtg aaaatctcat gcagcagccc gccgctctcc 1860
agatcgcttg ggtcggcgcc agtcgccacc acatcctcgg cagccatgat ctctgggta 1920
aaggttgggc cgcgctaggc agggatccgg aactcgccac tttctctccc ctctgagcga 1980
gcgagtggcg cgcggggt
    
```

```

<210> 530
<211> 766
<212> DNA
<213> Homo sapiens
    
```

```

<400> 530
ttttttttt ttaataaaac cataacaaat ctttcattaa agatctactg agacctggc 60
tgaaatcatc tattattggt gctagttagc ctctcttcta tagttgggta atgtgtgtct 120
tgccactgtg tttgccagct ctcccagtg aaaagaacac tttttataaa aaaattaatt 180
gctccaagtt ttcaggccca ggggaggctc tcccattctc ctcttcaat aagtcccgtc 240
caggtaagag gtgatcttgt ggataaattc atcatacttc actttgcat tgggttcgat 300
atctgccttc cctgaagaga tcatcccact tccttgtggg tgagcttctc ccccagactc 360
gtgagttttg accgcaggtc ggacgccatg acgtaacctt tcttctcctt gtccaccatc 420
aacatggcta gaagaatttc tttctttggg tcttcttggg ttatttgcgt gtgcataatg 480
gtcagaaaag tggagaaatc cagctctcca tttcctgcta tcccgtgggt ctgcaggtgc 540
cgctgcacct cccctggcgt cgggctggcc cccaggcacc tcatggccac catgaggtcg 600
gtggctttta tcttccccct ctgctgcttg tcaatacagg agaagcattc cttgtactca 660
ttaatttggc cttgggaaag aaacttggcc attctggggc ctcaagctgct acccgtgggc 720
ttgctgctcc cagaaccgcg ttcagttccc tttctctccc cgtgcc 766
    
```

```

<210> 531
<211> 1891
<212> DNA
<213> Homo sapiens
    
```

```

<400> 531
tgcaggaatt cggcacgagg ctgagcggat cctcacacga ctgtgatccg attctttcca 60
    
```

gcggcttctg	caaccaagcg	ggtcttacc	ccggtcctcc	gcgtctccag	tcctcgacc	120
tggaacccca	acgtccccga	gagtccccga	atccccgctc	ccaggctacc	taagaggatg	180
agcgggtgctc	cgacggccgg	ggcagccctg	atgctctgog	ccgccaccgc	cgtgctactg	240
agcgtcagg	gcggaccctg	gcagtccaag	tcgdcgogct	ttgctcctg	ggacgagatg	300
aatgtcctgg	cgcacggact	cctgcagctc	ggccaggggc	tgcggaaca	cgcgagcgc	360
accgcagtc	agctgagcgc	gctggagcgg	cgctgagcgc	cgtgcgggtc	cgctgtcag	420
ggaaccgagg	ggtccaccga	cctcccgtta	gcccctgaga	gcccgggtgga	ccctgaggtc	480
cttcacagcc	tgacagacaca	actcaaggct	cagaacagca	ggatccagca	actcttccac	540
aaggtggccc	agcagcagcg	gcacctggag	aagcagcacc	tgcaattca	gcatctgcaa	600
agccagtttg	gcctcctgga	ccacaagcac	ctagaccatg	aggtggccaa	gcctgcccga	660
agaaagaggc	tgcccagatg	ggcccagcca	ggtgaccogg	ctcacaatgt	cagccgctg	720
caccggctgc	ccagggattg	ccaggagctg	ttccaggttg	gggagaggca	gagtgacta	780
tttgaaatcc	agcctcaggg	gtctccogcca	tttttggtga	actgcaagat	gacctcagat	840
ggaggctgga	cagtaattca	gaggcgccac	gatggctcag	tggacttcaa	ccggcctgg	900
gaagcctaca	aggcggggtt	tgggatccc	cacggcgagt	tctggctggg	tctggagaag	960
gtgcatagca	tcacggggga	ccgcaacagc	cgctggccg	tgcaactgog	ggactgggat	1020
ggcaacgccg	agtgtctgca	gttctcogtg	cacctgggtg	gcgaggacac	ggcctatagc	1080
ctgcagctca	ctgcaccctg	ggccggccag	ctgggcccga	ccaccgtccc	accagcggc	1140
ctctccgtac	ccttctccac	ttgggaccag	gatcacgacc	tccgcagggg	caagaactgc	1200
gccaaagacc	tctctggagg	ctggtgggtt	ggcacctgca	gccattccaa	cctcaacggc	1260
cagtacttcc	gctccatccc	acagcagcgg	cagaagctta	agaaggggat	cttctggaag	1320
acctggcggg	gcccgtacta	cccgtgagc	gccaccacca	tgttgatcca	gccccatggca	1380
gcagaggcag	cctcctagcg	tcttggctgg	gcctggctcc	aggcccaaga	aagacggtga	1440
ctcttggctc	tgcccagagga	tgtggccggt	ccttgcctgg	gcaggggctc	caaggagggg	1500
ccatctgga	acttgtggac	agagaagaag	aaccagactg	gagaagcccc	cttctgagat	1560
gcaggggggc	tgcatgcggt	gcctcctgag	atcgaggctg	caggatatgc	tcagactcta	1620
gaggcgtgga	ccaaggggca	tggagcttca	ctccttgctg	gccagggagt	tggggactca	1680
gagggaccac	ttggggccag	ccagactggc	ctcaatggcg	gactcagtea	cattgactga	1740
cggggaccag	ggcttgtgtg	ggtcgagagc	gcctcatgg	tgctgggtgt	gttgtgtgta	1800
ggtcccctgg	ggacacaagc	aggcgccaat	ggtatctggg	cggagctcac	agagtcttg	1860
gaataaaagc	aacctcagaa	caaaaaaaaa	a			1891

<210> 532
 <211> 1381
 <212> DNA
 <213> Homo sapiens

<400> 532.						
tttttttttt	ttgaaggat	aaaacagcta	atgttttact	taactattct	gaaagtaact	60
gacaggtaat	aaaaatgtgg	gttttattag	tccactacag	tcacaataca	atcgtcatag	120
atctccctt	ctgtattcat	cccaccaaac	accaaacaga	gcagtgtagc	agtctggctt	180
tcctcatgtg	agtcaccact	gtggctcatt	actttgtcag	ctgaatcctc	tttctcagct	240
tcattggtca	gagtgagaga	gttgggaatc	ttcttttca	gaagcacacg	tcactggccc	300
atgggaatga	taccacatgg	gaatgggtcc	caatcgtccc	aggggggtag	gaaggagat	360
ccaaatttaa	ggcaagggtc	ccaatgctgc	tcttctgtgt	gatactgggt	acattgtgtc	420
ccaggtgctc	ctgcaggagt	cattccacca	aaggatgtac	acatgttttt	cccattggcca	480
cagctggagt	ggggaagcac	agcctgctgg	aggcagcccc	agtgggattt	agcttctgcc	540
atctcatgtc	acttatatca	atgcagtgga	ggtcatcata	gaatctgtcc	cccggcaagc	600
ctccgtggat	gaagagcttt	gtccctgctg	ccaccatcac	atgaccatgc	cggggagatg	660
gaggatttcc	aagtgtctct	ggctgtgacc	aggtcagagt	gtttgcgtca	aacacatgca	720
gcttctgtgc	ctgcacgggc	tgggcacctc	tctctccgcc	cccaaagaca	tatagctggt	780
ttccaatggc	tgccgatgat	gtgtggaatg	ttcttgggga	tgttgggggg	ctggctcact	840
ctggcgtggc	ccacgtcctg	gtttcaggat	tcaggacttg	tagacaattt	cgatttctctg	900
attggttggc	acctccaaat	accagatac	ggtcaggtgt	gcaggaggga	atgaagctag	960
catgttcata	ccggggcaag	aggcccttgc	aggatctaa	gtcccactgg	tgttttccca	1020
gatccatggt	gtgcacgtct	gagaagcttc	tgtttgatt	tgctcccca	acaatgaaga	1080

```

ccttcocctct cttggcatta ccaactgggg gtaaaatga acagctgtgg ccaactcgag 1140
cacaggggct gtctccaggg acagtcaagg tgtaccatgt tgctttcctg ggcttgtctc 1200
caggttccaa gactggcagt tgcttcatgg tgtcctgegg cctaggccac tgacagctgt 1260
ccccaaagtc cagagctcag ttaggctggc ttcacgtggg cgggacctcc cgcagcagcc 1320
gccgctacca gcccgcaaaa tctcatcccc acgtggcagt tctgcggcga cttaggccag 1380
t
    
```

```

<210> 533
<211> 1986
<212> DNA
<213> Homo sapiens
    
```

```

<400> 533
taataataaa aaataacttt ttaaattgggc aaaggctctg aatagacatt tctccaaaa 60
acataataca atggccaatc agcacatgaa aagatgttca acatcatcag ccatcagga 120
aatacaagtc aaaattgcaa tggatataca ttaatatacc atttaacatt cccaatagta 180
gcctacaact tccatttcca ctgtggaaaa cggtttggaa gttcctcacg gtagtcaagt 240
tacttaactg ctctgtaaaa tgaagttaat cacattcact ttggatgaat gagttcatat 300
atattagcta taattactac agcaattatc attgtgtaca ttattactga ttgggtcaaa 360
ttattaacc cgtctcccta attcatttac ttttgttact ttggatgaat atttaaagta 420
gtcctgaact gagatatgta tgtaaagggt ctatcacatt ggcatataac atgtgctcaa 480
caaatgaaag ctataattat ttatttccaa agagttttaa gattaaactt ccctcaaaac 540
aaacaaaagg caaggtaaca tccaagctg tgaggggctg agtctctctc aggtgcaggg 600
cagcacagga actggctgca caaggccaga gaggttacgt ggcggtctct tccaaattag 660
accacacaga gcgcttcatt ccctgtgcag tcttcacatc tcccagtc agtttgacgt 720
ctggaacctc atcttctggc tctggatcct tctcaaggg cccccggggg gacgcaacca 780
caatgggcag agggccacat tcttcccga ttccacaac atggaggccc tcttatcag 840
ccagctgttg atgggtttcc tgtctggaga gccacggaa gaggccctgg gtgaggctga 900
gcatattaat ggaccagag accttggcat acatgtcttt gatgccaatg agccggcaga 960
tggatgatgat ggccctgtgg cagcggaggc cgtaaccttt gggttgtttc tcatcttga 1020
tatgcgtcct tttaaatctt aatgaaatat catggaatat tgtatggctc tcatatogtt 1080
ctatataatg caaatggtga actgctctgt tctttgcttt cctgaaagca tccatccgat 1140
cagtagcttt cccaatagaa aaacctcaag tatcctggta tcaaaatcct catatgtttc 1200
tccacagga ccagggctcag gggggccaag actgatgcct ccccatgagt tccactcca 1260
tctcgcctcc cgtttaaact tcatcttctt ctttgggtcc cactcttctc tctgctggat 1320
catgtctgcc tccaccttct cctgctcttc cttgcttctt tgggcaatgg tctgactgc 1380
tccatttttc ataagagga cattcagtc gggccataga aaaccataac gccttcacc 1440
aatgatctga cccctgttca gatcctttct tttcttcttt ttagttcttt tgctcttcc 1500
tttttttgc ccagcaccag tctctgctaa agcgccttcc cacagctcat ctgcagtcaa 1560
tttagtgaag aaactatat gtctatactg ctggctcctc aggtgactgg gagaagaaat 1620
acagcattgt gtctgcagtg cacggctcaa gctggcgtag ggatgggtgt ctctggttcc 1680
cagtgatgac aaatggccat tgccgagaac actcttccat gccaaaatgg aagctgctgg 1740
taaggtgttt agggaaact gcctcccaa taaatgacct gccgtcccgc tacacagcac 1800
ggggaggcag cccacagcgc gcaccgctg cgccatgctg gagtccgagc cgcgctcgg 1860
cctccgccca gggcagcctt gccaccgcc taccgcgact gctcctcgtc aaacggcaag 1920
ccttgggcgc cagcggaaat cctgaggccc gagtccacgc agcagcgcag gccggggtga 1980
gggact
    
```

```

<210> 534
<211> 1891
<212> DNA
<213> Homo sapiens
    
```

<400> 534
 tgcaagaaatt cggcacgagg ctgagcggat cctcacacga ctgtgatccg attctttcca 60
 ggggcttctg caaccaagcg ggtettacec ccggctctcc gcgtotccag tcctcgcacc 120
 tggaaaccca acgtccccga gagtccccga atccccgctc ccaggctacc taagaggatg 180
 agcggtgctc cgacggccgg ggcagccctg atgctctgcy ccgccaccgc cgtgctactg 240
 agcgtctcagg gcggaccctg gcagtcceaag tgcgccgctc ttgctgctcgg ggacgagatg 300
 aatgtcctgg cgacaggact cctgcagctc ggccaggggc tgcgcaaca cgcgagcgc 360
 acccgcagtc agctgagcgc gctggagcgg cgctgagcg cgtgcccggc cgctgtcag 420
 ggaaccgagg ggtccaccga cctcccgtta gccctgaga gccgggtgga cctgagggtc 480
 cttcacagcc tgcagacaca actcaaggct cagaacagca ggatccagca actcttccac 540
 aaggtggccc agcagcagcg gcacctggag aagcagcacc tgcgaattca gcatctgcaa 600
 agccagtctg gcctcctgga ccacaagcac ctgacctag aggtggccaa gcctgcccga 660
 agaaagaggg tgcctgagat ggcccagcca gttgaccgg ctcaaatgt cagcccgctg 720
 caccggctgc ccagggattg ccaggagctg ttccaggctg gggagaggca gactggacta 780
 tttgaaatcc agcctcaggg gtctccgcca tttttggtga actgcaagat gacctcagat 840
 ggaggtgga cagtaattca gaggcggcac gatggctcag tggacttcaa ccggccctgg 900
 gaagcctaca aggcgggggt tggggatccc cacggcgagt tctggctggg tctggagaag 960
 gtgcatagca tcacggggga ccgcaacagc cgctggccg tgcagctgcy ggactgggat 1020
 ggcaacgccg agttgctgca gttctccgtg cacctgggtg gcgaggacac ggcctatagc 1080
 ctgcagctca ctgcaccgt ggccggccag ctggggccca ccaccgtccc acccagcggc 1140
 ctctccgtac ccttctccac ttgggaccag gatcacgacc tccgcaggga caagaactgc 1200
 gccaaagacc tctctggagg ctgggtggtt ggcaactgca gccattcaa cctcaacggc 1260
 cagtacttcc gctccatccc acagcagcgg cagaagctta agaagggaat cttctggaag 1320
 acctggcggg gccgctacta cccgctgcag gccaccacca tgttgatcca gccatggca 1380
 gcagaggcag cctcctagcy tctggctcgg gcctggctcc aggcccaagc aagacggtga 1440
 ctcttggtc tgcctgagga tgtggccgtt ccctgcctgg gcaggggctc caaggagggg 1500
 ccactggaa acttggtgac agagaagaag accacgactg gagaagccc cttctgagt 1560
 tcaggggggc tgcctgctg gcctcctgag atcgaggctg caggatatgc tcagactcta 1620
 gaggcgtgga ccaaggggca tggagcttca ctcttgctg gccagggagt tggggactca 1680
 gaggggaccac ttggggccag ccagactggc ctcaatggcg gactcagtca cattgactga 1740
 cggggaccag ggcttggtg ggtcgagagc gccctcatgg tgcctggctg gttgtgtgta 1800
 ggtcccctgg ggacacaagc aggcgccaat ggtatctggg cggagctcac agagtctctg 1860
 gaataaaagc aacctcagaa caaaaaaaaa a 1891

<210> 535
 <211> 1874
 <212> DNA
 <213> Homo sapiens

<400> 535
 cggagcgtg ggcgaaccct gaaccctacg gtcccagacc gcgggcgagg ccgggtacct 60
 gggctgggat ccggagcaag cgggcgaggg cagcgcccta agcaggcccg gagcgtggc 120
 agccttgatg accccgggaa ccggggcccc acccgcgctt ggtgacttct ccggggaagg 180
 gagccaggga cttcccagacc cttcgccaga gcccaagcag ctcccggagc tgatccgat 240
 gaagcgagac ggaggccgcc tgagcgaagc ggacatcagg ggcttctggt ccgctgtggt 300
 gaatgggagc gcgcagggcg cacagatcgg tgcgtgggga ggggtggggc ttctgacc 360
 cgactgggag gtcagcccga gagactttgg gtccctgggg gtgcgacggg gccccactac 420
 taccaccggc ccagggtgct cccaccgctg tgggtgcca ccctcacgcy tacccccaca 480
 caggcagcgc catgctgat gccatccgac ttcggggcat ggatctggag gagacctcgg 540
 tgctgaccca ggccctggct cagtccggac agcagctgga gtggccagag gcctggcgc 600
 agcagcttgt ggacaagcat tccacagggg gtgtgggtga caaggtcagc ctggctctcg 660

```

cacctgcctt ggcggcatgt ggctgcaagg ttataaacca cctcctttcc agacgggagc 720
ctataccgca catgcagcaa ccagtccatc cacaggcagc tcccaacctc aagcctggcc 780
caaagcctcc aagaccctac caaggcttct ccccaacctg ctccccagca cagttctccc 840
caccocgttc cccagcacag cgcttggggc ccctctggct ccagaccagg ccccttggag 900
caggaaaaag atccactgat ggaattcaga cccctttccc ctggggctcc cagacagctc 960
ccccaaagga ggagctgagg acttccctcc ctctgcccc agccttgttt ccccaaggac 1020
aggtaccaac ctctccctcc actgacactt ctcaaccaag aaaacttctt ttccattccc 1080
tcaccagctg ggcaccctca tagctgctta aatactttcc aaatccagct gcactcctag 1140
ccagggaagg tgaagggatg cacagagggt ggggaggggt actgtgcagg gtactcagca 1200
tccctgacca ccaggtgcca atgatcagcg gacgtggtct ggggcacaca ggaggcacct 1260
tggataagct ggagtctatt cctggattca atgtcatcca gagcccagag caggtacggg 1320
gcgccacgga tcagtcattg atccagggtg atgatggaga ccttggccag aatcactaaa 1380
agatcactgg tggatcatta gggtcactaa tgagaacact ggtcaagggtt actcatgagt 1440
cactgggcct gggccgaaat catcagtgga actttgatta ggatcataaa atgggaagtt 1500
ggtcaaaatc acagatggct ggcggggcac ggtggctcac acctgtagtc ctagcacttg 1560
gggaggccga agagggcaga tcccttgaac ccagagtttc aaaaccagcc tggataacac 1620
ggcaaaaacc catctctaca aaatagtctg ctgcgtgtgg tgggtgcacgc atgtggttcc 1680
agctactcag gaggctgagg caggaggatc acttgagcct gggagggtcta ggctgcagtg 1740
agccgggacg atgccactgc actccagcct gggcaacaga gtgagaccct gtcccagcac 1800
tctgggaggc agaggagccc agttggagat cagcctgggt aatatagtga aacttgatct 1860
ctacaaaaaa aaaa 1874

```

```

<210> 536
<211> 704
<212> DNA
<213> Homo sapiens

```

```

<400> 536
agagagccct gcgggaactg cgtgagcgcg tgaccatggt cttggctgaa gccggcaggg 60
accgcgagga cgtcagcacc gagctgtacc gggcgctgga ggccgtgagg ctgcagaaca 120
gtgaggggtc ctgtgagccg tgccctacgt cgtggctgcc cttegggggc tctgtctact 180
atctctctgt gccgaagacc acgtgggcag aggcgcaggg ccaactgcgc gatgccagcg 240
cacatctggc gatgtagggg gcctggggga gcaggacttc ctgagtcgtg acaactagtgc 300
ccttgaatac tggatcggcc gcagggccgt gcaacacctg cgcaagggtc agggctactc 360
gtgggtggac ggagtcccac tcagcttcag gtaggggaag ggctcctggt gaaacctggg 420
ggccacaggt tagactctag aggacatggt ttgaggccga ggtgggcgga tcacctgagg 480
tcaggagttc aagaccagca tgggaaactg ggcgaaacct catctctact aaaaatacaa 540
aaaattagcc ggcgtgggtg gcacacgctt gtaatccag ctaaccctgg atgctgaggc 600
acgagaatca cttgaacca ggaggcagag gttgcagtga gccgagattg cgccactgca 660
ctccagcctg ggagacagag ttagactccg tctcaaaaaa aaaa 704

```

```

<210> 537
<211> 1058
<212> DNA
<213> Homo sapiens

```

```

<400> 537
agatggccgc gtccttggcc gcctagagcc ggagcggccc gcggagctgc ggaggcagcc 60

```

atgggtcgggg	cgctgtgagg	ctgctgggtc	cgcctggggc	gggcccggcc	gctcatcccc	120
ttggggccga	ctgtggtaca	gacctccatg	agccgggtccc	aggtagccct	gctggggcctg	180
agtctgctgc	tcatgctcct	actgtatgtg	gggctgccag	gccccctga	gcagacttcc	240
tgctctctggg	gagaccccaa	tgtcacagtc	ctggctggtc	tcaccctgg	caactcggcc	300
atcttttacc	gcgaggtgct	cccactcaac	caggcacaca	gggtggagg	ggtgctgctt	360
catggaaagg	cctttaactc	tcacacgtgg	gagcagctgg	gcacactgca	gctactgtca	420
cagaggggct	accggggcgt	ggcccttgac	cttcaggtt	ttgggaactc	ggcaccttca	480
aaggaggcaa	gcacagaggc	agggcgggca	gcgctgctgg	agcgggcgct	gcgggacctg	540
gaggtacaga	atgccgtggt	ggtgagcccc	tcgctgagtg	gccactatgc	cctgcccttc	600
ctgatgagag	gccaccacca	gctacatgga	tttgtgccc	tcgcaccac	ctccaccag	660
aactacaccc	aggagcaatt	ctgggctgtg	aagactccaa	cccttatcct	gtatggagag	720
ctggaccaca	tcttggtcgt	agagtcactg	cggcagctcc	gccacctgcc	caaccactct	780
gtggtgaagc	tacgcaatgc	aggccatgcc	tgttacctcc	acaagccgca	agacttccac	840
cttgctctgc	ttgccttctc	tgaccatcta	ccttgaacta	accactccc	agctcccagc	900
ctggcatgag	cttgacagct	ctggaccgcc	accctccctg	aaccaggag	acagcctctg	960
ggattggagg	ccagaggcca	gggtcagacc	cagccaggac	tcctcatttc	atctcacaga	1020
cacaataaaa	aagcatattt	gtcctgccaa	aaaaaaaa			1058

<210> 538
 <211> 1895
 <212> DNA
 <213> Homo sapiens

<400>	538					
cccacgcgtc	cgccgcccgc	accgtaaggc	taggcccgga	gcttagtcct	gggagccgcc	60
tccgtcgccg	ccgtcagagc	cgccctatca	gattatctta	acaagaaaac	caactggaaa	120
aaaaaatgaa	attccttata	ttcgcatctt	tcggtgggtg	tcacctttta	tccctgtgct	180
ctgggaaagc	tatatgcaag	aatggcatct	ctaagaggac	ttttgaagaa	ataaaagaag	240
aaatagccag	ctgtggagat	gttgctaaag	caatcatcaa	cctagctggt	tatggtaaa	300
cccagaacag	atcctatgag	cgattggcac	ttctggttga	tactgttga	cccagactga	360
gtggctccaa	gaacctagaa	aaagccatcc	aaattatgta	ccaaaacctg	cagcaagatg	420
ggctggagaa	agttcacctg	gagccagtga	gaatacccca	ctgggagagg	ggagaagaat	480
cagctgtgat	gctggagcca	agaattcata	agatagccat	cctgggtcct	ggcagcagca	540
ttgggactcc	tccagaaggc	attacagcag	aagtctctgg	ggtgacctct	ttcgtatgac	600
tgacagagaag	ggcctcagaa	gcaagagggg	agattgttgt	ttataacc	ccttacatca	660
actactcaag	gacgggtgca	taccgaacgc	agggggcggg	ggaagctgcc	aagggtgggg	720
ctttggcatc	tcctattcga	tcctggcctc	ccttctccat	ctacagtctc	cacacaggtg	780
ttcaggaata	ccaggatggc	gtgcccaga	ttccaacagc	ctgtattacg	gtggaagatg	840
cagaaatgat	gtcaagaatg	gcttctcatg	ggatcaaaat	tgtcattcag	ctaaagatgg	900
gggcaaagac	ctaccagat	actgattcct	tcaacactgt	agcagagatc	actgggagca	960
aatatccaga	acaggttgta	ctggtcagtg	gacatctgga	cagctgggat	ggtgggcagg	1020
gtgccatgga	tgatggcggg	ggagccttta	tatcatggga	agcactctca	cttattaaag	1080
atcttgggct	gcgtccaaag	aggactctgc	ggctgggtgct	ctggactgca	gaagaacaag	1140
gtggagtggg	tgcttccag	tattatcagt	tacacaaggt	aaatatttcc	aactacagtc	1200
tggtgatgga	gtctgacgca	ggaaaccttc	taccactggg	gctgcaatc	actggcagtg	1260
aaaaggccag	ggccatcatg	gaggagggtta	tgagcctgct	gcagcccttc	aatatcactc	1320
aggctcctgag	ccatggagaa	gggacagaca	tcaacttttg	gatccaagct	ggagtgcctg	1380
gagccagctc	acttgatgac	ttatacaagt	atctctctct	ccatcactcc	cacggagaca	1440
ccatgactgt	ccatgggatc	caaacgcaga	tgaatgtttg	ctgctgctgt	tttgggctgt	1500
tgtttcttat	gtgtgttgca	gacatggaag	aaatgctgcc	taggtcctag	aaacagtaag	1560
aaagaaacct	ttttcatgct	tctggcccag	gaatccctgg	gtctgcaact	ttgggaaaac	1620
ccctcttcac	ataaccattt	tcatccaact	tcatcttcaa	agcacaactc	taatttcag	1680
ctttctcgtt	attatctttc	ttggataact	tccaaattct	ctggattcta	ggaaaaagg	1740
aatcattctc	ccctcccttc	cccaccac	tagaatcaac	atatggtagg	gattacagtg	1800
ggggcatttt	ctttatatca	cctcttaaaa	acattgtttc	cactttaaaa	agttaaacac	1860
taataaatt	tttggaaata	atctgaaaaa	aaaaa			1895

<210> 539
 <211> 2730
 <212> DNA
 <213> Homo sapiens

<400> 539
 tttttttggt ttttattttt tctttttaag tttgattttt tttatttcaa aatgctttgc 60
 aattaaatga attactgttc agaagtctcc cacttttcat acaaaaatac tgtgctactg 120
 atacagttga aaaaattcaa tgatgtctct cctgcaggag aaattcacag catccccagg 180
 gtcaacatga aatctggccc tgtccccgcc actgggggct ccccaggcct gcgttctctga 240
 taaactggga caggttttcc aggcaactgac caactatcca ccaaggggcc tctgctcca 300
 agacagaccc tgaatcaata gcagcaactt tcccatatth catgtaggga tatgtggagg 360
 gggacaggaa ctctcccatt tccccagctg ggcctactac ctgctgccc tgttcaactct 420
 ggtgccatga ggcaggttca gtgattgatt ggtcttgccct gctgcagagg acctggccag 480
 ctccagaagg gtcactcatc aggtcctgca aaggctctgta tcattaatca gtgtcatcag 540
 tgtcctcaga agacactagc agagtccagg gtgatgctgt cagccacaag cacaagact 600
 gctttttcta aagagcagga tgagggtgaat gtgggaacgg aaagcagttg tcacgaaggc 660
 tgtgtggctc tgctggggga gaggcatcca cagtctgtgc caaggaggta cctcacctctg 720
 tgcagcagga gcgttaaggc caaaaaacaa aagggggccaa cagaaaacag ctcagggtgat 780
 ggggggagga gcagcaagaa aaaacgacaa ccgagaccaa ctgaagggttc ggtcaggaat 840
 gcaggtctct ccgtctatac agtgtttaa aagatccaaa tgtgactgag atcattccag 900
 cctgcacttt ttatttttag gcagaaggaa cgggataggt tgaggggcat gcgggggct 960
 ctgccacct ctgtctgca cctctggaac aggtgggagc cgaatcatte aagtcctacc 1020
 tggtcagact cccaaccacg ctgaggcagg cccttacctt ggattgcctc atggggcctcc 1080
 ctcttgaaaa gaccctcact ctgtttggaa aagatccctt agcagccata atcaggaaag 1140
 agactctaga gcgagcccag ggcttcccga aagcgggatt ttctgtcctg ttttcagctg 1200
 gaaattgaag tccttggggg cctcgaagat gagcacgatg gtggagccca ggttgaactc 1260
 gccaggtgt ccgcccttac gcctggggac gccctcteta ttgggtgtgcg tcacgaagct 1320
 gaagtcattg taggagccct tgctgtgcct tgggctgttt gtgtgcaggt cccgggcaaa 1380
 gtagatgcga atggagcccc agttgggtgg cccccacagc tgtcagtgag aagaagccat 1440
 gtttcagtc ccccgtcagg accaccgctc cgttatggca gaagagctct ttgatccagc 1500
 gagccatgcc aggggttcaact gacatcaggg agcctgggaa gtggcgccgg tgggacacag 1560
 tccagtcggt gggggagtggt aagcagtggt agtccccagg ggccaggtag atgacacagt 1620
 gatagagctc attcccttcc cgggtgacca gctgggttctt gaaggagtea cacgacgagg 1680
 ctggtgggaa gggcaggtcc tctgtgcaca tacgcgggcc caggaacgac tccagggagt 1740
 aggtgacccc ctttacctgc tccacctcac agttcttcac ctgcccagg ttgaggatcc 1800
 ttccatccga tgggctaate acgctgtgca ggccacagac aggcggggcc tgcggcttca 1860
 gcttgcgccc gaagaactcg ctgaggttgc ggtagtgatg caggtcctcc acagcggcct 1920
 ctttcatgtt caccaccaac gtccagatgt acaggctgta gacgggcctg cgcagccagt 1980
 gtggcagctc cacctgattg aggcgacccc aggcctgta cagcaagcgc gttggcactg 2040
 acttgtacaa agccaccctg cttacgggcc tccatcccac ccggctgagc ggtctgaggg 2100
 cgccgaaggg caggaggtag tagaggacgg tcaagggcca ggagcgcagt ttcagagcgg 2160
 gtctggacat gcagtcagc tgccccagcc tccgctcag ggccagctgg gggaggtgca 2220
 accatttcgc cgcggygagc tctggtcctt gccgcgcctc tgactgacac atcatgggcc 2280
 ggcgagggga gggcggggag aggtcactc gateactccc tttgttttcc tcttctctcc 2340
 ccttcccccg agccagcaga tctcctgtgc tgtcactgct ccagggcctc tgcctctgag 2400
 aggctggttg gtggcgccgc ttccctgggt tggttcagtc tcgggtggctc acaggggtgca 2460
 gaatagaggg tcagggccgc gcccggcag agataagatg tggaggaagt gagctcacgc 2520
 agcccgggcc gtgcccacgt ggggacggaa aaaaagccca cgaactcctc aaccttctcc 2580
 gcggggctcc tcagggccgg gccgcgtcgt cacagctggg agagcccacc tgcgaccgaa 2640
 ggccctagaa gggcaccccc acccggcact ggcctctga gcgggcaggg tggggcgcct 2700
 ccctgagaag tcacctgggg ctccacgaaa 2730

<210> 540
 <211> 3707
 <212> DNA
 <213> Homo sapiens

<400> 540

ggctgcccga	gcgagcgttc	ggacctcgca	ccccgcgcgc	cccgcgcgcg	cgccgcccgc	60
ggcttttgtt	gtctccgcct	cctcggccgc	cgccgcctct	ggaccgcgag	cgcgcgcgcg	120
cgggaccttg	gctctgcctt	tcgcgggvcg	gaactgcgca	ggaccvcgvc	aggatccgag	180
agaggvcgvc	gvcgggtggcc	gggggvcgvc	ccggccvcgc	catggagctc	cgggccvcgag	240
gctgggtggct	gctatgtgvc	gvcgvcgvcg	tggctgcctg	cgccvcgvcg	gaccvcgcca	300
gcaagagvcg	gagctgvcgg	gaggtvcgvc	agatctacvc	agccaagggc	ttcagctcga	360
gcgtacgtgc	cccagvcgga	gatctvcggg	gagcacctgc	ggatctgtcc	ccagggctac	420
acctgctgca	ccagvcgagat	ggaggagaac	ctvgccaacc	gcagccatgc	cgagctggag	480
accgcgctcc	gggacagvcag	ccgcgtcctg	caggccatgc	ttgccaccca	gctgvcgvcg	540
ttcgtgacc	acttcagca	cctgctgaac	gactvcggagc	ggacgctgca	ggccaccttc	600
cccggvcgvc	tcggagagct	gtacacgvcag	aacvcgvcggg	ccttcvcgga	cctgtactca	660
gagctgvcgc	tgtactaccg	vcggtgccaac	ctgvcacctg	aggagvcgct	ggvcgagttc	720
tgggcccvcg	tgctvcgvcg	cctcttcaag	cagctgvcacc	cccagctgct	gctgvcctgat	780
gactacctgg	actgvcctgg	caagvcagvc	gagvcgctgc	ggccctttcg	gggagvcccc	840
gagtagagct	gvcgvcctvcg	gcccaccvcag	gvcggtctvcg	gctgctvcgvc	tcctttgtgc	900
agggvcctgg	vcgtggccvcg	vcgacgtggtc	vcggaagvcg	ctcaggtccc	cctgggvcgvc	960
ggagvccttc	gagagctgta	attgaagctg	ggcttactg	tggcttvcact	gcgtgggvcg	1020
cccvcgvcgvc	agvcctvcgvc	ctgactattg	vcggaatvcg	ctcaagggct	gccttgccaa	1080
ccagvcgvcg	ctggvcgvcg	agtgvcgvcg	cctvcctggac	tcctvcgvcg	tcctvcagca	1140
caagttctvcg	ggtagatvcg	gtgtggvcg	tgtcctvcgvc	agvcgtgcaca	vcgtggctggc	1200
ggagvcctvc	aacvcgvcctc	agvcacaag	ggcacvcgctc	acggccaagvc	tcctvcagvcg	1260
ctgvcgvcg	cccvcaggtca	accccvcagvc	cctvcggvcct	gagvcgvcagvc	ggvcgvcgvcg	1320
caagctggcc	vcgvcgvcgvc	ggccaccttc	agvcacvcgct	gagvcagvcg	tcctvcgvcag	1380
caagvccccvc	ctvcgvcgvcg	tcvcagvcact	ctggatvcagvc	ctcccvcagvc	cactgtgvcag	1440
tgagvcagvcg	gvcctvcgvc	ctgvcagvcg	tgaccvcgctvc	tggaacvcgvc	tggccvcagvc	1500
vcggtacctc	cccvcaggtca	tgggtvcgvc	cctvcgccaac	cagatcaaca	accccvcagvc	1560
ggagvcgtgvc	atcaccvcagvc	vcgvcacatvc	catvcgvcgvc	cagatcatvc	agctgvcagvc	1620
catgaccvc	vcggtvcgvc	gvcgvcctaca	vcgvcacaagvc	gtggacttcc	agvcagvcvc	1680
tgvcgvcagvc	agvcgvcctvc	gvcagvcgvcg	tggctgtctvc	gatgacctct	gvcgvcvcgvc	1740
ggctvcagvc	aagvcgvcctca	gctcccvcgvc	gvccttvcgvc	catgvcctcc	cagvcgvcctvc	1800
agvcagvcgvc	ggvcagvcagvc	cctvcgvcctvc	cagctgvcccc	cagvccccvc	ccttvcctvc	1860
gvcctvcctc	ctcttvcctvc	vccttvcagvc	agvcagvcvc	vcggtgvcgvc	aactgvccca	1920
agvccccvc	gvcagvcagvc	aagvcactvc	tttvcccaaca	atacaacvc	gvcgvcattt	1980
aattvcacctc	agvcctvcgvc	ggvcctvcgvc	gggvcagvcgvc	gggvcgvcgvc	ctctvcgvcag	2040
ggvcagvcvc	agvcgvcctca	gvccccvcgvc	tggvcctvcgvc	tgvccttctvc	ccttttaatt	2100
ttgtatvcgvc	tcctvcagvc	agvcgtgvcgvc	cagvtgtvcgvc	aaaagvcctvc	tatttvcagvc	2160
acctvcagvc	cacctvcgvc	tgvcctvcgvc	tcvccccvcgvc	tcctvcgvc	gvcgvcagvc	2220
cagvcctvcgvc	agvcctvcagvc	agvcagvcctvc	aaagvcacvc	gctgvcgvc	acagvcgvc	2280
tggtvccttvc	tcvcvcgvcctvc	ctvcvcactvc	gactvcvcgvc	agvcgvcvc	agvcagvcctvc	2340
ggvcacvcvc	vcagvcctvc	gagvcagvcvc	gvcacvcgvc	tcctvcgvc	vcgvcctvc	2400
ggctvcgvc	agvcctvcgvc	atgatvcagvc	atvcctvc	ctvcagvc	gctvcgvcagvc	2460
vcgvcvcvc	ctvcctvcgvc	ccttvcagvc	cccvcagvc	tgvcagvc	vcgvcctvc	2520
agvcacvcctvc	ctvcagvcgvc	tgagvcactvc	cctvcvcagvc	acctvcgvc	agvcgvcctvc	2580
catvcgvcgvc	tgagvcgvc	ctvcagvcvc	tgvcgvcctvc	ctvcgvcgvc	ggvcagvcgvc	2640
cccvcagvc	cagvcgvcgvc	gvcgtvcgvc	tgccaatvc	ggctvcgvc	vcgvcacvcagvc	2700
gctvcacvc	cagvcctvc	tggvcgtvc	ggctgttvc	ggvcacvcgvc	ggctvcagvc	2760
cagvcagvc	vcgvcctvc	ccatvcctvc	ccagatvc	aacvcagvc	tcctvcgtvc	2820
vcggtvcagvc	ggctvcagvc	cagatvcgvc	ctvcagvc	acctvcgvc	agvcgvcgvc	2880
gtgvcgvc	agvccccvc	ctvcagvcgvc	gagatvcctvc	gtvccttvc	gvcagvcvc	2940
gctvcagvc	acvcgvcgvc	ggatvcgvc	ggvccttvc	aaacatvc	ccatvtactvc	3000
acacttvc	tccttvc	tgagvcgvc	ttvcgvc	ccagatvc	tcgvcagvc	3060
vcagvcgvc	ccttvcgvc	tgggtvc	ctgtvc	ctvcagvc	cagvcgvc	3120

```

ccccaggcct ggacggggccc tccttccttc ctgtgcccc gctgccaggc ggccttgggg 3180
aggggtgggt tgggtgttggg aaggggtcct gcagggggag gaggacttgg agggctctggg 3240
ggcagctgtc ctgaaccgac tgaccctgag gaggccgctt agtgtctgtt tgcttttcat 3300
caccgtcccc cacagtggac ggaggtcccc ggttgctggt caggtcccca tggcttgttc 3360
tctggaacct gacttttagat gttttgggat caggagcccc caacacaggc aagtccaccc 3420
cataataacc ctgccagtgc caggggtgggc tggggactct ggcacagtga tgccgggccc 3480
caggacagca gcactcccgc tgcacacaga cggcctaggg gtggcgctca gacccccacc 3540
tacgctcacc tctggaaggg gcagccctga gtggctcactg gtcagggcag tggccaagcc 3600
tgctgtgtcc tcctccaca aggtccccc accgctcagt gtcagcgggt gacgtgtgtt 3660
cttttagatc cttgtatgaa taaaaggctg gaaacctaaa aaaaaaa 3707

```

```

<210> 541
<211> 620
<212> DNA
<213> Homo sapiens

```

```

<400> 541
tttttttttt ttttggggag ttgcaacaat tcatctttat ttcttatttt cctctggaga 60
tgcagaattt ggtatatattc accccaggta tatttgggat agttggctcc tcgctgggtc 120
aggatggctg ggtgccttct cccttggcat ggttctcttc tctgcagggc gaggggcagg 180
gagctagtaa aacctcgcaa tgacagcccc caatggcaga cccaatggag cccaggatga 240
acttgggtcaa tccgggagaag tccagttgct cccagtgact gcagaagtag ccacaaaggg 300
tgccccgggg aaactccacc cccattgggc aatggccggc gcggacatca tcttggctgc 360
tatggaggac gaggcgattc ccgcgcgag ttgaagcccc atggcacttg agcaccatgg 420
gcacagcctg catgggccac caactcttca atcacaactt gtagcaatcc tggccagggg 480
caaaactacg gcagagccag aggccacccc tgaccacttt ggccacactg gtcacttgct 540
gatttagtga gagcagaggc ctccatgcct gctcgggtta attccgtggc ttagagagta 600
agagatcctc aacttcagct
620

```

```

<210> 542
<211> 2475
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(2475)
<223> n = a,t,c or g

```

```

<400> 542
agagggaggg aacgatttaa ggagcgaata ctactggtaa actaatggaa gaaatctgct 60
gcaccactgg atattgggag tgtgtggcat gcatoctcat catcaggaaa ctctaaaaaa 120
gaaccgagtg gtgctagcca aacagctggt gttgagcgaa ttgttagaac atcttctgga 180
gaaggacatc atcaccttgg aaatgagggg gctcatccag gccaaagtgg gcagtttccg 240
ccagaatgtg gaactcctca acttgctgcc taagaggggt cccaagctt ttgatgcctt 300
ctgtgaagca ctgagggaga ccaagcaagg ccacctggag gatatgttgc tcaccacct 360
ttctgggett cagcatgtac tcccaccgtt gagctgtgac tacgacttga gtctcccttt 420
tccgggtgtg gagtctgtc ccctttacaa gaagctccgc ctgtcgacag atactgtgga 480

```

acactcccta	gacaataaag	atggctctgt	ctgccttcag	gtgaagcctt	gcactcctga	540
attttatcaa	acacacttcc	agctggcata	taggttgcag	tctcggcctc	gtggcctagc	600
actgggtgtg	agcaatgtgc	acttcactgg	agagaaagaa	ctggaatttc	gctctggagg	660
ggatgtggac	cacagtactc	tagtcaccct	cttcaagctt	ttgggctatg	acgtccatgt	720
tctatgtgac	cagactgcac	aggaaatgca	agagaaactg	cagaattttg	cacagttacc	780
tgcacaccga	gtcacggact	cctgcatcgt	ggcactcctc	tccatgggtg	tggagggcgc	840
catctatggt	gtggatggga	aactgctcca	gctccaagag	gtttttcagc	tctttgacaa	900
cgccaactgc	ccaagcctac	agaacaaacc	aaaaatgttc	ttcatccagg	cctgccgtgg	960
aggtgctatt	ggatcccttg	ggcacctcct	tctgttcact	gctgccaccg	cctctcttgc	1020
tctatgagac	tgatcgtggg	gttgaccaac	aagatggaaa	gaaccacgca	ggatcccttg	1080
ggtgagagga	gagtgatgcc	ggtaaagaaa	agttgccgaa	gatgagactg	cccacgcgct	1140
cagacatgat	atgctggctat	gcctgcctca	aagggactgc	cgccatgcgg	aacaccaaac	1200
gaggttctctg	gtacatcgag	gctcttgctc	aagtgttttc	tgagcgggct	tgtgatatgc	1260
acgtggccga	catgctgggt	aaggtgaacg	cacttatcaa	ggatcgggaa	ggttatgctc	1320
ctggcacaga	attccaccgg	tgcaaggaga	tgtctgaata	ctgcagcact	ctgtgccgcc	1380
acctctacct	gttcccagga	cacctccca	catgatgtca	cctcccac	atccacgcca	1440
agtggaagcc	actggaccac	aggaggtgtg	atagagcctt	tgatcttcag	gatgcacggg	1500
ttctgttctg	ccccctcagg	gatgtgggaa	tctcccagac	ttgtttctctg	tgcccatcat	1560
ctctgccttg	gagtgtggga	ctccaggcca	gctccttttc	tgtgaagccc	ttgcctgtta	1620
gagccagcct	tggttgacc	tattgccagg	aatgtttcag	ctgcagttga	agagcctgac	1680
aagtgaagtt	gtaaacacag	tgtgggttatg	gggagagggc	atataaattc	cccatatttg	1740
tgttcagttc	cagcttttgt	agatggcact	ttagtgtatg	cttttattac	attagttaag	1800
atgtcttgag	agaccatctc	ctatctttta	tttcattcat	atcctccgcc	ctttttgtcc	1860
tagagtgaga	gtttggaagg	tgtccaaatt	taatgtagac	attatctttt	ggctctgaag	1920
aagcaaacat	gactagagac	gcaccttget	gcagtgtcca	gaagcggcct	gtgcgttccc	1980
ttcagtagctg	cagcgcacc	cagtggaagg	acactcttgg	ctcgtttggg	ctcaaggcac	2040
cgcagcctgt	cagccaacat	tgcocttgc	ttgtacctta	ttgatctttg	cccatggaag	2100
tctcaaagat	ctttcgttgg	ttgtttctct	gagctttggt	actgaaatga	gcctcgtggg	2160
gagcatcaga	gaaggccagg	aagaatgggt	tgtttcccta	gactctgtaa	ccacctctct	2220
gtcttttcc	ttcctgagaa	acgtccatct	ctctccctta	ctattcccac	ttcattcaa	2280
tcaacctgca	cttcatactc	agatttctag	aaaagcttcc	tagcttatct	cctcgttcca	2340
tatctctccc	ttctttacct	tcatttctac	ctgttggctg	ctgccaccaa	atctgtctag	2400
aatcctgctt	tacaggatca	tgtaaagtct	caaagatgta	atgtagntct	ttgttctctg	2460
tttctcttcc	agtat					2475

<210> 543
 <211> 862
 <212> DNA
 <213> Homo sapiens

<400> 543						
gttttttttg	tggacccac	tcaaaacgta	tttattgaat	gacaatttct	tagtacagtg	60
tatactatcc	ccaccaaagg	aaaaaacat	taagagcaaa	acaaggggtg	gggggtggga	120
atattgctaa	agaaaattct	aataagagtt	atctataatt	atagctttta	tttattatat	180
cttcattcaa	tcatttatat	cacaattagt	ctaattgcat	tcttgatgaa	taactgactt	240
cagcaaagga	gtcaatccac	taagcaaagt	tcatatata	ttttcaagat	gttcttcttt	300
cgatcttgag	tctttactct	cctggattcc	caagagaact	gcattagcct	ctagtacagt	360
tgtaactctgt	tgttgctccc	aggaacctag	acgtaagttc	aagatcta	agccgcaaac	420
cggaccctgg	ttcctttctg	ggtatttctc	tccatccact	tctggcttcc	tacatacaca	480
atgaaacttt	ccaccaa	ctatgtacca	gatcattctc	cacaatatga	aagatccgtc	540
caatgaccag	tttatccttt	gcaggctcca	tctgtgtaag	aggagaatgt	ctcagcatag	600
atgcaaagga	ttccacattt	tttggagaac	ccttctgtag	gggctccacc	ttctgtagaa	660
gctccgagtg	ccgctccaac	gcgctcgega	aaccgcctgc	gcgctctta	ggctccttgg	720
cattggaact	accactttcg	gatccactct	cagtgcctac	accccgaaag	ggcctgaaga	780
agagaaacac	tccgagaaaa	tggctctcgg	cagccacagc	acgggtccga	cacagcgcgc	840
ccatgacttc	tttacctctg	ac				862

<210> 544
 <211> 5656
 <212> DNA
 <213> Homo sapiens

<400> 544

aattccgggc	gccagtcccg	ctccgcgccc	cgccgctccc	ctccggctcg	ggctccggct	60
cgctccgggc	tggtctcggg	ctccgggggg	ggtgtcccc	gtgcccggtc	ccggtatggg	120
tggggacgct	ccaaccatgg	cccgtgcccc	ggcgtcgtg	ttggaactca	ccttccagct	180
ctgcgcgccc	gagaccgaga	ctccggaagt	tggttgacc	ttcagaggag	gaagtgacc	240
agcagtgcc	tgcgagtaca	gccaggccca	gtacgatgac	ttccagtggg	agcaagtgcg	300
aatccaccct	ggcaccgggg	cacctgcgga	cctgccccac	ggctcctact	tgatgggcaa	360
cacttcccag	catgccccag	gccagcgagc	ccatgtcatc	ttccagagcc	tgagcgagaa	420
tgatacccac	tgtgtgcagt	tcagctactt	cctgtacagc	cgggacgggc	acagcccggg	480
caccctgggc	gtctacgtgc	gcgttaatgg	gggccccctg	ggcagtgctg	tgtggaatat	540
gactggatcc	caeggccgtc	agtggcacca	ggctgagctg	gctgtcagca	ctttctggcc	600
caatgaatat	caggtgctgt	ttgaggccct	catctcccc	gaccgcaggg	gctacatggg	660
cctagatgac	atcctgcttc	tcagctaccc	ctgcgcaaag	gccccacact	tctcccgcct	720
gggcgacgtg	gaggtcaacg	cgggccagaa	cgctgcttc	cagtgcattg	ccgcgggag	780
agcggccgag	gccgaacgct	tcctcttgca	acggcagagc	ggggcgctgg	tgcccggcggc	840
ggcgctgccc	cacatcagcc	accggcgctt	cctggcact	ttcccgtgg	ctgcccgtgag	900
ccgcgcccag	caggacctgt	accgctgtgt	gtcccaggcc	ccgcgcccag	gcgggacctc	960
tctcaacttc	geggagttaa	tggtcaagag	cccccaactc	ccatcgccgc	cccacagctg	1020
ctgcgtgctg	gccccaccta	cctcatcatc	cagctcaaca	ccaactccat	cattggcgac	1080
gggcccgatc	tgcgcaagga	gattgagtac	cgcatggcgc	gcgggcccctg	ggctgaggtg	1140
cacgccgtca	gcctgcagac	ctacaagctg	tgccacctcg	accccgcac	agagtatgag	1200
atcagcgtgc	tgctcacgcg	tcccggagac	ggcggcactg	gccgccctgg	gccaaccctc	1260
atcagcccga	ccaaatgccc	agagcccctg	agggccccca	aaggcctggc	ttttgtgtg	1320
atccagcccc	gtcagctgac	cctgcagtgg	gaaccactgg	gctacaacgt	gacgcgttgc	1380
cacacctata	ctgtgtcgt	gtgctatcac	tacaccctgg	gcagcagcca	caaccagacc	1440
ataccgagag	tgtgtgaaga	cagagcaagg	tgtcagccgc	tacaccatga	agaacctgct	1500
gccctatcgg	aacgttcacg	tgaggcttgt	cctcactaac	cctgaggggc	gcaaagaggg	1560
caaggaggtc	actttccaga	cggtatgagga	tgtgccctgt	gggattgcag	ccgagtcctt	1620
gaccttcact	ccactggagg	acatgatcct	cctcaagtgg	gaggagcccc	aggagcccaa	1680
tggtctcatc	accagtatg	agatcagcta	ccagagcctc	gagtcacag	accggcagct	1740
gaacgtgcca	ggcccacgac	gtaccatctc	caagctccgc	aatgagacct	accatgtcct	1800
ctccaacctg	caccagga	ccacctacct	gttctccgtg	cgggcccgca	caggcaaagg	1860
cttcggccag	gcggcactca	ctgagataac	actaacatc	tctgctocca	gctttgatta	1920
tgccgacatg	ccgtcacc	tgggcgagtc	tgagaacacc	atcaccgtgc	tgctgaggcc	1980
ggcacagggc	cgcggtgccc	ccatcagtg	gtaccaggtg	attgtggagg	aggagcaggg	2040
cagcaggagg	ctgcggcggg	agccaggtgg	acaggactgc	ttcccagtc	cattgacctt	2100
cgaggcggcg	ctggcccggg	ggctgggtgga	ctacttcggg	gccgaactgg	cgccagcag	2160
tctacctgag	gccatgcctt	ttaccgtggg	tgacaacaag	acctaccgag	gcttctggaa	2220
cccaccactt	gagcctagga	aggcctatct	catctacttc	caggcagcaa	gccacctgaa	2280
gggggagacc	cggtgaatt	gcattccgcat	tgccaggaaa	gctgcctgca	aggaaagcaa	2340
gcggcccctg	gaggtgtccc	agagatcgga	ggagatgggg	cttatcctgg	gcatctgtgc	2400
aggggggctt	gctgtcctca	tccttctcct	gggtgccatc	attgtcatca	tccgcaaagg	2460
gagagaccac	tatgcctact	cctactaccc	gaagccgggtg	aacatgacca	aggccaccgt	2520
caactaccgc	caggagaaga	cacacatgat	gagcgccgtg	gaccgcagct	tcacagacca	2580
gagcacctcg	caggaggacg	agcggctggg	cctgtccttc	atggacaccc	atggctacag	2640
caccggggga	gaccagcgca	gcgggtgggg	cactgagccc	agcagcctcc	tggggggctc	2700
cccagggcgt	ccctgtggcc	ggaagggtc	ccataaccac	acggggcagc	tgaccctg	2760
gggtgctgtc	gcagaccttc	tgacgacat	caaccagatg	aagacggccg	agggttacgg	2820
cttcaagcag	gagtatgaga	gcttctttga	aggctgggac	gccacaaaga	agaaagacia	2880
ggtcaagggc	agccggcagg	agccaatgcc	tgcttatgat	cggcaccgag	tgaactgca	2940

cccgatgctg	ggagacccca	atgccgacta	cattaatgcc	aactacatag	atattcggat	3000
aaaccgagaa	ggttaccaca	ggtcaaacca	cttcatagcc	actcaagggc	cgaagcctga	3060
gatggtctat	gacttctggc	gtatggtgtg	gcaggagcac	tgttccagca	tcgtcatgat	3120
caccaagctg	gtcgaggtgg	gcagggtgaa	atgctcacgg	tactggccgg	aggactcaga	3180
cacctacggg	gacatcaaga	ttatgctggt	gaagacagag	accctggctg	agtatgtcgt	3240
gcgcactttt	gccctggagc	ggagaggcta	ctctgcccg	cacgaggtcc	gccagttcca	3300
cttcacagcg	tggccagagc	atggcgtccc	ctaccatgcc	acggggctgc	tggctttcat	3360
ccggcgcgtg	aaggcttcca	ccccacctga	tgccgggcc	attgtcatcc	actgcagcgc	3420
gggcaccggc	cgcacaggtt	gctatatcgt	cctggatgtg	atgctggaca	tggcagagtg	3480
tgagggcgtc	gtggacattt	acaactgtgt	gaagactctc	tgctcccggc	gtgtcaacat	3540
gatccagact	gaggagcagt	acatcttcat	tcatgatgca	atcctggagg	cctgcctgtg	3600
tggggagacc	accatccctg	tcagtgagtt	caaggccacc	tacaaggaga	tgatccgcat	3660
tgatcctcag	agtaattcct	cccagctgcg	ggaagagttc	cagacgctga	actcggtcac	3720
cccgcgcgtg	gacgtggagg	agtgcagcat	gcacctgttg	ccccggaacc	gcgacaagaa	3780
ccgcagcatg	gacgtcctgc	cgcccgaccg	ctgcctgccc	ttcctcatct	ccactgatgg	3840
ggactccaac	aactacatta	atgcagccct	gactgcagcg	tacacacgga	gtgcggcctt	3900
catcgtgacc	ctgcaccgcg	tgcagagcac	cacgcccagc	ttctgggggc	tggctctacga	3960
ttacgggtgc	acctccatcg	tcatgctcaa	ccagctgaac	cagtccaact	ccgctgggcc	4020
ctgcctgcag	tactggccag	agccaggccg	gcagcaatat	ggcctcatgg	aggtggagt	4080
tatgtcgggc	acagctgatg	aagacttagt	ggtcogagtc	ttccgggtgc	agaacatctc	4140
tcggttgtag	gaggggcacc	tgctgggtgc	gcacttccag	ttcctgcgct	ggtctgcata	4200
ccgggacaca	cctgactcca	agaaggcctt	cttgcacctg	ctggctgagg	gggacaagtg	4260
gcagcccgag	agtgggggat	ggcgcacctg	cgtgcactgc	ctaaacgggg	gaggacgcag	4320
cggcaccttc	tgcgccctgc	gccacggctc	tgagatgat	ccgctgccac	aacttggtgg	4380
acgttttctt	tgttgccaaa	accctccgga	actacaaaacc	caacatggtg	gagacctgg	4440
atcagtacca	cttttgctac	gatgtggccc	tggagtactt	ggaggggctg	gagtcaagat	4500
agcggggccc	tggcctgggg	cacccactgc	acactcaggg	ccagaccac	catcctggac	4560
tggcgaggaa	gatcagtgcc	tctgtctctg	cccaaacaca	ctcccattgg	gcaagcactg	4620
gagtggatgc	tgggctatct	tgtccccct	tccactgtgg	gcagggcctt	tcgcttgtcc	4680
catgggcggg	tggtagggcca	aggaggagct	tagcaagtct	gcagcccagc	cccacctcca	4740
taggtcctg	caggcctgtg	ctgagaggcc	tggtgctgcc	tggcagagtg	acaaaggctc	4800
aggacggctg	gctctggggg	actcaggcca	agcccccttg	caccatcctg	gcttttggca	4860
gggatgagtg	aggccctgca	gagagcatcc	caggccaagg	ttcccactca	gcctgcccc	4920
tctgcatgtg	ggttagaggat	gtactgggac	ttggcattta	ggattccatc	tggcccagcc	4980
cctgaaggtc	ctgggggaagc	aggtctcaat	tctgaatagc	cagtggggca	cactgactgt	5040
ccctccccag	gggaactgca	gcgccccctc	tccccactgc	ccctgcaac	cccctgagat	5100
atthtgetca	ctatccccctc	ccccacttgc	ttccctgata	tgtgctctga	gcttccctga	5160
accaggatct	gcctattact	gctgtgcccc	atggggggct	ccttccctgc	ctgaccact	5220
gttgcagaat	gaagtcacct	cgccccctc	ttcctttaa	cttcaggcct	cactggcctg	5280
tctgtctcag	cttgggcccag	tgacaatctg	caaggctgaa	caacagcccc	tggggttgag	5340
gccctgtgg	ctcctgggtca	ggctgcccgt	tgtggggagg	ggcagtgtta	gagcagggct	5400
ggtcataccc	tctggagttc	agaggaagag	gtaggaccag	tgcttttttg	tttcttttgt	5460
tatttttgg	tgggtgggtg	ggaaggtctc	tttaaaatgg	ggcaggccac	acccccattc	5520
cgtgcctcaa	tttccccatc	tgtaaactgt	agatatgact	actgacctac	ctgcagggg	5580
gctgtgggga	ggcataagct	gatgtttgta	aagcgctttg	taataaacg	tgctctctga	5640
atgcctaaaa	aaaaaa					5656

<210> 545
 <211> 2735
 <212> DNA
 <213> Homo sapiens

<400> 545						
tttttttgg	ttttatthtt	tcttttttaag	tttgatthtt	tttattthcaa	aatgctthtgc	60
aattaaatga	attactgttc	agaagtctcc	cactthttcat	acaaaaatac	tgtgctactg	120
atacagttga	aaaaattcaa	tgatgtctct	cctgcaggag	aaattcacag	catccccagg	180

```

gtcaacatga aatctggccc tgtccccgcc actgggggct ccccaggcct gcgttcctga 240
taaactggga caggttttcc aggcaactgac caactatcca ccaagggctc tctgcctcca 300
agacagaccc tgaatcaata gcagcaactt tcccatattt catgtagggg tatgtggagg 360
gggacaggaa ctctcccatt tccccagctg ggccactac ctgcctgccc tgttcactct 420
ggtgccatga ggcaggttca gtgattgatt ggtcttgctt gctgcagagg acctggccag 480
ctccagaagg gtcactcacc aggtcctgca aaggtctgta tcattaatca gtgtcatcag 540
tgtcctcaga agacactagc agagtccagg gtgatgogtt cagccacaag cacaaagact 600
gctttttcta aagagcagga tgaggatgaat gtgggaacgg aaagcagttg tcacgaaggc 660
tgtgtggctc tgctggggga gaggcatcca cagtctgtgc caaggaggta cctcacctg 720
tgcagcagga gcgttaaggc caaaaaacaa aaggggccaa cagaaaaacag ctcagggtgat 780
ggggggagga gcagcaagaa aaaacgacaa ccgagaccaa ctgaaggttc ggtcaggaat 840
gcaggctcct ccgtctatac agtgtttaaa aagatccaaa tgtgactgag atcattccag 900
cctgcacttt ttatgtgtag gcagaaggaa cgggataggt tgaggggcat gacgggggct 960
ctcgccacct cttgtctgca cctctggaac aggtgggagc cgaatcattc aagtcctacc 1020
tggtcagact cccaaccacg ctgaggcagg cccttacctt ggattgcctc atgggcctcc 1080
ctcttgaaaa agaccctcac tctgtttgga aaagatccct tagcagccat aatcaggaaa 1140
gagactctag agcgagccca gggcttcccc aaagcggatt ttctgtcctg ttttcagctg 1200
gaaattgaag tccttggggg cctcgaagat gagcacgatg gtggagccca ggttgaaact 1260
cgccccaggt gctcgcccct taacgccatg gggagcccct ctctattggt gtgcgtcacg 1320
aagctgaagt cattgtagga gcccttgctg tgcttggggc tgtttgtgtg caggtcccgg 1380
tcaaagtaga tgccaatgga gccccagttg ggtggccccc acagctgtca gtgagaagaa 1440
gccatgtttc cagtcccccg tcaggaccac ccgctcgtaa tggcagaaga gctctttgat 1500
ccagcagacc atgccagggt tcaactgacat cagggagcct gggaaagtggc gccggtggga 1560
ccagctccag tcggtggggg agtgggaagca gtggtagtcc ccaggggcca ggtagatgac 1620
acagtgatag agctcattcc cttcccgggt gaccagctgg ttcttgaagg agtcacacga 1680
cgcggtggtt gggaagggca ggtcctctgt gcacatacgc gggcccagga acgactccag 1740
ggagtaggtg acccccttta cctgctccac ctcacagttc ttcacctgcc caaagttgag 1800
gatecttcca tccgatgggc taatcacgct gtgcaggcca cagacaggcc gggcctgcgg 1860
cttcagcttg cgccggaaga actcgctgag gttgcggtag tgatgcaggt cctccacagc 1920
ggcctctttc atgttcaccc caaacgtcca gatgtacagg ctgtagacgg gcctgcgcag 1980
ccagtgtggc agctccacct gattgaggcg accccaggcc cgtgacagca agcgcgttgg 2040
cactgacttg taaaaagcca cctgcttac gggcctccat cccaccgggc tgagcggtct 2100
gagggcgccg aagggcagga ggtagtagag gacggtcaag ggccaggagc gcagtttcag 2160
agcgggtctg gacatgcagc tcagctgccc cagcctccgc ctcaaggcca gctgggggaa 2220
gtgcaacatc ttcgcgcgcg ggagctctgg tcccttgccc gcctctgact gacacatcat 2280
gggcggcgcg agggagggcg gggcgaggct cactcgatca ctccccttgg tttcctcttt 2340
ctccccttcc ccccagacca gcagatctcc tgtgctgtca ctgctccagg gcctctgctt 2400
ctcagcaggt gggtgggtggc gccgcttccct gggtttgggt cagtctoggt ggctcacagg 2460
gtgcagaata gagggtcagg gccgcgcccc gcaggagata agatgtggag gaagtgagct 2520
cacgcagccc gggccgtgcc cacgtgggga cggaaaaaaa gccccagact cgetcaacct 2580
tgtccgcggg gctcctcagg ccggggccgc gtcgtcacag ctgggagagc ccacctgcga 2640
ccgaaggccc tagaagggca cccccaccg gcactggccc tctgagcggg caggttgggg 2700
cgctcctctg agaagtacc tggggetcca cgaaa 2735

```

```

<210> 546
<211> 4146
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(4146)
<223> n = a,t,c or g

```

```

<400> 546
gagacatggc ccgggagcagtg gctcctggaa gaggaacaag tgtgggaaaa gggagaggaa 60

```

gccggagcta	aatgcacagga	tgcaggcgac	ttgagacaca	aaaagagaag	cgttcctctc	120
ggatccaggc	attgcctcgc	tgctttcttt	tctccaagac	gggctgagga	ttgtacagct	180
ctaggcggag	ttggggctct	tccggtcgcg	tagattctcc	tctttgctgc	atttcccccc	240
acgtcctcgt	tctcccgctg	ctgcctgcgg	acccgagaa	gggagaatgg	agagggggct	300
gccgctctc	tgcgccgtgc	tgcacctcgt	cctcgccccg	gccggtgctt	ttcgcaacga	360
taaattgtgg	gatactataa	aaattgaaag	ccccgggtac	cttacatctc	ctggttatcc	420
tcattcttat	cacccaagtg	aaaaatgcga	atggctgatt	caggctccgg	accataacca	480
gagaattatg	atcaacttca	accctcactt	cgatttggag	gacagagact	gcaagatga	540
ctacgtggaa	gtcttcgatg	gagaaaatga	aaatggacat	tttaggggaa	agttctgtgg	600
aaagatagcc	cctcctcctg	ttgtgtcttc	aaaggccattt	ctttttatca	aatttgtctc	660
tgactacgaa	acacatgggtg	caggattttc	catacgttat	gaaattttca	agagaggctc	720
tgaatgttcc	cagaactaca	caacacctag	tggagtgata	aagtcccccg	gattccctga	780
aaaatatccc	aacagccttg	aatgcactta	tatttgtctt	tgcgcaaag	atgtcagaga	840
ttatcctggg	atthtgaag	ctttgacctg	gagcctgact	caaatcctcc	aggggggatg	900
ttctgtcgtc	acgaccggct	agaaatctgg	gatggattcc	ctgatgttgg	ccctcacatt	960
gggcttact	gtggacagaa	aacaccaggt	cgaaatccgat	cctcatcggg	cattctctcc	1020
atggtttttt	acaccgacag	cgcgatagca	aaaggaaggtt	tctcagcaaa	ctacaggtgc	1080
ttgcagagca	gtgtctcaga	agatttcaaa	tgtatggaag	ctctgggcat	ggaatcagga	1140
gaaattcatt	ctgaccagat	cacagcttct	tcccagtata	gcaccaactg	gtctgcagag	1200
cgctccccgc	tgaactaccc	tgagaatggg	tggactcccc	gagaggattc	ctaccgagag	1260
tggatacagg	tagacttggg	ccttctgcgc	tttgtcacgg	ctgtcgggac	acagggcgcc	1320
atthcaaaag	aaaccaagaa	gaaatattat	gtcaagactt	acaagatcga	cgttagctcc	1380
aacggggaag	actggatcac	cataaaagaa	gaaacaaaac	ctgttctctt	tcagggaaac	1440
accaaccca	cgatgtttgt	ggttgcagta	ttccccaaac	actgataaac	tcgatttgtc	1500
cgaatcaagc	ctgcaacttg	ggaaactggc	atatctatga	gatttgaagt	atacggttgc	1560
aagataacag	attatccttg	ctctggaatg	ttgggtatgg	tgtctggact	tatttctgac	1620
tcccagatca	catcatccaa	ccaaggggac	agaaaactgga	tgcttgaaaa	catccgctcg	1680
gtaaccagtc	gctctggctg	ggcacttcca	cccgcacctc	attcctacat	caatgagtg	1740
ctccaaatag	acctggggga	ggagaagatc	gtgaggggca	tcacatttca	gggtgggaa	1800
caccgagaga	acaaggtggt	catgaggaag	ttcaagatcg	ggtacagcaa	caacggctcg	1860
gacttgaaga	tgatcatgga	tgacagcaaa	cgaagggcga	agtcttttga	gggcaacaac	1920
aactatgata	cacctgagct	gcggactttt	ccagctctct	ccacgcgatt	catcaggatc	1980
taccccgaga	gagccactca	tggcggactg	gggctcagaa	tggagctgct	gggctgtgaa	2040
gtggaagccc	ctacagctgg	accgaccact	cccaacggga	acttgggtgga	tgaatgtgat	2100
gacgaccagg	ccaactgcc	cagtggaaaca	ggtgatgact	tccagctcac	aggtggcacc	2160
actgtgctgg	ccacagaaaa	gcccacggtc	atagacagca	ccatacaatc	agagtttcca	2220
acatatggtt	ttaactgtga	atthggctgg	ggctctcaca	agacctctg	ccactgggaa	2280
catgacaact	acgtgcagct	caagtggagt	gtgttgacca	gcaagacggg	accattcag	2340
gatcaacacg	gagatggcaa	cttcatctat	tccaagctg	acgaaaaatca	gaaggcmeta	2400
gtggctcgcc	tggtgagccc	tgtggtttat	tcccagaact	ctgcccactg	catgaccttc	2460
tggatcacca	tgtctgggtc	ccaactgggc	acactcaggg	tcaaactggc	ctaccagaag	2520
ccagaggagt	acgatcagct	ggtctggatg	gccattggac	accaaggtga	ccactggaag	2580
gaagggcgtg	tcttgcctca	caagtctctg	aaactttatc	aggtgatttt	cgagggcgaa	2640
atcggaaaag	gaaaccttgg	tgggattgct	gtggatgaca	ttagtattaa	taaccacatt	2700
tcacaagaag	atthtgcaaa	accagcagac	ctggataaaa	agaaccaga	aattaaaatt	2760
gatgaaacag	ggagcacgcc	aggatacga	ggtgaaaggag	aagtgacaa	gaacatctcc	2820
aggaaccagc	gcaatgtgtt	gaagacctta	gaaccatcc	tcacacccat	catagccatg	2880
agcgcctcgt	gggtcctcct	gggggctgtc	tgtggggtcg	tgctgtactg	tgctgttgg	2940
cataatggga	tgtcagaaa	aaacttgtct	gcctggaga	actataactt	tgaacttgtg	3000
gatgggtgta	agttgaaaa	agacaaactg	aatacacaga	gtacttattc	ggaggcatga	3060
aggcagacag	agatgaaaag	acagtcaaag	gacggaagtg	gaaggacggg	agtgagctgg	3120
ggagctgttg	atctttcact	atacaggtcg	ggaagtgtgt	tgatgaccac	tgagccagcg	3180
ttttctcagg	agcttcaatg	agtatggccg	acagacatgg	acaaggagct	gtgttcacca	3240
tccgactcat	gtgcagtcag	ctttttctct	gttggtttca	tttgaataat	cagatctggg	3300
tgttgagacc	aagtatgatt	gacataatca	ttcatttoga	cccctcctgc	ccctctctct	3360
ctctctctc	tcccctttgt	ggattctttt	tggaaactga	gcgaaatcca	agatgctggc	3420
accaagcgta	ttcogtgtgg	ccctttggat	ggacatgcta	cctgaaacc	agtgcccaga	3480
atatactaga	atcaccgcat	ttcagtgagc	tctggaagtt	gtacttgtgt	ataattgccc	3540
gcgtcgtgca	taggcaaaaga	aggattaggc	tgttttcttt	ttaaagtact	gtagcctcag	3600
tactgggtgta	gtgtgtcagc	tctgtttacg	aagcaatact	gtccagtttt	cttgcgtttt	3660
ttccgggtgt	gtactaaacc	tcgtgcttgt	gaactccata	cagaaaaacg	tgccatctct	3720
gaacacggct	ggccactggg	tatactgctg	acaaccgcaa	caacaaaaac	acaaatcctt	3780
ggcactggct	agtctatgtc	ctctcaagtg	cctttttgtt	tgtactgggt	catttgtgta	3840
cattaacgac	ccactctgct	tcttctggtt	gaaagccctg	ctctttaatc	aaactctggt	3900

```

ggcccactga ctaagaagaa agtttatttt cgtgtgagat gccagcccct ccgggcaggc 3960
aagggctctg aagatttggg caacgtgggc ttaaattggt ctgctttttc tgtagtcaa 4020
tttcatgttt cttgnaccct ttttgtataa agctgcaata ttctctctta ttgttcnttt 4080
catatggaat gtaatttctc gtgccgaatt cctgcaggcn aatcaattaa aatccccccg 4140
gcgcc 4146
    
```

```

<210> 547
<211> 1348
<212> DNA
<213> Homo sapiens
    
```

```

<400> 547
ggcacgaggg cagtgccctc acctgggcca gccactacca ggagagactg aactccgaac 60
agagctgcct caatgagtgg acggctatgg ccgacctgga gtctctgegg cctcccageg 120
ccgagcctgg cgggtcagtg tgtggagggg agggactggg tggaggggaa ggcaggataa 180
tgcagtgggg ggcatggtgg agaggggaaa gggccccttg actgaggggc tctgctccca 240
ggtcctcaga acaggagcag atggagcagg cgatccgtgc tgagctgtgg aaagtgttgg 300
atgtcagtga cctggagagt gtcacttcca aagagatccg ccaggctctg gagctgcgcc 360
tggggctccc cctccagcag taccgtgact tcatcgacia ccagatgctg ctgctgggtg 420
cacagcggga ccgagcctcc cgcactctcc cccacctcta cctgggctca gagtggaacg 480
cagcaaacct ggaggagtg cagaggaaca ggtagggcta tgagcccctc gggccaccca 540
ccccatcttc ctttctcctg gcctccccgc attgggtggt agccagcttc aaaaaaccct 600
ggaccaccct cagcagctgc tagctctgct tctaactctg tcttggggct gttgccttgg 660
tgtggctccc cagggtggga caggagacct gctggccagc ccccgccac tctcctcccc 720
catccacact gtgaaacaag gacagaaaca aaggccctca gccacgcaa gacgagaagc 780
agcagcgcac actgctgtaa ctgccttggg caagcagaaa aaggctctc ttgaatgcgc 840
ctgtgggccc agctacttgg gaggctgagg caggaggatc gcttgagccc tggagattga 900
ggccgtagtg agccgtgatc acgccactgc actccagcct gggcaacaga gagagaccct 960
gtctctaaaa aataagaaaa aagaaagaga gaaaaagcct tttctccacc ttgccctgtc 1020
tcaggaaga aggaactgcc cttctccccg tggggacctg gctgctgct ctgacaggta 1080
cctgtcatct gccaccatg ggcttctggg acctgctgta gcccctgcca cccactgctg 1140
cagaccacc cactctcagc ttagctcaaa agctgttctc taactcattt ctgagaataa 1200
ctgaagggct ggagttgcag ttggcccagc tgtctggacc agatggggaa acaagcccag 1260
cagggcaaga tgattggtct aaggctgcag ccaggtgaca gctgggtcac ttctctctcc 1320
actgtcactg ctgcctccat ctgacttg 1348
    
```

```

<210> 548
<211> 1864
<212> DNA
<213> Homo sapiens
    
```

```

<220>
<221> misc_feature
<222> (1)...(1864)
<223> n = a,t,c or g
    
```

```

<400> 548
tttttttttt ttttaaaca tgtggtactg gtgtattgac agtaatgtcc acgaaacaga 60
    
```